





FX-PROJECT ® OPEN SOURCE

Version 24

fx-project Open Source - Software EXTENSION PACKAGES





Table of contents

1	General	3
1.1	Brief Description	3
1.2	Imprint	3
2	fx-project - Extension Packages	4
2.1	Download / Unpack	4
2.2	Activate Open Key(s)	6
2.3	List Keys1	1
3	Acknowledgement1	3





1 General

fx-project version 24, as of October 2024

1.1 Brief Description

This guide explains step-by-step how to install and activate the extension packages of fx-project.

Unless otherwise described, instructions always refer to the Ultimate version of fx-project, as this includes all functionalities.

1.2 Imprint

FeRox Management Consulting GmbH & Co KG

Adolf Langer Way 11a 94036 Passau Germany

Phone: +49-851-96671-0 Fax: +49-851-96671-10

Email: info@fx-project.de

Web: https://www.fx-project.org

Personally liable shareholder

FeRox Management Consulting Verwaltungs-GmbH Passau Local Court, HRA Passau 13154

Managing Director

Walter Binder

Passau Local Court, HRB Passau 10384

© FeRox Management Consulting GmbH & Co. KG






2 fx-project - Extension Packages

2.1 Download / Unpack

On our website https://www.fx-project.org you can find the latest version of fx-project Open Source incl. documentation, manuals and extension packages in the [**Downloads**] section.



(Figure 1: The screenshot may differ depending on the version)




Notice:

To access the download area of fx-project you need valid access data. If you do not have any access data yet, you can request new access data.





After logging in, you will be offered the extension packages in the download area. Now click on the extension packages to download them.



(Figure 2: The screenshot may differ depending on the version)



Notice:

The extension packages are listed in the download area only if you have a valid open or activated key.

After downloading the PHP extension packages, unpack the ZIP file into your fx-project web directory - this will copy or overwrite the programs in the **SPP** subfolder.





2.2 Activate Open Key(s)

For security reasons, first rename the supplied key program **SPP/key.php**, e.g. by adding a sequence of numbers known only to you or similar.

Calling the program without adapting the name results in the following security notice.



(Figure 3: The screenshot may differ depending on the version)


In our example we use SPP/key123.php





Start the key program in your web browser by entering the correct URL, e.g. here $\frac{\text{http://localhost/FXP/SPP/key123.php}}{\text{http://localhost/FXP/SPP/key123.php}}.$

Here http://localhost/FXP is the address to your fx-project Open Source version.




(Figure 4: The screenshot may differ depending on the version)

To activate open keys, click the second menu item [Activate Open Key(s)].





Now enter the username and key of your access data for fx-project Open Source.



(Figure 5: The screenshot may differ depending on the version)

To check for your open keys, click the right button [Check for open keys] after entering your data.



Notice:

Requires a valid connection to the Internet, i.e. the website https://www.fx-project.org must be accessible.


The following information is transmitted encrypted:

- Access data: Username
- Access data: Key





All open keys are listed, including duration/until and program functions to be activated. Now define the corresponding client for each key that you want to activate.



(Figure 6: The screenshot may differ depending on the version)

To activate the selected open keys for this system in the corresponding duration, click the [**Activate open key(s)**] button after selecting the client.



Notice:

Requires a valid connection to the Internet, i.e. the website https://www.fx-project.org must be accessible.


The following information is transmitted encrypted:

- Access data: Username
- Access data: Key
- Key number
- Client
- Database type (dbtype)
- Database name (dbname)
- Security key (oskey32)





The selected keys are now activated online for your system and stored on your server in the **KEY** subdirectory of fx-project Open Source.



(Figure 7: The screenshot may differ depending on the version)






2.3 List Keys

Start the key program in your web browser by entering the correct URL, e.g. here http://localhost/FXP/SPP/key123.php.

Here http://localhost/FXP is the address to your fx-project Open Source version.




(Figure 8: The screenshot may differ depending on the version)

To list your keys, click the first menu item [List Keys].





All keys stored in your system are listed, including status/duration, client and activated program functions.



(Figure 9: The screenshot may differ depending on the version)





3 Acknowledgement



Thank you for choosing fx-project Open Source and purchasing extension packages. By purchasing the extension packages you support us and ensure the continuity of this software.

We wish you

Good Luck!