



**KOLEJ UNIVERSITY POLY-TECH MARA KUALA LUMPUR
TSE 3184
WEB APPLICATION AND DEVELOPMENT**

**TITLE
ONLINE BALONA BALLOON BOOKING SYSTEM**

**PREPARED BY:
NUR AIN BINTI ZAFRUDIN
MUHAMMAD THORIQ BIN NOOR IBRAHIM**

**PREPARED FOR:
MADAM SITI FAIZAH BINTI MISEROM**

DIPLOMA CC101

MAY – AUG 2018

PROJECT - TSE3184

Project Title: Online Balona Balloons Booking System

GROUP MEMBERS	ID NUMBER
NUR AIN BINTI ZAFRUDIN	
MUHAMMAD THORIQ BIN NOOR IBRAHIM	

System Development Evaluation

Assessment Criteria	Marks Awarded	Max Marks	Comments
Achievement of objectives		10	
Creativity in designing the user interface and user friendly		10	
System features and design		20	
System functionality		20	
Originality of work		10	
Innovativeness		10	
Consistency		10	
Punctuality – submit on time		10	
Total Marks		100	

Marks over 20 %: _____ / 20

System Documentation Evaluation

Assessment Criteria	Marks Awarded	Max Marks	Comments
Abstract		5	
Chapter 1: Introduction 1.1 Project Background 1.2 Problem Statement 1.3 Objectives 1.4 Project Scope and Intended User		10	
Chapter 2: System Requirements 2.1 Functional Requirements 2.2 Non-Functional Requirements 2.3 Hardware and Software Requirements 2.4 Data Flows 2.5 User Access Levels		12	
Chapter 3: Conclusion 3.1 Achievements 3.2 Project Evaluation		8	
Screenshot of the system interfaces		10	
References		5	
Total Marks		50	

Marks over 10 %: _____ / 10

ABSTRACT

This project is very useful web application for Balona Balloon, a hot air balloon company in Cappadocia, Turkey. The project title is Online Balona Balloon Booking System. The system was developed to guide customers from all over the world and Balona staffs. This system manages a systematic application that will make bookings online and also searching, editing, deleting and adding data easier for the staffs. Users will find it easy to manage and save more time when searching for a specific data. The method that we used in developing this system is using PHP and HTML programming language. Lastly, this application will help to improve booking and managing bookings compared to the traditional methods.

Table of Contents

ABSTRACT.....	3
1.0 INTRODUCTION.....	7
1.1 PROJECT BACKGROUND.....	7
1.2 PROBLEM STATEMENT.....	8
1.3 OBJECTIVES	9
1.4 PROJECT SCOPE AND INTENDED USER	10
2.0 SYSTEM REQUIREMENTS.....	11
2.1 FUNCTIONAL REQUIREMENTS	11
2.2 NON-FUNCTIONAL REQUIREMENTS	12
2.3 HARDWARE AND SOFTWARE REQUIREMENTS.....	13
2.4 DATA FLOW	13
2.5 USER ACCESS LEVEL.....	14
3.0 CONCLUSION.....	15
3.1 ACHIEVEMENTS.....	15
3.2 PROJECT EVALUATION	16
REFERENCES	17
SCREEN SHOOT OF SYSTEM INTERFACE	18
Customer.....	18
Administrator.....	22
CODINGS	33
style.css.....	33
theme.css	46
icon.css.....	46
script.php	57
Customer.....	59
header.php.....	59
index.php	59
navbar.php	62
banner.php.....	63
aboutUs.php.....	64
modalClass.php.....	65
googleMap.php.....	67
footer.php	67

registerForm.php	68
register.php.....	74
review.php	76
gallery.php	78
faq.php	81
Administrator.....	84
login.php	84
logout.php.....	88
indexAdmin.php.....	88
navbarAdmin.php	90
viewData.php	91
viewAdmin.php	92
viewStaff.php	94
viewFlight.php.....	97
viewCustomer.php.....	99
viewBooking.php.....	101
viewContact.php	103
addNew.php.....	105
addAdmin.php	106
addStaff.php.....	113
addFlight.php	116
addCustomer.php	118
addBooking.php	123
addContact.php.....	126
listEdit.php	128
listAdmin.php	130
listStaff.php	132
listFlight.php.....	134
listCustomer.php.....	135
listBooking.php	137
listContact.php	139
editAdmin.php	141
editStaff.php	147
editFlights.php	154
editCustomer.php	157
editBooking.php.....	163

Balona Balloon Co.
TSE3184-WEB APPLICATION AND DEVELOPMENT

editMessage.php.....	166
deleteAdmin.php	168
deleteStaff.php	170
deleteFlight.php.....	172
deleteCustomer.php	173
deleteBooking.php.....	175
deleteContact.php	177

1.0 INTRODUCTION

1.1 PROJECT BACKGROUND

Balona Balloon has been operated for 25 years to bring joy to their customers. They are now one of the well known hot air balloon ride company in Turkey and they want to reach their customer easier through the internet. Currently, they are using a log book system to store all the details of their customers, bookings and staffs.

Normally, the customers need to call the company or email them to make reservation or booking for a hot air balloon ride. Then the staff will write the customer details and booking details in a log book. The company also store details of their staffs especially their pilot in a log book in case of the customers need to know about their pilot. The staff had to search the log book one by one, to search for a specific details if the management ask. They sometimes miss a data or two when they wnt through it. Furthermore, the log book also misplaced and this will cause a big trouble for the company.

The manual system is made hard and took a lot of time to the customers and staffs. The staffs spend a lot of time searching for data in piles of log books and the customers sometimes does not get full information regarding their flight package. At the same time, the customers also waste a lot of money on phone calls especially if they are made from other countries.

1.2 PROBLEM STATEMENT

There are several problems that we detected in developing this system.

1. Managing customers, staffs and booking records manually using a log book system.

Balona Balloon has been managing their company for the past 20 years using a log book system that is outdated in this computerize era. They want to make things easier to manage, search, add and edit the data.

2. Customers from the other side of the world need to call Balona Balloon to ask about the packages.

Customers have been spending a lot of money to make a single phone call to Balona Balloon that is situated in Turkey. International phone call cost a lot and making it hard to communicate.

3. Unfamous, need to be well known.

Even though they have been operated for more than 20 years, they are not famous among the other hot air balloon company. They want to make their company well known all over the world.

1.3 OBJECTIVES

The main objectives of this web application are:

1. To manage records easier.

The administrators can view, edit, add, delete, print and search data in the system.

2. To provide platform for customers to leave any message.

Customers can easily leave any message for Balona Balloon without making any phone call and they company will answer any questions by replying them through email.

3. To make Balona Balloon well known.

By using web application, that is using the internet that everyone can access, Balona Balloon will get well known and more customers for them.

1.4 PROJECT SCOPE AND INTENDED USER

For this web application, the intended user are the administrators of Balona Balloon and customers from all over the world.

a. Administrator

- Can view the details of customers, bookings, staffs, flights type, messages leave by customers and other admins.
- Can search through all the data.
- Can print the data.
- Have the privilege to edit all data.
- Have the privilege to delete any data.
- Can add new data to the database.

b. Customer

- Can view details about Balona Balloon company.
- Can view the packages that Balona Blloon offer.
- Can leave message without making any booking.
- Can made booking with any date that they desire.
- Can view gallery of past trips that Balona Balloon made.
- Can view reviews that past flyers made.
- Have the privilege to view frequently asked questions from customers.

2.0 SYSTEM REQUIREMENTS

2.1 FUNCTIONAL REQUIREMENTS

Functional requirements will describe what the website should do or the functions it possess. It is the core operations. It is established before the developments of the website, so it is written in future tense. In developing the Balona Balloon website, some of the functional requirements are:

Interface Requirements

- Allowing the customers to book their own flights.
- Allowing the customer and the admin to register the data entry.
- The admin should be able to edit the customers including itself.
- Admin should be able to see the lists of the customers and the admins.
- The admins can be able to search for the record found.

Business Requirements

- The data must be entered through entries before a request can be approved.
- Clicking the Enter button will directly go into the lists of the data and record found if the record is found.
- The booking lists is placed in uncomplicated forms.

Regulatory Requirements

- The database of the system will have a functional audit trail.
- The system will limit access to authorized users.
- The spreadsheet can secure data with username and password.

Security Requirements

- Admins of the Managers can enter or approve a request nor delete requests.
- Admins requires login ID and password to access the system.

2.2 NON-FUNCTIONAL REQUIREMENTS

Non-functional requirements are not concerned with the functions of the system. Instead, they look at the criteria to which the software or website is expected to conform to. Non-functional requirements can include things like response time and reliability. It can also be closely tied to user satisfaction. So, our Balona Balloon website non-functional requirements are:

Legal and Regulatory Requirements

- Involving privacy of information itself
- The user must confirm that they have notified the customer of the updates they have made before saving changes.

Backup and Recovery Requirements

- All processes can be made available after unplanned system downtime within 1 working day.
- All data of customers will be backed-up daily.
- All data of admins will be backed-up daily.

Error-Handling Requirements

- In case of the booking flights of user is unknown from time to time, the admin should be able to update changes of the data such as deleting or removing or exchange with other user.

Performance Requirements


- During the process "Add Customer" system responses should be no more than 1 second.
- The process of deleting or removing "Delete Customer" system responses should be no more than a sec.
- The lists of the database are directly pop out when the user view the data.
- The user should be able to edit spontaneously without making a notice or a license.

2.3 HARDWARE AND SOFTWARE REQUIREMENTS

To operate the web application, the customers and admins need a computer as the hardware requirements. The computer need to run on Windows XP and above, so that it can run the application smoothly.

For the software requirements, the customer just need an internet connection to run the website application. For the administrators, they need to run XAMPP, use phpMyAdmin as their site for database and dreamweaver CS6 to make any changes in the coding. The customers and admins can run the web application in Chrome, Firefox, Mozilla or any other web services.

2.4 DATA FLOW



2.5 USER ACCESS LEVEL

For the user access level, we divided it into two:

1. Customers

The customers can only access the web application that is intended for the customer only. They can view the background of Balona Balloon, view contact details and location, read about the packages that the company offer, view the pictures of past rides, view review left by the past flyers and view frequently asked questions. They can also leave messages to Balona Balloon through the form in the website and made booking through them.

2. Administrators

The admins can access customer website and administrator website. They need to login with their username and password before entering the website. They can view all the data and details such as the staffs, customers, bookings, messages leave by the customers, flight details and details about the admin itself. They can search through the tables and print the tables. They can also add details into the tables and make changes such as editing and deleting any data that the admin want to.

3.0 CONCLUSION

3.1 ACHIEVEMENTS

By the end of this project, we have achieved to develop a working web application that can be used by the customers and administrators. The customers can gain information from the website itself and leave message that the admins can view later on. The customers can also make bookings with a date that they preferred.

Furthermore, the admins can log in with their username and password and the website can show their details after logging in. They can also view the data that is connected with the database, that is, phpMyAdmin without error and make changes through the website that will change the data in the database as well. They can also add new data through the website and it will also link to the database as well.

Moreover, the layout and the colors that we used is eye-catching for the user and not dull. The navigation bar is easy to navigate and showing the user contents that it is supposed to do. The users will need no to little training to use our website. Lastly, we are happy with what we have achieved for this website in a small amount of time.

3.2 PROJECT EVALUATION

This project has been similar to the experience of firstly learning programming language. At first, developing this website has been incredibly slow rate, but at the end of the project, it went fast. To evaluate our project, we have to make a prototype of this web application and test it for a week to find any errors.

In this one week, we must gather all information regarding the website and ways to improve it. The test subject will be the administrators and a specific number of customers. The administrators will try to use this to replace the old system, that is using the log book system. They give their feedbacks to us during this time to make any changes that will make things easier for them.

Furthermore, to test in on the customers, we select a ceratain number of customers to test our website. We asked them how they feel using this web application and how easy to navigate between page. We also asked them to make a booking through the website to see if they are comfortable using it.

Lastly, we also need to test the database system whether it enter all the data that the user enter into the database. We have to check whether they are missing data or the data is not inserted properly. We have to fix all the errors during this time before implement it properly to Balona Balloon company.

REFERENCES

1. W3schools.com. (2018). *HTML Tutorial*. [online] Available at: <http://www.w3schools.com/html/default.asp> [Accessed 23 Aug. 2018].
2. W3schools.com. (2018). *HTML Attributes*. [online] Available at: http://www.w3schools.com/HTML/html_attributes.asp [Accessed 23 Aug. 2018].
3. Harris, A 2014, HTML5 and CSS3 All-in-One For Dummies, Wiley, Somerset. Available from: ProQuest Ebook Central. [25 August 2018].
4. Lowery, J 2012, Adobe Dreamweaver CS6 Bible, Wiley, Somerset. Available from: ProQuest Ebook Central. [25 August 2018].
5. Karlins, D 2013, Dreamweaver CS6 : HTML5, CSS3, Responsive Design, and jQuery, Packt Publishing Ltd, Olton. Available from: ProQuest Ebook Central. [25 August 2018].

SCREEN SHOOT OF SYSTEM INTERFACE

Customer

Navbar :




Figure 1 Customer navigation bar with dropdown menu.

Banner:



Figure 2 Wen banner with altente image every 3 seconds.

About us:




Figure 3 Brief background about Balona Balloon.

Tour:




Figure 4 Packages offer by Balona.

About economy package:




Figure 5 Pop out modal class of detailed economy package.

About comfort package:




Figure 6 Pop out modal class of detailed comfort package.

About deluxe package:




Figure 7 Pop out modal class of detailed deluxe package.

Need help hyperlink:




Figure 8 Hyperlink is redirect to this page.

Book now button:




Figure 9 Button will redirect to this page.

Contact:




Figure 10 Location details and form to leave message.

Booking form:

The screenshot shows a booking form titled 'Balona flight Booking'. It includes fields for Name, Passport number, Address, Country (set to Afghanistan), and Email. A note above the form says 'Fill in the form below.'

Figure 11 Booking form.

Alert box of booking confirmation:




Figure 12 Alert box after clicking button book.

Reviews:

The screenshot shows a website navigation bar with links for HOME, ABOUT US, TOUR, CONTACT, BOOK NOW, and MORE. The MORE dropdown menu is open, showing options for Reviews, Gallery, and FAQ. Below the navigation, there are two testimonies. The first is from Ahmed, Saudi, who describes his positive experience with the balloon ride. The second is from Faezah, Malaysia, who also had a positive experience. Both reviews include small profile pictures of the reviewers.

Figure 13 Review page.

Gallery:

The screenshot shows a website navigation bar with links for HOME, ABOUT US, TOUR, CONTACT, BOOK NOW, and MORE. The MORE dropdown menu is open, showing options for Reviews, Gallery, and FAQ. Below the navigation, there is a section titled "THE VIEW" with the subtext "What Cappadocia look from above". Below this, there is a grid of six images showing various hot air balloons in flight over landscapes.

Figure 14 Gallery of past rider page.

F.A.Qs.:

The screenshot shows a website navigation bar with links for HOME, ABOUT US, TOUR, CONTACT, BOOK NOW, and MORE. The MORE dropdown menu is open, showing options for Reviews, Gallery, and FAQ. Below the navigation, there is a section titled "Frequently Asked Questions" with a list of questions. The visible questions are: "Where do we fly?", "When do we fly?", and "When doesn't we fly?". Below this, there is a block of text explaining flight cancellations due to adverse weather. Further down, there are more questions: "Will it be cold up there?", "How long is the flight?", and "Why do fly early in the morning?".

Figure 15 Frequently asked questions page.

Footer:

The screenshot shows a footer section with social media icons for Facebook, Instagram, YouTube, Pinterest, Twitter, and LinkedIn. Below the icons, there is a copyright notice: "© Copyright Balona 2018".

Figure 16 footer of web customer.

Administrator

Login:



Figure 17 Login banner interface.

Login button:




Figure 18 Login form.

Forgot password hyperlink:




Figure 19 Will redirect user to gmail to write to company.

Main website:




Figure 20 Main website interface.

Navigation bar:




Figure 21 Admin navbar.

User login details:




Figure 22 Show details of login admin.

View button:




Figure 23 Select which table user want to view.

Admin table with search box:

Admin ID	Name	No passport	Address	Country	Telephone	Position	Username	Password
A-1	AIN	Q234567894	NO 17, TAMAN SESA CEND SENAWANG NEGERI SEMBILAN	MY	+834567824	CEO	nuraini93@gmail.com	ain310
A-2	THORIQ	Y76356728976	123, MOUNT KIRARA, KUALA LUMPUR	DK	+635279036389	ADMIN IT UNIT	thor@gmail.com	thori23
A-3	ASYRAF	Y7354672876	199, ISTANBUL	TR	+73825482834	HR	asyraf@gmail.com	asyraf023
A-4	MIA	P73769937882	267, CAPPADOCIA	UG	+576892897986	HR	mia@gmail.com	mia23
A-5	FAEZAH	Q235479899197	789, BALAKONG, SELANGOR	RE	+749396839031	IT	fazah@gmail.com	fazah123

Figure 24 Table of admins.

Staff table with search box:

Staff ID	Name	No passport	Address	Country	Telephone	Email	Position	Working since	Gender	Is long-term
S-1	YASMIN	T8697585876	899, TAMAN BANDAR BAU SENAWANG NEGERI SEMILAN	DK	+877657646546	yasmin@gmail.com	CO-PILOT	2018-08-20	FEMALE	TURKISH

Figure 25 Table of staffs.

Flight table with search box:

Flight ID	Type	Price	Details
F-1	Economy class flight	200	
F-2	Comfort class type	250	
F-3	Deluxe class flight	300	

Figure 26 Table of flights.

Customer table with search box:

Customer ID	Name	No passport	Address	Country	Email	Telephone
C-8	NUR AIN	A12345678	117, TAMAN SERI PAGI, SENA WANG, NEGERI SEMBILAN	AQ	nurain@gmail.com	+60123456789
C-9	MUKHLIS	R45678954	NO 78, TAMBAK PAYA, MELAKA	HT	mukhlis@gmail.com	+789432346
C-10	ASYRAF	W379676896798	I25, TAMAN PERDAMAI	TP	asyraf@gmail.com	+78546547648

Figure 27 Table of customers.

Booking table with search box:

Booking ID	Customer ID	Flight ID	Flight date	Flight date 2	Adult	Child	Details passenger	Accommodation	Message
B-1	C-8	F-2	2018-08-25	2018-08-31	1	0	AIN	HILTON HOTEL	-
B-2	C-9	F-3	2018-09-31	2018-09-27	2	1	MIA ASYRAF ARIF AIN	4 SEASONS HOTEL	NONE
B-8	C-10	F-2	2018-08-22	2018-08-22	1	1	ASYRAF ARIF	NOT DECIDED YET	SEND ME THE DETAILS
B-9	C-11	F-3	2018-09-08	2018-09-14	5	1	otiq ofiq fairi sarah batrisya ofeena	sheraton hotel	-

Figure 28 Table of bookings.

Messages table with search box:

Contact ID	Name	Email	Message
M-1	ain	nurain@gmail.com	Hi! would love the details send to me. love.
M-2	MIA	mia@gmail.com	send me the details
M-3	ARIF	arif@gmail.com	would love to know about the economy flight.

Figure 29 Table of messages.

Print button:




Figure 30 If user click print button, will redirect to printer.

Add new button:




Figure 31 user select which data he want to add.

Add new admin:

A screenshot of an 'Add New Admin.' form. The left sidebar has 'Home' and 'Welcome' buttons. The main form has fields for 'Name', 'Passport Number', 'Address', 'Country' (set to 'Afghanistan'), and 'Telephone'. A red box highlights the 'Name' input field.

Figure 32 Adding new admin form.

Add new staff:

Add New Staff.

Name
Passport Number
Address
Country
Afghanistan
Telephone

Figure 33 Adding new staff form.

Add new flight:

Add New Flight.

Flight type
Price
Details

Add Now

Figure 34 Adding new flight form.

Add new customer:

Add New Customer.

Name
Passport Number
Address
Country
AFGHANISTAN
Email
Telephone

Figure 35 add new customer form.

Add new booking:

Add New Booking.

Customer name
Flight Type
Flight Date
Flight Date (Alternative)
Number of Adult
Number of Children (6-12 years old)

Figure 36 Add new booking form.

Add new message:

Add New Message.

Name
Email
Message

Add New

Figure 37 Add new message form.

Alert box of data entered:




Figure 38 Alert box if data is added.

Edit data:




Figure 39 User select which data he want to edit.

Edit admin:

Edit Admins.											
		Admin ID	Name	No passport	Address	Country	Telephone	Position	Username	Pass	
Edit	Delete	A-1	AIN	Q234567890	NO 97, TAMAN DESA ORKID, SENAWANG, NEGERI SEMBILAN	MY	+034567890	CEO	nuraini93@gmail.com	ain	
Edit	Delete	A-2	THORIQ	Y76546728976	123, MOUNT KIRARA, KUALA LUMPUR	DK	+6382790036389	ADMIN IT UNIT	thor@gmail.com	tho	
Edit	Delete	A-3	ASYRAF	Y7354672976	999, ISTANBUL	TR	+73825482834	HR	asyraf@gmail.com	asy	
Edit	Delete	A-4	MIA	P77899973862	257, CAPPADOCIA	UG	+578892697666	HR	mia@gmail.com	m	
Edit	Delete	A-5	FAEZAH	Q235479899Y97	789, BALAKONG, SELANGOR	RE	+7493U96839031	IT	fazah@gmail.com	faz	

Figure 40 List of admin table.

Edit staff:

Edit Staff.											
		Staff ID	Name	No passport	Address	Country	Telephone	Email	Position	Working since	
Edit	Delete	S-1	YASMIN	T8697565876	899, TAMAN BANDAR BARU SEREMBAN, Negeri Sembilan	DK	+878657646546	yasmin@gmail.com	CO-PILOT	2018-08-20	
Edit	Delete	S-2	ASYRAF ZAFRUDIN	T5465609	NO 4657, JALAN HURI, SERIKAM DARAT, MELEKA	TW	+4554487657	asyraf@gmail.com	PILOT	2018-08-30	
Edit	Delete	S-4	THORIQ	R676575475	222A, TAMAN RASA SAYANG, SEREMBAN, N. SEMBILAN	QA	+87676576590	thor@gmail.com	CO-PILOT	2018-07-04	
Edit	Delete	S-5	MIA	T6456465476	678, ZM	+657676457454	mia@gmail.com	SECRETARY	2018-09-05		

Figure 41 List of Staff table.

Edit flight:

The screenshot shows a web application interface titled "Edit Flights." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" and "Home Welcome". The main content area has a title "Edit Flights." and a table with the following data:

		Flight ID	Type	Price	Details
Edit	Delete	F-1	Economy class flight	200	
Edit	Delete	F-2	Comfort class type	250	
Edit	Delete	F-3	Deluxe class flight	300	

At the bottom right of the main content area, it says "© Copyright Balona 2018".

Figure 42 List of flight table.

Edit customer:

The screenshot shows a web application interface titled "Edit Customers." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" and "Home". The main content area has a title "Edit Customers." and a table with the following data:

		Customer ID	Name	No passport	Address	Country	Email	Telephone
Edit	Delete	C-8	NUR AIN	A02345678	LOT. TAMAN SERI PAOL SENAWANG, NEDERI SEMBILAN	AQ	nurain@gmail.com	+6023356789
Edit	Delete	C-9	MUKHUS	R45678954	NO 78, TAMBAK PAYA, MELAKA	HT	mukhuis@gmail.com	+789432346
Edit	Delete	C-10	ASYRAF ZAFRUDDIN	W379070996798	125, TAMAN SERI PAOL KLUANG, JOHOR	TP	asyraf@gmail.com	+76546547648
Edit	Delete	C-11	salwa	e88788	898, bogor telang perak	DK	salwa@gmail.com	+7968865543

At the bottom right of the main content area, it says "© Copyright Balona 2018".

Figure 43 List of customer table.

Edit booking:

The screenshot shows a web application interface titled "Edit Bookings." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" and "Home Welcome". The main content area has a title "Edit Bookings." and a table with the following data:

		Booking ID	Customer ID	Flight ID	Flight date	Flight date	Adult	Child	Details passenger	Accommodation	Message
Edit	Delete	B-1	C-8	F-2	2018-08-25	2018-08-31	1	0	AIN	HILTON HOTEL	-
Edit	Delete	B-2	C-8	F-3	2018-08-31	2018-09-27	2	2	MIA ASYRAF ARIF AIN	4 SEASONS HOTEL	NONE
Edit	Delete	B-8	C-10	F-2	2018-08-22	2018-08-22	1	1	ASYRAF ARIF	NOT DECIDED YET	SEND ME THE DETAILS
Edit	Delete	B-9	C-11	F-3	2018-08-08	2018-09-14	5	1	otiq ofiq fazl sarah borning offena	shoraton hotel	-

Figure 44 List of booking table.

Edit message:

The screenshot shows a web application interface titled "Edit Customer Messages." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" followed by "Home" and "Welcome". The main content area has a red header bar with "Edit" and "Delete" buttons. Below this is a table with columns: Contact ID, Name, Email, and Message. The table contains four rows of data:

Edit	Delete	Contact ID	Name	Email	Message
Edit	Delete	M-1	ain	nurain@gmail.com	Hi! would love the details send to me. love.
Edit	Delete	M-2	MIA	mia@gmail.com	send me the details
Edit	Delete	M-3	ARIF	arif@gmail.com	would love to know about the economy flight.
Edit	Delete	M-4	AIN	ain@gmail.com	Hi

At the bottom right of the main content area, it says "© Copyright Balona 2018".


Figure 45 List of message table.

Edit hyperlink:

The screenshot shows a web application interface titled "Edit Message." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" followed by "Home" and "Welcome". The main content area has a red header bar with "Edit" and "Delete" buttons. Below this is a form with fields for "Name" (AIN) and "Email" (nurain@gmail.com). There is also a "Message" field containing the text "Hi! would love the details send to me. love.". At the bottom right of the form is a red "Edit" button.

Figure 46 Edit hyperlink will redirect to edit form.

Edit alert box:



Delete hyperlink:

The screenshot shows a web application interface titled "Delete Staff." On the left, there is a sidebar with a hot air balloon icon and the text "Balona Company" followed by "Home" and "Welcome". The main content area has a red header bar with "Edit" and "Delete" buttons. Below this is a confirmation message: "Are you sure want to permanently delete AIN?" with "Yes" and "No" buttons. The "Delete" button from the previous screenshot is visible at the bottom right.

Figure 47 Delete hyperlink will ask to confirm delete.

If yes:




Figure 48 If user click yes.

If no:




Figure 49 If user click no.

Logout button with confirmation box:




Figure 50 Confirmation box to ask user about logout.

Footer:




Figure 51 Footer of admin web.

CODINGS

style.css

```
/* W3.CSS 4.10 February 2018 by Jan Egil and Borge Refsnes */
html{box-sizing:border-box}*, *:before, *:after{box-sizing:inherit}
/* Extract from normalize.css by Nicolas Gallagher and Jonathan Neal git.io/normalize */
html{-ms-text-size-adjust:100%;-webkit-text-size-adjust:100%}
body{margin:0}
article,aside,details,figcaption,figure,footer,header,main,menu,nav,section,summary{display
:block}
audio,canvas,progress,video{display:inline-block}
progress{vertical-align:baseline}
audio:not([controls]){display:none;height:0}
[hidden],template{display:none}
a{background-color:transparent;-webkit-text-decoration-skip:objects}
a:active,a:hover{outline-width:0}
abbr[title]{border-bottom:none;text-decoration:underline;text-decoration:underline dotted}
dfn{font-style:italic}
mark{background:#ff0;color:#000}
small{font-size:80%}
sub,sup{font-size:75%;line-height:0;position:relative;vertical-align:baseline}
sub{bottom:-0.25em}
sup{top:-0.5em}
figure{margin:1em 40px}
img{border-style:none}
svg:not(:root){overflow:hidden}
code,kbd,pre,samp{font-family:monospace,monospace;font-size:1em}
hr{box-sizing:content-box;height:0;overflow:visible}
button,input,select,textarea{font:inherit;margin:0}
optgroup{font-weight:bold}
button,input{overflow:visible}
button,select{text-transform:none}
button,html [type=button],[type=reset],[type=submit]{-webkit-appearance:button}
button::-moz-focus-inner, [type=button]::-moz-focus-inner, [type=reset]::-moz-focus-inner,
[type=submit]::-moz-focus-inner{border-style:none;padding:0}
button:-moz-focusring, [type=button]:-moz-focusring, [type=reset]:-moz-focusring,
[type=submit]:-moz-focusring{outline:1px dotted ButtonText}
fieldset{border:1px solid #c0c0c0;margin:0 2px;padding:.35em .625em .75em}
legend{color:inherit;display:table;max-width:100%;padding:0;white-space:normal}
textarea{overflow:auto}
[type=checkbox],[type=radio]{padding:0}
[type=number]::-webkit-inner-spin-button,[type=number]::-webkit-outer-spin-
button{height:auto}
[type=search]{-webkit-appearance:textfield;outline-offset:-2px}
[type=search]::-webkit-search-cancel-button,[type=search]::-webkit-search-decoration{-
webkit-appearance:none}
::-webkit-input-placeholder{color:inherit;opacity:0.54}
::-webkit-file-upload-button{-webkit-appearance:button;font:inherit}
/* End extract */

html,body{font-family:Verdana,sans-serif;font-size:15px;line-height:1.5
}html{overflow-x:hidden}
h1{font-size:36px}h2{font-size:30px}
h3{font-size:24px}h4{font-size:20px}
h5{font-size:18px}h6{font-size:16px}
.serif{font-family:serif}
h1,h2,h3,h4,h5,h6{font-family:"Segoe UI",Arial,sans-serif;font-weight:400;margin:10px 0}
.wide{letter-spacing:4px}
hr{border:0;border-top:1px solid #eee;margin:20px 0}
.image{max-width:100%;height:auto}
img{vertical-align:middle}
a{color:inherit}
.table,.table-all{border-collapse:collapse;border-spacing:0;width:100%;display:table}
.table-all{border:1px solid #ccc}
.bordered tr,.table-all tr{border-bottom:1px solid #ddd}
```

```
.striped tbody tr:nth-child(even){background-color:#f1f1f1}
.table-all tr:nth-child(odd){background-color:#fff}
.table-all tr:nth-child(even){background-color:#f1f1f1}
.hoverable tbody tr:hover,.ul.hoverable li:hover{background-color:#ccc}
.centered tr th,.centered tr td{text-align:center}
.table td,.table-all td,.table-all th{padding:8px 8px;display:table-cell;text-align:left;vertical-align:top}
.table th:first-child,.table td:first-child,.table-all th:first-child,.table-all td:first-child{padding-left:16px}
.btn,.button{border:none;display:inline-block;padding:8px 16px;vertical-align:middle;overflow:hidden;text-decoration:none;color:inherit;background-color:inherit;text-align:center;cursor:pointer;white-space:nowrap}
.btn:hover{box-shadow:0 8px 16px 0 rgba(0,0,0,0.2),0 6px 20px 0 rgba(0,0,0,0.19)}
.btn,.button{-webkit-touch-callout:none;-webkit-user-select:none;-khtml-user-select:none;-moz-user-select:none;-ms-user-select:none;user-select:none}
.disabled,.btn:disabled,.button:disabled{cursor:not-allowed;opacity:0.3}
.disabled *,:disabled *{pointer-events:none}
.btn.disabled:hover,.btn:disabled:hover{box-shadow:none}
.badge,.tag{background-color:#000;color:#fff;display:inline-block;padding-left:8px;padding-right:8px;text-align:center}
.badge{border-radius:50%}
.ul{list-style-type:none;padding:0;margin:0}
.ul li{padding:8px 16px;border-bottom:1px solid #ddd}
.ul li:last-child{border-bottom:none}
.tooltip,.display-container{position:relative}
.tooltip .text{display:none}
.tooltip:hover .text{display:inline-block}
.ripple:active{opacity:0.5}.ripple{transition:opacity 0s}
.input{padding:8px;display:block;border:none;border-bottom:1px solid #ccc;width:100%}
.select{padding:9px 0;width:100%;border:none;border-bottom:1px solid #ccc}
.dropdown-click,.dropdown-hover{position:relative;display:inline-block;cursor:pointer}
.dropdown-hover:hover .dropdown-content{display:block}
.dropdown-hover:first-child,.dropdown-click:hover{background-color:#ccc;color:#000}
.dropdown-hover:hover > .button:first-child,.dropdown-click:hover > .button:first-child{background-color:#ccc;color:#000}
.dropdown-content{cursor:auto;color:#000;background-color:#fff;display:none;position:absolute;min-width:160px;margin:0;padding:0;z-index:1}
.check,.radio{width:24px;height:24px;position:relative;top:6px}
.sidebar{height:100%;width:200px;background-color:#fff;position:fixed!important;z-index:1;overflow:auto}
.bar-block .dropdown-hover,.bar-block .dropdown-click{width:100%}
.bar-block .dropdown-hover .dropdown-content,.bar-block .dropdown-click .dropdown-content{min-width:100%}
.bar-block .dropdown-hover .button,.bar-block .dropdown-click .button{width:100%;text-align:left;padding:8px 16px}
.main,#main{transition:margin-left .4s}
.modal{z-index:3;display:none;padding-top:100px;position:fixed;left:0;top:0;width:100%;height:100%;overflow:auto;background-color:rgb(0,0,0);background-color:rgba(0,0,0,0.4)}
.modal-content{margin:auto;background-color:#fff;position:relative;padding:0;outline:0;width:600px}
.bar{width:100%;overflow:hidden}.center .bar{display:inline-block;width:auto}
.bar .bar-item{padding:8px 16px;float:left;width:auto;border:none;display:block;outline:0}
.bar .dropdown-hover,.bar .dropdown-click{position:static;float:left}
.bar .button{white-space:normal}
.bar-block .bar-item{width:100%;display:block;padding:8px 16px;text-align:left;border:none;white-space:normal;float:none;outline:0}
.bar-block.center .bar-item{text-align:center}
.block{display:block;width:100%}
.responsive{display:block;overflow-x:auto}
.container:after,.container:before,.panel:after,.panel:before,.row:after,.row:before,.row-padding:after,.row-padding:before,
.cell-row:before,.cell-row:after,.clear:after,.clear:before,.bar:before,.bar:after{content:"";display:table;clear:both}
.col,.half,.third,.twothird,.threequarter,.quarter{float:left;width:100%}
.col.s1{width:8.33333%}
.col.s2{width:16.66666%}
```

```
.col.s3{width:24.99999%}
.col.s4{width:33.33333%}
.col.s5{width:41.66666%}
.col.s6{width:49.99999%}
.col.s7{width:58.33333%}
.col.s8{width:66.66666%}
.col.s9{width:74.99999%}
.col.s10{width:83.33333%}
.col.s11{width:91.66666%}
.col.s12{width:99.99999%}
@media (min-width:601px){
    .col.m1{width:8.33333%}
    .col.m2{width:16.66666%}
    .col.m3,.quarter{width:24.99999%}
    .col.m4,.third{width:33.33333%}
    .col.m5{width:41.66666%}
    .col.m6,.half{width:49.99999%}
    .col.m7{width:58.33333%}
    .col.m8,.twothird{width:66.66666%}
    .col.m9,.threequarter{width:74.99999%}
    .col.m10{width:83.33333%}
    .col.m11{width:91.66666%}
    .col.m12{width:99.99999%}
}
@media (min-width:993px){
    .col.l1{width:8.33333%}
    .col.l2{width:16.66666%}
    .col.l3{width:24.99999%}
    .col.l4{width:33.33333%}
    .col.l5{width:41.66666%}
    .col.l6{width:49.99999%}
    .col.l7{width:58.33333%}
    .col.l8{width:66.66666%}
    .col.l9{width:74.99999%}
    .col.l10{width:83.33333%}
    .col.l11{width:91.66666%}
    .col.l12{width:99.99999%}
}
.content{
    max-width:980px;
    margin:auto
}
.rest{
    overflow:hidden
}
.cell-row{
    display:table;width:100%
}
.cell{
    display:table-cell
}
.cell-top{
    vertical-align:top
}
.cell-middle{
    vertical-align:middle
}
.cell-bottom{
    vertical-align:bottom
}
.hide{
    display:none!important
}
.show-block,.show{
    display:block!important
}
.show-inline-block{
    display:inline-block!important
}
```

```
}

@media (max-width:600px){
    .modal-content{margin:0 10px; width:auto !important}
    .modal{padding-top:30px}
    .dropdown-hover.mobile .dropdown-content,.dropdown-click.mobile .dropdown-
content{position:relative}
    .hide-small{display:none !important}
    .mobile{display:block; width:100% !important}
    .bar-item.mobile,.dropdown-hover.mobile,.dropdown-click.mobile{text-align:center}
    .dropdown-hover.mobile,.dropdown-hover.mobile .btn,.dropdown-hover.mobile
.button,.dropdown-click.mobile,.dropdown-click.mobile .btn,.dropdown-click.mobile
.button{width:100%}
}
@media (max-width:768px){
    .modal-content{width:500px}
    .modal{padding-top:50px}
}
@media (min-width:993px){
    .modal-content{width:900px}
    .hide-large{display:none !important}
    .sidebar.collapse{display:block !important}
}
@media (max-width:992px) and (min-width:601px){
    .hide-medium{display:none !important}
}
@media (max-width:992px){
    .sidebar.collapse{display:none}
    .main{margin-left:0 !important; margin-right:0 !important}
}
.top,.bottom{
    position:fixed;
    width:100%
    ;z-index:1
}
.top{
    top:0
}
.bottom{
    bottom:0
}
.overlay{
    position:fixed;
    display:none;
    width:100%;
    height:100%;
    top:0;
    left:0;
    right:0;
    bottom:0;
    background-color:rgba(0,0,0,0.5);
    z-index:2
}
.display-topleft{
    position:absolute;
    left:0;
    top:0
}
.display-topright{
    position:absolute;
    right:0;
    top:0
}
.display-bottomleft{
    position:absolute;
    left:0;bottom:0
}
.display-bottomright{
    position:absolute;
```

```
right:0;bottom:0
}
.display-middle{
position:absolute;
top:50%;
left:50%;
transform:translate(-50%,-50%);
-ms-transform:translate(-50%,-50%)
}
.display-left{
position:absolute;
top:50%;left:0%;
transform:translate(0%,-50%);
-ms-transform:translate(-0%, -50%)
}
.display-right{
position:absolute;
top:50%;
right:0%;
transform:translate(0%,-50%);
-ms-transform:translate(0%, -50%)
}
.display-topmiddle{
position:absolute;
left:50%;
top:0;
transform:translate(-50%,0%);
-ms-transform:translate(-50%,0%)
}
.display-bottommiddle{
position:absolute;
left:50%;
bottom:0;
transform:translate(-50%,0%);
-ms-transform:translate(-50%,0%)
}
.display-container:hover .display-hover{
display:block
}
.display-container:hover span.display-hover{
display:inline-block
}
.display-hover{
display:none
}
.display-position{
position:absolute
}
.circle{
border-radius:50%
}
.round-small{
border-radius:2px
}
.round,.round-medium{
border-radius:4px
}
.round-large{
border-radius:8px
}
.round-xlarge{
border-radius:16px
}
.round-xxlarge{
border-radius:32px
}
.row-padding,.row-padding>.half,.row-padding>.third,.row-padding>.twothird,.row-padding>.threequarter,.row-padding>.quarter,.row-padding>.col{
```

```
padding:0 8px
}
.container,.panel{
  padding:0.01em 16px
}
.panel{
  margin-top:16px;
  margin-bottom:16px
}
.code,.codespan{
  font-family:Consolas,"courier new";
  font-size:16px
}
.code{
  width:auto;
  background-color:#fff;
  padding:8px 12px;
  border-left:4px solid #4CAF50;
  word-wrap:break-word
}
.codespan{
  color:crimson;
  background-color:#f1f1f1;
  padding-left:4px;
  padding-right:4px;
  font-size:110%
}
.card,.card-2{
  box-shadow:0 2px 5px 0 rgba(0,0,0,0.16),0 2px 10px 0 rgba(0,0,0,0.12)
}
.card-4,.hover-shadow:hover{
  box-shadow:0 4px 10px 0 rgba(0,0,0,0.2),0 4px 20px 0 rgba(0,0,0,0.19)
}
.spin{
  animation:spin 2s infinite linear
}
@keyframes spin{
  0%{transform:rotate(0deg)}
  100%{transform:rotate(359deg)}
}
.animate-fading{
  animation:fading 10s infinite
}
@keyframes fading{
  0%{opacity:0}50%{opacity:1}100%{opacity:0}
}
.animate-opacity{
  animation:opac 0.8s
}
@keyframes opac{
  from{opacity:0} to{opacity:1}
}
.animate-top{
  position:relative;
  animation:animatetop 0.4s
}
@keyframes animatetop{
  from{top:-300px;opacity:0} to{top:0;opacity:1}
}
.animate-left{
  position:relative;
  animation:animateleft 0.4s
}
@keyframes animateleft{
  from{left:-300px;opacity:0} to{left:0;opacity:1}
}
.animate-right{
  position:relative;
```

```
animation:animateright 0.4s
}
@keyframes animateright{
  from{right:-300px;opacity:0} to{right:0;opacity:1}
}
.animate-bottom{
  position:relative;
  animation:animatebottom 0.4s
}
@keyframes animatebottom{
  from{bottom:-300px;opacity:0} to{bottom:0;opacity:1}
}
.animate-zoom {
  animation:animatezoom 0.6s
}
@keyframes animatezoom{
  from{transform:scale(0)} to{transform:scale(1)}
}
.animate-input{
  transition:width 0.4s ease-in-out
}
.animate-input:focus{
  width:100%!important
}
.opacity,.hover-opacity:hover{
  opacity:0.60
}
.opacity-off,.hover-opacity-off:hover{
  opacity:1
}
.opacity-max{
  opacity:0.25
}
.opacity-min{
  opacity:0.75
}
.greyscale-max,.grayscale-max,.hover-greyscale:hover,.hover-grayscale:hover{
  filter:grayscale(100%
)
}
.greyscale,.grayscale{filter:grayscale(75%)}
.grayscale-min,.grayscale-min{
  filter:grayscale(50%
)
}
.sepia{
  filter:sepia(75%
)
}
.sepia-max,.hover-sepia:hover{
  filter:sepia(100%
)
}
.sepia-min{
  filter:sepia(50%
)
}
.tiny{
  font-size:10px!important
}
.small{
  font-size:12px!important
}
.medium{
  font-size:15px!important
}
.large{
  font-size:18px!important
}
.xlarge{
  font-size:24px!important
}
.xxlarge{
```

```
font-size:36px!important
}
.xxxlarge{
  font-size:48px!important
}
.jumbo{
  font-size:64px!important
}
.left-align{
  text-align:left!important
}
.right-align{
  text-align:right!important
}
.justify{
  text-align:justify!important
}
.center{
  text-align:center!important
}
.border-0{
  border:0!important
}
.border{
  border:1px solid #ccc!important
}
.border-top{
  border-top:1px solid #ccc!important
}
.border-bottom{
  border-bottom:1px solid #ccc!important
}
.border-left{
  border-left:1px solid #ccc!important
}
.border-right{
  border-right:1px solid #ccc!important
}
.topbar{
  border-top:6px solid #ccc!important
}
.bottombar{
  border-bottom:6px solid #ccc!important
}
.leftbar{
  border-left:6px solid #ccc!important
}
.rightbar{
  border-right:6px solid #ccc!important
}
.section,.code{
  margin-top:16px!important;
  margin-bottom:16px!important
}
.margin{
  margin:16px!important
}
.margin-top{
  margin-top:16px!important
}
.margin-bottom{
  margin-bottom:16px!important
}
.margin-left{
  margin-left:16px!important
}
.margin-right{
  margin-right:16px!important}
```

```
.padding-small{
  padding:4px 8px!important
}
.padding{
  padding:8px 16px!important
}
.padding-large{
  padding:12px 24px!important
}
.padding-16{
  padding-top:16px!important;
  padding-bottom:16px!importan
t}
.padding-24{
  padding-top:24px!important;
  padding-bottom:24px!important
}
.padding-32{
  padding-top:32px!important;
  padding-bottom:32px!important
}
.padding-48{
  padding-top:48px!important;
  padding-bottom:48px!important
}
.padding-64{
  padding-top:64px!important;

  padding-bottom:64px!important}
.left{
  float:left!important
}
.right{
  float:right!important
}
.button:hover{
  color:#000!important;
  background-color:#ccc!important
}
.transparent,.hover-none:hover{
  background-color:transparent!important
}
.hover-none:hover{
  box-shadow:none!important
}

/* Colors */
.amber,.hover-amber:hover{
  color:#000!important;
  background-color:#ffc107!important
}
.aqua,.hover-aqua:hover{
  color:#000!important;
  background-color:#00ffff!important
}
.blue,.hover-blue:hover{
  color:#fff!important;
  background-color:#2196F3!important
}
.light-blue,.hover-light-blue:hover{
  color:#000!important;
  background-color:#87CEEB!important
}
.brown,.hover-brown:hover{
  color:#fff!important;
  background-color:#795548!important
}
.cyan,.hover-cyan:hover{
```

```
color:#000!important;
background-color:#00bcd4!important
}
.blue-grey,.hover-blue-grey:hover,.blue-gray,.hover-blue-gray:hover{
color:#fff!important;
background-color:#607d8b!important
}
.green,.hover-green:hover{
color:#fff!important;
background-color:#4CAF50!important
}
.light-green,.hover-light-green:hover{
color:#000!important;
background-color:#8bc34a!important
}
.indigo,.hover-indigo:hover{
color:#fff!important;
background-color:#3f51b5!important
}
.khaki,.hover-khaki:hover{
color:#000!important;
background-color:#f0e68c!important
}
.lime,.hover-lime:hover{
color:#000!important;
background-color:#cddc39!important
}
.orange,.hover-orange:hover{
color:#000!important;
background-color:#ff9800!important
}
.deep-orange,.hover-deep-orange:hover{
color:#fff!important;
background-color:#ff5722!important
}
.pink,.hover-pink:hover{
color:#fff!important;
background-color:#e91e63!important
}
.purple,.hover-purple:hover{
color:#fff!important;
background-color:#9c27b0!important
}
.deep-purple,.hover-deep-purple:hover{
color:#fff!important;
background-color:#673ab7!important
}
.red,.hover-red:hover{
color:#fff!important;
background-color:#f44336!important
}
.sand,.hover-sand:hover{
color:#000!important;
background-color:#fdf5e6!important
}
.teal,.hover-teal:hover{
color:#fff!important;
background-color:#009688!important
}
.yellow,.hover-yellow:hover{
color:#000!important;
background-color:#ffeb3b!important
}
.white,.hover-white:hover{
color:#000!important;
background-color:#fff!important
}
.black,.hover-black:hover{
```

```
color:#fff!important;
background-color:#000!important
}
.grey,.hover-grey:hover,.gray,.hover-gray:hover{
color:#000!important;
background-color:#9e9e9e!important
}
.light-grey,.hover-light-grey:hover,.light-gray,.hover-light-gray:hover{
color:#000!important;
background-color:#f1f1f1!important
}
.dark-grey,.hover-dark-grey:hover,.dark-gray,.hover-dark-gray:hover{
color:#fff!important;
background-color:#616161!important
}
.pale-red,.hover-pale-red:hover{
color:#000!important;
background-color:#ffdddd!important
}
.pale-green,.hover-pale-green:hover{
color:#000!important;
background-color:#ddffdd!important
}
.pale-yellow,.hover-pale-yellow:hover{
color:#000!important;
background-color:#ffffcc!important
}
.pale-blue,.hover-pale-blue:hover{
color:#000!important;
background-color:#ddffff!important
}
.text-amber,.hover-text-amber:hover{
color:#ffc107!important
}
.text-aqua,.hover-text-aqua:hover{
color:#00ffff!important
}
.text-blue,.hover-text-blue:hover{
color:#2196F3!important
}
.text-light-blue,.hover-text-light-blue:hover{
color:#87CEEB!important
}
.text-brown,.hover-text-brown:hover{
color:#795548!important
}
.text-cyan,.hover-text-cyan:hover{
color:#00bcd4!important
}
.text-blue-grey,.hover-text-blue-grey:hover,.text-blue-gray,.hover-text-blue-gray:hover{
color:#607d8b!important
}
.text-green,.hover-text-green:hover{
color:#4CAF50!important
}
.text-light-green,.hover-text-light-green:hover{
color:#8bc34a!important
}
.text-indigo,.hover-text-indigo:hover{
color:#3f51b5!important
}
.text-khaki,.hover-text-khaki:hover{
color:#b4aa50!important
}
.text-lime,.hover-text-lime:hover{
color:#cddc39!important
}
.text-orange,.hover-text-orange:hover{
```

```
color:#ff9800!important
}
.text-deep-orange,.hover-text-deep-orange:hover{
  color:#ff5722!important
}
.text-pink,.hover-text-pink:hover{
  color:#e91e63!important
}
.text-purple,.hover-text-purple:hover{
  color:#9c27b0!important
}
.text-deep-purple,.hover-text-deep-purple:hover{
  color:#673ab7!important
}
.text-red,.hover-text-red:hover{
  color:#f44336!important
}
.text-sand,.hover-text-sand:hover{
  color:#fdf5e6!important
}
.text-teal,.hover-text-teal:hover{
  color:#009688!important
}
.text-yellow,.hover-text-yellow:hover{
  color:#d2be0e!important
}
.text-white,.hover-text-white:hover{
  color:#fff!important
}
.text-black,.hover-text-black:hover{
  color:#000!important
}
.text-grey,.hover-text-grey:hover,.text-gray,.hover-text-gray:hover{
  color:#757575!important
}
.text-light-grey,.hover-text-light-grey:hover,.text-light-gray,.hover-text-light-
gray:hover{
  color:#f1f1f1!important
}
.text-dark-grey,.hover-text-dark-grey:hover,.text-dark-gray,.hover-text-dark-gray:hover{
  color:#3a3a3a!important
}
.border-amber,.hover-border-amber:hover{
  border-color:#ffc107!important
}
.border-aqua,.hover-border-aqua:hover{
  border-color:#00ffff!important
}
.border-blue,.hover-border-blue:hover{
  border-color:#2196F3!important
}
.border-light-blue,.hover-border-light-blue:hover{
  border-color:#87CEEB!important
}
.border-brown,.hover-border-brown:hover{
  border-color:#795548!important
}
.border-cyan,.hover-border-cyan:hover{
  border-color:#00bcd4!important
}
.border-blue-grey,.hover-border-blue-grey:hover,.border-blue-gray,.hover-border-blue-
gray:hover{
  border-color:#607d8b!important
}
.border-green,.hover-border-green:hover{
  border-color:#4CAF50!important
}
.border-light-green,.hover-border-light-green:hover{
```

```
border-color:#8bc34a!important  
}  
.border-indigo,.hover-border-indigo:hover{  
border-color:#3f51b5!important  
}  
.border-khaki,.hover-border-khaki:hover{  
border-color:#f0e68c!important  
}  
.border-lime,.hover-border-lime:hover{  
border-color:#cdcc39!important  
}  
.border-orange,.hover-border-orange:hover{  
border-color:#ff9800!important  
}  
.border-deep-orange,.hover-border-deep-orange:hover{  
border-color:#ff5722!important  
}  
.border-pink,.hover-border-pink:hover{  
border-color:#e91e63!important  
}  
.border-purple,.hover-border-purple:hover{  
border-color:#9c27b0!important  
}  
.border-deep-purple,.hover-border-deep-purple:hover{  
border-color:#673ab7!important  
}  
.border-red,.hover-border-red:hover{  
border-color:#f44336!important  
}  
.border-sand,.hover-border-sand:hover{  
border-color:#fdf5e6!important  
}  
.border-teal,.hover-border-teal:hover{  
border-color:#009688!important  
}  
.border-yellow,.hover-border-yellow:hover{  
border-color:#ffeb3b!important  
}  
.border-white,.hover-border-white:hover{  
border-color:#fff!important  
}  
.border-black,.hover-border-black:hover{  
border-color:#000!important  
}  
.border-grey,.hover-border-grey:hover,.border-gray,.hover-border-gray:hover{  
border-color:#9e9e9e!important  
}  
.border-light-grey,.hover-border-light-grey:hover,.border-light-gray,.hover-border-light-gray:hover{  
border-color:#f1f1f1!important  
}  
.border-dark-grey,.hover-border-dark-grey:hover,.border-dark-gray,.hover-border-dark-gray:hover{  
border-color:#616161!important  
}  
.border-pale-red,.hover-border-pale-red:hover{  
border-color:#ffe7e7!important  
}  
.border-pale-green,.hover-border-pale-green:hover{  
border-color:#e7ffe7!important  
}  
.border-pale-yellow,.hover-border-pale-yellow:hover{  
border-color:#ffffcc!important  
}  
.border-pale-blue,.hover-border-pale-blue:hover{  
border-color:#e7ffff!important  
}
```

theme.css

```
.theme-15 {color:#000 !important; background-color:#f0f0f0 !important}
.theme-14 {color:#000 !important; background-color:#cccccc !important}
.theme-13 {color:#fff !important; background-color:#999999 !important}
.theme-12 {color:#fff !important; background-color:#666666 !important}
.theme-11 {color:#fff !important; background-color:#333333 !important}
.theme-d1 {color:#fff !important; background-color:#000000 !important}
.theme-d2 {color:#fff !important; background-color:#000000 !important}
.theme-d3 {color:#fff !important; background-color:#000000 !important}
.theme-d4 {color:#fff !important; background-color:#000000 !important}
.theme-d5 {color:#fff !important; background-color:#000000 !important}

.theme-light {color:#000 !important; background-color:#f0f0f0 !important}
.theme-dark {color:#fff !important; background-color:#000000 !important}
.theme-action {color:#fff !important; background-color:#000000 !important}

.theme {color:#fff !important; background-color:#000000 !important}
.text-theme {color:#000000 !important}
.border-theme {border-color:#000000 !important}

.hover-theme:hover {color:#fff !important; background-color:#000000 !important}
.hover-text-theme:hover {color:#000000 !important}
.hover-border-theme:hover {border-color:#000000 !important}
```

icon.css

```
/*
 *  Font Awesome 4.7.0 by @davegandy - http://fontawesome.io - @fontawesome
 *  License - http://fontawesome.io/license (Font: SIL OFL 1.1, CSS: MIT License)
 */
@font-face{font-family:'FontAwesome';src:url('../fonts/fontawesome-webfont.eot?v=4.7.0');src:url('../fonts/fontawesome-webfont.eot?#iefix&v=4.7.0') format('embedded-opentype'),url('../fonts/fontawesome-webfont.woff2?v=4.7.0') format('woff2'),url('../fonts/fontawesome-webfont.woff?v=4.7.0') format('woff'),url('../fonts/fontawesome-webfont.ttf?v=4.7.0') format('truetype'),url('../fonts/fontawesome-webfont.svg?v=4.7.0#fontawesomeregular') format('svg');font-weight:normal;font-style:normal}
.fa{display:inline-block;font:14px/1 FontAwesome;font-size:inherit;text-rendering:auto;-webkit-font-smoothing:antialiased;-moz-osx-font-smoothing:grayscale}
.fa-lg{font-size:1.3333333em;line-height:.75em;vertical-align:-15%}
.fa-2x{font-size:2em}
.fa-3x{font-size:3em}
.fa-4x{font-size:4em}
.fa-5x{font-size:5em}
.fa-fw{width:1.28571429em;text-align:center}
.fa-ul{padding-left:0;margin-left:2.14285714em;list-style-type:none}
.fa-ul>li{position:relative}
.fa-li{position:absolute;left:-2.14285714em;width:2.14285714em;top:.14285714em;text-align:center}
.fa-li.fa-lg{left:-1.85714286em}
.fa-border{padding:.2em .25em .15em;border:solid .08em #eee;border-radius:.1em}
.fa-pull-left{float:left}
.fa-pull-right{float:right}
.fa.fa-pull-left{margin-right:.3em}
.fa.fa-pull-right{margin-left:.3em}
.pull-right{float:right}
.pull-left{float:left}
```

```
.fa.pull-left{margin-right:.3em}
.fa.pull-right{margin-left:.3em}
.fa-spin{-webkit-animation:fa-spin 2s infinite linear;animation:fa-spin 2s infinite linear}
.fa-pulse{-webkit-animation:fa-spin 1s infinite steps(8);animation:fa-spin 1s infinite steps(8)}
@-webkit-keyframes fa-spin{0%{-webkit-transform:rotate(0deg);transform:rotate(0deg)}100%{-webkit-transform:rotate(359deg);transform:rotate(359deg)}}
@keyframes fa-spin{0%{-webkit-transform:rotate(0deg);transform:rotate(0deg)}100%{-webkit-transform:rotate(359deg);transform:rotate(359deg)}}
.fa-rotate-90{-ms-filter:"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)";-webkit-transform:rotate(90deg);-ms-transform:rotate(90deg);transform:rotate(90deg)}
.fa-rotate-180{-ms-filter:"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)";-webkit-transform:rotate(180deg);-ms-transform:rotate(180deg);transform:rotate(180deg)}
.fa-rotate-270{-ms-filter:"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)";-webkit-transform:rotate(270deg);-ms-transform:rotate(270deg);transform:rotate(270deg)}
.fa-flip-horizontal{-ms-filter:"progid:DXImageTransform.Microsoft.BasicImage(rotation=0,mirror=1)";-webkit-transform:scale(-1, 1);-ms-transform:scale(-1, 1);transform:scale(-1, 1)}
.fa-flip-vertical{-ms-filter:"progid:DXImageTransform.Microsoft.BasicImage(rotation=2,mirror=1)";-webkit-transform:scale(1, -1);-ms-transform:scale(1, -1);transform:scale(1, -1)}:root .fa-rotate-90,:root .fa-rotate-180,:root .fa-rotate-270,:root .fa-flip-horizontal,:root .fa-flip-vertical{filter:none}
.fa-stack{position:relative;display:inline-block;width:2em;height:2em;line-height:2em;vertical-align:middle}.fa-stack-1x,.fa-stack-2x{position:absolute;left:0;width:100%;text-align:center}
.fa-stack-1x{line-height:inherit}
.fa-stack-2x{font-size:2em}
.fa-inverse{color:#fff}
.fa-glass:before{content:"\f000"}
.fa-music:before{content:"\f001"}
.fa-search:before{content:"\f002"}
.fa-envelope-o:before{content:"\f003"}
.fa-heart:before{content:"\f004"}
.fa-star:before{content:"\f005"}
.fa-star-o:before{content:"\f006"}
.fa-user:before{content:"\f007"}
.fa-film:before{content:"\f008"}
.fa-th-large:before{content:"\f009"}
.fa-th:before{content:"\f00a"}
.fa-th-list:before{content:"\f00b"}
.fa-check:before{content:"\f00c"}
.fa-remove:before,.fa-close:before,.fa-times:before{content:"\f00d"}
.fa-search-plus:before{content:"\f00e"}
.fa-search-minus:before{content:"\f010"}
.fa-power-off:before{content:"\f011"}
.fa-signal:before{content:"\f012"}
.fa-gear:before,.fa-cog:before{content:"\f013"}
.fa-trash-o:before{content:"\f014"}
.fa-home:before{content:"\f015"}
.fa-file-o:before{content:"\f016"}
.fa-clock-o:before{content:"\f017"}
.fa-road:before{content:"\f018"}
.fa-download:before{content:"\f019"}
.fa-arrow-circle-o-down:before{content:"\f01a"}
.fa-arrow-circle-o-up:before{content:"\f01b"}
.fa-inbox:before{content:"\f01c"}
.fa-play-circle-o:before{content:"\f01d"}
.fa-rotate-right:before,.fa-repeat:before{content:"\f01e"}
.fa-refresh:before{content:"\f021"}
.fa-list-alt:before{content:"\f022"}
.fa-lock:before{content:"\f023"}
.fa-flag:before{content:"\f024"}
.fa-headphones:before{content:"\f025"}
.fa-volume-off:before{content:"\f026"}
.fa-volume-down:before{content:"\f027"}
.fa-volume-up:before{content:"\f028"}
.fa-qrcode:before{content:"\f029"}
```

```
.fa-barcode:before{content:"\f02a"}  
.fa-tag:before{content:"\f02b"}  
.fa-tags:before{content:"\f02c"}  
.fa-book:before{content:"\f02d"}  
.fa-bookmark:before{content:"\f02e"}  
.fa-print:before{content:"\f02f"}  
.fa-camera:before{content:"\f030"}  
.fa-font:before{content:"\f031"}  
.fa-bold:before{content:"\f032"}  
.fa-italic:before{content:"\f033"}  
.fa-text-height:before{content:"\f034"}  
.fa-text-width:before{content:"\f035"}  
.fa-align-left:before{content:"\f036"}  
.fa-align-center:before{content:"\f037"}  
.fa-align-right:before{content:"\f038"}  
.fa-align-justify:before{content:"\f039"}  
.fa-list:before{content:"\f03a"}  
.fa-dedent:before,.fa-outdent:before{content:"\f03b"}  
.fa-indent:before{content:"\f03c"}  
.fa-video-camera:before{content:"\f03d"}  
.fa-photo:before,.fa-image:before,.fa-picture-o:before{content:"\f03e"}  
.fa-pencil:before{content:"\f040"}  
.fa-map-marker:before{content:"\f041"}  
.fa-adjust:before{content:"\f042"}  
.fa-tint:before{content:"\f043"}  
.fa-edit:before,.fa-pencil-square-o:before{content:"\f044"}  
.fa-share-square-o:before{content:"\f045"}  
.fa-check-square-o:before{content:"\f046"}  
.fa-arrows:before{content:"\f047"}  
.fa-step-backward:before{content:"\f048"}  
.fa-fast-backward:before{content:"\f049"}  
.fa-backward:before{content:"\f04a"}  
.fa-play:before{content:"\f04b"}  
.fa-pause:before{content:"\f04c"}  
.fa-stop:before{content:"\f04d"}  
.fa-forward:before{content:"\f04e"}  
.fa-fast-forward:before{content:"\f050"}  
.fa-step-forward:before{content:"\f051"}  
.fa-eject:before{content:"\f052"}  
.fa-chevron-left:before{content:"\f053"}  
.fa-chevron-right:before{content:"\f054"}  
.fa-plus-circle:before{content:"\f055"}  
.fa-minus-circle:before{content:"\f056"}  
.fa-times-circle:before{content:"\f057"}  
.fa-check-circle:before{content:"\f058"}  
.fa-question-circle:before{content:"\f059"}  
.fa-info-circle:before{content:"\f05a"}  
.fa-crosshairs:before{content:"\f05b"}  
.fa-times-circle-o:before{content:"\f05c"}  
.fa-check-circle-o:before{content:"\f05d"}  
.fa-ban:before{content:"\f05e"}  
.fa-arrow-left:before{content:"\f060"}  
.fa-arrow-right:before{content:"\f061"}  
.fa-arrow-up:before{content:"\f062"}  
.fa-arrow-down:before{content:"\f063"}  
.fa-mail-forward:before,.fa-share:before{content:"\f064"}  
.fa-expand:before{content:"\f065"}.fa-compress:before{content:"\f066"}  
.fa-plus:before{content:"\f067"}.fa-minus:before{content:"\f068"}  
.fa-asterisk:before{content:"\f069"}.fa-exclamation-circle:before{content:"\f06a"}  
.fa-gift:before{content:"\f06b"}.fa-leaf:before{content:"\f06c"}  
.fa-fire:before{content:"\f06d"}.fa-eye:before{content:"\f06e"}  
.fa-eye-slash:before{content:"\f070"}  
.fa-warning:before,.fa-exclamation-triangle:before{content:"\f071"}  
.fa-plane:before{content:"\f072"}.fa-calendar:before{content:"\f073"}  
.fa-random:before{content:"\f074"}.fa-comment:before{content:"\f075"}  
.fa-magnet:before{content:"\f076"}.fa-chevron-up:before{content:"\f077"}  
.fa-chevron-down:before{content:"\f078"}.fa-retweet:before{content:"\f079"}  
.fa-shopping-cart:before{content:"\f07a"}.fa-folder:before{content:"\f07b"}
```

```
.fa-folder-open:before{content:"\f07c"} .fa-arrows-v:before{content:"\f07d"}  
.fa-arrows-h:before{content:"\f07e"}  
.fa-bar-chart-o:before, .fa-bar-chart:before{content:"\f080"}  
.fa-twitter-square:before{content:"\f081"}  
.fa-facebook-square:before{content:"\f082"}  
.fa-camera-retro:before{content:"\f083"}  
.fa-key:before{content:"\f084"}  
.fa-gears:before, .fa-cogs:before{content:"\f085"}  
.fa-comments:before{content:"\f086"}  
).fa-thumbs-o-up:before{content:"\f087"}  
.fa-thumbs-o-down:before{content:"\f088"}  
.fa-star-half:before{content:"\f089"}  
.fa-heart-o:before{content:"\f08a"}  
.fa-sign-out:before{content:"\f08b"}  
.fa-linkedin-square:before{content:"\f08c"}  
.fa-thumb-tack:before{content:"\f08d"}  
.fa-external-link:before{content:"\f08e"}  
.fa-sign-in:before{content:"\f090"}  
.fa-trophy:before{content:"\f091"}  
.fa-github-square:before{content:"\f092"}  
.fa-upload:before{content:"\f093"}  
.fa-lemon-o:before{content:"\f094"}  
.fa-phone:before{content:"\f095"}  
.fa-square-o:before{content:"\f096"}  
.fa-bookmark-o:before{content:"\f097"}  
.fa-phone-square:before{content:"\f098"}  
.fa-twitter:before{content:"\f099"}  
.fa-facebook-f:before, .fa-facebook:before{content:"\f09a"}  
.fa-github:before{content:"\f09b"}  
.fa-unlock:before{content:"\f09c"}  
.fa-credit-card:before{content:"\f09d"}  
.fa-feed:before, .fa-rss:before{content:"\f09e"}  
.fa-hdd-o:before{content:"\f0a0"}  
.fa-bullhorn:before{content:"\f0a1"}  
.fa-bell:before{content:"\f0f3"}  
.fa-certificate:before{content:"\f0a3"}  
.fa-hand-o-right:before{content:"\f0a4"}  
.fa-hand-o-left:before{content:"\f0a5"}  
.fa-hand-o-up:before{content:"\f0a6"}  
.fa-hand-o-down:before{content:"\f0a7"}  
.fa-arrow-circle-left:before{content:"\f0a8"}  
.fa-arrow-circle-right:before{content:"\f0a9"}  
.fa-arrow-circle-up:before{content:"\f0aa"}  
.fa-arrow-circle-down:before{content:"\f0ab"}  
.fa-globe:before{content:"\f0ac"}  
.fa-wrench:before{content:"\f0ad"}  
.fa-tasks:before{content:"\f0ae"}  
.fa-filter:before{content:"\f0b0"}  
.fa-briefcase:before{content:"\f0b1"}  
.fa-arrows-alt:before{content:"\f0b2"}  
.fa-group:before, .fa-users:before{content:"\f0c0"}  
.fa-chain:before, .fa-link:before{content:"\f0c1"}  
.fa-cloud:before{content:"\f0c2"}  
.fa-flask:before{content:"\f0c3"}  
.fa-cut:before, .fa-scissors:before{content:"\f0c4"}  
.fa-copy:before, .fa-files-o:before{content:"\f0c5"}  
.fa-paperclip:before{content:"\f0c6"}  
.fa-save:before, .fa-floppy-o:before{content:"\f0c7"}  
.fa-square:before{content:"\f0c8"}  
.fa-navicon:before, .fa-reorder:before, .fa-bars:before{content:"\f0c9"}  
.fa-list-ul:before{content:"\f0ca"}  
.fa-list-ol:before{content:"\f0cb"}  
.fa-strikethrough:before{content:"\f0cc"}  
.fa-underline:before{content:"\f0cd"}  
.fa-table:before{content:"\f0ce"}  
.fa-magic:before{content:"\f0d0"}  
.fa-truck:before{content:"\f0d1"}  
.fa-pinterest:before{content:"\f0d2"}
```

```
.fa-pinterest-square:before{content:"\f0d3"}  
.fa-google-plus-square:before{content:"\f0d4"}  
.fa-google-plus:before{content:"\f0d5"}  
.fa-money:before{content:"\f0d6"}  
.fa-caret-down:before{content:"\f0d7"}  
.fa-caret-up:before{content:"\f0d8"}  
.fa-caret-left:before{content:"\f0d9"}  
.fa-caret-right:before{content:"\f0da"}  
.fa-columns:before{content:"\f0db"}  
.fa-unsorted:before,.fa-sort:before{content:"\f0dc"}  
.fa-sort-down:before,.fa-sort-desc:before{content:"\f0dd"}  
.fa-sort-up:before,.fa-sort-asc:before{content:"\f0de"}  
.fa-envelope:before{content:"\f0e0"}  
.fa-linkedin:before{content:"\f0e1"}  
.fa-rotate-left:before,.fa-undo:before{content:"\f0e2"}  
.fa-legal:before,.fa-gavel:before{content:"\f0e3"}  
.fa-dashboard:before,.fa-tachometer:before{content:"\f0e4"}  
.fa-comment-o:before{content:"\f0e5"}  
.fa-comments-o:before{content:"\f0e6"}  
.fa-flash:before,.fa-bolt:before{content:"\f0e7"}  
.fa-sitemap:before{content:"\f0e8"}  
.fa-umbrella:before{content:"\f0e9"}  
.fa-paste:before,.fa-clipboard:before{content:"\f0ea"}  
.fa-lightbulb-o:before{content:"\f0eb"}  
.fa-exchange:before{content:"\f0ec"}  
.fa-cloud-download:before{content:"\f0ed"}  
.fa-cloud-upload:before{content:"\f0ee"}  
.fa-user-md:before{content:"\f0f0"}  
.fa-stethoscope:before{content:"\f0f1"}  
.fa-suitcase:before{content:"\f0f2"}  
.fa-bell-o:before{content:"\f0a2"}  
.fa-coffee:before{content:"\f0f4"}  
.fa-cutlery:before{content:"\f0f5"}  
.fa-file-text-o:before{content:"\f0f6"}  
.fa-building-o:before{content:"\f0f7"}  
.fa-hospital-o:before{content:"\f0f8"}  
.fa-ambulance:before{content:"\f0f9"}  
.fa-medkit:before{content:"\f0fa"}  
.fa-fighter-jet:before{content:"\f0fb"}  
.fa-beer:before{content:"\f0fc"}  
.fa-h-square:before{content:"\f0fd"}  
.fa-plus-square:before{content:"\f0fe"}  
.fa-angle-double-left:before{content:"\f100"}  
.fa-angle-double-right:before{content:"\f101"}  
.fa-angle-double-up:before{content:"\f102"}  
.fa-angle-double-down:before{content:"\f103"}  
.fa-angle-left:before{content:"\f104"}  
.fa-angle-right:before{content:"\f105"}  
.fa-angle-up:before{content:"\f106"}  
.fa-angle-down:before{content:"\f107"}  
.fa-desktop:before{content:"\f108"}  
.fa-laptop:before{content:"\f109"}  
.fa-tablet:before{content:"\f10a"}  
.fa-mobile-phone:before,.fa-mobile:before{content:"\f10b"}  
.fa-circle-o:before{content:"\f10c"}  
.fa-quote-left:before{content:"\f10d"}  
.fa-quote-right:before{content:"\f10e"}  
.fa-spinner:before{content:"\f110"}  
.fa-circle:before{content:"\f111"}  
.fa-mail-reply:before,.fa-reply:before{content:"\f112"}  
.fa-github-alt:before{content:"\f113"}  
.fa-folder-o:before{content:"\f114"}  
.fa-folder-open-o:before{content:"\f115"}  
.fa-smile-o:before{content:"\f118"}  
.fa-frown-o:before{content:"\f119"}  
.fa-meh-o:before{content:"\f11a"}  
.fa-gamepad:before{content:"\f11b"}  
.fa-keyboard-o:before{content:"\f11c"}
```

```
.fa-flag-o:before{content:"\f11d"}  
.fa-flag-checkered:before{content:"\f11e"}  
.fa-terminal:before{content:"\f120"}  
.fa-code:before{content:"\f121"}  
.fa-mail-reply-all:before,.fa-reply-all:before{content:"\f122"}  
.fa-star-half-empty:before,.fa-star-half-full:before,.fa-star-half-  
o:before{content:"\f123"}  
.fa-location-arrow:before{content:"\f124"}  
.fa-crop:before{content:"\f125"}  
.fa-code-fork:before{content:"\f126"}  
.fa-unlink:before,.fa-chain-broken:before{content:"\f127"}  
.fa-question:before{content:"\f128"}  
.fa-info:before{content:"\f129"}  
.fa-exclamation:before{content:"\f12a"}  
.fa-superscript:before{content:"\f12b"}  
.fa-subscript:before{content:"\f12c"}  
.fa-eraser:before{content:"\f12d"}  
.fa-puzzle-piece:before{content:"\f12e"}  
.fa-microphone:before{content:"\f130"}  
.fa-microphone-slash:before{content:"\f131"}  
.fa-shield:before{content:"\f132"}  
.fa-calendar-o:before{content:"\f133"}  
.fa-fire-extinguisher:before{content:"\f134"}  
.fa-rocket:before{content:"\f135"}  
.fa-maxcdn:before{content:"\f136"}  
.fa-chevron-circle-left:before{content:"\f137"}  
.fa-chevron-circle-right:before{content:"\f138"}  
.fa-chevron-circle-up:before{content:"\f139"}  
.fa-chevron-circle-down:before{content:"\f13a"}  
.fa-html5:before{content:"\f13b"}  
.fa-css3:before{content:"\f13c"}  
.fa-anchor:before{content:"\f13d"}  
.fa-unlock-alt:before{content:"\f13e"}  
.fa-bullseye:before{content:"\f140"}  
.fa-ellipsis-h:before{content:"\f141"}  
.fa-ellipsis-v:before{content:"\f142"}  
.fa-rss-square:before{content:"\f143"}  
.fa-play-circle:before{content:"\f144"}  
.fa-ticket:before{content:"\f145"}  
.fa-minus-square:before{content:"\f146"}  
.fa-minus-square-o:before{content:"\f147"}  
.fa-level-up:before{content:"\f148"}  
.fa-level-down:before{content:"\f149"}  
.fa-check-square:before{content:"\f14a"}  
.fa-pencil-square:before{content:"\f14b"}  
.fa-external-link-square:before{content:"\f14c"}  
.fa-share-square:before{content:"\f14d"}  
.fa-compass:before{content:"\f14e"}  
.fa-toggle-down:before,.fa-caret-square-o-down:before{content:"\f150"}  
.fa-toggle-up:before,.fa-caret-square-o-up:before{content:"\f151"}  
.fa-toggle-right:before,.fa-caret-square-o-right:before{content:"\f152"}  
.fa-euro:before,.fa-eur:before{content:"\f153"}  
.fa-gbp:before{content:"\f154"}  
.fa-dollar:before,.fa-usd:before{content:"\f155"}  
.fa-rupee:before,.fa-inr:before{content:"\f156"}  
.fa-cny:before,.fa-rmb:before,.fa-yen:before,.fa-jpy:before{content:"\f157"}  
.fa-ruble:before,.fa-rouble:before,.fa-rub:before{content:"\f158"}  
.fa-won:before,.fa-krw:before{content:"\f159"}  
.fa-bitcoin:before,.fa-btc:before{content:"\f15a"}  
.fa-file:before{content:"\f15b"}  
.fa-file-text:before{content:"\f15c"}  
.fa-sort-alpha-asc:before{content:"\f15d"}  
.fa-sort-alpha-desc:before{content:"\f15e"}  
.fa-sort-amount-asc:before{content:"\f160"}  
.fa-sort-amount-desc:before{content:"\f161"}  
.fa-sort-numeric-asc:before{content:"\f162"}  
.fa-sort-numeric-desc:before{content:"\f163"}  
.fa-thumbs-up:before{content:"\f164"}
```

```
.fa-thumbs-down:before{content:"\f165"}  
.fa-youtube-square:before{content:"\f166"}  
.fa-youtube:before{content:"\f167"}  
.fa-xing:before{content:"\f168"}  
.fa-xing-square:before{content:"\f169"}  
.fa-youtube-play:before{content:"\f16a"}  
.fa-dropbox:before{content:"\f16b"}  
.fa-stack-overflow:before{content:"\f16c"}  
.fa-instagram:before{content:"\f16d"}  
.fa-flickr:before{content:"\f16e"}  
.fa-adn:before{content:"\f170"}  
.fa-bitbucket:before{content:"\f171"}  
.fa-bitbucket-square:before{content:"\f172"}  
.fa-tumblr:before{content:"\f173"}  
.fa-tumblr-square:before{content:"\f174"}  
.fa-long-arrow-down:before{content:"\f175"}  
.fa-long-arrow-up:before{content:"\f176"}  
.fa-long-arrow-left:before{content:"\f177"}  
.fa-long-arrow-right:before{content:"\f178"}  
.fa-apple:before{content:"\f179"}  
.fa-windows:before{content:"\f17a"}  
.fa-android:before{content:"\f17b"}  
.fa-linux:before{content:"\f17c"}  
.fa-dribbble:before{content:"\f17d"}  
.fa-skype:before{content:"\f17e"}  
.fa-foursquare:before{content:"\f180"}  
.fa-trello:before{content:"\f181"}  
.fa-female:before{content:"\f182"}  
.fa-male:before{content:"\f183"}  
.fa-gittip:before,.fa-gratipay:before{content:"\f184"}  
.fa-sun-o:before{content:"\f185"}  
.fa-moon-o:before{content:"\f186"}  
.fa-archive:before{content:"\f187"}  
.fa-bug:before{content:"\f188"}  
.fa-vk:before{content:"\f189"}  
.fa-weibo:before{content:"\f18a"}  
.fa-renren:before{content:"\f18b"}  
.fa-pagelines:before{content:"\f18c"}  
.fa-stack-exchange:before{content:"\f18d"}  
.fa-arrow-circle-o-right:before{content:"\f18e"}  
.fa-arrow-circle-o-left:before{content:"\f190"}  
.fa-toggle-left:,.fa-caret-square-o-left:before{content:"\f191"}  
.fa-dot-circle-o:before{content:"\f192"}  
.fa-wheelchair:before{content:"\f193"}  
.fa-vimeo-square:before{content:"\f194"}  
.fa-turkish-lira:before,.fa-try:before{content:"\f195"}  
.fa-plus-square-o:before{content:"\f196"}  
.fa-space-shuttle:before{content:"\f197"}  
.fa-slack:before{content:"\f198"}  
.fa-envelope-square:before{content:"\f199"}  
.fa-wordpress:before{content:"\f19a"}  
.fa-openid:before{content:"\f19b"}  
.fa-institution:before,.fa-bank:before,.fa-university:before{content:"\f19c"}  
.fa-mortar-board:before,.fa-graduation-cap:before{content:"\f19d"}  
.fa-yahoo:before{content:"\f19e"}  
.fa-google:before{content:"\f1a0"}  
.fa-reddit:before{content:"\f1a1"}  
.fa-reddit-square:before{content:"\f1a2"}  
.fa-stumbleupon-circle:before{content:"\f1a3"}  
.fa-stumbleupon:before{content:"\f1a4"}  
.fa-delicious:before{content:"\f1a5"}  
.fa-digg:before{content:"\f1a6"}  
.fa-pied-piper-pp:before{content:"\f1a7"}  
.fa-pied-piper-alt:before{content:"\f1a8"}  
.fa-drupal:before{content:"\f1a9"}  
.fa-joomla:before{content:"\f1aa"}  
.fa-language:before{content:"\f1ab"}  
.fa-fax:before{content:"\f1ac"}
```

```
.fa-building:before{content:"\f1ad"}  
.fa-child:before{content:"\f1ae"}  
.fa-paw:before{content:"\f1b0"}  
.fa-spoon:before{content:"\f1b1"}  
.fa-cube:before{content:"\f1b2"}  
.fa-cubes:before{content:"\f1b3"}  
.fa-behance:before{content:"\f1b4"}  
.fa-behance-square:before{content:"\f1b5"}  
.fa-steam:before{content:"\f1b6"}  
.fa-steam-square:before{content:"\f1b7"}  
.fa-recycle:before{content:"\f1b8"}  
.fa-automobile:before,.fa-car:before{content:"\f1b9"}  
.fa-cab:before,.fa-taxi:before{content:"\f1ba"}  
.fa-tree:before{content:"\f1bb"}  
.fa-spotify:before{content:"\f1bc"}  
.fa-deviantart:before{content:"\f1bd"}  
.fa-soundcloud:before{content:"\f1be"}  
.fa-database:before{content:"\f1c0"}  
.fa-file-pdf-o:before{content:"\f1c1"}  
.fa-file-word-o:before{content:"\f1c2"}  
.fa-file-excel-o:before{content:"\f1c3"}  
.fa-file-powerpoint-o:before{content:"\f1c4"}  
.fa-file-photo-o:before,.fa-file-picture-o:before,.fa-file-image-o:before{content:"\f1c5"}  
.fa-file-zip-o:before,.fa-file-archive-o:before{content:"\f1c6"}  
.fa-file-sound-o:before,.fa-file-audio-o:before{content:"\f1c7"}  
.fa-file-movie-o:before,.fa-file-video-o:before{content:"\f1c8"}  
.fa-file-code-o:before{content:"\f1c9"}  
.fa-vine:before{content:"\f1ca"}  
.fa-codepen:before{content:"\f1cb"}  
.fa-jsfiddle:before{content:"\f1cc"}  
.fa-life-bouy:before,.fa-life-buoy:before,.fa-life-saver:before,.fa-support:before,.fa-life-ring:before{content:"\f1cd"}  
.fa-circle-o-notch:before{content:"\f1ce"}  
.fa-ra:before,.fa-resistance:before,.fa-rebel:before{content:"\f1d0"}  
.fa-ge:before,.fa-empire:before{content:"\f1d1"}  
.fa-git-square:before{content:"\f1d2"}  
.fa-git:before{content:"\f1d3"}  
.fa-y-combinator-square:before,.fa-yc-square:before,.fa-hacker-news:before{content:"\f1d4"}  
.fa-tencent-weibo:before{content:"\f1d5"}  
.fa-qq:before{content:"\f1d6"}  
.fa-wechat:before,.fa-weixin:before{content:"\f1d7"}  
.fa-send:before,.fa-paper-plane:before{content:"\f1d8"}  
.fa-send-o:before,.fa-paper-plane-o:before{content:"\f1d9"}  
.fa-history:before{content:"\f1da"}  
.fa-circle-thin:before{content:"\f1db"}  
.fa-header:before{content:"\f1dc"}  
.fa-paragraph:before{content:"\f1dd"}  
.fa-sliders:before{content:"\f1de"}  
.fa-share-alt:before{content:"\f1e0"}  
.fa-share-alt-square:before{content:"\f1e1"}  
.fa-bomb:before{content:"\f1e2"}  
.fa-soccer-ball-o:before,.fa-futbol-o:before{content:"\f1e3"}  
.fa-tty:before{content:"\f1e4"}  
.fa-binoculars:before{content:"\f1e5"}  
.fa-plug:before{content:"\f1e6"}  
.fa-slideshare:before{content:"\f1e7"}  
.fa-twitch:before{content:"\f1e8"}  
.fa-yelp:before{content:"\f1e9"}  
.fa-newspaper-o:before{content:"\f1ea"}  
.fa-wifi:before{content:"\f1eb"}  
.fa-calculator:before{content:"\f1ec"}  
.fa-paypal:before{content:"\f1ed"}  
.fa-google-wallet:before{content:"\f1ee"}  
.fa-cc-visa:before{content:"\f1f0"}  
.fa-cc-mastercard:before{content:"\f1f1"}  
.fa-cc-discover:before{content:"\f1f2"}  
.fa-cc-amex:before{content:"\f1f3"}
```

```
.fa-cc-paypal:before{content:"\f1f4"
}.fa-cc-stripe:before{content:"\f1f5"
}.fa-bell-slash:before{content:"\f1f6"
}.fa-bell-slash-o:before{content:"\f1f7"
}.fa-trash:before{content:"\f1f8"
}.fa-copyright:before{content:"\f1f9"
}.fa-at:before{content:"\f1fa"
}.fa-eyedropper:before{content:"\f1fb"
}.fa-paint-brush:before{content:"\f1fc"
}.fa-birthday-cake:before{content:"\f1fd"
}.fa-area-chart:before{content:"\f1fe"
}.fa-pie-chart:before{content:"\f200"
}.fa-line-chart:before{content:"\f201"
}.fa-lastfm:before{content:"\f202"
}.fa-lastfm-square:before{content:"\f203"
}.fa-toggle-off:before{content:"\f204"
}.fa-toggle-on:before{content:"\f205"
}.fa-bicycle:before{content:"\f206"
}.fa-bus:before{content:"\f207"
}.fa-ioxhost:before{content:"\f208"
}.fa-angellist:before{content:"\f209"
}.fa-cc:before{content:"\f20a"
}.fa-shekel:before,.fa-sheqel:before,.fa-ils:before{content:"\f20b"
}.fa-meanpath:before{content:"\f20c"
}.fa-buySellads:before{content:"\f20d"
}.fa-connectdevelop:before{content:"\f20e"
}.fa-dashcube:before{content:"\f210"
}.fa-forumbee:before{content:"\f211"
}.fa-leanpub:before{content:"\f212"
}.fa-sellsy:before{content:"\f213"
}.fa-shirtsinbulk:before{content:"\f214"
}.fa-simplybuilt:before{content:"\f215"
}.fa-skyatlas:before{content:"\f216"
}.fa-cart-plus:before{content:"\f217"
}.fa-cart-arrow-down:before{content:"\f218"
}.fa-diamond:before{content:"\f219"
}.fa-ship:before{content:"\f21a"
}.fa-user-secret:before{content:"\f21b"
}.fa-motorcycle:before{content:"\f21c"
}.fa-street-view:before{content:"\f21d"
}.fa-heartbeat:before{content:"\f21e"
}.fa-venus:before{content:"\f221"
}.fa-mars:before{content:"\f222"
}.fa-mercury:before{content:"\f223"
}.fa-intersex:before,.fa-transgender:before{content:"\f224"
}.fa-transgender-alt:before{content:"\f225"
}.fa-venus-double:before{content:"\f226"
}.fa-mars-double:before{content:"\f227"
}.fa-venus-mars:before{content:"\f228"
}.fa-mars-stroke:before{content:"\f229"
}.fa-mars-stroke-v:before{content:"\f22a"
}.fa-mars-stroke-h:before{content:"\f22b"
}.fa-neuter:before{content:"\f22c"
}.fa-genderless:before{content:"\f22d"
}.fa-facebook-official:before{content:"\f230"
}.fa-pinterest-p:before{content:"\f231"
}.fa-whatsapp:before{content:"\f232"
}.fa-server:before{content:"\f233"
}.fa-user-plus:before{content:"\f234"
}.fa-user-times:before{content:"\f235"
}.fa-hotel:before,.fa-bed:before{content:"\f236"
}.fa-viacoin:before{content:"\f237"
}.fa-train:before{content:"\f238"
}.fa-subway:before{content:"\f239"
}.fa-medium:before{content:"\f23a"
}.fa-yc:before,.fa-y-combinator:before{content:"\f23b"
}.fa-optin-monster:before{content:"\f23c"
}.fa-opencart:before{content:"\f23d"
}
```

```
.fa-expeditedssl:before{content:"\f23e"}  
.fa-battery-4:before,.fa-battery:before,.fa-battery-full:before{content:"\f240"}  
.fa-battery-3:before,.fa-battery-three-quarters:before{content:"\f241"}  
.fa-battery-2:before,.fa-battery-half:before{content:"\f242"}  
.fa-battery-1:before,.fa-battery-quarter:before{content:"\f243"}  
.fa-battery-0:before,.fa-battery-empty:before{content:"\f244"}  
.fa-mouse-pointer:before{content:"\f245"}  
.fa-i-cursor:before{content:"\f246"}  
.fa-object-group:before{content:"\f247"}  
.fa-object-ungroup:before{content:"\f248"}  
.fa-sticky-note:before{content:"\f249"}  
.fa-sticky-note-o:before{content:"\f24a"}  
.fa-cc-jcb:before{content:"\f24b"}  
.fa-cc-diners-club:before{content:"\f24c"}  
.fa-clone:before{content:"\f24d"}  
.fa-balance-scale:before{content:"\f24e"}  
.fa-hourglass-o:before{content:"\f250"}  
.fa-hourglass-1:before,.fa-hourglass-start:before{content:"\f251"}  
.fa-hourglass-2:before,.fa-hourglass-half:before{content:"\f252"}  
.fa-hourglass-3:before,.fa-hourglass-end:before{content:"\f253"}  
.fa-hourglass:before{content:"\f254"}  
.fa-hand-grab-o:before,.fa-hand-rock-o:before{content:"\f255"}  
.fa-hand-stop-o:before,.fa-hand-paper-o:before{content:"\f256"}  
.fa-hand-scissors-o:before{content:"\f257"}  
.fa-hand-lizard-o:before{content:"\f258"}  
.fa-hand-spock-o:before{content:"\f259"}  
.fa-hand-pointer-o:before{content:"\f25a"}  
.fa-hand-peace-o:before{content:"\f25b"}  
.fa-trademark:before{content:"\f25c"}  
.fa-registered:before{content:"\f25d"}  
.fa-creative-commons:before{content:"\f25e"}  
.fa-gg:before{content:"\f260"}  
.fa-gg-circle:before{content:"\f261"}  
.fa-tripadvisor:before{content:"\f262"}  
.fa-odnoklassniki:before{content:"\f263"}  
.fa-odnoklassniki-square:before{content:"\f264"}  
.fa-get-pocket:before{content:"\f265"}  
.fa-wikipedia-w:before{content:"\f266"}  
.fa-safari:before{content:"\f267"}  
.fa-chrome:before{content:"\f268"}  
.fa-firefox:before{content:"\f269"}  
.fa-opera:before{content:"\f26a"}  
.fa-internet-explorer:before{content:"\f26b"}  
.fa-tv:before,.fa-television:before{content:"\f26c"}  
.fa-contao:before{content:"\f26d"}  
.fa-500px:before{content:"\f26e"}  
.fa-amazon:before{content:"\f270"}  
.fa-calendar-plus-o:before{content:"\f271"}  
.fa-calendar-minus-o:before{content:"\f272"}  
.fa-calendar-times-o:before{content:"\f273"}  
.fa-calendar-check-o:before{content:"\f274"}  
.fa-industry:before{content:"\f275"}  
.fa-map-pin:before{content:"\f276"}  
.fa-map-signs:before{content:"\f277"}  
.fa-map-o:before{content:"\f278"}  
.fa-map:before{content:"\f279"}  
.fa-commenting:before{content:"\f27a"}  
.fa-commenting-o:before{content:"\f27b"}  
.fa-houzz:before{content:"\f27c"}  
.fa-vimeo:before{content:"\f27d"}  
.fa-black-tie:before{content:"\f27e"}  
.fa-fonticons:before{content:"\f280"}  
.fa-reddit-alien:before{content:"\f281"}  
.fa-edge:before{content:"\f282"}  
.fa-credit-card-alt:before{content:"\f283"}  
.fa-codiepie:before{content:"\f284"}  
.fa-modx:before{content:"\f285"}  
.fa-fort-awesome:before{content:"\f286"}
```

```
.fa-usb:before{content:"\f287"}  
.fa-product-hunt:before{content:"\f288"}  
.fa-mixcloud:before{content:"\f289"}  
.fa-scribd:before{content:"\f28a"}  
.fa-pause-circle:before{content:"\f28b"}  
.fa-pause-circle-o:before{content:"\f28c"}  
.fa-stop-circle:before{content:"\f28d"}  
.fa-stop-circle-o:before{content:"\f28e"}  
.fa-shopping-bag:before{content:"\f290"}  
.fa-shopping-basket:before{content:"\f291"}  
.fa-hashtag:before{content:"\f292"}  
.fa-bluetooth:before{content:"\f293"}  
.fa-bluetooth-b:before{content:"\f294"}  
.fa-percent:before{content:"\f295"}  
.fa-gitlab:before{content:"\f296"}  
.fa-wpbeginner:before{content:"\f297"}  
.fa-wpforms:before{content:"\f298"}  
.fa-envira:before{content:"\f299"}  
.fa-universal-access:before{content:"\f29a"}  
.fa-wheelchair-alt:before{content:"\f29b"}  
.fa-question-circle-o:before{content:"\f29c"}  
.fa-blind:before{content:"\f29d"}  
.fa-audio-description:before{content:"\f29e"}  
.fa-volume-control-phone:before{content:"\f2a0"}  
.fa-braille:before{content:"\f2a1"}  
.fa-assistive-listening-systems:before{content:"\f2a2"}  
.fa-asl-interpreting:before,.fa-american-sign-language-  
interpreting:before{content:"\f2a3"}  
.fa-deafness:before,.fa-hard-of-hearing:before,.fa-deaf:before{content:"\f2a4"}  
.fa-glide:before{content:"\f2a5"}  
.fa-glide-g:before{content:"\f2a6"}  
.fa-signing:before,.fa-sign-language:before{content:"\f2a7"}  
.fa-low-vision:before{content:"\f2a8"}  
.fa-viadeo:before{content:"\f2a9"}  
.fa-viadeo-square:before{content:"\f2aa"}  
.fa-snapchat:before{content:"\f2ab"}  
.fa-snapchat-ghost:before{content:"\f2ac"}  
.fa-snapchat-square:before{content:"\f2ad"}  
.fa-pied-piper:before{content:"\f2ae"}  
.fa-first-order:before{content:"\f2b0"}  
.fa-yoast:before{content:"\f2b1"}  
.fa-themeisle:before{content:"\f2b2"}  
.fa-google-plus-circle:before,.fa-google-plus-official:before{content:"\f2b3"}  
.fa-fa:before,.fa-font-awesome:before{content:"\f2b4"}  
.fa-handshake-o:before{content:"\f2b5"}  
.fa-envelope-open:before{content:"\f2b6"}  
.fa-envelope-open-o:before{content:"\f2b7"}  
.fa-linode:before{content:"\f2b8"}  
.fa-address-book:before{content:"\f2b9"}  
.fa-address-book-o:before{content:"\f2ba"}  
.fa-vcard:before,.fa-address-card:before{content:"\f2bb"}  
.fa-vcard-o:before,.fa-address-card-o:before{content:"\f2bc"}  
.fa-user-circle:before{content:"\f2bd"}  
.fa-user-circle-o:before{content:"\f2be"}  
.fa-user-o:before{content:"\f2c0"}  
.fa-id-badge:before{content:"\f2c1"}  
.fa-drivers-license:before,.fa-id-card:before{content:"\f2c2"}  
.fa-drivers-license-o:before,.fa-id-card-o:before{content:"\f2c3"}  
.fa-quora:before{content:"\f2c4"}  
.fa-free-code-camp:before{content:"\f2c5"}  
.fa-telegram:before{content:"\f2c6"}  
.fa-thermometer-4:before,.fa-thermometer:before,.fa-thermometer-  
full:before{content:"\f2c7"}.fa-thermometer-3:before,.fa-thermometer-three-  
quarters:before{content:"\f2c8"}  
.fa-thermometer-2:before,.fa-thermometer-half:before{content:"\f2c9"}  
.fa-thermometer-1:before,.fa-thermometer-quarter:before{content:"\f2ca"}  
.fa-thermometer-0:before,.fa-thermometer-empty:before{content:"\f2cb"}  
.fa-shower:before{content:"\f2cc"}
```

```
.fa-bathtub:before,.fa-s15:before,.fa-bath:before{content:"\f2cd"}
.fa-podcast:before{content:"\f2ce"}
.fa-window-maximize:before{content:"\f2d0"}
.fa-window-minimize:before{content:"\f2d1"}
.fa-window-restore:before{content:"\f2d2"}
.fa-times-rectangle:before,.fa-window-close:before{content:"\f2d3"}
.fa-times-rectangle-o:before,.fa-window-close-o:before{content:"\f2d4"}
.fa-bandcamp:before{content:"\f2d5"}
.fa-grav:before{content:"\f2d6"}
.fa-etsy:before{content:"\f2d7"}
.fa-imdb:before{content:"\f2d8"}
.fa-ravelry:before{content:"\f2d9"}
.fa-eercast:before{content:"\f2da"}
.fa-microchip:before{content:"\f2db"}
.fa-snowflake-o:before{content:"\f2dc"}
.fa-superpowers:before{content:"\f2dd"}
.fa-wpexplorer:before{content:"\f2de"}
.fa-meetup:before{content:"\f2e0"}
.sr-only{position:absolute;width:1px;height:1px;padding:0;margin:-1px;overflow:hidden;clip:rect(0, 0, 0, 0);border:0}
.sr-only-focusable:active,.sr-only-focusable:focus{position:static;width:auto;height:auto;margin:0;overflow:visible;clip:auto}
```

script.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<script>
// Automatic Slideshow - change image every 4 seconds
var myIndex = 0;
carousel();

function carousel() {
    var i;
    var x = document.getElementsByClassName("mySlides");
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    myIndex++;
    if (myIndex > x.length) {myIndex = 1}
    x[myIndex-1].style.display = "block";
    setTimeout(carousel, 4000);
}

function myAccFunc(id) {
    var x = document.getElementById(id);
    if (x.className.indexOf("show") == -1) {
        x.className += " show";
    } else {
        x.className = x.className.replace(" show", "");
    }
}

// Modal Image Gallery
function onClick(element) {
    document.getElementById("img01").src = element.src;
    document.getElementById("modal01").style.display = "block";
    var captionText = document.getElementById("caption");
```

```
captionText.innerHTML = element.alt;
}

//alert box function when submit message
function btnSubmitContact() {
    alert("Thank you!\nYour message has been delivered.");
}

//alert box function when submit booking
function btnSubmitRegister() {
    alert("Thank you!\nYour booking has been made.\nWe will send an email to you within 24
hours.");
}

//confirm box function
function confirmation() {
    return confirm('Are you sure?');
}

//confirm box to logout
function confirmLogout() {
    return confirm('Are you sure you want to logout?');
}

//alert box when adding new data
function btnAddNew() {
    alert("Thank you!\nThe data has been entered.");
}

//alert box when edit data is successful
function btnEdit() {
    alert("Thank you!\nThe data has been edited.");
}

//set min date of choice is today
var today = new Date().toISOString().split('T')[0];
document.getElementsByName("Flight_date1")[0].setAttribute('min', today);

var today = new Date().toISOString().split('T')[0];
document.getElementsByName("Flight_date2")[0].setAttribute('min', today);

//function print
function functionPrint() {
    window.print();
}

//function search through the table
function tblSearch() {
    // Declare variables
    var input, filter, table, tr, td, i;
    input = document.getElementById("search");
    filter = input.value.toUpperCase();
    table = document.getElementById("table");
    tr = table.getElementsByTagName("tr");

    // Loop through all table rows, and hide those who don't match the search query
    for (i = 0; i < tr.length; i++) {
        if (!tr[i].classList.contains('header')) {
            td = tr[i].getElementsByTagName("td"),
            match = false;
            for (j = 0; j < td.length; j++) {
                if (td[j].innerHTML.toUpperCase().indexOf(filter) > -1) {
                    match = true;
                    break;
                }
            }
            if (!match) {
                tr[i].style.display = "none";
            }
        }
    }
}
```

```
        } else {
            tr[i].style.display = "";
        }
    }
}
//end function
</script>
</body>
</html>
```

Customer header.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php
/*databse connection */
$connect = mysqli_connect ("localhost", "root", "", "balona");

if(!$connect) {
    die('Error:' .mysqli_connect_error());
}
?>
</body>
</html>
```

index.php

```
<!DOCTYPE html>
<html>
<title>Welcome</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- set icon for web --&gt;
&lt;link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/&gt;
<!-- import css file --&gt;
&lt;link rel="stylesheet" type="text/css" href="style.css"&gt;
&lt;link rel="stylesheet" type="text/css" href="theme.css"&gt;
&lt;link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato"&gt;
&lt;link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway"&gt;
&lt;link rel="stylesheet" type="text/css" href="icon.css"&gt;
<!-- style --&gt;
&lt;style&gt;
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
&lt;/style&gt;

&lt;body&gt;
<!-- include database connection --&gt;
&lt;?php include ("header.php");?&gt;</pre>
```

```

<div class="top">
<!-- Navbar for web -->
    <?php include("navbar.php"); ?>
</div>

<!-- Page content -->
<div class="content" style="max-width:2000px; margin-top:46px">
    <!-- Automatic Slideshow Images -->
    <?php include("banner.php"); ?>

    <!-- About Balona -->
    <div class="container content center padding-64" style="max-width:800px" id="about">
        <?php include("aboutUs.php"); ?>
    </div>

    <!-- The Tour Section -->
    <div class="black" id="tour">
        <div class="container content padding-64" style="max-width:800px">
            <h2 class="wide center">TOUR DATES</h2>
            <p class="opacity center"><i>Remember to book your slot!</i></p>

            <!-- detail about economy class -->
            <div class="row-padding padding-32" style="margin:0 -16px">
                <div class="third margin-bottom">
                    
                    <div class="container white">
                        <p><b>ECONOMY CLASS FLIGHT</b></p>
                        <p class="opacity"><i class="fa fa-sun-o margin-right"></i>Morning flight</p>
                        <p><i class="fa fa-clock-o margin-right"></i>60 minutes.</p>

                        <p class="justify"><i class="fa fa-question margin-right"></i>What is included:</p>
                        <ul>
                            <li>Hotel transfers</li>
                            <li>Light open buffet breakfast</li>
                            <li>One hour hot air balloon flight</li>
                            <li>Between 20-24 people</li>
                            <li>Briefing by your pilot</li>
                            <li>Drinks after landing</li>
                            <li>Certificate of flight attendance</li>
                            <li>Full insurance</li>
                        </ul>
                    </div>
                </div>
                <!-- button click will show modal of full detail -->
                <button class="button black margin-bottom" onClick="document.getElementById('economyModal').style.display='block'">Details</button>
            </div>
        </div>

        <!-- detail about comfort class -->
        <div class="third margin-bottom">
            
            <div class="container white">
                <p><b>COMFORT CLASS FLIGHT</b></p>
                <p class="opacity"><i class="fa fa-sun-o margin-right"></i>Morning flight</p>
                <p><i class="fa fa-clock-o margin-right"></i>60 minutes.</p>

                <p class="justify"><i class="fa fa-question margin-right"></i>What is included:</p>
                <ul>
                    <li>Hotel transfers</li>
                    <li>Light open buffet breakfast</li>
                    <li>One hour hot air balloon flight</li>
                    <li>Between 10-16 people</li>
                    <li>Briefing by your pilot</li>
                    <li>Drinks after landing</li>
                    <li>Certificate of flight attendance</li>
                </ul>
            </div>
        </div>
    </div>
</div>

```

```

        <li>Full insurance</li>
    </ul>
</p>
<!-- button click will show modal of full detail -->
<button class="button black margin-bottom"
onClick="document.getElementById('comfortModal').style.display='block'">Details</button>
</div>
</div>

<!-- detail about deluxe class -->
<div class="third margin-bottom">
    
<div class="container white">
    <p><b>DELUXE CLASS FLIGHT</b></p>
    <p class="opacity"><i class="fa fa-sun-o margin-right"></i>Morning flight</p>
    <p><i class="fa fa-clock-o margin-right"></i>90 minutes.</p>

    <p class="justify"><i class="fa fa-question margin-right"></i>What is included:
        <ul>
            <li>Hotel transfers</li>
            <li>Light open buffet breakfast</li>
            <li>One hour 30 minutes hot air balloon flight</li>
            <li>Between 10-16 people</li>
            <li>Briefing by your pilot</li>
            <li>Drinks after landing</li>
            <li>Certificate of flight attendance</li>
            <li>Full insurance</li>
        </ul>
    </p>
    <!-- button click will show modal of full detail -->
    <button class="button black margin-bottom"
onClick="document.getElementById('deluxeModal').style.display='block'">Details</button>
</div>
</div>

</div>
</div>
</div>

<!-- include modal class -->
<?php include("modalClass.php"); ?>

<!-- The Contact Section -->
<div class="content container padding-64" id="contact">
    <h3 class="center">WHERE ARE WE</h3>
    <p class="center"><em>We would love your feedback and to answer any questions!</em></p>

    <div class="row padding-32 section">

        <div class="col m4 container">
            <div id="googleMap" class="round-large greyscale"
style="width:100%;height:400px;"></div>
            <!-- Add Google Maps -->
            <?php include("googleMap.php"); ?>
        </div>

        <div class="col m8 panel">
            <!-- contact details -->
            <div class="large margin-bottom">
                <i class="fa fa-map-marker fa-fw hover-text-black xlarge margin-right"></i>
Cappadocia, Turkey<br>
                <i class="fa fa-phone fa-fw hover-text-black xlarge margin-right"></i> Whatsapp : +90 553 682 3306<br>
                <i class="fa fa-envelope fa-fw hover-text-black xlarge margin-right"></i> Email : balonaTurkey@gmail.com<br>
            </div>
        </div>
    </div>

```

```

<!-- contact form -->
<p> Swing by for a cup of Turkish coffee <i class="fa fa-coffee"></i>, or leave us a note:</p>
<form action="contact.php" onSubmit="return btnSubmitContact()" method="post">
    <div class="row-padding" style="margin:0 -16px 8px -16px">
        <div class="half">
            <input class="input border" type="text" placeholder="Name" required name="Name" value = "<?php if (isset($_POST['Name'])) echo $_POST['Name']; ?>" >
        </div>
        <div class="half">
            <input class="input border" type="text" placeholder="Email" required name="Email" value = "<?php if (isset($_POST['Email'])) echo $_POST['Email']; ?>" >
        </div>
        </div>
        <textarea name = "Message" class="input border" required placeholder="Message" rows="2" cols="30"><?php if (isset($_POST['Message'])) echo $_POST['Message']; ?></textarea> <br />
        <button class="button black right section" type="submit">
            <i class="fa fa-paper-plane"></i> SEND MESSAGE
        </button>
    </form>
</div>

</div>
</div>

<!-- End Page Content -->
</div>

<!-- Footer of the website -->
<footer class="container padding-64 center opacity light-grey xlarge">
<?php include("footer.php"); ?>
</footer>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

navbar.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<title>Navigation bar</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>
<!-- Navbar -->

```

```

<div class="bar black card">
    <a class="bar-item button padding-large hide-medium hide-large right"
        href="javascript:void(0)" onclick="myFunction()" title="Toggle Navigation Menu"><i
        class="fa fa-bars"></i></a>
    <a href="index.php" class="bar-item button padding-large">HOME</a>
    <a href="index.php #about" class="bar-item button padding-large hide-small">ABOUT
    US</a>
    <a href="index.php #tour" class="bar-item button padding-large hide-small">TOUR</a>
    <a href="index.php #contact" class="bar-item button padding-large hide-
    small">CONTACT</a>
    <a href="registerForm.php" class="bar-item button padding-large hide-small">BOOK
    NOW</a>
    <div class="dropdown-hover hide-small">
        <button class="padding-large button" title="More">MORE <i class="fa fa-caret-
        down"></i></button>
        <div class="dropdown-content bar-block card-4">
            <a href="review.php #review" class="bar-item button">Reviews</a>
            <a href="gallery.php" class="bar-item button">Gallery</a>
            <a href="faq.php" class="bar-item button">F.A.Q.</a>
        </div>
    </div>
</div>

</body>
</html>

```

banner.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<title>Banner</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style\style.css">
<link rel="stylesheet" href="style\theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>
    <!-- Automatic Slideshow Images with description -->
    <div class="mySlides display-container center">
        
        <div class="display-bottommiddle container text-white padding-32 hide-small">
            <h3>Catch the sunrise!</h3>
            <p><b>See the sunrise with us!</b></p>
        </div>
    </div>
    <div class="mySlides display-container center">
        
        <div class="display-bottommiddle container text-white padding-32 hide-small">
            <h3>Amazing landscape!</h3>
            <p><b>See the land of beautiful horses.</b></p>
        </div>
    </div>

```

```

</div>
<div class="mySlides display-container center">
    
    <div class="display-bottommiddle container text-white padding-32 hide-small">
        <h3>Turkey</h3>
        <p><b>Shrouded in history, mystique and legend, and Cappadocia is the jewel in its crown.</b></p>
    </div>
</div>
</body>
</html>

```

aboutUs.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<title>About Balona</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style\style.css">
<link rel="stylesheet" href="style\theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<body>
    <!-- About balona -->
    <h2 class="wide">BALONA COMPANY</h2>
    <p class="opacity"><i>We love nature</i></p>
    <p class="justify">We have been operated for 25 years of first-class skills and combined piloting experience in Cappadocia and around the world. We have serve visitors from all over the world. Mustafa Turgut, Founding Director, and Mike Green, have made flying here a cottage industry; from the minibus driver who collects you, the kitchen guy who filters your morning coffee and chills the champagne, to the crew that chase your balloon.... all are locals, family and friends who love Cappadocia with a passion and want to share it with you. Our staffs are multilingual so it is easier for you to ask anything or communicate. The staff are also all incredibly experienced professionals who are committed to giving you the most safe and enjoyable experience possible. We love nature so much and we want to show you the beauty of Turkey. The land of beautiful horses awaits you. Turkey is shrouded in history, mystique and legend, and Cappadocia is the jewel in its crown. Come and live your very own Cappadocian dream. Join us and make some unforgettable memories! Each year we really do look forward to making new friends and sharing the breath-taking landscape of Cappadocia from the air</p>
    <!-- pictures of pilots -->
    <div class="row padding-32">
        <div class="third">
            <p>Mustafa Turgut</p>
            
        </div>
        <div class="third">
            <p>Mike Green</p>
            
        </div>
        <div class="third">
            <p>Murat Yavuz</p>
            
        </div>
    </div>

```

```
</body>
</html>
```

modalClass.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<title>modal class</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>

<!-- Modal class -->
<!-- Sunrise Modal -->
<div id="economyModal" class="modal">
    <div class="modal-content animate-top card-4">
        <header class="container teal center padding-32">
            <span onclick="document.getElementById('economyModal').style.display='none'">x</span>
            <h2 class="wide"><i class="fa fa-rocket margin-right"></i>About economy
package</h2>
        </header>
        <div class="container">
            <!-- details in the economyModal --->
            <p class="justify">The Economy Class flights are the most popular flights in
Cappadocia. The flight duration is approximately one hour. The size of basket used on this
tour is for 20 to 24 passengers. We pick you up from your hotel at around 04:30 am and we
first transfer you to our office for a quick breakfast then we will take you out to our
take-off area where you have the chance to see hundreds of balloons blowing up at same
time. The first 30 minutes duration of our flights presents you the closest view of the
fairy chimneys, while ascending to the highest altitude you will view the whole landscape
in the remaining 30 minutes. After a safe landing, we celebrate our magnificent flight with
drinks and certification party. Now it is time to go back to hotel.</p>
            <h4 class="center">Price : <i class="fa fa-euro"></i>200 EURO</h4>
            <a href="registerForm.php #aboutRegister" class="button block teal padding-16
section right">Book Now!</a>
            <button class="button red section">
                <span onclick="document.getElementById('economyModal').style.display='none'">Close <i class="fa
fa-remove"></i></span>
            <p class="right">Need <a href="index.php #contact" class="text-blue">
                <span onclick="document.getElementById('economyModal').style.display='none'">help?</a></p>
            </div>
            </div>
        </div>

<!-- comfort Modal -->
<div id="comfortModal" class="modal">
    <div class="modal-content animate-top card-4">
        <header class="container teal center padding-32">
            <span onclick="document.getElementById('comfortModal').style.display='none'">x</span>
```

```

        class="button teal xlarge display-topright">></span>
        <h2 class="wide"><i class="fa fa-rocket margin-right"></i>About comfort
package</h2>
</header>
<div class="container">
<!-- details in the comfortModal --->
        <p class="justify">The Comfort Class Flights are very flexible and give you the
pleasure of viewing the environment clearer and more comfortable. The difference from
Standard Flight is having less people in the baskets. This category is a little easier on
the pocket, but still a great chance to experience Cappadocia above air. The flight
duration is approximately 60 minutes. The size of basket used on this tour is for 10 to 16
passengers. We pick you up from your hotel at around 04:30 am and we first transfer you to
our office for a quick breakfast then we will take you out to our take-off area where you
have the chance to see hundreds of balloons blowing up at same time. The first 30 minutes
duration of our flights presents you the closest view of the fairy chimneys, while
ascending to the highest altitude you will view the whole landscape in the remaining 30
minutes. After a safe landing, we celebrate our magnificent flight with drinks and
certification party. Now it is time to go back to hotel.</p>
        <h4 class="center">Price : <i class="fa fa-euro"></i>250 EURO</h4>
        <a href="registerForm.php #aboutRegister" class="button block teal padding-16
section right">Book Now!</a>
        <button class="button red section"
onclick="document.getElementById('comfortModal').style.display='none'">Close <i class="fa
fa-remove"></i></button>
        <p class="right">Need <a href="index.php #contact" class="text-blue"
onclick="document.getElementById('economyModal').style.display='none'">help?</a></p>
        </div>
    </div>
</div>

<!-- deluxe Modal -->
<div id="deluxetModal" class="modal">
    <div class="modal-content animate-top card-4">
        <header class="container teal center padding-32">
            <span onclick="document.getElementById('deluxeModal').style.display='none'"></span>
            <h2 class="wide"><i class="fa fa-rocket margin-right"></i>About deluxe package</h2>
        </header>
        <div class="container">
            <!-- details in the deluxeModal --->
            <p class="justify">The Deluxe Class Flights gives you the opportunity of staying 30
minutes more in the air. If you are willing to spend more time in the air, this is the best
choice for you. The flight duration is approximately one hour 30 minutes. The size of the
basket used on this tour is for 10 to 16 passengers. We pick you up from your hotel at
around 04:30 am and we first transfer you to our office for a quick breakfast then we will
take you out to our take off area where you have the chance to see hundreds of balloons
blowing up at same time. The first 30 minutes duration of our flights presents you the
closest view of the fairy chimneys, while ascending to the highest altitude you will view
the whole landscape in the remaining 60 minutes. After a safe landing, we celebrate our
magnificent flight with drinks and certification party. Now it is time to go back to
hotel.</p>
            <h4 class="center">Price : <i class="fa fa-euro"></i>300 EURO</h4>
            <a href="registerForm.php #aboutRegister" class="button block teal padding-16
section right">Book Now!</a>
            <button class="button red section"
onclick="document.getElementById('deluxeModal').style.display='none'">Close <i class="fa
fa-remove"></i></button>
            <p class="right">Need <a href="index.php #contact" class="text-blue"
onclick="document.getElementById('economyModal').style.display='none'">help?</a></p>
            </div>
        </div>
    </div>
</body>
</html>

```

googleMap.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<!-- Google function with latitude and longitude -->
<script>
function myMap() {
    myCenter=new google.maps.LatLng(38.642552, 34.835724);
    var mapOptions= {
        center:myCenter,
        zoom:12, scrollwheel: false, draggable: false,
        mapTypeId:google.maps.MapTypeId.ROADMAP
    };
    var map=new google.maps.Map(document.getElementById("googleMap"),mapOptions);

    var marker = new google.maps.Marker({
        position: myCenter,
    });
    marker.setMap(map);
}
</script>

<!-- Google API for map -->
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyCUv5y0JFzWP9Iv7601CK8ONsP6odOcL10&callback=myMap"></script>
</body>
</html>
```

footer.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<!-- Footer of the website -->
<a href="https://www.facebook.com/" target="_blank" class="facebook"><i class="fa fa-facebook-official hover-opacity"></i></a>
<a href="https://www.instagram.com/explore/tags/hotairballoon/" target="_blank" class="instagram"><i class="fa fa-instagram hover-opacity"></i></a>
<a href="https://www.snapchat.com/" target="_blank" class="snapchat"><i class="fa fa-snapchat hover-opacity"></i></a>
<a href="https://www.pinterest.com/" target="_blank" class="pinterest"><i class="fa fa-pinterest-p hover-opacity"></i></a>
<a href="https://twitter.com/" target="_blank" class="twitter"> <i class="fa fa-twitter hover-opacity"></i></a>
<a href="https://www.linkedin.com/" target="_blank" class="linkedin"> <i class="fa fa-linkedin hover-opacity"></i></a>
```

```
<p class="medium">&copy; Copyright Balona 2018</p>
</body>
</html>
```

registerForm.php

```
<!DOCTYPE html>
<html>
<title>Welcome</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- set website icon -->
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<!-- css file -->
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>

<?php include("header.php"); ?>

<div class="top">
<!-- Navbar -->
<?php include("navbar.php"); ?>
</div>

<!-- Page content -->
<div class="content" style="max-width:2000px; margin-top:46px">
    <!-- Automatic Slideshow Images -->
    <?php include("banner.php"); ?>

    <!-- booking details and terms -->
    <div class="container content padding-64" id="aboutRegister">
        <div class="container content center card-4 padding-16 white" style="max-width:800px">
            <h2 class="wide">BOOK YOUR RIDE</h2>
            <p class="opacity"><i>with Balona Balloons</i></p>
            <p class="justify"> There are a couple of ways to book your balloon ride with Balona Balloons. <br /> <br />
                You can either fill the <a class="text-deep-purple hover-text-amber" href="#formRegister">form</a> below or send an email to <a class="text-deep-purple hover-text-amber" href="https://mail.google.com/mail/?view=cm&fs=1&tf=1&to=balona@gmail.com" target="_blank">balona@gmail.com</a> or send a whatsapp to +90 384 271 3009. <br /> <br />
            Once we receive your request, we will send you our confirmation link and ask for your credit card details through our 128 Bit SSL Secure Servers. We will NOT charge anything to your credit card prior to the flight but keep the card information for our cancellation policy. You can pay your flight fee at our office, on the flight day either by credit card or in cash.<br /></p>
            <h4 class="wide"><i class="fa fa-credit-card margin-right"></i>Payment</h4>
            <p class="justify"> There is 10 Euro to 20 Euro discount on cash payments, depending on the flight type. You can pay cash in Euro, Turkish Lira, USD, AUD, CAD, JPY and GBP. We will use the official exchange rates of <a class="text-deep-purple hover-text-amber" href="https://www.isbank.com.tr/EN/prices-and-rates/foreign-exchange-rates/Pages/foreign-exchange-rates.aspx" target="_blank">Central Bank of Republic of
```

Turkey on the flight date. We have to use Turkish Lira as currency on credit card charges and we accept all Visa, Mastercard and American Express cards.
</p>

<h4 class="wide"><i class="fa fa-close margin-right"></i>Cancellation</h4>
<p class="justify">If you decide to cancel your flight, you can do so without any cancellation fee up to 48 hours prior to the flight date. However, all cancellations made in less than 2 days of the flight day will incur a 100% penalty charge on your credit card.
</p>

<h4 class="wide"><i class="fa fa-cloud margin-right"></i>Weather</h4>
<p class="justify">If weather conditions do not allow, flights and bookings will be postponed to the next morning. Therefore, we suggest for you to book your balloon ride on your first available morning in Cappadocia. In the event that you do not have an additional day to take advantage of a postponed flight, you will receive a full refund.
</p>

<h4 class="wide"><i class="fa fa-child margin-right"></i>Children</h4>
<p class="justify"> Children between 6 and 12 years old can fly with their parents and will get 50% discount. Unfortunately we can't accept younger children as they can get a bit bored and uncomfortable due to having to stand for an hour in the same place.
</p>

<h4 class="wide"><i class="fa fa-exclamation-triangle margin-right"></i>Important Notice</h4>
<p>

 Flights are early in the morning, seven days a week all year-round.
 Each flight is custom tailored due to the weather conditions of the day.
 All our passengers are fully insured with highest rate of policy.
 Long trousers, tops with long sleeves and comfortable footwear are recommended.
 PPL &SPL licensed pilots over 1000 hours flight experience.
 Children under the age of 16 must be accompanied by a responsible adult.
 We are unable to fly pregnant and recently undergone major surgery guests.

 </p>
</div>

</div>

<!-- booking form -->
<div class="black container" id="formRegister">
 <div class="panel padding-24 content black opacity card hover-opacity-off">
 <h2>Balona flight Booking</h2>
 <p>Fill in the form below.</p>
 <!-- onsubmit will show alert box -->
 <form action="register.php" onsubmit="return btnSubmitRegister()" method="post">
 <label>Name</label>
 <input class="input border" type="text" placeholder="Name" style="text-transform:uppercase" required name="Name" value = "<?php if (isset(\$_POST['Name'])) echo \$_POST['Name']; ?>" >

 <label>Passport number</label>
 <input class="input border" type="text" placeholder="Passport number" style="text-transform:uppercase" required name="No_passport" value = "<?php if (isset(\$_POST['No_passport'])) echo \$_POST['No_passport']; ?>" >

 <label>Address</label>
 <input class="input border" type="text" placeholder="Address" style="text-transform:uppercase" required name="Address" value = "<?php if (isset(\$_POST['Address'])) echo \$_POST['Address']; ?>" >


```
<label>Country</label>
<select class="input border" name="Country">
<option value="AF">Afghanistan</option>
<option value="AL">Albania</option>
<option value="DZ">Algeria</option>
<option value="AS">American Samoa</option>
<option value="AD">Andorra</option>
<option value="AO">Angola</option>
<option value="AI">Anguilla</option>
<option value="AQ">Antarctica</option>
<option value="AG">Antigua and Barbuda</option>
<option value="AR">Argentina</option>
<option value="AM">Armenia</option>
<option value="AW">Aruba</option>
<option value="AU">Australia</option>
<option value="AT">Austria</option>
<option value="AZ">Azerbaijan</option>
<option value="BS">Bahamas</option>
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d'Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
```

```
<option value="ER">Eritrea</option>
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and McDonald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People's Republic of</option>
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People's Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
```

```
<option value="MH">Marshall Islands</option>
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
<option value="MD">Moldova, Republic of</option>
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
<option value="WS">Samoa</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SL">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
```

```

<option value="SJ">Svalbard and Jan Mayen Islands</option>
<option value="SZ">Swaziland</option>
<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
<br>

<label>Email</label>
<input class="input border" type="text" placeholder="Email" required name="Email" value = "<?php if (isset($_POST['Email'])) echo $_POST['Email']; ?>" > <br />

<label>Telephone (International format)</label>
<input class="input border" type="text" placeholder="Telephone" style="text-transform:uppercase" required name="Telephone" value = "<?php if (isset($_POST['Telephone'])) echo $_POST['Telephone']; ?>" > <br />

<label>Flight Type</label> <br />
<input type = "radio" checked name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Economy") echo "checked"; ?> value="1"/> Economy Class Flight &emsp;&emsp;

<input type = "radio" name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Comfort") echo "checked"; ?> value="2"/> Comfort Class Flight &emsp;&emsp;

<input type = "radio" name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Deluxe") echo "checked"; ?> value="3"/> Deluxe Class Flight <br /><br />

<label>Flight Date</label> <br />
<input class="input border" type="date" placeholder="Flight date" required name="Flight_date1" value = "<?php if (isset($_POST['Flight_date1'])) echo $_POST['Flight_date1']; ?>" ><br />

<label>Flight Date (Alternative)</label> <br />
```

```

<input class="input border" type="date" placeholder="Alternative flight date"
required name="Flight_date2" value = "<?php if (isset($_POST['Flight_date2'])) echo
$_POST['Flight_date2']; ?>" ><br />

<label>Number of Adult</label>
<input class="input border" type="number" value="1" name="No_adult" min="1" max="6"
value = "<?php if (isset($_POST['No_adult'])) echo $_POST['No_adult']; ?>" > <br />

<label>Number of Children (6-12 years old)</label>
<input class="input border" type="number" value="0" name="No_child" min="0" max="6"
value = "<?php if (isset($_POST['No_child'])) echo $_POST['No_child']; ?>" > <br />

<label>Names of passanger</label> <br />
<textarea name = "Details_passanger" class="input border" style="text-
transform:uppercase" required placeholder="Names of passanger" rows="5" cols="40"><?php if
(isset($_POST['Details_passanger'])) echo $_POST['Details_passanger']; ?></textarea> <br />

<label>Accommodation detail</label>
<textarea name = "Accommodation" class="input border" style="text-transform:uppercase"
required placeholder="Accommodation details" rows="2" cols="30"><?php if
(isset($_POST['Accommodation'])) echo $_POST['Accommodation']; ?></textarea> <br />

<label>Message</label>
<textarea name = "Message" class="input border" style="text-transform:uppercase"
required placeholder="Message" rows="2" cols="30"><?php if (isset($_POST['Message'])) echo
$_POST['Message']; ?></textarea> <br />

<button type="submit" class="button red margin-top">Book Now!</button>
</form>
</div>
</div>

<!-- End Page Content -->
</div>

<!-- Footer of the website -->
<footer class="container padding-64 center opacity light-grey xlarge">
<?php include("footer.php"); ?>
</footer>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

register.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Register</title>
</head>

<body>
<!-- database connection -->
<?php include ("header.php");?>

<?php
//this query inserts a record in the students table
//has form been submitted?
if($_SERVER['REQUEST_METHOD'] == 'POST') {

```

```

$error = array (); //initialize an error array

$n = mysqli_real_escape_string ($connect, trim ($_POST['Name']));
$pass = mysqli_real_escape_string ($connect, trim ($_POST['No_passport']));
$add = mysqli_real_escape_string ($connect, trim ($_POST['Address']));
$c = mysqli_real_escape_string ($connect, trim ($_POST['Country']));
$e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
$t = mysqli_real_escape_string ($connect, trim ($_POST['Telephone']));
$ft = mysqli_real_escape_string ($connect, trim ($_POST['Flight_id']));
$fd1 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date1']));
$fd2 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date2']));
$adl = mysqli_real_escape_string ($connect, trim ($_POST['No_adult']));
$chd = mysqli_real_escape_string ($connect, trim ($_POST['No_child']));
$p = mysqli_real_escape_string ($connect, trim ($_POST['Details_passanger']));
$a = mysqli_real_escape_string ($connect, trim ($_POST['Accommodation']));
$m = mysqli_real_escape_string ($connect, trim ($_POST['Message']));

//register the user in the database
//make the query:
$q = "Insert INTO customer(Cust_id, Name, No_passport, Address, Country, Email,
Telephone)
VALUES (' ','$n','$pass','$add','$c', '$e', '$t')";

$result = @mysqli_query ($connect, $q); //run the query

if ($result){ //if it run
    $last_id = mysqli_insert_id($connect);
    //register the user in the database
    $w = "Insert INTO booking(Book_id, Cust_id, Flight_id, Flight_date1, Flight_date2,
No_adult, No_child, Details_passanger, Accommodation, Message)
VALUES (' ', '$last_id', '$ft', '$fd1', '$fd2', '$adl', '$chd', '$p', '$a', '$m')";
    $result2 = @mysqli_query ($connect, $w); //run the query
    if ($result2){ //if it run
        //if success, open this tab
        header("Location: registerForm.php #formRegister");
        exit();
    }
}

} else {
//message
echo '<h1>System Error</h1>';

//debugging message
echo'<p>' .mysqli_error($connect). '<br><br>Query: '.$q. '</p>';
} //end of it (result)

mysqli_close($connect); //close database connection.
exit();
} //end of submit conditional
?>

</body>
</html>

```

review.php

```
<!DOCTYPE html>
<html>
<title>Welcome</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>

<?php include ("header.php");?>

<div class="top">
<!-- Navbar -->
<?php include("navbar.php"); ?>
</div>


<!-- Page content -->
<div class="content" style="max-width:2000px;margin-top:46px">
<!-- Automatic Slideshow Images -->
<?php include("banner.php"); ?>


<!-- Contact Container -->
<div class="container content padding-64" id="review">
    <!-- reviews -->
    <div class="card margin">
        <div class="container padding">
            <h4>Reviews by our past flyers.</h4>
        </div>
        <ul class="ul hoverable white justify">


            <li class="padding-16">
                
                <span class="large">Ahmed, Saudi</span><br>
                <span>Me and my partner initially booked a holiday to Cappadocia to witness the
beautiful landscape of the balloons first thing on a morning... we read reviews on actually
experiencing the balloons from up above and I'm so glad we were persuaded!! We were picked
up from our hotel and took to the grounds where all of the balloons set off. My partner was
a little bit nervous as he is scared of heights. With that being said he was absolutely
fine, the balloon glided into the air and Murat talked us through the history of Cappadocia
and some information about the balloons. Murat was very informative with a great sense of
humour, we really enjoyed his service. He offered to take pictures and ensured that
everyone had the same view, he rotated the balloon for us - the view from up above was even
more stunning than the ones on the ground. After the balloon ride we landed to the Royal
staff who tied the balloon up and helped us out of the baskets. From start to finish the
staff were lovely and couldn't do enough for you. We then had strawberries with chocolate
and a glass of champagne - a perfect ending! There was also photos taken before the balloon
```


ride and a go pro video that Murat took on a go pro that me and my partner bought. Thank you so much Balona balloons and all of your staff!

<li class="padding-16">
 
 Faezah, Malaysia
 We had high expectations from all the pictures and blogs we had read about hot air ballooning in Cappadocia and Balona Balloon didn't disappoint. We took the 90 min king package which included breakfast, wifi on board and champagne after the flight. Our pilot Murat was great, giving us commentary along the way and also getting us down amongst the valleys and at times touching the tree tops. Whilst expensive, it was a great experience and something we will always remember.

<li class="padding-16">
 
 David, Canada
 Myself and 3 friends did a flight with Balona Balloons 4th August 2018. Absolutely amazing experience! Balona Balloons were great throughout the entire process. Really responsive and accommodating to book with, and the flight itself went really smoothly. Our pilot was great, and so were the ground crew. Highly recommend this company!

<li class="padding-16">
 
 Mei Mei, Hong Kong
 Seeing an advert a while ago stating "Cappadocia, it looks like Mars but is in Turkey" is a rather weird way to describe a place. However, once you arrive you can see what they meant!
The place is simply stunning at first light, get up, go in the balloon and experience something special.

<li class="padding-16">
 
 Sarah, UK
 One of the highlights of my visit to Turkey. When we got the thumbs up weather conditions were good, I was happy beyond words. This was my first and an incredible experience. Our pilot, Suat, was personable, funny and above all a great pilot. The views were breathtaking. Would highly recommend Balona Balloons. Overall, a top notch operation.

<li class="padding-16">
 
 Jesse, French
 I took the Deluxe Class Flight which is a 90 minute balloon ride all over Cappadocia. The tour was extremely well managed from the transfer from hotel, to the breakfast session, and of course the balloon ride itself. Our guide was knowledgeable and hilarious, the ride was smooth, and the view was spectacular! It is truly an experience of a lifetime.

<li class="padding-16">
 

```
<span class="large">Jesse, French</span><br>
<span>The early morning pick up and breakfast was earlier than it needed to be as
we were picked up at the hotel early (3:40 AM, bussed to a restaurant for a Turkish
breakfast and didn't leave in the vans to the fields with the balloons until nearly 6AM.
Still, it was fun and a ride of a lifetime!</span>
</li>
</ul>
</div>
<hr>

</div>

<!-- End Page Content -->
</div>

<!-- Footer of the website -->
<footer class="container padding-64 center opacity light-grey xlarge">
<?php include("footer.php"); ?>
</footer>

<!-- include JavaScript --->
<?php include("script.php"); ?>
</body>
</html>
```

gallery.php

```
<!DOCTYPE html>
<html>
<title>Welcome</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>

<?php include ("header.php");?>

<div class="top">
<!-- Navbar -->
<?php include("navbar.php"); ?>
</div>

<!-- Page content -->
<div class="content" style="max-width:2000px; margin-top:46px">
<!-- Automatic Slideshow Images -->
<?php include("banner.php"); ?>

<!-- gallery of cappadocia view -->
```

```
<div class="container" style="padding:128px 16px" id="work">
  <h3 class="center">THE VIEW</h3>
  <p class="center large">What Cappadocia look from above</p>

  <div class="row-padding" style="margin-top:64px">

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

  </div>

  <div class="row-padding section">

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

  </div>

  <div class="row-padding section">

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

    <div class="col 13 m6">
      
    </div>

  </div>
```

```
<div class="col 13 m6">
    
</div>

</div>

<div class="row-padding section">

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

</div>

<div class="row-padding section">

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

    <div class="col 13 m6">
        
    </div>

</div>

</div>

<!-- Modal for full size images on click-->
<div id="modal01" class="modal black" onClick="this.style.display='none'">
    <span class="button xxlarge black padding-large display-topright" title="Close Modal
Image">x</span>
    <div class="modal-content animate-zoom center transparent padding-64">
        <img id="img01" class="image">
        <p id="caption" class="opacity large"></p>
    </div>
</div>
```

```
<!-- End Page Content -->
</div>

<!-- Footer of the website -->
<footer class="container padding-64 center opacity light-grey xlarge">
<?php include("footer.php"); ?>
</footer>

<!-- include JavaScript -->
<?php include("script.php"); ?>
</body>
</html>
```

faq.php

```
<!DOCTYPE html>
<html>
<title>Welcome</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/png" href="image/icons/hot-air-balloon.png"/>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="theme.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>
body {font-family: "Lato", sans-serif}
.mySlides {display: none}
</style>

<body>

<?php include ("header.php");?>

<div class="top">
<!-- Navbar -->
<?php include("navbar.php"); ?>
</div>

<!-- Page content -->
<div class="content" style="max-width:2000px; margin-top:46px">
<!-- Automatic Slideshow Images -->
<?php include("banner.php"); ?>

<!-- FAQ content -->
<div class="container content center padding-64" style="max-width:800px" id="about">
<h2 class="center">Frequently Asked Questions</h2>
<!-- onclick function -->
<button onClick="myAccFunc('ques1')" class="padding-16 theme button block left-align">Where do we fly? </button>
<div id="ques1" class="hide">
<div class="container justify">
<p>We may change our take-off site everyday according to wind speed and direction that we can view you the most charming valleys and hills of Cappadocia.</p>
</div>
</div>
</div>
```

```
<button onClick="myAccFunc('ques2')" class="padding-16 theme button block left-align">When  
do we fly?</button>  
<div id="ques2" class="hide">  
  <div class="container justify">  
    <p>We have morning and evening scheduled flights, seven days a week all the year round.  
Each of our flight is custom tailored due to weather conditions of the day by our  
experienced pilots.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques3')" class="padding-16 theme button block left-align">When  
doesn't we fly?</button>  
<div id="ques3" class="hide">  
  <div class="container justify">  
    <p>Sometimes flights have to be cancelled because of adverse weather conditions such as  
high winds speeds, poor visibility, low cloud or rain. Our pilots base their decisions on  
the latest forecasts from the office and local airports and they will always call flights  
on if it is possible to do so.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques4')" class="padding-16 theme button block left-align">Will  
it be cold up there?</button>  
<div id="ques4" class="hide">  
  <div class="container justify">  
    <p>Actually you will be warmer in the balloon. Hot air balloons float with the wind so  
there is no wind chill. Generally in the morning as we climb the air actually gets warmer  
by a few degrees.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques5')" class="padding-16 theme button block left-align">How  
long is the flight?</button>  
<div id="ques5" class="hide">  
  <div class="container justify">  
    <p>About an hour, depending on prevailing weather conditions and suitability of landing  
sites, but you should allow at least four hours for the whole experience.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques6')" class="padding-16 theme button block left-align">Why  
do fly early in the morning?</button>  
<div id="ques6" class="hide">  
  <div class="container justify">  
    <p>Balloons are completely dependant on the wind. In other words we do exactly what the  
wind does. As the sun heats the earth the air begins to boil just like a pot of water.  
Early morning air is best for your safety. The first hour of light in the morning is the  
safest time of the day.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques7')" class="padding-16 theme button block left-align">How  
far will we fly?</button>  
<div id="ques7" class="hide">  
  <div class="container justify">  
    <p>We will go as far as the wind will take us. Remember balloons float with the wind.  
We have seen days where we flew for one hour and 15 minutes and went one mile! We have also  
seen days where we flew for 45 minutes and went 27 miles.</p>  
  </div>  
</div>
```

```
<button onClick="myAccFunc('ques8')" class="padding-16 theme button block left-align">Is  
the landing bumpy?</button>  
<div id="ques8" class="hide">  
  <div class="container justify">  
    <p>Very rarely. We usually land very calmly but if the wind picks up on landing there  
    will be a bump and the basket will drag on the landing field until it comes to a halt.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques9')" class="padding-16 theme button block left-align">Can  
children fly?</button>  
<div id="ques9" class="hide">  
  <div class="container justify">  
    <p>Children between 5 and 12 years old can fly with a responsible adult. However,  
    younger children become a bit bored and uncomfortable due to having to stand for an hour in  
    the same place and we can't accept them.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques10')" class="padding-16 theme button block left-align">How  
high do balloon fly?</button>  
<div id="ques10" class="hide">  
  <div class="container justify">  
    <p>Most balloonists enjoy low level flight. The typical balloon flight would be  
    anywhere from tree level to about 900 meters (3000 feet) above the ground. For Cappadocia  
    Balloon flights, it is not really necessary climbing to high altitudes. For a short time,  
    its good to have panoramic view of Cappadocia then it might be boring. Also most of the  
    time, there are strong air currents in higher altitudes to carry the balloon way far from  
    the most significant areas.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques11')" class="padding-16 theme button block left-align">How  
are balloons pilots licensed?</button>  
<div id="ques11" class="hide">  
  <div class="container justify">  
    <p>Balloons are registered like any other aircraft and are subject to regular  
    airworthiness checks. The CAA will not allow a balloon to be certified as airworthy unless  
    these inspections and checks are done by authorized maintenance personnel and certified by  
    them. All pilots are licensed by the CAA and have to pass regular flight checks.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques12')" class="padding-16 theme button block left-align">What  
instruments do balloons used?</button>  
<div id="ques12" class="hide">  
  <div class="container justify">  
    <p>An altimeter to indicate altitude, a variometer showing its rate of climb or decent,  
    a compass to show directions, the fabric is at the top of the balloon. Each propane tank  
    has a fuel gauge and the burner has a fuel pressure gauge.</p>  
  </div>  
</div>  
  
<button onClick="myAccFunc('ques13')" class="padding-16 theme button block left-align">How  
do we get back to the hotel?</button>  
<div id="ques13" class="hide">  
  <div class="container justify">  
    <p>The balloon is followed by a chase vehicle and the crew. They are in constant  
    contact with the balloon pilot by radio and should be at the landing site at the same time  
    as the balloon. Once the balloon is packed away (and the ceremonies are complete) the  
    shuttle will take you back to your hotel.</p>  
  </div>  
</div>
```

```
</div>

<!-- End Page Content -->
</div>

<!-- Footer of the website -->
<footer class="container padding-64 center opacity light-grey xlarge">
<?php include("footer.php"); ?>
</footer>

<!-- include JavaScript --->
<?php include("script.php"); ?>
</body>
</html>
```

Administrator

login.php

```
<!DOCTYPE html>
<html>
<title>Login Admin</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
<link rel="icon" type="image/png" href="image/icons/login.png"/>

<style>
body, h1 {font-family: "Raleway", sans-serif}
body, html {height: 100%}

.img {
    background-image: url('image/background.jpg');
    min-height: 100%;
    background-position: center;
    background-size: cover;
}

/* Full-width input fields */
input[type=text], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    box-sizing: border-box;
}

#Username {
    background-image: url('image/envelope.png');
    background-position: 10px 10px;
    background-repeat: no-repeat;
    width: 100%;
    font-size: 16px;
    padding: 12px 20px 12px 40px;
    border: 1px solid #ddd;
    margin-bottom: 12px;
}
```

```
#Password {
    background-image: url('image/key.png');
    background-position: 10px 10px;
    background-repeat: no-repeat;
    width: 100%;
    font-size: 16px;
    padding: 12px 20px 12px 40px;
    border: 1px solid #ddd;
    margin-bottom: 12px;
}

/* Set a style for all buttons */
button {
    background-color: #4CAF50;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
    width: 100%;
}

button:hover {
    opacity: 0.8;
}

/* Extra styles for the cancel button */
.cancelbtn {
    width: auto;
    padding: 10px 18px;
    background-color: #f44336;
}

/* Center the image and position the close button */
.imgcontainer {
    text-align: center;
    margin: 24px 0 12px 0;
    position: relative;
}

img.avatar {
    width: 40%;
    border-radius: 50%;
}

.container {
    padding: 16px;
}

span.psw {
    float: right;
    padding-top: 16px;
}

/* The Modal (background) */
.modal {
    display: none; /* Hidden by default */
    position: fixed; /* Stay in place */
    z-index: 1; /* Sit on top */
    left: 0;
    top: 0;
    width: 100%; /* Full width */
    height: 100%; /* Full height */
    overflow: auto; /* Enable scroll if needed */
    background-color: rgb(0,0,0); /* Fallback color */
    background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
    padding-top: 60px;
}
```

```
/* Modal Content/Box */
.modal-content {
    background-color: #fefefe;
    margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */
    border: 1px solid #888;
    width: 50%; /* Could be more or less, depending on screen size */
}

/* The Close Button (x) */
.close {
    position: absolute;
    right: 25px;
    top: 0;
    color: #000;
    font-size: 35px;
    font-weight: bold;
}

.close:hover,
.close:focus {
    color: red;
    cursor: pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    }
    .cancelbtn {
        width: 100%;
    }
}

```

</style>

<body>

<?php include ("header.php");?>

<div class="img display-container animate-opacity text-white">

<div class="display-middle center">

<?php
//this section processes submissions from the login form
//check if the form has been submitted
if(\$_SERVER['REQUEST_METHOD'] == 'POST') {

//validate the username
if(!empty(\$_POST['Username'])) {
 \$un = mysqli_real_escape_string(\$connect, \$_POST ['Username']);

```

} else {
    $un = FALSE;
    echo '<p class = "error"> You forgot to enter your username. </p>';
}
//validate the password
if(!empty($_POST['Password'])) {
    $p = mysqli_real_escape_string($connect, $_POST ['Password']);
} else {
    $un = FALSE;
    echo '<p class = "error"> You forgot to enter your password. </p>';
}

//if no problems
if($un && $p) {
    //retrieve the id, firstname, lastname, for the usernme and password combination
    $q = "SELECT Admin_id, Name, No_passport, Address, Country, Telephone, Position
FROM admin WHERE (Username = '$un' AND Password = '$p')";

    //run the query and assig it to the variale $result
    $result = mysqli_query($connect, $q);

    //count the number of rows that match the username/password combination
    //if one database row(record) matches the input:
    if(@mysqli_num_rows ($result) == 1) {
        //start the session, fetch the record and insert in the array
        session_start();
        $_SESSION = mysqli_fetch_array ($result, MYSQLI_ASSOC);
        header("Location: indexAdmin.php");
        //cancel the rest of the script
        exit();

        mysqli_free_result ($result);
        mysqli_close ($connect); //close databse
        //no match was made
    } else {
        echo '<p class = "error red"> The username and password do not match our
records.</p>';
    }
    //if there was a problem
} else {
    echo '<p class = "error red"> Please try again. </p>';
}
mysqli_close ($connect);
} //end of submit conditional
?>

<span class="center padding-large black xlarge wide animate-opacity">BALONA<span
class="hide-small"> BALLOON</span> CO.</span>
<hr class="border-grey" style="margin:auto; width:40%">
<br><button class="center large"
onclick="document.getElementById('id01').style.display='block'"'
style="width:auto;">Login</button>
</div>

<div id="id01" class="modal">

<form class="modal-content animate" id="form" action="login.php" method="post">
    <div class="imgcontainer">
        <span onclick="document.getElementById('id01').style.display='none'" class="close"
title="Close Modal">&times;</span>
        
    </div>

    <div class="container">
        <label for="uname"><b>Username</b></label>
        <input type="text" placeholder="Enter Username" name="Username" required
id="Username" value="<?php if (isset($_POST['Username'])) echo $_POST['Username']; ?>">
    </div>

```

```

<label for="psw"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="Password" required
id="Password" value="<?php if (isset($_POST['Password'])) echo $_POST['Password'];?>">

    <button type="submit">Login</button>
</div>

<div class="container" style="background-color:#f1f1f1">
    <button type="button" onclick="document.getElementById('id01').style.display='none'" class="cancelbtn">Cancel</button>
    <span class="psw text-black">Forgot <a class="text-deep-purple hover-text-amber" href="https://mail.google.com/mail/?view=cm&fs=1&tf=1&to=balona@gmail.com" target="_blank">password?</a></span>
</div>
</form>
</div>

<div class="display-bottomleft padding-large">
    <p class="medium">&copy; Copyright Balona 2018</p>
</div>
</div>

<script>
// Get the modal
var modal = document.getElementById('id01');

// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
}
</script>

</body>
</html>

```

logout.php

```

<!DOCTYPE html>
<html>
<title>W3.CSS Template</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<?php
//destroy session
session_destroy();
//go back to login page
header("location:login.php");
exit();
?>
<body>

</body>
</html>

```

indexAdmin.php

```

<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="showcase">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container" id="welcome" style="margin-top:75px">
        <h1 class="xxxlarge text-red"><b>Welcome.</b></h1>
        <hr style="width:50px;border:5px solid red" class="round">

        <!-- Fetch user data -->
        <div class="row-padding">
            <?php
                // Echo session variables that were set on previous page
                echo "<br>";
                echo "Name : " . $_SESSION["Name"] . "<br>";
                echo "ID number : A-" . $_SESSION["Admin_id"] . "<br>";
                echo "Passport number : " . $_SESSION["No_passport"] . "<br>";
                echo "Position : " . $_SESSION["Position"] . "<br>";
            ?>
        </div>
    </div>

    <!-- view data table -->
    <div class="container" id="view" style="margin-top:75px">
        <h1 class="xxxlarge text-red"><b>View.</b></h1>
        <hr style="width:50px;border:5px solid red" class="round">

        <!-- The data -->
        <div class="row-padding">
            <?php include ("viewData.php");?>
        </div>
    </div>

    <!-- add new data into table -->
    <div class="container" id="add" style="margin-top:75px">
        <h1 class="xxxlarge text-red"><b>Add New.</b></h1>

```

```

<hr style="width:50px; border:5px solid red" class="round">
<!-- add data -->
<div class="row-padding">
<?php include ("addNew.php");?>
</div>
</div>

<!-- list data -->
<div class="container" id="edit" style="margin-top:75px">
<h1 class="xxxlarge text-red"><b>Edit Data.</b></h1>
<hr style="width:50px; border:5px solid red" class="round">
<!-- list data to edit or delete -->
<div class="row-padding">
<?php include ("listEdit.php");?>
</div>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px; padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

navbarAdmin.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>

</head>

<body>

<!-- Sidebar/menu -->

<nav class="sidebar red collapse top large padding" style="z-index:3; width:300px; font-weight:bold;" id="mySidebar"><br>

<a href="javascript:void(0)" class="button hide-large display-topleft" style="width:100%; font-size:22px">Close Menu</a>

<div class="container">
<h3 class="padding-64"><b>Balona<br>Company</b></h3>
</div>

<div class="bar-block">
<a href="indexAdmin.php" class="bar-item button hover-white">Home</a>

```

```
<a href="indexAdmin.php #welcome" class="bar-item button hover-white">Welcome</a>
<a href="indexAdmin.php #view" class="bar-item button hover-white">View</a>
<a href="indexAdmin.php #add" class="bar-item button hover-white">Add New</a>
<a href="indexAdmin.php #edit" class="bar-item button hover-white">Edit Data</a>
<a href="logout.php" onclick="return confirmLogout()" class="bar-item button hover-white">Logout</a> <br />
</div>
</nav>
<!-- include JavaScript --->
<?php include("script.php"); ?>
</body>
</html>
```

viewData.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<!-- view admin -->
<div class="col m3 margin-bottom">
<div class="light-grey">

<div class="container">
<h3>Admins</h3>
<a href="viewAdmin.php" class="button white padding-large hover-black margin-bottom">View</a>
</div>
</div>
</div>
<!-- view staff -->
<div class="col m3 margin-bottom">
<div class="light-grey">

<div class="container">
<h3>Staffs</h3>
<a href="viewStaff.php" class="button white padding-large hover-black margin-bottom">View</a>
</div>
</div>
</div>
<!-- view flights -->
<div class="col m3 margin-bottom">
<div class="light-grey">

<div class="container">
<h3>Flights</h3>
```

```

        <a href="viewFlight.php" class="button white padding-large hover-black margin-bottom">View</a>
            </div>
        </div>
    </div>
<!-- view customers -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Customers</h3>
            <a href="viewCustomer.php" class="button white padding-large hover-black margin-bottom">View</a>
                </div>
            </div>
        </div>
    <!-- view booking -->
    <div class="col m3 margin-bottom">
        <div class="light-grey">
            
            <div class="container">
                <h3>Bookings</h3>
                <a href="viewBooking.php" class="button white padding-large hover-black margin-bottom">View</a>
                    </div>
                </div>
            </div>
        <!-- view messages -->
        <div class="col m3 margin-bottom">
            <div class="light-grey">
                
                <div class="container">
                    <h3>Messages</h3>
                    <a href="viewContact.php" class="button white padding-large hover-black margin-bottom">View</a>
                        </div>
                    </div>
                </div>
            </div>
        </body>
    </html>

```

viewAdmin.php

```

<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}

```

```

body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

#search {
background-image: url('image/search.png');
background-position: 10px 10px;
background-repeat: no-repeat;
width: 100%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
  <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

  <h1 class="xxxlarge text-red"><b>Admins.</b></h1>
  <hr style="width:50px; border:5px solid red" class="round">

  <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

  <?php
    echo '<h2 align="centre"> List of Admins </h2>';
    //make the query
    $q = "SELECT Admin_id, Name, No_passport, Address, Country, Telephone, Position, Username, Password FROM admin ORDER BY Admin_id";
    //run the query
    $result = @mysql_query ($connect, $q);
    //if it run without problem, display records
    if($result)
    {
      //table header
      echo '<table class="table-all hoverable centered card-4 text-black small" align="center" id="table">
        <thead>
          <tr class="red header">
            <th>Admin ID</th>
            <th>Name</th>
            <th>No passport</th>
            <th>Address</th>
      
```

```

<th>Country</th>
<th>Telephone</th>
<th>Position</th>
<th>Username</th>
<th>Password</th>
</tr>
</thead>';

//fetch and display record
while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
    echo '<tr>
        <td>A-' . $row['Admin_id']. '</td>
        <td>' . $row['Name']. '</td>
        <td>' . $row['No_passport']. '</td>
        <td>' . $row['Address']. '</td>
        <td>' . $row['Country']. '</td>
        <td>' . $row['Telephone']. '</td>
        <td>' . $row['Position']. '</td>
        <td>' . $row['Username']. '</td>
        <td>' . $row['Password']. '</td>
    </tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

    //error message
    echo '<p class = "error"> the current users could not be retrieved. We apologize for
the inconvenience. </p>';

    //debug message
    echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q. '</p>';
    }//end of if ($result)

mysqli_close($connect); //close the database connection
?>

</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onclick="functionPrint()">Print this page</button>
<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

viewStaff.php

<?php

```
session_start();
?>

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

#search {
    background-image: url('image/search.png');
    background-position: 10px 10px;
    background-repeat: no-repeat;
    width: 100%;
    font-size: 16px;
    padding: 12px 20px 12px 40px;
    border: 1px solid #ddd;
    margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Staffs.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

        <?php
        echo '<h2 align="centre"> List of Staff </h2>';
        //make the query
        $q ="SELECT Staff_id, Name, No_passport, Address, Country, Telephone, Email, Position,
Working_since, Gender, 1st_speak, 2nd_speak, 3rd_speak FROM staff ORDER BY Staff_id";
```

```

//run the query
$result = @mysql_query ($connect, $q);

//if it run without problem, display records
if($result)
{
    //table header
    echo '<table class="table-all hoverable centered card-4 text-black small" align="center" id="table">
        <thead>
            <tr class="red header">
                <th>Staff ID</th>
                <th>Name</th>
                <th>No passport</th>
                <th>Address</th>
                <th>Country</th>
                <th>Telephone</th>
                <th>Email</th>
                <th>Position</th>
                <th>Working since</th>
                <th>Gender</th>
                <th>1st language</th>
                <th>2nd language</th>
                <th>3rd language</th>
            </tr>
        </thead>';

    //fetch and display record
    while($row = mysql_fetch_array($result, MYSQLI_ASSOC)) {
        echo '<tr>
            <td>' . $row['Staff_id'] . '</td>
            <td>' . $row['Name'] . '</td>
            <td>' . $row['No_passport'] . '</td>
            <td>' . $row['Address'] . '</td>
            <td>' . $row['Country'] . '</td>
            <td>' . $row['Telephone'] . '</td>
            <td>' . $row['Email'] . '</td>
            <td>' . $row['Position'] . '</td>
            <td>' . $row['Working_since'] . '</td>
            <td>' . $row['Gender'] . '</td>
            <td>' . $row['1st_speak'] . '</td>
            <td>' . $row['2nd_speak'] . '</td>
            <td>' . $row['3rd_speak'] . '</td>
        </tr>';
    }
    //close the table
    echo '</table>';

    mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

    //error message
    echo '<p class = "error"> the current users could not be retrieved. We apologize for the
inconvenience. </p>';

    //debug message
    echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q . '</p>';
} //end of if ($result)

    mysqli_close($connect); //close the database connection
?>
```

```
</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onclick="functionPrint()">Print this page</button>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

viewFlight.php

```
<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Flight table</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

#search {
background-image: url('image/search.png');
background-position: 10px 10px;
background-repeat: no-repeat;
width: 100%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
```

```

<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Flights.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

    <?php
    echo '<h2 align="centre"> List of Flights </h2>';

    //make the query
    $q = "SELECT Flight_id, Flight_type, Price, Details FROM flight ORDER BY Flight_id";

    //run the query
    $result = @mysql_query ($connect, $q);

    //if it run without problem, display records
    if($result)
    {

        //table header
        echo '<table class="table-all hoverable centered card-4 text-black" align="center" id="table">
            <thead>
                <tr class="red header">
                    <th>Flight ID</th>
                    <th>Type</th>
                    <th>Price</th>
                    <th>Details</th>
                </tr>
            </thead>';

        //fetch and display record
        while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
            echo '<tr>
                <td>F-' . $row['Flight_id'] . '</td>
                <td>' . $row['Flight_type'] . '</td>
                <td>' . $row['Price'] . '</td>
                <td>' . $row['Details'] . '</td>
            </tr>';
        }
        //close the table
        echo '</table>';

        mysqli_free_result ($result); //free up the resources
    } else { //if it did not return okay

        //error message
        echo '<p class = "error"> the current users could not be retrieved. We apologize for the
inconvenience. </p>';

        //debug message
        echo '<p>' . mysqli_error($connect) . '<br><br>Query:' . $q . '</p>';
    } //end of if ($result)
}

```

```
mysqli_close($connect); //close the database connection
?>
</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onclick="functionPrint()">Print this page</button>
<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

viewCustomer.php

```
<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Customer table</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
half img:hover{opacity:1}

#search {
background-image: url('image/search.png');
background-position: 10px 10px;
background-repeat: no-repeat;
width: 100%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
```

```

<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Customers.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

        <?php
            echo '<h2 align="centre"> List of Customers </h2>';

            //make the query
            $q = "SELECT Cust_id, Name, No_passport, Address, Country, Email, Telephone FROM customer
            ORDER BY Cust_id";

            //run the query
            $result = @mysql_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {

                //table header
                echo '<table class="table-all hoverable centered card-4 text-black"
                align="center" id="table">
                    <thead>
                        <tr class="red header">
                            <th>Customer ID</th>
                            <th>Name</th>
                            <th>No passport</th>
                            <th>Address</th>
                            <th>Country</th>
                            <th>Email</th>
                            <th>Telephone</th>
                        </tr>
                    </thead>';

                //fetch and display record
                while($row = mysql_fetch_array($result, MYSQLI_ASSOC)) {
                    echo '<tr>
                        <td>C-' . $row['Cust_id'] . '</td>
                        <td>' . $row['Name'] . '</td>
                        <td>' . $row['No_passport'] . '</td>
                        <td>' . $row['Address'] . '</td>
                        <td>' . $row['Country'] . '</td>
                        <td>' . $row['Email'] . '</td>
                        <td>' . $row['Telephone'] . '</td>
                    </tr>';
                }
                //close the table
                echo '</table>';

                mysql_free_result ($result); //free up the resources
            } else { //if it did not return okay

                //error message
                echo '<p class = "error"> the current users could not be retrieved. We
                apologize for the inconvenience. </p>';

                //debug message
                echo '<p>' . $mysql_error($connect) . '<br><br>Query:' . $q . '</p>';
            }
        
```

```
    } //end of if ($result)

    mysqli_close($connect); //close the database connection
?
</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onclick="functionPrint()">Print this page</button>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

viewBooking.php

```
<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Bookings</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

#search {
background-image: url('image/search.png');
background-position: 10px 10px;
background-repeat: no-repeat;
width: 100%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>
```

```
<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">
        <h1 class="xxxlarge text-red"><b>Bookings.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

        <?php
            echo '<h2 align="centre"> List of Bookings </h2>';
            //make the query
            $q = "SELECT Book_id, Cust_id, Flight_id, Flight_date1, Flight_date2, No_adult, No_child, Details_passanger, Accommodation, Message FROM booking ORDER BY Book_id";

            //run the query
            $result = @mysql_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {

                //table header
                echo '<table class="table-all hoverable centered card-4 text-black small" align="center" id="table">
                    <thead>
                        <tr class="red header">
                            <th>Booking ID</th>
                            <th>Customer ID</th>
                            <th>Flight ID</th>
                            <th>Flight date 1</th>
                            <th>Flight date 2</th>
                            <th>Adult</th>
                            <th>Child</th>
                            <th>Details passanger</th>
                            <th>Accommodation</th>
                            <th>Message</th>
                        </tr>
                    </thead>';

                //fetch and display record
                while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
                    echo '<tr>
                        <td>B-' . $row['Book_id']. '</td>
                        <td>C-' . $row['Cust_id']. '</td>
                        <td>F-' . $row['Flight_id']. '</td>
                        <td>' . $row['Flight_date1']. '</td>
                        <td>' . $row['Flight_date2']. '</td>
                        <td>' . $row['No_adult']. '</td>
                        <td>' . $row['No_child']. '</td>
                        <td>' . $row['Details_passanger']. '</td>
                        <td>' . $row['Accommodation']. '</td>
                        <td>' . $row['Message']. '</td>
                    </tr>';
                }
            }
        ';
    
```

```

        </tr>';
    }
    //close the table
    echo '</table>';

    mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

    //error message
    echo '<p class = "error"> the current users could not be retrieved. We apologize for
the inconvenience. </p>';

    //debug message
    echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q . '</p>';
} //end of if ($result)

    mysqli_close($connect); //close the database connection
?>
</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onClick="functionPrint()">Print this page</button>
<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

viewContact.php

```

<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">
<link rel="stylesheet" type="text/css" href="icon.css">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

#search {
background-image: url('image/search.png');
background-position: 10px 10px;
background-repeat: no-repeat;

```

```

width: 100%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Messages.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <input class="input border" type="text" id="search" onKeyUp="tblSearch()" placeholder="Search ..." title="Search">

    <?php
    echo '<h2 align="centre"> List of Messages </h2>';
    //make the query
    $q = "SELECT Contact_id, Name, Email, Message FROM contact ORDER BY Contact_id";
    //run the query
    $result = @mysql_query ($connect, $q);
    //if it run without problem, display records
    if($result)
    {
        //table header
        echo '<table class="table-all hoverable centered card-4 text-black" align="center" id="table">
            <thead>
                <tr class="red header">
                    <th>Contact ID</th>
                    <th>Name</th>
                    <th>Email</th>
                    <th>Message</th>
                </tr>
            </thead>';
        //fetch and display record
        while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
            echo '<tr>
                <td>M-' . $row['Contact_id']. '</td>
                <td>' . $row['Name']. '</td>
                <td>' . $row['Email']. '</td>
            
```

```

<td>' . $row['Message'] . '</td>
</tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

//error message
echo '<p class = "error"> the current users could not be retrieved. We apologize for the
inconvenience. </p>';

//debug message
echo '<p>' . mysqli_error($connect) . '<br><br>Query:' . $q . '</p>';
}//end of if ($result)

mysqli_close($connect); //close the database connection
?>
</div>

<br /><button class="button black padding-large hover-orange margin-bottom"
onclick="functionPrint()">Print this page</button>
<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript -->
<?php include("script.php"); ?>

</body>
</html>

```

addNew.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Add New</title>
</head>

<body>
<!-- add new admin -->
<div class="col m3 margin-bottom">
<div class="light-grey">

<div class="container">
<h3>Admins</h3>
<a href="addAdmin.php" class="button white padding-large hover-black margin-
bottom">Add New</a>
</div>
</div>
</div>
<!-- add new staff -->
<div class="col m3 margin-bottom">

```

```
<div class="light-grey">
    
    <div class="container">
        <h3>Staffs</h3>
        <a href="addStaff.php" class="button white padding-large hover-black margin-bottom">Add New</a>
    </div>
</div>
</div>

<!-- add new flight -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Flights</h3>
            <a href="addFlight.php" class="button white padding-large hover-black margin-bottom">Add New</a>
        </div>
    </div>
</div>

<!-- add new customer -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Customers</h3>
            <a href="addCustomer.php" class="button white padding-large hover-black margin-bottom">Add New</a>
        </div>
    </div>
</div>

<!-- add new booking -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Bookings</h3>
            <a href="addBooking.php" class="button white padding-large hover-black margin-bottom">Add New</a>
        </div>
    </div>
</div>

<!-- add new message -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Messages</h3>
            <a href="addContact.php" class="button white padding-large hover-black margin-bottom">Add New</a>
        </div>
    </div>
</div>

</body>
</html>
```

addAdmin.php

```
<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Add Admin</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<?php
//this query inserts a record in the students table
//has form been submitted?
if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array (); //initialize an error array

    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
    $np = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));
    $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));
    $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));
    $t = mysqli_real_escape_string ($connect, trim ($_POST['Telephone']));
    $p = mysqli_real_escape_string ($connect, strtoupper ($_POST['Position']));
    $un = mysqli_real_escape_string ($connect, trim ($_POST['Username']));
    $pass = mysqli_real_escape_string ($connect, trim ($_POST['Password']));

    //register the user in the database
    //make the query:
    $q = "Insert INTO admin(Admin_id, Name, No_passport, Address, Country, Telephone,
Position, Username, Password)
VALUES (' ','$n','$np','$add','$c', '$t', '$p', '$un', '$pass')";

    $result = @mysqli_query ($connect, $q); //run the query

    if ($result){ //if it run
    //register the user in the database
    //make the query:
    header("Location: addAdmin.php");
    exit();
}
```

```
    } else {
        //message
        echo '<h1>System Error</h1>';

        //debugging message
        echo'<p>' .mysqli_error($connect). '<br><br>Query: '. $q. '</p>';
    } //end of it (result)

    mysqli_close($connect); //close databse connection.
    exit();
} //end of submit contional
?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container" id="contact" style="margin-top:75px">
        <h1 class="xxxlarge text-red"><b>Add New Admin.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <form action="addAdmin.php" onsubmit="return btnAddNew()" method="post">

            <div class="section">
                <label>Name</label>
                <input class="input border" type="text" name="Name" required value = "<?php if
(isset($_POST['Name'])) echo $_POST['Name']; ?>">
            </div>

            <div class="section">
                <label>Passport Number</label>
                <input class="input border" type="text" name="No_passport" required value = "<?php
if (isset($_POST['No_passport'])) echo $_POST['No_passport']; ?>">
            </div>

            <div class="section">
                <label>Address</label>
                <input class="input border" type="text" name="Address" required value = "<?php if
(isset($_POST['Address'])) echo $_POST['Address']; ?>">
            </div>

            <div class="section">
                <label>Country</label>
                <select class="input border" name="Country">
                    <option value="AF">Afghanistan</option>
                    <option value="AL">Albania</option>
                    <option value="DZ">Algeria</option>
                    <option value="AS">American Samoa</option>
                    <option value="AD">Andorra</option>
                    <option value="AO">Angola</option>
                    <option value="AI">Anguilla</option>
                    <option value="AQ">Antarctica</option>
                    <option value="AG">Antigua and Barbuda</option>
                    <option value="AR">Argentina</option>
                    <option value="AM">Armenia</option>
                    <option value="AW">Aruba</option>
                    <option value="AU">Australia</option>
                    <option value="AT">Austria</option>
                    <option value="AZ">Azerbaijan</option>
                </select>
            </div>
        </form>
    </div>
</div>
```

```
<option value="BS">Bahamas</option>
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d'Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
<option value="ER">Eritrea</option>
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
```

```
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and Mc Donald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People's Republic of</option>
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People's Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
<option value="MH">Marshall Islands</option>
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
```

```
<option value="MD">Moldova, Republic of</option>
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
<option value="WS">Samoa</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SI">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
<option value="SJ">Svalbard and Jan Mayen Islands</option>
<option value="SZ">Swaziland</option>
```

```

<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required value = "<?php if
(isset($_POST['Telephone'])) echo $_POST['Telephone']; ?>">
</div>

<div class="section">
    <label>Position</label>
    <input class="input border" type="text" name="Position" required value = "<?php if
(isset($_POST['Position'])) echo $_POST['Position']; ?>">
</div>

<div class="section">
    <label>Username (Email)</label>
    <input class="input border" type="text" name="Username" required value = "<?php if
(isset($_POST['Username'])) echo $_POST['Username']; ?>">
</div>

<div class="section">
    <label>Password</label>
    <input class="input border" type="password" name="Password" required value = "<?php if
(if (isset($_POST['Password'])) echo $_POST['Password']; ?>">
</div>

```

```
<button type="submit" class="button block padding-large red margin-bottom">Add  
New</button>  
</form>  
</div>  
  
<!-- End page content -->  
</div>  
  
<!-- footer -->  
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">  
<p class="right">&copy; Copyright Balona 2018</p>  
</div>  
  
<!-- include JavaScript ---->  
<?php include("script.php"); ?>  
  
</body>  
</html>
```

addStaff.php

```
<!DOCTYPE html>  
<html>  
<title>Add Staff</title>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<link rel="stylesheet" href="style.css">  
<link rel="icon" type="image/png" href="image/icons/folder.png"/>  
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">  
  
<style>  
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}  
body {font-size:16px;}  
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}  
.half img:hover{opacity:1}  
</style>  
  
<body>  
  
<!-- database link -->  
<?php include ("header.php");?>  
  
<!-- navbar on side -->  
<?php include ("navbarAdmin.php");?>  
  
<?php  
//this query inserts a record in the students table  
//has form been submitted?  
if($_SERVER['REQUEST_METHOD'] == 'POST') {  
    $error = array (); //initialize an error array  
  
    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));  
    $np = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));  
    $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));  
    $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));  
    $t = mysqli_real_escape_string ($connect, strtoupper ($_POST['Telephone']));
```

```

$e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
$p = mysqli_real_escape_string ($connect, strtoupper ($_POST['Position']));
$w = mysqli_real_escape_string ($connect, strtoupper ($_POST['Working_since']));
$g = mysqli_real_escape_string ($connect, strtoupper ($_POST['Gender']));
$fst = mysqli_real_escape_string ($connect, strtoupper ($_POST['1st_speak']));
$snd = mysqli_real_escape_string ($connect, strtoupper ($_POST['2nd_speak']));
$trd = mysqli_real_escape_string ($connect, strtoupper ($_POST['3rd_speak')));

//register the user in the database
//make the query:
$q = "Insert INTO staff(Staff_id, Name, No_passport, Address, Country, Telephone, Email,
Position, Working_since, Gender, 1st_speak, 2nd_speak, 3rd_speak)
VALUES (' ','$n','$np','$add','$c', '$t', '$e', '$p', '$w', '$g', '$fst', '$snd',
'$trd')";

$result = @mysqli_query ($connect, $q); //run the query

if ($result){ //if it run
//register the user in the database
//make the query:
header("Location: listStaff.php");
mysqli_close($connect); //close database connection.
exit();
} else {
//message
echo '<h1>System Error</h1>';

//debugging message
echo'<p>' .mysqli_error($connect). '<br><br>Query: '.$q. '</p>';
} //end of it (result)

mysqli_close($connect); //close database connection.
exit();
} //end of submit conditional
?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container" id="contact" style="margin-top:75px">
    <h1 class="xxxlarge text-red"><b>Add New Staff.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <form action="addStaff.php" onsubmit="return btnAddNew()" method="post">

        <div class="section">
            <label>Name</label>
            <input class="input border" type="text" name="Name" style="text-transform:uppercase" required value = "<?php if (isset($_POST['Name'])) echo
$_POST['Name']; ?>">
        </div>

        <div class="section">
            <label>Passport Number</label>
            <input class="input border" type="text" name="No_passport" style="text-transform:uppercase" required value = "<?php if (isset($_POST['No_passport'])) echo
$_POST['No_passport']; ?>">
    
```

```

</div>

<div class="section">
    <label>Address</label>
    <input class="input border" type="text" name="Address" style="text-transform:uppercase" required value = "<?php if (isset($_POST['Address'])) echo $_POST['Address']; ?>">
</div>

<div class="section">
    <label>Country</label>
    <?php include("country.php"); ?>
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required value = "<?php if (isset($_POST['Telephone'])) echo $_POST['Telephone']; ?>">
</div>

<div class="section">
    <label>Email</label>
    <input class="input border" type="text" name="Email" required value = "<?php if (isset($_POST['Email'])) echo $_POST['Email']; ?>">
</div>

<div class="section">
    <label>Position</label>
    <input class="input border" type="text" name="Position" style="text-transform:uppercase" required value = "<?php if (isset($_POST['Position'])) echo $_POST['Position']; ?>">
</div>

<div class="section">
    <label>Working since</label> <br />
    <input class="input border" type="date" required name="Working_since" value = "<?php if (isset($_POST['Working_since'])) echo $_POST['Working_since']; ?>">
</div>

<div class="section">
    <label>Gender</label><br />
    <input type = "radio" checked name = "Gender" <?php if (isset($Gender) && $Gender == "Male") echo "checked"; ?> value="Male"/> Male &emsp;&emsp;
    <input type = "radio" name = "Gender" <?php if (isset($Gender) && $Gender == "Female") echo "checked"; ?> value="Female"/> Female
</div>

<div class="section">
    <label>First language</label>
    <input class="input border" type="text" name="1st_speak" style="text-transform:uppercase" required value = "<?php if (isset($_POST['1st_speak'])) echo $_POST['1st_speak']; ?>">
</div>

<div class="section">
    <label>Second language</label>
    <input class="input border" type="text" name="2nd_speak" style="text-transform:uppercase" required value = "<?php if (isset($_POST['2nd_speak'])) echo $_POST['2nd_speak']; ?>">
</div>

<div class="section">
    <label>Third language</label>
    <input class="input border" type="text" name="3rd_speak" style="text-transform:uppercase" required value = "<?php if (isset($_POST['3rd_speak'])) echo $_POST['3rd_speak']; ?>">
</div>

```

```
<button type="submit" class="button block padding-large red margin-bottom">Add  
New</button>  
</form>  
</div>  
  
<!-- End page content -->  
</div>  
  
<!-- footer -->  
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">  
<p class="right">&copy; Copyright Balona 2018</p>  
</div>  
  
<!-- include JavaScript --->  
<?php include("script.php"); ?>  
  
</body>  
</html>
```

addFlight.php

```
<?php  
session_start();  
?>  
  
<!DOCTYPE html>  
<html>  
<title>Add Flight</title>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<link rel="stylesheet" href="style.css">  
<link rel="icon" type="image/png" href="image/icons/folder.png"/>  
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">  
  
<style>  
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}  
body {font-size:16px;}  
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}  
.half img:hover{opacity:1}  
</style>  
  
<body>  
  
<!-- database link -->  
<?php include ("header.php");?>  
  
<!-- navbar on side -->  
<?php include ("navbarAdmin.php");?>  
  
<?php  
//this query inserts a record in the students table  
//has form been submitted?  
if($_SERVER['REQUEST_METHOD'] == 'POST') {  
    $error = array (); //initialize an error array  
  
    $t = mysqli_real_escape_string ($connect, strtoupper ($_POST['Flight_type']));  
    $p = mysqli_real_escape_string ($connect, trim ($_POST['Price']));  
    $d = mysqli_real_escape_string ($connect, strtoupper ($_POST['Details']));  
  
    //register the user in the database  
    //make the query:  
    $q = "Insert INTO contact(Flight_id, Flight_type, Price, Details)
```

```
VALUES (' ','$t', '$p', '$d')";  
  
$result = @mysqli_query ($connect, $q); //run the query  
  
if ($result){ //if it run  
//register the user in the database  
//make the query:  
header("Location: addFlight.php");  
exit();  
} else {  
//message  
echo '<h1>System Error</h1>';  
  
//debugging message  
echo'<p>' .mysqli_error($connect). '<br><br>Query: '.$q. '</p>';  
} //end of it (result)  
  
mysqli_close($connect); //close database connection.  
exit();  
} //end of submit conditional  
?>  
  
<!-- !PAGE CONTENT! -->  
<div class="main" style="margin-left:340px;margin-right:40px">  
  
    <!-- Header -->  
    <div class="container" style="margin-top:80px" id="welcome">  
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />  
    </div>  
  
    <div class="container" id="contact" style="margin-top:75px">  
        <h1 class="xxxlarge text-red"><b>Add New Flight.</b></h1>  
        <hr style="width:50px; border:5px solid red" class="round">  
  
        <form action="addFlight.php" onsubmit="return btnAddNew()" method="post">  
  
            <div class="section">  
                <label>Flight type</label>  
                <input class="input border" type="text" name="Flight_type" required value = "<?php  
if (isset($_POST['Flight_type'])) echo $_POST['Flight_type']; ?>">  
            </div>  
  
            <div class="section">  
                <label>Price</label>  
                <input class="input border" type="text" name="Price" required value = "<?php if  
(isset($_POST['Price'])) echo $_POST['Price']; ?>">  
            </div>  
  
            <div class="section">  
                <label>Details</label>  
                <textarea name = "Details" class="input border" required rows="2" cols="30"><?php  
if (isset($_POST['Details'])) echo $_POST['Details']; ?></textarea>  
            </div>  
  
            <button type="submit" class="button block padding-large red margin-bottom">Add  
New</button>  
        </form>  
    </div>  
  
<!-- End page content -->  
</div>  
  
<!-- footer -->  
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">  
<p class="right">&copy; Copyright Balona 2018</p>  
</div>  
  
<!-- include JavaScript ---->
```

```
<?php include("script.php"); ?>  
</body>  
</html>
```

addCustomer.php

```
<?php  
session_start();  
?>  
  
<!DOCTYPE html>  
<html>  
<title>Add Admin</title>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<link rel="stylesheet" href="style.css">  
<link rel="icon" type="image/png" href="image/icons/folder.png"/>  
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">  
  
<style>  
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}  
body {font-size:16px;}  
.half img{margin-bottom:-6px; margin-top:16px; opacity:0.8; cursor:pointer}  
.half img:hover{opacity:1}  
</style>  
  
<body>  
  
<!-- database link -->  
<?php include ("header.php");?>  
  
<!-- navbar on side -->  
<?php include ("navbarAdmin.php");?>  
  
<?php  
//this query inserts a record in the students table  
//has form been submitted?  
if($_SERVER['REQUEST_METHOD'] == 'POST') {  
    $error = array (); //initialize an error array  
  
    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));  
    $pass = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));  
    $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));  
    $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));  
    $e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));  
    $t = mysqli_real_escape_string ($connect, trim ($_POST['Telephone']));  
  
    //register the user in the database  
    //make the query:  
    $q = "Insert INTO customer(Cust_id, Name, No_passport, Address, Country, Email, Telephone)  
VALUES (' ','$n','$pass','$add','$c', '$e', '$t')";  
  
    $result = @mysqli_query ($connect, $q); //run the query  
  
    if ($result){ //if it run  
        //register the user in the database
```

```

//make the query:
header("Location: addCustomer.php");
exit();
} else {
//message
echo '<h1>System Error</h1>';

//debugging message
echo'<p>' .mysqli_error($connect) .'<br><br>Query: '. $q. '</p>';
} //end of it (result)

mysqli_close($connect); //close databse connection.
exit();
} //end of submit contional
?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container" id="contact" style="margin-top:75px">
    <h1 class="xxxlarge text-red"><b>Add New Customer.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <form action="addCustomer.php" onsubmit="return btnAddNew()" method="post">

        <div class="section">
            <label>Name</label>
            <input class="input border" type="text" style="text-transform:uppercase"
name="Name" required value = "<?php if (isset($_POST['Name'])) echo $_POST['Name']; ?>">
        </div>

        <div class="section">
            <label>Passport Number</label>
            <input class="input border" type="text" name="No_passport" required value="<?php if
(isset($_POST['No_passport'])) echo $_POST['No_passport']; ?>">
        </div>

        <div class="section">
            <label>Address</label>
            <input class="input border" type="text" style="text-transform:uppercase"
name="Address" required value="<?php if (isset($_POST['Address'])) echo $_POST['Address'];
?>">
        </div>

        <div class="section">
            <label>Country</label>
            <select class="input border" style="text-transform:uppercase" name="Country">
                <option value="AF">Afghanistan</option>
                <option value="AL">Albania</option>
                <option value="DZ">Algeria</option>
                <option value="AS">American Samoa</option>
                <option value="AD">Andorra</option>
                <option value="AO">Angola</option>
                <option value="AI">Anguilla</option>
                <option value="AQ">Antarctica</option>
                <option value="AG">Antigua and Barbuda</option>
                <option value="AR">Argentina</option>
                <option value="AM">Armenia</option>
                <option value="AW">Aruba</option>
                <option value="AU">Australia</option>
                <option value="AT">Austria</option>
                <option value="AZ">Azerbaijan</option>
                <option value="BS">Bahamas</option>
            </select>
        </div>
    </form>
</div>

```

```
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d'Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
<option value="ER">Eritrea</option>
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
```

```
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and Mc Donald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People's Republic of</option>
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People's Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
<option value="MH">Marshall Islands</option>
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
<option value="MD">Moldova, Republic of</option>
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
```

```
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
<option value="WS">Samoa</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SL">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
<option value="SJ">Svalbard and Jan Mayen Islands</option>
<option value="SZ">Swaziland</option>
<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
```

```

<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
</div>

<div class="section">
    <label>Email</label>
    <input class="input border" type="text" style="text-transform:uppercase" name="Email" required value = "<?php if (isset($_POST['Email'])) echo $_POST['Email']; ?>">
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required value = "<?php if (isset($_POST['Telephone'])) echo $_POST['Telephone']; ?>">
</div>

    <button type="submit" class="button block padding-large red margin-bottom">Add New</button>
</form>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

addBooking.php

```

<?php
session_start();
?>

<!DOCTYPE html>
<html>
<title>Add Booking</title>
<meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<?php
//this query inserts a record in the students table
//has form been submitted?
if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array (); //initialize an error array

    $cust = mysqli_real_escape_string ($connect, trim ($_POST['Cust_id']));
    $ft = mysqli_real_escape_string ($connect, trim ($_POST['Flight_id']));
    $fd1 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date1']));
    $fd2 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date2']));
    $adl = mysqli_real_escape_string ($connect, trim ($_POST['No_adult']));
    $chd = mysqli_real_escape_string ($connect, trim ($_POST['No_child']));
    $p = mysqli_real_escape_string ($connect, strtoupper
($_POST['Details_passanger']));
    $a = mysqli_real_escape_string ($connect, strtoupper ($_POST['Accommodation']));
    $m = mysqli_real_escape_string ($connect, strtoupper ($_POST['Message']));

    //register the user in the database
    //make the query:
    $q = "Insert INTO booking(Book_id, Cust_id, Flight_id, Flight_date1, Flight_date2,
No_adult, No_child, Details_passanger, Accommodation, Message)
VALUES (' ', '$cust', '$ft','$fd1','$fd2','$adl','$chd', '$p','$a','$m')";

    $result = @mysqli_query ($connect, $q); //run the query

    if ($result){ //if it run
        //register the user in the database
        //make the query:
        header("Location: addBooking.php");
        exit();
    } else {
        //message
        echo '<h1>System Error</h1>';
    }
}
//debugging message

```

```

echo'<p>' .mysqli_error($connect) .'<br><br>Query: '.$q. '</p>';
} //end of it (result)

mysqli_close($connect); //close databse connection.
exit();
} //end of submit contional
?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container" id="contact" style="margin-top:75px">
    <h1 class="xxxlarge text-red"><b>Add New Booking.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <form action="addBooking.php" onsubmit="return btnAddNew()" method="post">

        <div class="section">
            <label>Customer name</label><br />
            <select class="input border" name="Cust_id">
                <option value="">Pick</option>
                <?php
                    $sql = mysqli_query($connect, "SELECT * From customer");
                    $row = mysqli_num_rows($sql);
                    while ($row = mysqli_fetch_array($sql)){
                        echo "<option value='".$row['Cust_id']."'>" . $row['Name'] . "</option>";
                    }
                ?>
            </select>
        </div>

        <div class="section">
            <label>Flight Type</label> <br />
            <input type = "radio" checked name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Economy")
echo "checked"; ?> value="1"/> Economy Class Flight &nbsp;&nbsp;
            <input type = "radio" name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Comfort")
echo "checked"; ?> value="2"/> Comfort Class Flight &nbsp;&nbsp;
            <input type = "radio" name = "Flight_id" <?php if (isset($Flight_id) && $Flight_id == "Comfort")
echo "checked"; ?> value="3"/> Deluxe Class Flight
        </div>

        <div class="section">
            <label>Flight Date</label>
            <input class="input border" type="date" required name="Flight_date1" value = "<?php
if (isset($_POST['Flight_date1'])) echo $_POST['Flight_date1']; ?>" >
        </div>

        <div class="section">
            <label>Flight Date (Alternative)</label>
            <input class="input border" type="date" required name="Flight_date2" value = "<?php
if (isset($_POST['Flight_date2'])) echo $_POST['Flight_date2']; ?>" >
        </div>
    </form>
</div>

```

```

<div class="section">
    <label>Number of Adult</label>
    <input class="input border" type="number" value="1" name="No_adult" min="1" max="6"
value = "<?php if (isset($_POST['No_adult'])) echo $_POST['No_adult']; ?>">
</div>

<div class="section">
    <label>Number of Children (6-12 years old)</label>
    <input class="input border" type="number" value="0" name="No_child" min="0" max="6"
value = "<?php if (isset($_POST['No_child'])) echo $_POST['No_child']; ?>">
</div>

<div class="section">
    <label>Names of passanger</label> <br />
    <textarea name = "Details_passanger" class="input border" style="text-
transform:uppercase" required rows="5" cols="40"><?php if
(isset($_POST['Details_passanger'])) echo $_POST['Details_passanger']; ?></textarea>
</div>

<div class="section">
    <label>Accommodation detail</label>
    <textarea name = "Accommodation" class="input border" style="text-
transform:uppercase" required rows="2" cols="30"><?php if (isset($_POST['Accommodation']))
echo $_POST['Accommodation']; ?></textarea>
</div>

<div class="section">
    <label>Message</label>
    <textarea name = "Message" class="input border" style="text-transform:uppercase"
required rows="2" cols="30"><?php if (isset($_POST['Message'])) echo $_POST['Message'];
?></textarea>
</div>

<button type="submit" class="button block padding-large red margin-bottom">Add
New</button>

</form>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

addContact.php

```

<?php
session_start();
?>

```

```
<!DOCTYPE html>
<html>
<title>Add Message</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<?php
//this query inserts a record in the students table
//has form been submitted?
if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array (); //initialize an error array

    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
    $e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
    $m = mysqli_real_escape_string ($connect, strtoupper ($_POST['Message']));

    //register the user in the database
    //make the query:
    $q = "Insert INTO contact(Contact_id, Name, Email, Message)
VALUES (' ','$n', '$e', '$m')";

    $result = @mysqli_query ($connect, $q); //run the query

    if ($result){ //if it run
        //register the user in the database
        //make the query:
        header("Location: addContact.php");
        exit();
    } else {
        //message
        echo '<h1>System Error</h1>';

        //debugging message
        echo'<p>' .mysqli_error($connect) .'<br><br>Query: '. $q. '</p>';
    } //end of it (result)

    mysqli_close($connect); //close database connection.
    exit();
} //end of submit conditional
?>

<!-- !PAGE CONTENT! -->
```

```
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container" id="contact" style="margin-top:75px">
    <h1 class="xxxlarge text-red"><b>Add New Message.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <form action="addContact.php" onsubmit="return btnAddNew()" method="post">

        <div class="section">
            <label>Name</label>
            <input class="input border" type="text" style="text-transform:uppercase" name="Name" required value = "<?php if (isset($_POST['Name'])) echo $_POST['Name']; ?>">
        </div>

        <div class="section">
            <label>Email</label>
            <input class="input border" type="text" name="Email" required value = "<?php if (isset($_POST['Email'])) echo $_POST['Email']; ?>">
        </div>

        <div class="section">
            <label>Message</label>
            <textarea name = "Message" class="input border" style="text-transform:uppercase" required rows="2" cols="30"><?php if (isset($_POST['Message'])) echo $_POST['Message']; ?></textarea>
        </div>

        <button type="submit" class="button block padding-large red margin-bottom">Add New</button>
    </form>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px; padding-right:58px">
    <p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

listEdit.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
```

```
</head>

<body>
<!-- edit admin -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Admins</h3>
            <a href="listAdmin.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
<!-- edit staff -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Staffs</h3>
            <a href="listStaff.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
<!-- edit flight -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Flights</h3>
            <a href="listFlight.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
<!-- edit customer -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Customers</h3>
            <a href="listCustomer.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
<!-- edit booking -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Bookings</h3>
            <a href="listBooking.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
<!-- edit message -->
<div class="col m3 margin-bottom">
    <div class="light-grey">
        
        <div class="container">
            <h3>Messages</h3>
            <a href="listContact.php" class="button white padding-large hover-black margin-bottom">Edit</a>
        </div>
    </div>
</div>
```

```
</div>  
</body>  
</html>
```

listAdmin.php

```
<!DOCTYPE html>  
<html>  
<title>Admin Site</title>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<!-- Set icon website -->  
<link rel="icon" type="image/png" href="image/icons/folder.png"/>  
<!-- import css style -->  
<link rel="stylesheet" type="text/css" href="style.css">  
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">  
  
<style>  
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}  
body {font-size:16px;}  
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}  
.half img:hover{opacity:1}  
</style>  
  
<body>  
  
<!-- database link -->  
<?php include ("header.php");?>  
  
<!-- navbar on side -->  
<?php include ("navbarAdmin.php");?>  
  
<!-- !PAGE CONTENT! -->  
<div class="main" style="margin-left:340px;margin-right:40px">  
  
<!-- Header -->  
<div class="container" style="margin-top:80px" id="welcome">  
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />  
</div>  
  
<div class="container responsive" id="viewContact" style="margin-top:75px">  
  
    <h1 class="xxxlarge text-red"><b>Edit Admins.</b></h1>  
    <hr style="width:50px; border:5px solid red" class="round">  
  
<?php  
    //make the query  
    $q = "SELECT Admin_id, Name, No_passport, Address, Country, Telephone, Position,  
    Username, Password FROM admin ORDER BY Admin_id";  
  
    //run the query  
    $result = @mysqli_query ($connect, $q);  
  
    //if it run without problem, display records  
    if($result)
```

```

{
    //table header
    echo '<table class="table-all hoverable centered card-4 text-black small"
align="center" id="table">
<thead>
<tr class="red header">
<th>Edit</th>
<th>Delete</th>
<th>Admin ID</th>
<th>Name</th>
<th>No passport</th>
<th>Address</th>
<th>Country</th>
<th>Telephone</th>
<th>Position</th>
<th>Username</th>
<th>Password</th>
</tr>
</thead>';

//fetch and display record
while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
    echo '<tr>
        <td><a href ="editAdmin.php?id='.$row['Admin_id'].'>Edit</a></td>
        <td><a href ="deleteAdmin.php?id='.$row['Admin_id'].'>Delete</a></td>
        <td>A-' . $row['Admin_id']. ' </td>
        <td>' . $row['Name']. ' </td>
        <td>' . $row['No_passport']. ' </td>
        <td>' . $row['Address']. ' </td>
        <td>' . $row['Country']. ' </td>
        <td>' . $row['Telephone']. ' </td>
        <td>' . $row['Position']. ' </td>
        <td>' . $row['Username']. ' </td>
        <td>' . $row['Password']. ' </td>
    </tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

//error message
echo '<p class = "error"> the current users could not be retrieved. We apologize for
the inconvenience. </p>';

//debug message
echo '<p>'.$mysqli_error($connect).'
<br><br>Query:'.$q.'</p>';
}//end of if ($result)

mysqli_close($connect); //close the database connection
?>

</div>

<!-- End page content -->
</div>

```

```
<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

listStaff.php

```
<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Edit Staff.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php
        //make the query
        $q = "SELECT Staff_id, Name, No_passport, Address, Country, Telephone, Email, Position,
Working_since, Gender, 1st_speak, 2nd_speak, 3rd_speak FROM staff ORDER BY Staff_id";

        //run the query
        $result = @mysql_query ($connect, $q);

        //if it run without problem, display records
        if($result)
```

```

{
    //table header
    echo '<table class="table-all hoverable centered card-4 text-black small"
align="center" id="table">
<thead>
<tr class="red header">
<th>Edit</th>
<th>Delete</th>
<th>Staff ID</th>
<th>Name</th>
<th>No passport</th>
<th>Address</th>
<th>Country</th>
<th>Telephone</th>
<th>Email</th>
<th>Position</th>
<th>Working since</th>
<th>Gender</th>
<th>1st language</th>
<th>2nd language</th>
<th>3rd langauge</th>
</tr>
</thead>';

//fetch and display record
while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
    echo '<tr>
        <td><a href = "editStaff.php?id='.$row['Staff_id'].'>Edit</a></td>
        <td><a href = "deleteStaff.php?id='.$row['Staff_id'].'">Delete</a></td>
        <td>$-' . $row['Staff_id']. '</td>
        <td>' . $row['Name']. '</td>
        <td>' . $row['No_passport']. '</td>
        <td>' . $row['Address']. '</td>
        <td>' . $row['Country']. '</td>
        <td>' . $row['Telephone']. '</td>
        <td>' . $row['Email']. '</td>
        <td>' . $row['Position']. '</td>
        <td>' . $row['Working_since']. '</td>
        <td>' . $row['Gender']. '</td>
        <td>' . $row['1st_speak']. '</td>
        <td>' . $row['2nd_speak']. '</td>
        <td>' . $row['3rd_speak']. '</td>
    </tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

//error message
echo '<p class = "error"> the current users could not be retrieved. We apologize for
the inconvenience. </p>';

//debug message
echo '<p>'. $mysqli_error($connect). '<br><br>Query: '.$q. '</p>';
}//end of if ($result)

mysqli_close($connect); //close the database connection
?>

</div>

<!-- End page content -->
</div>

<!-- footer -->

```

```
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

listFlight.php

```
<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Flights.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //make the query
            $q ="SELECT Flight_id, Flight_type, Price, Details FROM flight ORDER BY Flight_id";
            //run the query
            $result = @mysqli_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {

                //table header
```

```

echo '<table class="table-all hoverable centered card-4 text-black small"
align="center" id="table">
<thead>
<tr class="red header">
<th>Edit</th>
<th>Delete</th>
<th>Flight ID</th>
<th>Type</th>
<th>Price</th>
<th>Details</th>
</tr>
</thead>';

//fetch and display record
while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
    echo '<tr>
        <td><a href ="editFlight.php?id='.$row['Flight_id'].'>Edit</a></td>
        <td><a href ="deleteFlight.php?id='.$row['Flight_id'].'>Delete</a></td>
        <td>F-' . $row['Flight_id']. '</td>
        <td>' . $row['Flight_type']. '</td>
        <td>' . $row['Price']. '</td>
        <td>' . $row['Details']. '</td>
    </tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

//error message
echo '<p class = "error"> the current flight could not be retrieved. We apologize
for the inconvenience. </p>';

//debug message
echo '<p>'.mysqli_error($connect).'
<br><br>Query:'.$q.'</p>';
}//end of if ($result)

mysqli_close($connect); //close the database connection
?>

</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

listCustomer.php

```

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>
<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Customers.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">
        <?php
            //make the query
            $q ="SELECT Cust_id,Name,No_passport,Address,Country,Email,Telephone FROM customer
            ORDER BY Cust_id";

            //run the query
            $result = @mysqli_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {
                //table header
                echo '<table class="table-all hoverable centered card-4 text-black small"
                align="center" id="table">
                    <thead>
                        <tr class="red header">
                            <th>Edit</th>
                            <th>Delete</th>
                            <th>Customer ID</th>
                            <th>Name</th>
                            <th>No passport</th>
                            <th>Address</th>
                            <th>Country</th>
                            <th>Email</th>
                            <th>Telephone</th>
                        </tr>
                    </thead>';

                //fetch and display record
                while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
                    echo '<tr>
                        <td>' . $row['Cust_id'] . '</td>
                        <td>' . $row['Name'] . '</td>
                        <td>' . $row['No_passport'] . '</td>
                        <td>' . $row['Address'] . '</td>
                        <td>' . $row['Country'] . '</td>
                        <td>' . $row['Email'] . '</td>
                        <td>' . $row['Telephone'] . '</td>
                    </tr>';
                }
            }
        <?php
            //close the connection
            mysqli_close($connect);
        <?php
    </div>
</div>

```

```

        <td><a href ="editCustomer.php?id='".$row['Cust_id']."'>Edit</a></td>
        <td><a href ="deleteCustomer.php?id='".$row['Cust_id']."'>Delete</a></td>
        <td>C-' . $row['Cust_id']. '</td>
        <td>' . $row['Name']. '</td>
        <td>' . $row['No_passport']. '</td>
        <td>' . $row['Address']. '</td>
        <td>' . $row['Country']. '</td>
        <td>' . $row['Email']. '</td>
        <td>' . $row['Telephone']. '</td>
        </tr>';
    }
    //close the table
    echo '</table>';

    mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

    //error message
    echo '<p class = "error"> the current customer could not be retrieved. We apologize
for the inconvenience. </p>';

    //debug message
    echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q. '</p>';
} //end of if ($result)

    mysqli_close($connect); //close the database connection
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

listBooking.php

```

<!DOCTYPE html>
<html>
<title>Edit customer</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

```

```

</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Bookings.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //make the query
            $q ="SELECT Book_id, Cust_id, Flight_id, Flight_date1, Flight_date2, No_adult,
            No_child, Details_passanger, Accommodation, Message FROM booking ORDER BY Book_id";

            //run the query
            $result = @mysql_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {

                //table header
                echo '<table class="table-all hoverable centered card-4 text-black small"
                align="center" id="table">
                    <thead>
                        <tr class="red header">
                            <th>Edit</th>
                            <th>Delete</th>
                            <th>Booking ID</th>
                            <th>Customer ID</th>
                            <th>Flight ID</th>
                            <th>Flight date 1</th>
                            <th>Flight date 2</th>
                            <th>Adult</th>
                            <th>Child</th>
                            <th>Details passanger</th>
                            <th>Accommodation</th>
                            <th>Message</th>
                        </tr>
                    </thead>';

                //fetch and display record
                while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
                    echo '<tr>
                        <td><a href ="editBooking.php?id='.$row['Book_id'].'>Edit</a></td>
                        <td><a href ="deleteBooking.php?id='.$row['Book_id'].'>Delete</a></td>
                        <td>B-' . $row['Book_id']. '</td>
                        <td>C-' . $row['Cust_id']. '</td>
                        <td>F-' . $row['Flight_id']. '</td>
                        <td>' . $row['Flight_date1']. '</td>
                        <td>' . $row['Flight_date2']. '</td>
                        <td>' . $row['No_adult']. '</td>
                        <td>' . $row['No_child']. '</td>
                        <td>' . $row['Details_passanger']. '</td>
                    </tr>
                ';
            }
        
```

```

        <td>' . $row['Accommodation'] . '</td>
        <td>' . $row['Message'] . '</td>
    </tr>';
}
//close the table
echo '</table>';

mysqli_free_result ($result); //free up the resources
} else { //if it did not return okay

    //error message
    echo '<p class = "error"> the current booking could not be retrieved. We apologize
for the inconvenience. </p>';

    //debug message
    echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q . '</p>';
} //end of if ($result)

mysqli_close($connect); //close the database connection
?>

</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

listContact.php

```

<!DOCTYPE html>
<html>
<title>List of messages</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

```

```
<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Customer Messages.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //make the query
            $q = "SELECT Contact_id, Name, Email, Message FROM contact ORDER BY Contact_id";

            //run the query
            $result = @mysqli_query ($connect, $q);

            //if it run without problem, display records
            if($result)
            {

                //table header
                echo '<table class="table-all hoverable centered card-4 text-black small"
align="center" id="table">
                    <thead>
                        <tr class="red header">
                            <th>Edit</th>
                            <th>Delete</th>
                            <th>Contact ID</th>
                            <th>Name</th>
                            <th>Email</th>
                            <th>Message</th>
                        </tr>
                    </thead>';

                //fetch and display record
                while($row = mysqli_fetch_array($result, MYSQLI_ASSOC)) {
                    echo '<tr>
                        <td><a href ="editContact.php?id='.$row['Contact_id']. '">Edit</a></td>
                        <td><a href ="deleteContact.php?id='.$row['Contact_id']. '">Delete</a></td>
                        <td>M-' . $row['Contact_id']. '</td>
                        <td>' . $row['Name']. '</td>
                        <td>' . $row['Email']. '</td>
                        <td>' . $row['Message']. '</td>
                    </tr>';
                }
                //close the table
                echo '</table>';

                mysqli_free_result ($result); //free up the resources
            } else { //if it did not return okay

                //error message
                echo '<p class = "error"> the current message could not be retrieved. We apologize
for the inconvenience. </p>';

                //debug message
                echo '<p>' . $mysqli_error($connect) . '<br><br>Query:' . $q. '</p>';
            } //end of if ($result)

            mysqli_close($connect); //close the database connection
        ?>
    </div>
```

```
<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

editAdmin.php

```
<!DOCTYPE html>
<html>
<title>Edit Admin</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Edit Admin.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php
        //look for a valid user id, either through GET or POST
        if((isset($_GET['id'])) &&(is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class="error">This page has been accessed in error.</p>';
            exit();
        }
    <?php

```

```

}

if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array();

    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
    $np = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));
    $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));
    $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));
    $t = mysqli_real_escape_string ($connect, strtoupper ($_POST['Telephone']));
    $p = mysqli_real_escape_string ($connect, strtoupper ($_POST['Position']));
    $un = mysqli_real_escape_string ($connect, trim ($_POST['Username']));
    $pass = mysqli_real_escape_string ($connect, trim ($_POST['Password']));

    //if problem occur
    if (empty($error)) {
        $q = "SELECT Admin_id FROM admin WHERE No_passport = '$np' AND Admin_id != $id";

        $result = @mysqli_query($connect, $q);

        if(mysqli_num_rows($result) == 0 ) {
            $q = "UPDATE admin SET Name = '$n' , No_passport = '$np' , Address = '$add' , Country = '$c' , Telephone = '$t' , Position = '$p' , Username = '$un' , Password = '$pass' WHERE Admin_id = '$id' LIMIT 1";

            $result = @mysqli_query($connect, $q);

            if(mysqli_affected_rows($connect) == 1) {
                header("Location: listAdmin.php");
            } else {
                echo '<p class = "error"> The user has not be edited due to the system error. We appologize for any convinience.</p>';
                echo '<p>' .mysqli_error($connect). '<br/> query: ' . $q. '</p>';
            }
        } else {
            echo '<p class="error">The passport number has already been registered</p>';
        }
    } else {
        echo '<p class="error"> The following error(s) occurred: <br/>';
        foreach ($error as $msg)
        {
            echo " -$msg<br/> \n";
        }
        echo '</p><p>Please try again.</p>';
    }
}

$q = "SELECT Admin_id, Name, No_passport, Address, Country, Telephone, Position, Username, Password FROM admin WHERE Admin_id= $id";
$result = @mysqli_query($connect, $q);

if(mysqli_num_rows($result) == 1) {
    //get patient information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);

    //create the form
    echo'<form action="editAdmin.php" onsubmit="return btnEdit()" method="post">

```

```
<div class="section">
    <label>Name</label>
    <input class="input border" type="text" name="Name" style="text-transform:uppercase" required value="'.\$row[1].'">
</div>

<div class="section">
    <label>Passport Number</label>
    <input class="input border" type="text" name="No_passport" style="text-transform:uppercase" required value="'.\$row[2].'">
</div>

<div class="section">
    <label>Address</label>
    <input class="input border" type="text" name="Address" style="text-transform:uppercase" required value="'.\$row[3].'">
</div>

<div class="section">
    <label>Country</label>
    <select class="input border" name="Country">
        <option value="'.\$row[4].'">'.\$row[4].'</option>
<option value="AF">Afghanistan</option>
<option value="AL">Albania</option>
<option value="DZ">Algeria</option>
<option value="AS">American Samoa</option>
<option value="AD">Andorra</option>
<option value="AO">Angola</option>
<option value="AI">Anguilla</option>
<option value="AQ">Antarctica</option>
<option value="AG">Antigua and Barbuda</option>
<option value="AR">Argentina</option>
<option value="AM">Armenia</option>
<option value="AW">Aruba</option>
<option value="AU">Australia</option>
<option value="AT">Austria</option>
<option value="AZ">Azerbaijan</option>
<option value="BS">Bahamas</option>
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
```

```
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
<option value="ER">Eritrea</option>
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and Mc Donald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People Republic of</option>
```

```
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
<option value="MH">Marshall Islands</option>
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
<option value="MD">Moldova, Republic of</option>
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
```

```

<option value="WS">Samoa</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SL">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
<option value="SJ">Svalbard and Jan Mayen Islands</option>
<option value="SZ">Swaziland</option>
<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required
value="'.\$row[5].'">
</div>

<div class="section">
    <label>Position</label>

```

```

<input class="input border" type="text" name="Position" style="text-transform:uppercase" required value="'.\$row[6].'">
</div>

<div class="section">
    <label>Username (Email)</label><br />
    <input class="input border" type="text" required name="Username" value="'.\$row[7].'">
</div>

<div class="section">
    <label>Password</label>
    <input class="input border" type="password" name="Password" required value="'.\$row[8].'">
</div>

<button type="submit" class="button block padding-large red margin-bottom" value="edit">Edit</button>

<br><input type="hidden" name="id" value="'.\$id.'" />

</form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

editStaff.php

```

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

```

```

</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Staff.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //look for a valid user id, either through GET or POST
            if((isset($_GET['id'])) &&(is_numeric($_GET['id']))) {
                $id = $_GET['id'];
            } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
                $id = $_POST['id'];
            } else {
                echo '<p class="error">This page has been accessed in error.</p>';
                exit();
            }

            if($_SERVER['REQUEST_METHOD'] == 'POST') {
                $error = array();

                $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
                $np = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));
                $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));
                $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));
                $t = mysqli_real_escape_string ($connect, trim ($_POST['Telephone']));
                $e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
                $p = mysqli_real_escape_string ($connect, strtoupper ($_POST['Position']));
                $w = mysqli_real_escape_string ($connect, trim ($_POST['Working_since']));
                $g = mysqli_real_escape_string ($connect, strtoupper ($_POST['Gender']));
                $fst = mysqli_real_escape_string ($connect, strtoupper ($_POST['1st_speak']));
                $snd = mysqli_real_escape_string ($connect, strtoupper ($_POST['2nd_speak']));
                $trd = mysqli_real_escape_string ($connect, strtoupper ($_POST['3rd_speak']));

                //if problem occur
                if (empty($error)) {
                    $q = "SELECT Staff_id FROM staff WHERE No_passport = '$np' AND Staff_id != $id";
                    $result = @mysqli_query($connect, $q);
                }
            }
        <?php
    }
</div>

```

```

if(mysqli_num_rows($result) == 0 ) {
    $q = "UPDATE staff SET Name = '$n' , No_passport = '$np', Address = '$add'
, Country = '$c', Telephone = '$t' , Email = '$e', Position = '$p', Working_since = '$w',
Gender = '$g', 1st_speak = '$fst', 2nd_speak = '$snd', 3rd_speak = '$trd' WHERE Staff_id =
'$id' LIMIT 1";

    $result = @mysqli_query($connect, $q);

    if(mysqli_affected_rows($connect) == 1) {
        header("Location: listStaff.php");
    } else {
        echo '<p class = "error"> The user has not be edited due to the system
error. We appologize for any convinence.</p>';
        echo '<p>' . mysqli_error($connect) . '<br/> query: ' . $q. '</p>';
    }

} else {
    echo '<p class="error">The passport number has already been
registered</p>';
}
} else {
    echo '<p class="error"> The following error(s) occured: <br/>';
    foreach ($error as $msg)
    {
        echo " -$msg<br/> \n";
    }
    echo '</p><p>Please try again.</p>';
}
}

$q = "SELECT Staff_id, Name, No_passport, Address, Country, Telephone, Email, Position,
Working_since, Gender, 1st_speak, 2nd_speak, 3rd_speak FROM staff WHERE Staff_id= $id";
$result = @mysqli_query($connect, $q);

if(mysqli_num_rows($result) == 1) {
    //get patient information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);

    //create the form
    echo'<form action="editStaff.php" onsubmit="return btnEdit()" method="post">

        <div class="section">
            <label>Name</label>
            <input class="input border" type="text" name="Name" style="text-
transform:uppercase" required value="'. $row[1] .'>
        </div>

        <div class="section">
            <label>Passport Number</label>
            <input class="input border" type="text" name="No_passport" style="text-
transform:uppercase" required value="'. $row[2] .'>
        </div>

        <div class="section">
            <label>Address</label>
            <input class="input border" type="text" name="Address" style="text-
transform:uppercase" required value="'. $row[3] .'>
        </div>

        <div class="section">
            <label>Country</label>
            <select class="input border" name="Country">
                <option value="'. $row[4] .'">' . $row[4] . '</option>
            <option value="AF">Afghanistan</option>
            <option value="AL">Albania</option>
            <option value="DZ">Algeria</option>
            <option value="AS">American Samoa</option>
            <option value="AD">Andorra</option>
            <option value="AO">Angola</option>

```

```
<option value="AI">Anguilla</option>
<option value="AQ">Antarctica</option>
<option value="AG">Antigua and Barbuda</option>
<option value="AR">Argentina</option>
<option value="AM">Armenia</option>
<option value="AW">Aruba</option>
<option value="AU">Australia</option>
<option value="AT">Austria</option>
<option value="AZ">Azerbaijan</option>
<option value="BS">Bahamas</option>
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d'Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
<option value="ER">Eritrea</option>
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
```

```
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and Mc Donald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People Republic of</option>
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
<option value="MH">Marshall Islands</option>
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
<option value="MD">Moldova, Republic of</option>
```

```
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
<option value="WS">Samoa</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SI">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
<option value="SJ">Svalbard and Jan Mayen Islands</option>
<option value="SZ">Swaziland</option>
<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
```

```

<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required
value="'. $row[5] .'">
</div>

<div class="section">
    <label>Email</label>
    <input class="input border" type="text" name="Email" required
value="'. $row[6] .'">
</div>

<div class="section">
    <label>Position</label>
    <input class="input border" type="text" name="Position" style="text-
transform:uppercase" required value="'. $row[7] .'">
</div>

<div class="section">
    <label>Working since</label> <br />
    <input class="input border" type="date" required name="Working_since"
value="'. $row[8] .'">
</div>

<div class="section">
    <label>Gender</label><br />
        <input type="radio" name="Gender" value="MALE"' , ($row[9]=='MALE' ? '
checked="checked"' : '') , '> Male &nbsp; &nbsp;
        <input type="radio" name="Gender" value="FEMALE"' , ($row[9]=='FEMALE' ? '
checked="checked"' : '') , '> Female
</div>

<div class="section">
    <label>First language</label>

```

```

<input class="input border" type="text" name="1st_speak" style="text-transform:uppercase" required value="'.\$row[10].'">
</div>

<div class="section">
    <label>Second language</label>
    <input class="input border" type="text" name="2nd_speak" style="text-transform:uppercase" required value="'.\$row[11].'">
</div>

<div class="section">
    <label>Third language</label>
    <input class="input border" type="text" name="3rd_speak" style="text-transform:uppercase" required value="'.\$row[12].'">
</div>

<button type="submit" class="button block padding-large red margin-bottom" value="edit">Edit</button>

<br><input type="hidden" name="id" value="'.\$id.'" />

</form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

editFlights.php

```

<!DOCTYPE html>
<html>
<title>Edit flight</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}

```

```

</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Flight.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //look for a valid user id, either through GET or POST
            if((isset($_GET['id'])) &&(is_numeric($_GET['id']))) {
                $id = $_GET['id'];
            } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
                $id = $_POST['id'];
            } else {
                echo '<p class="error">This page has been accessed in error.</p>';
                exit();
            }

            if($_SERVER['REQUEST_METHOD'] == 'POST') {
                $error = array();

                $t = mysqli_real_escape_string ($connect, strtoupper ($_POST['Flight_type']));
                $p = mysqli_real_escape_string ($connect, trim ($_POST['Price']));
                $d = mysqli_real_escape_string ($connect, strtoupper ($_POST['Details']));

                //if problem occur
                if (empty($error)) {
                    $q = "SELECT Flight_id FROM flight WHERE Flight_type = '$t' AND Flight_id != $id";

                    $result = @mysqli_query($connect, $q);

                    if(mysqli_num_rows($result) == 0 ) {
                        $q = "UPDATE flight SET Flight_type = '$t' , Price = '$p', Details = '$d' WHERE Flight_id = '$id' LIMIT 1";

                        $result = @mysqli_query($connect, $q);

                        if(mysqli_affected_rows($connect) == 1) {
                            header("Location: listFlight.php");
                        } else {
                            echo '<p class = "error"> The data has not be edited due to the system error. We appologize for any convinence.</p>';
                            echo '<p>' .mysqli_error($connect). '<br/> query: ' . $q. '</p>';
                        }
                    } else {
                        echo '<p class="error">The data has already been registered</p>';
                    }
                } else {
            }
        }
    
```

```

echo '<p class="error"> The following error(s) occurred: <br/>';
foreach ($error as $msg)
{
    echo " -$msg<br/> \n";
}
echo '</p><p>Please try again.</p>';
}

$q = "SELECT Flight_id, Flight_type, Price, Details FROM flight WHERE Flight_id= $id";
$result = @mysqli_query($connect, $q);

if(mysqli_num_rows($result) == 1) {
    //get patient information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);

    //create the form
    echo'<form action="editFlight.php" onsubmit="return btnEdit()" method="post">

        <div class="section">
            <label>Flight type</label>
            <input class="input border" type="text" name="Flight_type" style="text-transform:uppercase" required value="'. $row[1] .'"
        </div>

        <div class="section">
            <label>Price (EUR : )</label>
            <input class="input border" type="text" name="Price" required
value="'. $row[2] .'"
        </div>

        <div class="section">
            <label>Details</label>
            <textarea name = "Details" class="input border" required rows="2" cols="30"
value=>'. $row[3] .'
        </div>

        <button type="submit" class="button block padding-large red margin-bottom"
value="edit">Edit</button>

        <br><input type="hidden" name="id" value="'. $id .'"/>
    </form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

editCustomer.php

```
<!DOCTYPE html>
<html>
<title>Edit Admin</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px; margin-top:16px; opacity:0.8; cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px; margin-right:40px">

    <!-- Header -->
    <div class="container" style="margin-top:80px" id="welcome">
        <h1 class="jumbo"><b>Balona Company</b></h1> <br />
    </div>

    <div class="container responsive" id="viewContact" style="margin-top:75px">

        <h1 class="xxxlarge text-red"><b>Edit Customer.</b></h1>
        <hr style="width:50px; border:5px solid red" class="round">

        <?php
            //look for a valid user id, either through GET or POST
            if((!isset($_GET['id'])) && (!is_numeric($_GET['id']))) {
                $id = $_GET['id'];
            } elseif ((!isset($_POST['id'])) && (!is_numeric($_POST['id']))) {
                $id = $_POST['id'];
            } else {
                echo '<p class="error">This page has been accessed in error.</p>';
                exit();
            }

            if($_SERVER['REQUEST_METHOD'] == 'POST') {
                $error = array();

                $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
                $np = mysqli_real_escape_string ($connect, strtoupper ($_POST['No_passport']));
                $add = mysqli_real_escape_string ($connect, strtoupper ($_POST['Address']));
                $c = mysqli_real_escape_string ($connect, strtoupper ($_POST['Country']));
                $e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
                $t = mysqli_real_escape_string ($connect, trim ($_POST['Telephone']));
            }
        <?php
    </div>
</div>
```

```

//if problem occur
if (empty($error)) {
    $q = "SELECT Cust_id FROM customer WHERE No_passport = '$np' AND Cust_id != $id";

    $result = @mysqli_query($connect, $q);

    if(mysqli_num_rows($result) == 0 ) {
        $q = "UPDATE customer SET Name = '$n', No_passport = '$np', Address = '$add', Country = '$c', Email='$e', Telephone = '$t' WHERE Cust_id = '$id' LIMIT 1";

        $result = @mysqli_query($connect, $q);

        if(mysqli_affected_rows($connect) == 1) {
            header("Location: listCustomer.php");
        } else {
            echo '<p class = "error"> The user has not be edited due to the system error. We appologize for any convinence.</p>';
            echo '<p>' . mysqli_error($connect) . '<br/> query: ' . $q. '</p>';
        }
    } else {
        echo '<p class="error">The passport number has already been registered</p>';
    }
} else {
    echo '<p class="error"> The following error(s) occurred: <br/>';
    foreach ($error as $msg)
    {
        echo " -$msg<br/> \n";
    }
    echo '</p><p>Please try again.</p>';
}
}

$q = "SELECT Cust_id, Name, No_passport, Address, Country, Email, Telephone FROM customer WHERE Cust_id= $id";
$result = @mysqli_query($connect, $q);

if(mysqli_num_rows($result) == 1) {
    //get patient information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);

    //create the form
    echo'<form action="editCustomer.php" onsubmit="return btnEdit()" method="post">

        <div class="section">
            <label>Name</label>
            <input class="input border" type="text" name="Name" style="text-transform:uppercase" required value="'. $row[1] .'<">
        </div>

        <div class="section">
            <label>Passport Number</label>
            <input class="input border" type="text" name="No_passport" style="text-transform:uppercase" required value="'. $row[2] .'<">
        </div>

        <div class="section">
            <label>Address</label>
            <input class="input border" type="text" name="Address" style="text-transform:uppercase" required value="'. $row[3] .'<">
        </div>

        <div class="section">
            <label>Country</label>
            <select class="input border" name="Country">

```

```
<option value="'. $row[4] .'">' . $row[4] . '</option>
<option value="AF">Afghanistan</option>
<option value="AL">Albania</option>
<option value="DZ">Algeria</option>
<option value="AS">American Samoa</option>
<option value="AD">Andorra</option>
<option value="AO">Angola</option>
<option value="AI">Anguilla</option>
<option value="AQ">Antarctica</option>
<option value="AG">Antigua and Barbuda</option>
<option value="AR">Argentina</option>
<option value="AM">Armenia</option>
<option value="AW">Aruba</option>
<option value="AU">Australia</option>
<option value="AT">Austria</option>
<option value="AZ">Azerbaijan</option>
<option value="BS">Bahamas</option>
<option value="BH">Bahrain</option>
<option value="BD">Bangladesh</option>
<option value="BB">Barbados</option>
<option value="BY">Belarus</option>
<option value="BE">Belgium</option>
<option value="BZ">Belize</option>
<option value="BJ">Benin</option>
<option value="BM">Bermuda</option>
<option value="BT">Bhutan</option>
<option value="BO">Bolivia</option>
<option value="BA">Bosnia and Herzegovina</option>
<option value="BW">Botswana</option>
<option value="BV">Bouvet Island</option>
<option value="BR">Brazil</option>
<option value="IO">British Indian Ocean Territory</option>
<option value="BN">Brunei Darussalam</option>
<option value="BG">Bulgaria</option>
<option value="BF">Burkina Faso</option>
<option value="BI">Burundi</option>
<option value="KH">Cambodia</option>
<option value="CM">Cameroon</option>
<option value="CA">Canada</option>
<option value="CV">Cape Verde</option>
<option value="KY">Cayman Islands</option>
<option value="CF">Central African Republic</option>
<option value="TD">Chad</option>
<option value="CL">Chile</option>
<option value="CN">China</option>
<option value="CX">Christmas Island</option>
<option value="CC">Cocos (Keeling) Islands</option>
<option value="CO">Colombia</option>
<option value="KM">Comoros</option>
<option value="CG">Congo</option>
<option value="CD">Congo, the Democratic Republic of the</option>
<option value="CK">Cook Islands</option>
<option value="CR">Costa Rica</option>
<option value="CI">Cote d Ivoire</option>
<option value="HR">Croatia (Hrvatska)</option>
<option value="CU">Cuba</option>
<option value="CY">Cyprus</option>
<option value="CZ">Czech Republic</option>
<option value="DK">Denmark</option>
<option value="DJ">Djibouti</option>
<option value="DM">Dominica</option>
<option value="DO">Dominican Republic</option>
<option value="TP">East Timor</option>
<option value="EC">Ecuador</option>
<option value="EG">Egypt</option>
<option value="SV">El Salvador</option>
<option value="GQ">Equatorial Guinea</option>
<option value="ER">Eritrea</option>
```

```
<option value="EE">Estonia</option>
<option value="ET">Ethiopia</option>
<option value="FK">Falkland Islands (Malvinas)</option>
<option value="FO">Faroe Islands</option>
<option value="FJ">Fiji</option>
<option value="FI">Finland</option>
<option value="FR">France</option>
<option value="FX">France, Metropolitan</option>
<option value="GF">French Guiana</option>
<option value="PF">French Polynesia</option>
<option value="TF">French Southern Territories</option>
<option value="GA">Gabon</option>
<option value="GM">Gambia</option>
<option value="GE">Georgia</option>
<option value="DE">Germany</option>
<option value="GH">Ghana</option>
<option value="GI">Gibraltar</option>
<option value="GR">Greece</option>
<option value="GL">Greenland</option>
<option value="GD">Grenada</option>
<option value="GP">Guadeloupe</option>
<option value="GU">Guam</option>
<option value="GT">Guatemala</option>
<option value="GN">Guinea</option>
<option value="GW">Guinea-Bissau</option>
<option value="GY">Guyana</option>
<option value="HT">Haiti</option>
<option value="HM">Heard and McDonald Islands</option>
<option value="VA">Holy See (Vatican City State)</option>
<option value="HN">Honduras</option>
<option value="HK">Hong Kong</option>
<option value="HU">Hungary</option>
<option value="IS">Iceland</option>
<option value="IN">India</option>
<option value="ID">Indonesia</option>
<option value="IR">Iran (Islamic Republic of)</option>
<option value="IQ">Iraq</option>
<option value="IE">Ireland</option>
<option value="IL">Israel</option>
<option value="IT">Italy</option>
<option value="JM">Jamaica</option>
<option value="JP">Japan</option>
<option value="JO">Jordan</option>
<option value="KZ">Kazakhstan</option>
<option value="KE">Kenya</option>
<option value="KI">Kiribati</option>
<option value="KP">Korea, Democratic People's Republic of</option>
<option value="KR">Korea, Republic of</option>
<option value="KW">Kuwait</option>
<option value="KG">Kyrgyzstan</option>
<option value="LA">Lao People's Democratic Republic</option>
<option value="LV">Latvia</option>
<option value="LB">Lebanon</option>
<option value="LS">Lesotho</option>
<option value="LR">Liberia</option>
<option value="LY">Libyan Arab Jamahiriya</option>
<option value="LI">Liechtenstein</option>
<option value="LT">Lithuania</option>
<option value="LU">Luxembourg</option>
<option value="MO">Macau</option>
<option value="MK">Macedonia</option>
<option value="MG">Madagascar</option>
<option value="MW">Malawi</option>
<option value="MY">Malaysia</option>
<option value="MV">Maldives</option>
<option value="ML">Mali</option>
<option value="MT">Malta</option>
<option value="MH">Marshall Islands</option>
```

```
<option value="MQ">Martinique</option>
<option value="MR">Mauritania</option>
<option value="MU">Mauritius</option>
<option value="YT">Mayotte</option>
<option value="MX">Mexico</option>
<option value="FM">Micronesia, Federated States of</option>
<option value="MD">Moldova, Republic of</option>
<option value="MC">Monaco</option>
<option value="MN">Mongolia</option>
<option value="MS">Montserrat</option>
<option value="MA">Morocco</option>
<option value="MZ">Mozambique</option>
<option value="MM">Myanmar</option>
<option value="NA">Namibia</option>
<option value="NR">Nauru</option>
<option value="NP">Nepal</option>
<option value="NL">Netherlands</option>
<option value="AN">Netherlands Antilles</option>
<option value="NC">New Caledonia</option>
<option value="NZ">New Zealand</option>
<option value="NI">Nicaragua</option>
<option value="NE">Niger</option>
<option value="NG">Nigeria</option>
<option value="NU">Niue</option>
<option value="NF">Norfolk Island</option>
<option value="MP">Northern Mariana Islands</option>
<option value="NO">Norway</option>
<option value="OM">Oman</option>
<option value="PK">Pakistan</option>
<option value="PW">Palau</option>
<option value="PA">Panama</option>
<option value="PG">Papua New Guinea</option>
<option value="PY">Paraguay</option>
<option value="PE">Peru</option>
<option value="PH">Philippines</option>
<option value="PN">Pitcairn</option>
<option value="PL">Poland</option>
<option value="PT">Portugal</option>
<option value="PR">Puerto Rico</option>
<option value="QA">Qatar</option>
<option value="RE">Reunion</option>
<option value="RO">Romania</option>
<option value="RU">Russian Federation</option>
<option value="RW">Rwanda</option>
<option value="KN">Saint Kitts and Nevis</option>
<option value="LC">Saint LUCIA</option>
<option value="VC">Saint Vincent and the Grenadines</option>
<option value="WS">Samoan</option>
<option value="SM">San Marino</option>
<option value="ST">Sao Tome and Principe</option>
<option value="SA">Saudi Arabia</option>
<option value="SN">Senegal</option>
<option value="SC">Seychelles</option>
<option value="SL">Sierra Leone</option>
<option value="SG">Singapore</option>
<option value="SK">Slovakia (Slovak Republic)</option>
<option value="SI">Slovenia</option>
<option value="SB">Solomon Islands</option>
<option value="SO">Somalia</option>
<option value="ZA">South Africa</option>
<option value="GS">South Georgia and the South Sandwich Islands</option>
<option value="ES">Spain</option>
<option value="LK">Sri Lanka</option>
<option value="SH">St. Helena</option>
<option value="PM">St. Pierre and Miquelon</option>
<option value="SD">Sudan</option>
<option value="SR">Suriname</option>
<option value="SJ">Svalbard and Jan Mayen Islands</option>
```

```
<option value="SZ">Swaziland</option>
<option value="SE">Sweden</option>
<option value="CH">Switzerland</option>
<option value="SY">Syrian Arab Republic</option>
<option value="TW">Taiwan, Province of China</option>
<option value="TJ">Tajikistan</option>
<option value="TZ">Tanzania, United Republic of</option>
<option value="TH">Thailand</option>
<option value="TG">Togo</option>
<option value="TK">Tokelau</option>
<option value="TO">Tonga</option>
<option value="TT">Trinidad and Tobago</option>
<option value="TN">Tunisia</option>
<option value="TR">Turkey</option>
<option value="TM">Turkmenistan</option>
<option value="TC">Turks and Caicos Islands</option>
<option value="TV">Tuvalu</option>
<option value="UG">Uganda</option>
<option value="UA">Ukraine</option>
<option value="AE">United Arab Emirates</option>
<option value="GB">United Kingdom</option>
<option value="US">United States</option>
<option value="UM">United States Minor Outlying Islands</option>
<option value="UY">Uruguay</option>
<option value="UZ">Uzbekistan</option>
<option value="VU">Vanuatu</option>
<option value="VE">Venezuela</option>
<option value="VN">Viet Nam</option>
<option value="VG">Virgin Islands (British)</option>
<option value="VI">Virgin Islands (U.S.)</option>
<option value="WF">Wallis and Futuna Islands</option>
<option value="EH">Western Sahara</option>
<option value="YE">Yemen</option>
<option value="YU">Yugoslavia</option>
<option value="ZM">Zambia</option>
<option value="ZW">Zimbabwe</option>
</select>
</div>

<div class="section">
    <label>Email</label>
    <input class="input border" type="text" name="Email" required
value=".{$row[5].'">
</div>

<div class="section">
    <label>Telephone</label>
    <input class="input border" type="text" name="Telephone" required
value=".{$row[6].'">
</div>

<button type="submit" class="button block padding-large red margin-bottom"
value="edit">Edit</button>

<br><input type="hidden" name="id" value=".{$id. '">

</form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
```

```
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

editBooking.php

```
<!DOCTYPE html>
<html>
<title>Edit booking</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Edit Booking.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php
        //look for a valid user id, either through GET or POST
        if((isset($_GET['id'])) &&(is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class="error">This page has been accessed in error.</p>';
            exit();
        }
    </?php>
```

```

if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array();

    $cust = mysqli_real_escape_string ($connect, trim ($_POST['Cust_id']));
    $ft = mysqli_real_escape_string ($connect, trim ($_POST['Flight_id']));
    $fd1 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date1']));
    $fd2 = mysqli_real_escape_string ($connect, trim ($_POST['Flight_date2']));
    $adl = mysqli_real_escape_string ($connect, trim ($_POST['No_adult']));
    $chd = mysqli_real_escape_string ($connect, trim ($_POST['No_child']));
    $p = mysqli_real_escape_string ($connect, strtoupper
($_POST['Details_passanger']));

    $a = mysqli_real_escape_string ($connect, strtoupper ($_POST['Accommodation']));
    $m = mysqli_real_escape_string ($connect, strtoupper ($_POST['Message']));

    //if problem occur
    if (empty($error)) {
        $q = "SELECT Book_id FROM booking WHERE Cust_id = '$cust' AND Book_id != $id";

        $result = @mysqli_query($connect, $q);

        if(mysqli_num_rows($result) == 0 ) {
            $q = "UPDATE booking SET Cust_id = '$cust' , Flight_id = '$ft',
Flight_date1 = '$fd1' , Flight_date2 = '$fd2' , No_adult = '$adl' , No_child = '$chd',
Details_passanger = '$p' , Accommodation = '$a' , Message = '$m' WHERE Book_id = '$id' LIMIT
1";

            $result = @mysqli_query($connect, $q);

            if(mysqli_affected_rows($connect) == 1) {
                header("Location: listBooking.php");
            } else {
                echo '<p class = "error"> The booking has not be edited due to the
system error. We appologize for any convinence.</p>';
                echo '<p>' . mysqli_error($connect) . '<br/> query: ' . $q. '</p>';
            }
        } else {
            echo '<h3 class="error text-red">The customer id number has already been
registered</h3>';
        }
    } else {
        echo '<p class="error"> The following error(s) occurred: <br/>';
        foreach ($error as $msg)
        {
            echo " -$msg<br/> \n";
        }
        echo '</p><p>Please try again.</p>';
    }
}

$q = "SELECT Book_id, Cust_id, Flight_id, Flight_date1, Flight_date2, No_adult,
No_child, Details_passanger, Accommodation, Message FROM booking WHERE Book_id= $id";
$result = @mysqli_query($connect, $q);

$result2 = mysqli_query($connect, "SELECT * From customer");
$row2 = mysqli_num_rows($result2);

if(mysqli_num_rows($result) == 1) {
    //get booking information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);
}

```

```

//create the form
echo'<form action="editBooking.php" onsubmit="return btnEdit()" method="post">

    <div class="section">
        <label>Customer name</label><br />
        <select class="input border" name="Cust_id">
            <option value="'. $row[1] .'">' . $row[1] . '</option>';
            while ($row2 = mysqli_fetch_array($result2)){
                echo "<option value='". $row2['Cust_id'] ."'>" . $row2['Name'] . "</option>" ;
            }
            echo '</select>
    </div>

    <div class="section">
        <label>Flight Type</label> <br />
        <input type="radio" name="Flight_id" value="1"' , ($row[2]=='1' ? 'checked="checked"' : '') , '> Economy Class Flight &nbsp; &nbsp;
        <input type="radio" name="Flight_id" value="2"' , ($row[2]=='2' ? 'checked="checked"' : '') , '> Comfort Class Flight &nbsp; &nbsp;
        <input type="radio" name="Flight_id" value="3"' , ($row[2]=='3' ? 'checked="checked"' : '') , '> Deluxe Class Flight
    </div>

    <div class="section">
        <label>Flight Date</label>
        <input class="input border" type="date" required name="Flight_date1" value =
        "'. $row[3] .' >
    </div>

    <div class="section">
        <label>Flight Date (Alternative)</label>
        <input class="input border" type="date" required name="Flight_date2" value =
        "'. $row[4] .' >
    </div>

    <div class="section">
        <label>Number of Adult</label>
        <input class="input border" type="number" value="1" name="No_adult" min="1"
max="6" value = "'. $row[5] .'>
    </div>

    <div class="section">
        <label>Number of Children (6-12 years old)</label>
        <input class="input border" type="number" value="0" name="No_child" min="0"
max="6" value = "'. $row[6] .'>
    </div>

    <div class="section">
        <label>Names of passanger</label> <br />
        <textarea name = "Details_passanger" class="input border" required rows="5"
cols="40" value= '>'. $row[7] .'</textarea>
    </div>

    <div class="section">
        <label>Accommodation detail</label>
        <textarea name = "Accommodation" class="input border" required rows="2"
cols="30" value= '>'. $row[8] .'</textarea>
    </div>

    <div class="section">
        <label>Message</label>
        <textarea name = "Message" class="input border" required rows="2" cols="30"
value= '>'. $row[9] .'</textarea>
    </div>

```

```
<button type="submit" class="button block padding-large red margin-bottom" value="edit">Edit</button>

<br><input type="hidden" name="id" value="'. $id .'" />

</form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

editMessage.php

```
<!DOCTYPE html>
<html>
<title>Edit message</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>
```

```

<div class="container responsive" id="viewContact" style="margin-top:75px">

<h1 class="xxxlarge text-red"><b>Edit Message.</b></h1>
<hr style="width:50px; border:5px solid red" class="round">

<?php
//look for a valid user id, either through GET or POST
if((!isset($_GET['id'])) && (!is_numeric($_GET['id']))) {
    $id = $_GET['id'];
} elseif ((!isset($_POST['id'])) && (!is_numeric($_POST['id']))) {
    $id = $_POST['id'];
} else {
    echo '<p class="error">This page has been accessed in error.</p>';
    exit();
}

if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $error = array();

    $n = mysqli_real_escape_string ($connect, strtoupper ($_POST['Name']));
    $e = mysqli_real_escape_string ($connect, trim ($_POST['Email']));
    $m = mysqli_real_escape_string ($connect, trim ($_POST['Message']));

    //if problem occur
    if (empty($error)) {
        $q = "SELECT Contact_id FROM contact WHERE Message = '$m' AND Contact_id != $id";

        $result = @mysqli_query($connect, $q);

        if(mysqli_num_rows($result) == 0 ) {
            $q = "UPDATE contact SET Name = '$n' , Email = '$e', Message = '$m' WHERE Contact_id = '$id' LIMIT 1";

            $result = @mysqli_query($connect, $q);

            if(mysqli_affected_rows($connect) == 1) {
                header("Location: listContact.php");
            } else {
                echo '<p class = "error"> The message has not been edited due to the system error. We apologize for any inconvenience.</p>';
                echo '<p>' . mysqli_error($connect) . '<br/> query: ' . $q. '</p>';
            }
        } else {
            echo '<p class="error">The message has already been registered</p>';
        }
    } else {
        echo '<p class="error"> The following error(s) occurred: <br/>';
        foreach ($error as $msg)
        {
            echo " -$msg<br/> \n";
        }
        echo '</p><p>Please try again.</p>';
    }
}

$q = "SELECT Contact_id, Name, Email, Message FROM contact WHERE Contact_id= $id";
$result = @mysqli_query($connect, $q);

if(mysqli_num_rows($result) == 1) {
    //get patient information
    $row = mysqli_fetch_array ($result, MYSQLI_NUM);

    //create the form
    echo'<form action="editContact.php" onsubmit="return btnEdit()" method="post">

```

```

<div class="section">
    <label>Name</label>
    <input class="input border" type="text" name="Name" style="text-transform:uppercase" required value="'.\$row[1].'">
</div>

<div class="section">
    <label>Email</label>
    <input class="input border" type="text" name="Email" required value="'.\$row[2].'">
</div>

<div class="section">
    <label>Message</label>
    <textarea name = "Message" class="input border" required rows="2" cols="30" value= '>'.\$row[3].'</textarea>
</div>

    <button type="submit" class="button block padding-large red margin-bottom" value="edit">Edit</button>

    <br><input type="hidden" name="id" value="'.\$id.'" />
</form>';

} else {
    echo '<p class="error"> This page has been accessed in error.</p>';
}

mysqli_close ($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

deleteAdmin.php

```

<!DOCTYPE html>
<html>
<title>Delete Admin</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px; }

```

```

.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Delete Admin.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php

        if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class ="error">This page has been accessed in error.</p>';
            exit();
        }

        if ($_SERVER ['REQUEST_METHOD'] =='POST'){
            if ($_POST['sure']=='Yes') {

                //make the query
                $q = "Delete FROM admin WHERE Admin_id=$id LIMIT 1";
                $result = @mysql_query ($connect,$q);

                if (mysql_affected_rows($connect)==1){
                    echo '<h3>Data is permanently deleted.</h3>';
                }else{
                    echo '<p class ="error">The record could not be deleted <br> probably
because it does not
                        exist or due to system error.<p>';
                }

                echo '<p>'.mysql_error($connect). '<br/>Query:'.$q.'</p>';
            }

        }else{
            echo '<h3>The user has NOT been deleted.</h3>';
        }

    }else{

        $q ="SELECT Name FROM admin WHERE Admin_id = $id";
        $result =@mysql_query($connect,$q);
        if (mysql_num_rows($result)==1){

            $row =mysql_fetch_array($result,MYSQLI_NUM);
            echo "<h3>Are you sure want to permanently delete $row[0]?</h3>";
            echo '<form action ="deleteAdmin.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
';
        }
    }
}

```

```

        <input type ="hidden" name ="id" value="'. $id .'">
        </form>';
    }else{
        echo '<p class ="error"> This page has been accessed in error.</p>';
        echo '<p>&nbsp;</p>';
    }
}

mysqli_close($connect);
?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

deleteStaff.php

```

<!DOCTYPE html>
<html>
<title>Admin Site</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

```

```

<h1 class="xxxlarge text-red"><b>Delete Staff.</b></h1>
<hr style="width:50px; border:5px solid red" class="round">

<?php

if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
    $id = $_GET['id'];
} elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
    $id = $_POST['id'];
} else {
    echo '<p class ="error">This page has been accessed in error.</p>';
    exit();
}

if ($_SERVER ['REQUEST_METHOD'] =='POST') {
    if ($_POST['sure']=='Yes') {

        //make the query
        $q = "Delete FROM staff WHERE Staff_id=$id LIMIT 1";
        $result = @mysqli_query ($connect,$q);

        if (mysqli_affected_rows($connect)==1){
            echo '<h3>Data is permanently deleted.</h3>';
        }else{
            echo '<p class ="error">The record could not be deleted <br> probably
because it does not
exist or due to system error.<p>';
            echo '<p>' . mysqli_error($connect) . '<br/>Query:' . $q . '</p>';
        }
    }else{
        echo '<h3>The user has NOT been deleted.</h3>';
    }
}

$q ="SELECT Name FROM staff WHERE Staff_id = $id";
$result =@mysqli_query ($connect,$q);
if (mysqli_num_rows($result)==1){

    $row =mysqli_fetch_array($result,MYSQLI_NUM);
    echo "<h3>Are you sure want to permanently delete $row[0]?</h3>";
    echo '<form action ="deleteStaff.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
<input type ="hidden" name ="id" value="'. $id .'>
</form>';
}else{
    echo '<p class ="error"> This page has been accessed in error.</p>';
    echo '<p>&nbsp;</p>';
}
}

mysqli_close($connect);

?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

```

```
<!-- include JavaScript -->
<?php include("script.php"); ?>

</body>
</html>
```

deleteFlight.php

```
<!DOCTYPE html>
<html>
<title>Delete Flight</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Delete Flight.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php

        if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class ="error">This page has been accessed in error.</p>';
            exit();
        }

        if ($_SERVER ['REQUEST_METHOD'] =='POST') {
            if ($_POST['sure']=='Yes') {

                //make the query
                $q = "Delete FROM flight WHERE Flight_id=$id LIMIT 1";
                $result = @mysql_query ($connect,$q);
            }
        }
    </?php>
</div>
</div>
```

```

        if (mysqli_affected_rows($connect)==1){
            echo '<h3>Data is permanently deleted.</h3>';
        }else{
            echo '<p class ="error">The record could not be deleted <br> probably
because it does not
exist or due to system error.<p>';
            echo '<p>'.mysqli_error($connect). '<br/>Query:'.$q.'</p>';
        }

    }else{
        echo '<h3>The user has NOT been deleted.</h3>';
    }

}else{

    $q ="SELECT Flight_type FROM flight WHERE Flight_id = $id";
    $result =@mysqli_query($connect,$q);
    if (mysqli_num_rows($result)==1){

        $row =mysqli_fetch_array($result,MYSQLI_NUM);
        echo "<h3>Are you sure want to permanently delete $row[0]?</h3>";
        echo '<form action ="deleteFlight.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
<input type ="hidden" name ="id" value="'.$id.'">
</form>';
    }else{
        echo '<p class ="error"> This page has been accessed in error.</p>';
        echo '<p>&ampnbsp</p>';
    }
}

mysqli_close($connect);

?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript -->
<?php include("script.php"); ?>

</body>
</html>

```

deleteCustomer.php

```

<!DOCTYPE html>
<html>
<title>Delete Customer</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">

```

```

<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Delete Customer.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php

        if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class ="error">This page has been accessed in error.</p>';
            exit();
        }

        if ($_SERVER ['REQUEST_METHOD'] =='POST') {
            if ($_POST['sure']=='Yes') {

                //make the query
                $q = "Delete FROM customer WHERE Cust_id=$id LIMIT 1";
                $result = @mysqli_query ($connect,$q);

                if (mysqli_affected_rows($connect)==1){
                    echo '<h3>Data is permenantly deleted.</h3>';
                }else{
                    echo '<p class ="error">The record could not be deleted <br> probably
because it does not
exist or due to system error.<p>';
                }

                echo '<p>' . mysqli_error($connect) . '<br/>Query:' . $q . '</p>';
            }
        }else{
            echo '<h3>The customer has NOT been deleted.</h3>';
        }
    }

    $q ="SELECT Name FROM customer WHERE Cust_id = $id";
    $result =@mysqli_query($connect,$q);
    if (mysqli_num_rows($result)==1){


```

```

$row =mysqli_fetch_array($result,MYSQLI_NUM);
echo "<h3>Are you sure want to permanently delete customer: $row[0]?</h3>";
echo '<form action ="deleteCustomer.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
<input type ="hidden" name ="id" value="'.$id.'">
</form>';
} else{
    echo '<p class ="error"> This page has been accessed in error.</p>';
    echo '<p>&ampnbsp</p>';
}
}

mysqli_close($connect);

?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```

deleteBooking.php

```

<!DOCTYPE html>
<html>
<title>Delete Booking</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website -->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style -->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

```

```

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Delete Booking.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php

        if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))) {
            $id = $_POST['id'];
        } else {
            echo '<p class ="error">This page has been accessed in error.</p>';
            exit();
        }

        if ($_SERVER ['REQUEST_METHOD'] =='POST') {
            if ($_POST['sure']=='Yes') {

                //make the query
                $q = "Delete FROM booking WHERE Book_id=$id LIMIT 1";
                $result = @mysql_query ($connect,$q);

                if (mysql_affected_rows($connect)==1){
                    echo '<h3>Data is permanently deleted.</h3>';
                }else{
                    echo '<p class ="error">The record could not be deleted <br> probably
because it does not
exist or due to system error.<p>';
                    echo '<p>'.mysql_error($connect). '<br/>Query:'.$q.'</p>';
                }
            }else{
                echo '<h3>The user has NOT been deleted.</h3>';
            }
        }else{

            $q ="SELECT Cust_id FROM booking WHERE Book_id = $id";
            $result =@mysql_query($connect,$q);
            if (mysql_num_rows($result)==1){

                $row =mysql_fetch_array($result,MYSQLI_NUM);
                echo "<h3>Are you sure want to permanently delete $row[0]?</h3>";
                echo '<form action ="deleteBooking.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
<input type ="hidden" name ="id" value="'. $id .'>
</form>';
            }else{
                echo '<p class ="error"> This page has been accessed in error.</p>';
                echo '<p>&nbsp;</p>';
            }
        }

        mysql_close($connect);

    ?>
</div>

<!-- End page content -->
</div>

<!-- footer -->

```

```
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>
```

deleteContact.php

```
<!DOCTYPE html>
<html>
<title>Delete Message</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Set icon website --->
<link rel="icon" type="image/png" href="image/icons/folder.png"/>
<!-- import css style --->
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Poppins">

<style>
body,h1,h2,h3,h4,h5 {font-family: "Poppins", sans-serif}
body {font-size:16px;}
.half img{margin-bottom:-6px;margin-top:16px;opacity:0.8;cursor:pointer}
.half img:hover{opacity:1}
</style>

<body>

<!-- database link -->
<?php include ("header.php");?>

<!-- navbar on side -->
<?php include ("navbarAdmin.php");?>

<!-- !PAGE CONTENT! -->
<div class="main" style="margin-left:340px;margin-right:40px">

<!-- Header -->
<div class="container" style="margin-top:80px" id="welcome">
    <h1 class="jumbo"><b>Balona Company</b></h1> <br />
</div>

<div class="container responsive" id="viewContact" style="margin-top:75px">

    <h1 class="xxxlarge text-red"><b>Delete Message.</b></h1>
    <hr style="width:50px; border:5px solid red" class="round">

    <?php

        if ((isset($_GET['id'])) && (is_numeric($_GET['id']))) {
            $id = $_GET['id'];
        } elseif ((isset($_POST['id'])) && (is_numeric($_POST['id']))){
            $id = $_POST['id'];
        } else {
            echo '<p class ="error">This page has been accessed in error.</p>';
            exit();
        }

        if ($_SERVER ['REQUEST_METHOD'] =='POST') {
```

```

if ($_POST['sure']=='Yes') {

//make the query
$q = "Delete FROM contact WHERE Contact_id=$id LIMIT 1";
$result = @mysql_query ($connect,$q);

if (mysql_affected_rows($connect)==1){
    echo '<script language="text/javascript">';
    echo 'alert("Data is permanently deleted.");';
    echo '</script>';

    header("Location:listContact.php");

} else{
    echo '<p class ="error">The record could not be deleted <br> probably
because it does not
exist or due to system error.<p>';

echo '<p>'.mysql_error($connect). '<br/>Query:'.$q.'</p>';
}

} else{
    echo '<h3>The message has NOT been deleted.</h3>';
}

} else{

$q ="SELECT Name FROM contact WHERE Contact_id = $id";
$result =@mysql_query($connect,$q);
if (mysql_num_rows($result)==1){

$row =mysql_fetch_array($result,MYSQLI_NUM);
echo "<h3>Are you sure want to permanently delete $row[0] message?</h3>";
echo '<form action ="deleteContact.php" method="post">
<input id="submit-no" type="submit" name="sure" value="Yes">
<input id="submit-no" type="submit" name="sure" value="No">
<input type ="hidden" name ="id" value="'. $id .'>
</form>';
} else{
    echo '<p class ="error"> This page has been accessed in error.</p>';
    echo '<p>&nbsp;</p>';
}
}

mysqli_close($connect);

?>
</div>

<!-- End page content -->
</div>

<!-- footer -->
<div class="light-grey container padding-32" style="margin-top:75px;padding-right:58px">
<p class="right">&copy; Copyright Balona 2018</p>
</div>

<!-- include JavaScript --->
<?php include("script.php"); ?>

</body>
</html>

```


Program software: