Table 1 (reproduction). Simulation 1: relative bias, estimated SE and coverage of the naive and RRC estimators of β (B = 2000 replicates per cell).

				Relative bias (%)		Estimated SE		95% CP	SE/SD	Median rel. bias (%)	
Model	Error	Generation of C	B_{conv}	Naive	RRC	Naive	RRC	RRC	RRC	Naive	RRC
Cox	Additive	Independent	2000	−51.2 (−47.0)	−2.0 (−3.3)	0.119 (0.054)	0.232 (0.093)	95.5 (94.8)	1.00	−50.9	−2.2
		AR(1)	2000	−49.6 (−52.4)	0.9 (−4.5)	0.082 (0.056)	0.163 (0.105)	94.2 (94.3)	0.99	−49.4	0.9
		DEX	2000	−50.9 (−52.1)	−1.8 (−4.8)	0.075 (0.055)	0.149 (0.105)	94.5 (94.2)	1.00	−51.0	−1.3
	Multiplicative	Independent	2000	−44.8 (−48.2)	7.1 (−3.6)	0.167 (0.059)	0.302 (0.096)	93.0 (94.5)	0.94	−44.2	7.4
		AR(1)	2000	−47.8 (−52.7)	4.8 (−4.9)	0.097 (0.059)	0.190 (0.111)	94.3 (94.2)	0.99	−47.8	4.0
		DEX	2000	−47.5 (−52.7)	5.1 (−5.0)	0.077 (0.061)	0.154 (0.112)	95.0 (94.2)	1.01	−46.9	6.4
ERR	Additive	Independent	1860	−31.6 (−49.3)	33.1 (−4.8)	0.370 (0.077)	0.718 (0.106)	90.1 (94.4)	1.13	−51.8	−3.9
		AR(1)	1902	−43.0 (−53.4)	14.3 (−6.1)	0.200 (0.086)	0.401 (0.111)	92.5 (94.2)	1.06	−51.1	−2.1
		DEX	1923	−45.8 (−54.0)	8.6 (−7.0)	0.173 (0.089)	0.346 (0.110)	91.8 (94.1)	1.06	−52.4	−4.8
	Multiplicative	Independent	1866	26.2 (−50.1)	117.9 (−5.0)	2.205 (0.083)	3.038 (0.110)	89.5 (94.2)	1.36	−55.8	−11.5
		AR(1)	1989	−16.4 (−55.6)	65.7 (−6.9)	0.608 (0.092)	1.133 (0.114)	90.7 (94.0)	0.76	−50.4	1.3
		DEX	1999	−31.3 (−56.0)	38.7 (−7.8)	0.317 (0.091)	0.637 (0.113)	90.9 (94.0)	0.72	−50.8	0.2

Entries are our estimates with the paper's Table 1 values in (gray). Rows with C resampled from the Uminer data are not reproduced.
$n_1 = 2400$, $T^* = 55$, $n_2 = 800$ validation subjects with 3000 pairs (at most 8 per subject); true $\beta = \log 1.5$ (Cox) and 0.423 (ERR); cumulative incidence about 10%.
B_{conv}: replicates in which all three fits (true, naive, RRC) converged; ERR fits ending on the parameter boundary are excluded.
Relative bias = $100(\bar{\hat{\beta}} - \beta)/\beta$; estimated SE is the mean model-based SE (naive) or sandwich SE (RRC); SE/SD is mean SE over the empirical SD of $\hat{\beta}$; 95% CP is coverage of the Wald interval. Median relative bias uses the median of $\hat{\beta}$ in place of the mean.