Table 1 (reproduction). Simulation 1: relative bias, estimated SE and coverage of the naive and RRC estimators of β (B = 2000 replicates per cell).

				Relative bias (%)		Estimated SE		95% CP	SE/SD	Median rel. bias (%)	
Model	Error	Generation of C	B_{conv}	Naive	RRC	Naive	RRC	RRC	RRC	Naive	RRC
Cox	Additive	Independent	2000	−50.8 (−47.0)	−1.5 (−3.3)	0.055 (0.054)	0.108 (0.093)	95.1 (94.8)	1.00	−51.0	−1.5
		AR(1)	2000	−49.7 (−52.4)	0.8 (−4.5)	0.056 (0.056)	0.111 (0.105)	94.6 (94.3)	0.99	−49.8	0.7
		DEX	2000	−50.8 (−52.1)	−1.4 (−4.8)	0.056 (0.055)	0.112 (0.105)	95.3 (94.2)	1.00	−50.6	−1.0
	Multiplicative	Independent	2000	−44.9 (−48.2)	9.9 (−3.6)	0.065 (0.059)	0.130 (0.096)	90.3 (94.5)	0.89	−44.4	9.7
		AR(1)	2000	−48.6 (−52.7)	2.8 (−4.9)	0.060 (0.059)	0.121 (0.111)	93.5 (94.2)	0.97	−48.2	2.8
		DEX	2000	−49.0 (−52.7)	2.0 (−5.0)	0.060 (0.061)	0.120 (0.112)	95.0 (94.2)	1.00	−48.4	3.0
ERR	Additive	Independent	1856	−47.2 (−49.3)	5.4 (−4.8)	0.162 (0.077)	0.322 (0.106)	93.6 (94.4)	1.15	−51.4	−2.4
		AR(1)	1923	−45.1 (−53.4)	9.5 (−6.1)	0.167 (0.086)	0.334 (0.111)	93.3 (94.2)	1.09	−51.3	−2.2
		DEX	1946	−45.1 (−54.0)	9.9 (−7.0)	0.170 (0.089)	0.341 (0.110)	92.4 (94.1)	1.05	−52.0	−4.1
	Multiplicative	Independent	1998	−57.7 (−50.1)	−13.5 (−5.0)	0.089 (0.083)	0.188 (0.110)	84.3 (94.2)	1.00	−61.2	−20.7
		AR(1)	2000	−50.6 (−55.6)	−0.2 (−6.9)	0.089 (0.092)	0.184 (0.114)	91.3 (94.0)	0.95	−54.0	−7.4
		DEX	2000	−50.2 (−56.0)	0.6 (−7.8)	0.081 (0.091)	0.167 (0.113)	91.2 (94.0)	0.97	−52.5	−4.6

Entries are our estimates with the paper's Table 1 values in (gray). Rows with C resampled from the Uminer data are not reproduced.
$n_1 = 2400$, $T^* = 55$, $n_2 = 800$ validation subjects with 3000 pairs (at most 8 per subject); true $\beta = \log 1.5$ (Cox) and 0.423 (ERR); cumulative incidence about 10%.
B_{conv}: replicates in which all three fits (true, naive, RRC) converged; ERR fits ending on the parameter boundary are excluded.
Relative bias = $100(\bar{\hat{\beta}} - \beta)/\beta$; estimated SE is the mean model-based SE (naive) or sandwich SE (RRC); SE/SD is mean SE over the empirical SD of $\hat{\beta}$; 95% CP is coverage of the Wald interval. Median relative bias uses the median of $\hat{\beta}$ in place of the mean.