

Option-O Lagom casa 粒径対応表

1周50クリック(1ギア=5クリック)。1クリック $\approx$ 4.68 μ m変化。

周回数	ギア	グリッド	総クリック数	粒径 (μ m)
0	0	0	0	0 μ m
0	0	1	1	5 μ m
0	0	2	2	9 μ m
0	0	3	3	14 μ m
0	0	4	4	19 μ m
0	1	0	5	23 μ m
0	1	1	6	28 μ m
0	1	2	7	33 μ m
0	1	3	8	37 μ m
0	1	4	9	42 μ m
0	2	0	10	47 μ m
0	2	1	11	52 μ m
0	2	2	12	56 μ m
0	2	3	13	61 μ m
0	2	4	14	66 μ m
0	3	0	15	70 μ m
0	3	1	16	75 μ m
0	3	2	17	80 μ m
0	3	3	18	84 μ m
0	3	4	19	89 μ m
0	4	0	20	94 μ m
0	4	1	21	98 μ m
0	4	2	22	103 μ m
0	4	3	23	108 μ m
0	4	4	24	112 μ m
0	5	0	25	117 μ m
0	5	1	26	122 μ m
0	5	2	27	126 μ m
0	5	3	28	131 μ m
0	5	4	29	136 μ m
0	6	0	30	140 μ m
0	6	1	31	145 μ m

0	6	2	32	150 µm
0	6	3	33	155 µm
0	6	4	34	159 µm
0	7	0	35	164 µm
0	7	1	36	169 µm
0	7	2	37	173 µm
0	7	3	38	178 µm
0	7	4	39	183 µm
0	8	0	40	187 µm
0	8	1	41	192 µm
0	8	2	42	197 µm
0	8	3	43	201 µm
0	8	4	44	206 µm
0	9	0	45	211 µm
0	9	1	46	215 µm
0	9	2	47	220 µm
0	9	3	48	225 µm
0	9	4	49	229 µm
1	0	0	50	234 µm
1	0	1	51	239 µm
1	0	2	52	243 µm
1	0	3	53	248 µm
1	0	4	54	253 µm
1	1	0	55	258 µm
1	1	1	56	262 µm
1	1	2	57	267 µm
1	1	3	58	272 µm
1	1	4	59	276 µm
1	2	0	60	281 µm
1	2	1	61	286 µm
1	2	2	62	290 µm
1	2	3	63	295 µm
1	2	4	64	300 µm
1	3	0	65	304 µm
1	3	1	66	309 µm
1	3	2	67	314 µm

1	3	3	68	318 µm
1	3	4	69	323 µm
1	4	0	70	328 µm
1	4	1	71	332 µm
1	4	2	72	337 µm
1	4	3	73	342 µm
1	4	4	74	346 µm
1	5	0	75	351 µm
1	5	1	76	356 µm
1	5	2	77	361 µm
1	5	3	78	365 µm
1	5	4	79	370 µm
1	6	0	80	375 µm
1	6	1	81	379 µm
1	6	2	82	384 µm
1	6	3	83	389 µm
1	6	4	84	393 µm
1	7	0	85	398 µm
1	7	1	86	403 µm
1	7	2	87	407 µm
1	7	3	88	412 µm
1	7	4	89	417 µm
1	8	0	90	421 µm
1	8	1	91	426 µm
1	8	2	92	431 µm
1	8	3	93	435 µm
1	8	4	94	440 µm
1	9	0	95	445 µm
1	9	1	96	449 µm
1	9	2	97	454 µm
1	9	3	98	459 µm
1	9	4	99	464 µm
2	0	0	100	468 µm
2	0	1	101	473 µm
2	0	2	102	478 µm
2	0	3	103	482 µm

2	0	4	104	487 µm
2	1	0	105	492 µm
2	1	1	106	496 µm
2	1	2	107	501 µm
2	1	3	108	506 µm
2	1	4	109	510 µm
2	2	0	110	515 µm
2	2	1	111	520 µm
2	2	2	112	524 µm
2	2	3	113	529 µm
2	2	4	114	534 µm
2	3	0	115	538 µm
2	3	1	116	543 µm
2	3	2	117	548 µm
2	3	3	118	553 µm
2	3	4	119	557 µm
2	4	0	120	562 µm
2	4	1	121	567 µm
2	4	2	122	571 µm
2	4	3	123	576 µm
2	4	4	124	581 µm
2	5	0	125	585 µm
2	5	1	126	590 µm
2	5	2	127	595 µm
2	5	3	128	599 µm
2	5	4	129	604 µm
2	6	0	130	609 µm
2	6	1	131	613 µm
2	6	2	132	618 µm
2	6	3	133	623 µm
2	6	4	134	627 µm
2	7	0	135	632 µm
2	7	1	136	637 µm
2	7	2	137	641 µm
2	7	3	138	646 µm
2	7	4	139	651 µm

2	8	0	140	656 μm
2	8	1	141	660 μm
2	8	2	142	665 μm
2	8	3	143	670 μm
2	8	4	144	674 μm
2	9	0	145	679 μm
2	9	1	146	684 μm
2	9	2	147	688 μm
2	9	3	148	693 μm
2	9	4	149	698 μm
3	0	0	150	702 μm
3	0	1	151	707 μm
3	0	2	152	712 μm
3	0	3	153	716 μm
3	0	4	154	721 μm
3	1	0	155	726 μm
3	1	1	156	730 μm
3	1	2	157	735 μm
3	1	3	158	740 μm
3	1	4	159	744 μm
3	2	0	160	749 μm
3	2	1	161	754 μm
3	2	2	162	759 μm
3	2	3	163	763 μm
3	2	4	164	768 μm
3	3	0	165	773 μm
3	3	1	166	777 μm
3	3	2	167	782 μm
3	3	3	168	787 μm
3	3	4	169	791 μm
3	4	0	170	796 μm
3	4	1	171	801 μm
3	4	2	172	805 μm
3	4	3	173	810 μm
3	4	4	174	815 μm
3	5	0	175	819 μm

3	5	1	176	824 μm
3	5	2	177	829 μm
3	5	3	178	833 μm
3	5	4	179	838 μm
3	6	0	180	843 μm
3	6	1	181	847 μm
3	6	2	182	852 μm
3	6	3	183	857 μm
3	6	4	184	862 μm
3	7	0	185	866 μm
3	7	1	186	871 μm
3	7	2	187	876 μm
3	7	3	188	880 μm
3	7	4	189	885 μm
3	8	0	190	890 μm
3	8	1	191	894 μm
3	8	2	192	899 μm
3	8	3	193	904 μm
3	8	4	194	908 μm
3	9	0	195	913 μm
3	9	1	196	918 μm
3	9	2	197	922 μm
3	9	3	198	927 μm
3	9	4	199	932 μm
4	0	0	200	936 μm
4	0	1	201	941 μm
4	0	2	202	946 μm
4	0	3	203	951 μm
4	0	4	204	955 μm
4	1	0	205	960 μm
4	1	1	206	965 μm
4	1	2	207	969 μm
4	1	3	208	974 μm
4	1	4	209	979 μm
4	2	0	210	983 μm
4	2	1	211	988 μm

4	2	2	212	993 µm
4	2	3	213	997 µm
4	2	4	214	1,002 µm
4	3	0	215	1,007 µm
4	3	1	216	1,011 µm
4	3	2	217	1,016 µm
4	3	3	218	1,021 µm
4	3	4	219	1,025 µm
4	4	0	220	1,030 µm
4	4	1	221	1,035 µm
4	4	2	222	1,039 µm
4	4	3	223	1,044 µm
4	4	4	224	1,049 µm
4	5	0	225	1,054 µm
4	5	1	226	1,058 µm
4	5	2	227	1,063 µm
4	5	3	228	1,068 µm
4	5	4	229	1,072 µm
4	6	0	230	1,077 µm
4	6	1	231	1,082 µm
4	6	2	232	1,086 µm
4	6	3	233	1,091 µm
4	6	4	234	1,096 µm
4	7	0	235	1,100 µm
4	7	1	236	1,105 µm
4	7	2	237	1,110 µm
4	7	3	238	1,114 µm
4	7	4	239	1,119 µm
4	8	0	240	1,124 µm
4	8	1	241	1,128 µm
4	8	2	242	1,133 µm
4	8	3	243	1,138 µm
4	8	4	244	1,142 µm
4	9	0	245	1,147 µm
4	9	1	246	1,152 µm
4	9	2	247	1,157 µm

4	9	3	248	1,161 µm
4	9	4	249	1,166 µm
5	0	0	250	1,171 µm
5	0	1	251	1,175 µm
5	0	2	252	1,180 µm
5	0	3	253	1,185 µm
5	0	4	254	1,189 µm
5	1	0	255	1,194 µm
5	1	1	256	1,199 µm
5	1	2	257	1,203 µm
5	1	3	258	1,208 µm
5	1	4	259	1,213 µm
5	2	0	260	1,217 µm
5	2	1	261	1,222 µm
5	2	2	262	1,227 µm
5	2	3	263	1,231 µm
5	2	4	264	1,236 µm
5	3	0	265	1,241 µm
5	3	1	266	1,245 µm
5	3	2	267	1,250 µm
5	3	3	268	1,255 µm
5	3	4	269	1,260 µm
5	4	0	270	1,264 µm
5	4	1	271	1,269 µm
5	4	2	272	1,274 µm
5	4	3	273	1,278 µm
5	4	4	274	1,283 µm
5	5	0	275	1,288 µm
5	5	1	276	1,292 µm
5	5	2	277	1,297 µm
5	5	3	278	1,302 µm
5	5	4	279	1,306 µm
5	6	0	280	1,311 µm
5	6	1	281	1,316 µm
5	6	2	282	1,320 µm
5	6	3	283	1,325 µm

5	6	4	284	1,330 µm
5	7	0	285	1,334 µm
5	7	1	286	1,339 µm
5	7	2	287	1,344 µm
5	7	3	288	1,348 µm
5	7	4	289	1,353 µm
5	8	0	290	1,358 µm
5	8	1	291	1,363 µm
5	8	2	292	1,367 µm
5	8	3	293	1,372 µm
5	8	4	294	1,377 µm
5	9	0	295	1,381 µm
5	9	1	296	1,386 µm
5	9	2	297	1,391 µm
5	9	3	298	1,395 µm
5	9	4	299	1,400 µm

Mahlkönig EK43 (0-16) 粒径対応表

実機測定値ベースの不規則カーブ補間。1クリック $\approx$ 3.68 μ m変化。

ギア	グリッド	総クリック数	粒径 (μ m)
0	0	0	180 μ m
0	1	1	184 μ m
0	2	2	188 μ m
0	3	3	191 μ m
0	4	4	195 μ m
0	5	5	198 μ m
0	6	6	202 μ m
0	7	7	206 μ m
0	8	8	209 μ m
0	9	9	213 μ m
1	0	10	215 μ m
1	1	11	217 μ m
1	2	12	220 μ m
1	3	13	222 μ m
1	4	14	224 μ m
1	5	15	228 μ m
1	6	16	232 μ m
1	7	17	236 μ m
1	8	18	239 μ m
1	9	19	243 μ m
2	0	20	250 μ m
2	1	21	254 μ m
2	2	22	258 μ m
2	3	23	261 μ m
2	4	24	264 μ m
2	5	25	268 μ m
2	6	26	272 μ m
2	7	27	276 μ m
2	8	28	280 μ m
2	9	29	283 μ m
3	0	30	291 μ m
3	1	31	295 μ m

3	2	32	298 μm
3	3	33	302 μm
3	4	34	306 μm
3	5	35	309 μm
3	6	36	312 μm
3	7	37	316 μm
3	8	38	320 μm
3	9	39	324 μm
4	0	40	328 μm
4	1	41	331 μm
4	2	42	335 μm
4	3	43	339 μm
4	4	44	342 μm
4	5	45	346 μm
4	6	46	350 μm
4	7	47	353 μm
4	8	48	357 μm
4	9	49	361 μm
5	0	50	365 μm
5	1	51	368 μm
5	2	52	372 μm
5	3	53	376 μm
5	4	54	379 μm
5	5	55	383 μm
5	6	56	386 μm
5	7	57	390 μm
5	8	58	393 μm
5	9	59	397 μm
6	0	60	401 μm
6	1	61	405 μm
6	2	62	409 μm
6	3	63	412 μm
6	4	64	416 μm
6	5	65	420 μm
6	6	66	424 μm
6	7	67	427 μm

6	8	68	430 µm
6	9	69	434 µm
7	0	70	438 µm
7	1	71	441 µm
7	2	72	445 µm
7	3	73	449 µm
7	4	74	452 µm
7	5	75	456 µm
7	6	76	460 µm
7	7	77	464 µm
7	8	78	467 µm
7	9	79	471 µm
8	0	80	475 µm
8	1	81	479 µm
8	2	82	483 µm
8	3	83	486 µm
8	4	84	490 µm
8	5	85	493 µm
8	6	86	497 µm
8	7	87	500 µm
8	8	88	504 µm
8	9	89	508 µm
9	0	90	512 µm
9	1	91	515 µm
9	2	92	519 µm
9	3	93	523 µm
9	4	94	527 µm
9	5	95	530 µm
9	6	96	534 µm
9	7	97	538 µm
9	8	98	542 µm
9	9	99	545 µm
10	0	100	549 µm
10	1	101	552 µm
10	2	102	556 µm
10	3	103	560 µm

10	4	104	564 µm
10	5	105	567 µm
10	6	106	571 µm
10	7	107	575 µm
10	8	108	578 µm
10	9	109	582 µm
11	0	110	586 µm
11	1	111	589 µm
11	2	112	593 µm
11	3	113	597 µm
11	4	114	600 µm
11	5	115	604 µm
11	6	116	608 µm
11	7	117	611 µm
11	8	118	615 µm
11	9	119	619 µm
12	0	120	623 µm
12	1	121	626 µm
12	2	122	630 µm
12	3	123	634 µm
12	4	124	637 µm
12	5	125	640 µm
12	6	126	644 µm
12	7	127	648 µm
12	8	128	652 µm
12	9	129	655 µm
13	0	130	659 µm
13	1	131	663 µm
13	2	132	666 µm
13	3	133	670 µm
13	4	134	674 µm
13	5	135	678 µm
13	6	136	682 µm
13	7	137	686 µm
13	8	138	689 µm
13	9	139	693 µm

14	0	140	700 μm
14	1	141	702 μm
14	2	142	705 μm
14	3	143	707 μm
14	4	144	711 μm
14	5	145	714 μm
14	6	146	718 μm
14	7	147	722 μm
14	8	148	726 μm
14	9	149	729 μm
15	0	150	733 μm
15	1	151	737 μm
15	2	152	740 μm
15	3	153	744 μm
15	4	154	748 μm
15	5	155	752 μm
15	6	156	755 μm
15	7	157	759 μm
15	8	158	763 μm
15	9	159	766 μm
16	0	160	770 μm
16	1	161	774 μm
16	2	162	777 μm
16	3	163	781 μm
16	4	164	784 μm
16	5	165	788 μm
16	6	166	792 μm
16	7	167	796 μm
16	8	168	800 μm
16	9	169	803 μm

XBLOOM Studio FW-02C 粒径対応表

目盛り1～80段階。1目盛り≒10.13μm変化。

目盛り	粒径 (μm)
1	300 μm
2	310 μm
3	320 μm
4	330 μm
5	341 μm
6	351 μm
7	361 μm
8	371 μm
9	381 μm
10	391 μm
11	401 μm
12	411 μm
13	422 μm
14	432 μm
15	442 μm
16	452 μm
17	462 μm
18	472 μm
19	482 μm
20	492 μm
21	503 μm
22	513 μm
23	523 μm
24	533 μm
25	543 μm
26	553 μm
27	563 μm
28	573 μm
29	584 μm
30	594 μm
31	604 μm
32	614 μm

33	624 µm
34	634 µm
35	644 µm
36	654 µm
37	665 µm
38	675 µm
39	685 µm
40	695 µm
41	705 µm
42	715 µm
43	725 µm
44	735 µm
45	746 µm
46	756 µm
47	766 µm
48	776 µm
49	786 µm
50	796 µm
51	806 µm
52	816 µm
53	827 µm
54	837 µm
55	847 µm
56	857 µm
57	867 µm
58	877 µm
59	887 µm
60	897 µm
61	908 µm
62	918 µm
63	928 µm
64	938 µm
65	948 µm
66	958 µm
67	968 µm
68	978 µm

69	989 μm
70	999 μm
71	1,009 μm
72	1,019 μm
73	1,029 μm
74	1,039 μm
75	1,049 μm
76	1,059 μm
77	1,070 μm
78	1,080 μm
79	1,090 μm
80	1,100 μm

Option-O Lagom P64 粒径対応表

1ギア10クリック。1クリック $\approx$ 9.17 μ m変化。

ギア	グリッド	総クリック数	粒径 (μ m)
0	0	0	245 μ m
0	1	1	254 μ m
0	2	2	263 μ m
0	3	3	273 μ m
0	4	4	282 μ m
0	5	5	291 μ m
0	6	6	300 μ m
0	7	7	309 μ m
0	8	8	318 μ m
0	9	9	328 μ m
1	0	10	337 μ m
1	1	11	345 μ m
1	2	12	355 μ m
1	3	13	364 μ m
1	4	14	373 μ m
1	5	15	383 μ m
1	6	16	392 μ m
1	7	17	401 μ m
1	8	18	410 μ m
1	9	19	419 μ m
2	0	20	428 μ m
2	1	21	438 μ m
2	2	22	447 μ m
2	3	23	456 μ m
2	4	24	465 μ m
2	5	25	474 μ m
2	6	26	484 μ m
2	7	27	493 μ m
2	8	28	502 μ m
2	9	29	511 μ m
3	0	30	520 μ m
3	1	31	529 μ m

3	2	32	539 μm
3	3	33	548 μm
3	4	34	557 μm
3	5	35	565 μm
3	6	36	575 μm
3	7	37	584 μm
3	8	38	593 μm
3	9	39	603 μm
4	0	40	612 μm
4	1	41	621 μm
4	2	42	630 μm
4	3	43	639 μm
4	4	44	649 μm
4	5	45	658 μm
4	6	46	667 μm
4	7	47	676 μm
4	8	48	685 μm
4	9	49	695 μm
5	0	50	704 μm
5	1	51	713 μm
5	2	52	722 μm
5	3	53	731 μm
5	4	54	740 μm
5	5	55	750 μm
5	6	56	759 μm
5	7	57	768 μm
5	8	58	777 μm
5	9	59	786 μm
6	0	60	795 μm
6	1	61	805 μm
6	2	62	814 μm
6	3	63	823 μm
6	4	64	832 μm
6	5	65	841 μm
6	6	66	851 μm
6	7	67	860 μm

6	8	68	869 μm
6	9	69	878 μm
7	0	70	887 μm
7	1	71	896 μm
7	2	72	906 μm
7	3	73	915 μm
7	4	74	924 μm
7	5	75	933 μm
7	6	76	942 μm
7	7	77	951 μm
7	8	78	961 μm
7	9	79	970 μm
8	0	80	979 μm
8	1	81	988 μm
8	2	82	997 μm
8	3	83	1,006 μm
8	4	84	1,016 μm
8	5	85	1,025 μm
8	6	86	1,034 μm
8	7	87	1,043 μm
8	8	88	1,052 μm
8	9	89	1,062 μm
9	0	90	1,071 μm
9	1	91	1,080 μm
9	2	92	1,089 μm
9	3	93	1,098 μm
9	4	94	1,108 μm
9	5	95	1,117 μm
9	6	96	1,126 μm
9	7	97	1,135 μm
9	8	98	1,144 μm
9	9	99	1,153 μm
10	0	100	1,162 μm
10	1	101	1,172 μm
10	2	102	1,181 μm
10	3	103	1,190 μm

10	4	104	1,199 μm
10	5	105	1,208 μm
10	6	106	1,217 μm
10	7	107	1,227 μm
10	8	108	1,236 μm
10	9	109	1,245 μm

Fellow Ode Brew Grinder Gen 2 粒径対応表

1ギア3クリック(グリッド0-2)。1クリック $\approx$ 27.66 μ m変化。

目盛り	グリッド	総クリック数	粒径 (μ m)
1	0	0	275 μ m
1	1	1	303 μ m
1	2	2	330 μ m
2	0	3	358 μ m
2	1	4	386 μ m
2	2	5	413 μ m
3	0	6	441 μ m
3	1	7	469 μ m
3	2	8	496 μ m
4	0	9	524 μ m
4	1	10	552 μ m
4	2	11	579 μ m
5	0	12	607 μ m
5	1	13	635 μ m
5	2	14	662 μ m
6	0	15	690 μ m
6	1	16	718 μ m
6	2	17	745 μ m
7	0	18	773 μ m
7	1	19	800 μ m
7	2	20	828 μ m
8	0	21	856 μ m
8	1	22	883 μ m
8	2	23	911 μ m
9	0	24	939 μ m
9	1	25	966 μ m
9	2	26	994 μ m
10	0	27	1,022 μ m
10	1	28	1,049 μ m
10	2	29	1,077 μ m
11	0	30	1,105 μ m
11	1	31	1,132 μ m

11	2	32	1,160 μm
----	---	----	---------------------------------------

Hario Mini Mill Slim 粒径対応表

1〜20段階。1目盛り≒63.16μm変化。

目盛り	粒径 (μm)
1	200 μm
2	263 μm
3	326 μm
4	389 μm
5	453 μm
6	516 μm
7	579 μm
8	642 μm
9	705 μm
10	768 μm
11	832 μm
12	895 μm
13	958 μm
14	1,021 μm
15	1,084 μm
16	1,147 μm
17	1,211 μm
18	1,274 μm
19	1,337 μm
20	1,400 μm