Aggregate arithmetic functions

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Ana Voicu
Data Engineer

datacamp

COUNT()

- Returns the number of items found in a group.

```
COUNT([ALL] expression)
COUNT(DISTINCT expression)
COUNT(*)
```

COUNT() example

```
SELECT
    COUNT(ALL country) AS total_countries,
    COUNT(country) AS total_countries,
    COUNT(DISTINCT country) AS distinct_countries,
    COUNT(*) AS all_voters
FROM voters;
```

```
| count_countries_all | count_countries | distinct_countries | all_voters |
|---------------------|-----------------|--------------------|------------|
| 196                 | 196             | 11                 | 196        |
```

SUM()

- Returns the sum of all values from a group.

```
SUM([ALL] expression)
SUM(DISTINCT expression)
```

SUM() example

```
SELECT
    first_name,
    last_name,
    total_votes
FROM voters
WHERE total_votes = 153;
```

```
| first_name | last_name | total_votes |
|------------|-----------|-------------|
| Isabella   | Roberts   | 153         |
| Chase      | Ward      | 153         |
| Kendra     | Ortega    | 153         |
| Bruce      | Moreno    | 153         |
```

```
SELECT
    SUM(ALL total_votes) AS tot_votes1,
    SUM(total_votes) AS tot_votes2,
    SUM(DISTINCT total_votes) AS dist
FROM voters
WHERE total_votes = 153;
```

```
| tot_votes1  | tot_votes2  | tot_dis_votes  |
|-------------|-------------|----------------|
| 612         | 612         | 153            |
```

MAX() and MIN()

```
MAX([ALL] expression)
MAX(DISTINCT expression)
```

- Returns the maximum value in the expression.

```
MIN([ALL] expression)
MIN(DISTINCT expression)
```

- Returns the minimum value in the expression.

MAX() and MIN() example

```
SELECT
    MIN(rating) AS min_rating,
    MAX(rating) AS max_rating
FROM ratings;
```

```
| min_rating |max_rating |
|------------|-----------|
| 1.0000     | 5.0000    |
```

AVG()

- Returns the average of the values in the group.

```
AVG([ALL] expression)
AVG(DISTINCT expression)
```

```
SELECT
    AVG(rating) AS avg_rating,
    AVG(DISTINCT rating) AS avg_dist
FROM ratings;
```

```
| avg_rating |avg_dist |
|------------|---------|
| 3.184665   | 2.788461|
```

Grouping data

```
SELECT company,
    AVG(rating) AS avg_rating
FROM ratings
GROUP BY company;
```

```
| company     |avg_rating |
|-------------|-----------|
| A. Morin    | 3.250000  |
| Acalli      | 3.500000  |
| Adi         | 3.000000  |...
```

Let's practice!

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Analytic functions

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Ana Voicu
Data Engineer

datacamp

FIRST_VALUE()

```
FIRST_VALUE(numeric_expression)
    OVER ([PARTITION BY column] ORDER BY column ROW_or_RANGE frame)
```

- Returns the first value in an ordered set.

`OVER` clause components

Component	Status	Description
PARTITION by column	optional	divide the result set into partitions
ORDER BY column	mandatory	order the result set
ROW_or_RANGE frame	optional	set the partition limits

LAST_VALUE()

```
LAST_VALUE(numeric_expression)
    OVER ([PARTITION BY column] ORDER BY column ROW_or_RANGE frame)
```

- Returns the last value in an ordered set.

Partition limits

```
RANGE BETWEEN start_boundary AND end_boundary
ROWS BETWEEN start_boundary AND end_boundary
```

Boundary	Description
UNBOUNDED PRECEDING	first row in the partition
UNBOUNDED FOLLOWING	last row in the partition
CURRENT ROW	current row
PRECEDING	previous row
FOLLOWING	next row

FIRST_VALUE() and LAST_VALUE() example

```
SELECT
    first_name + ' ' + last_name AS name,
    gender,
    total_votes AS votes,
    FIRST_VALUE(total_votes)
    OVER (PARTITION BY gender ORDER BY total_votes) AS min_votes,
    LAST_VALUE(total_votes)
        OVER (PARTITION BY gender ORDER BY total_votes
                ROWS BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING) AS max_votes
FROM voters;
```

```
| name            | gender | votes | min_votes | max_votes |
|-----------------|--------|-------|-----------|-----------|
| Michele Suarez  | F      | 20    | 20        | 189       |
| ...             | ...    | ...   | 20        | 189       |
| Marcus Jenkins  | M      | 16    | 16        | 182       |
| Micheal Vazquez | M      | 18    | 16        | 182       |
```

LAG() and LEAD()

```
LAG(numeric_expression) OVER ([PARTITION BY column] ORDER BY column)
```

- Accesses data from a previous row in the same result set.

```
LEAD(numeric_expression) OVER ([PARTITION BY column] ORDER BY column)
```

- Accesses data from a subsequent row in the same result set.

LAG() and LEAD() example

```
SELECT
    broad_bean_origin AS bean_origin,
    rating,
    cocoa_percent,
    LAG(cocoa_percent) OVER(ORDER BY rating ) AS percent_lower_rating,
    LEAD(cocoa_percent) OVER(ORDER BY rating ) AS percent_higher_rating
FROM ratings
WHERE company = 'Felchlin'
ORDER BY rating ASC;
```

```
| bean_origin        | rating | cocoa_percent | percent_lower_rating | percent_higher_rating |
|--------------------|--------|---------------|----------------------|-----------------------|
| Grenada            | 3      | 0.58          | NULL                 | 0.62                  |
| Dominican Republic | 3.75   | 0.62          | 0.58                 | 0.64                  |
| Madagascar         | 3.75   | 0.64          | 0.74                 | 0.65                  |
| Venezuela          | 4      | 0.65          | 0.74                 | NULL                  |
```

Let's practice!

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Mathematical functions

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Ana Voicu
Data Engineer

datacamp

ABS(numeric_expression)

- Returns the absolute value of an expression.
- Is the non-negative value of the expression.

```
SELECT
    ABS(-50.4 *3) AS negative,
    ABS(0.0) AS zero,
    ABS(73.2 + 15 + 8.4) AS positive;
```

```
| negative | zero | positive |
|----------|------|----------|
| 151.2    | 0    | 96.6     |
```

SIGN(numeric_expression)

- Returns the sign of an expression, as an integer:
  - `-1` (negative numbers)
  - `0`
  - `+1` (positive numbers)

```
SELECT
    SIGN(-50.4 *3) AS negative,
    SIGN(0.0) AS zero,
    SIGN(73.2 + 15 + 8.4) AS positive;
```

```
| negative | zero | positive |
|----------|------|----------|
| -1.0     | 0    | 1.0      |
```

Rounding functions

- `CEILING(numeric_expression)`
  - Returns the smallest integer greater than or equal to the expression.
- `FLOOR(numeric_expression)`
  - Returns the largest integer less than or equal to the expression.
- `ROUND(numeric_expression, length)`
  - Returns a numeric value, rounded to the specified length.

Rounding functions example

```
SELECT
    CEILING(-50.49) AS ceiling_neg,
    CEILING(73.71) AS ceiling_pos;
```

```
| ceiling_neg | ceiling_pos |
|-------------|-------------|
| -50         | 74          |
```

Rounding functions example

```
SELECT
    CEILING(-50.49) AS ceiling_neg,
    FLOOR(-50.49) AS floor_neg,
    CEILING(73.71) AS ceiling_pos,
    FLOOR(73.71) AS floor_pos;
```

```
| ceiling_neg | floor_neg | ceiling_pos | floor_pos |
|-------------|-----------|-------------|-----------|
| -50         | -51       | 74          | 73        |
```

Rounding functions example

```
SELECT
    CEILING(-50.49) AS ceiling_neg,
    FLOOR(-50.49) AS floor_neg,
    CEILING(73.71) AS ceiling_pos,
    FLOOR(73.71) AS floor_pos,
    ROUND(-50.493, 1)AS round_neg,
    ROUND(73.715, 2) AS round_pos;
```

```
| ceiling_neg | floor_neg | ceiling_pos | floor_pos | round_neg | round_pos |
|-------------|-----------|-------------|-----------|-----------|-----------|
| -50         | -51       | 74          | 73        | -50.500   | 73.720    |
```

Exponential functions

- `POWER(numeric_expression, power)`
  - Returns the expression raised to the specified power.
- `SQUARE(numeric_expression)`
  - Returns the square of the expression.
- `SQRT(numeric_expression)`
  - Returns the square root of the expression.
- **Keep in mind**: the type of the expression is ***float*** or can be implicitly converted to ***float***.

POWER() example

```
SELECT
POWER(2, 10)  AS pos_num,
POWER(-2, 10) AS neg_num_even_pow,
POWER(-2, 11) AS neg_num_odd_power,
POWER(2.5, 2) AS float_num,
POWER(2, 2.72) AS float_pow;
```

```
| pos_num | neg_num_even_pow | neg_num_odd_pow | float_num | float_pow |
|---------|------------------|-----------------|-----------|-----------|
| 1024    | 1024             | -2048           | 6.3       | 6         |
```

SQUARE() example

```
SELECT
SQUARE(2)  AS pos_num,
SQUARE(-2) AS neg_num,
SQUARE(2.5) AS float_num;
```

```
| pos_num | neg_num | float_num |
|---------|---------|-----------|
| 4       | 4       | 6.25      |
```

SQRT() example

```
SELECT
SQRT(2)  AS int_num,
SQRT(2.76) AS float_num;
```

```
| int_num          | float_num          |
|------------------|--------------------|
| 1.4142135623731 | 1.66132477258361 |
```

Let's practice!

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Wrapping things up

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER

Ana Voicu
Data Engineer

datacamp

Chapter 1: Choosing the appropriate data type

Data types

- Numeric
- Date and time
- Character strings

Data conversion

- Implicit
- Explicit

Chapter 2: Manipulating time in SQL Server

- Functions returning system date and time
  - `GETDATE()`
- Functions returning date parts
  - `YEAR()`, `MONTH()`, `DAY()`
- Arithmetic operations on dates
  - `DATEADD()`, `DATEDIFF()`
- Validating if an expression is a date
  - `ISDATE()`

Chapter 3: Working with strings

- Functions for positions
  - `CHARINDEX()`, `PATINDEX()`
- Functions for string transformation
  - `UPPER()`, `LOWER()`, `LEFT()`, `RIGHT()`
- Functions for manipulating groups of strings
  - `STRING_AGG()`, `STRING_SPLIT()`

Chapter 4: Recognizing numeric data properties

- Aggregate arithmetic functions
  - `SUM()`, `MIN()`, `MAX()`, `AVG()`
- Analytical functions
  - `FIRST_VALUE()`, `LAST_VALUE()`, `LAG()`, `LEAD()`
- Mathematical functions
  - `ABS()`, `POWER()`

Congratulations!

FUNCTIONS FOR MANIPULATING DATA IN SQL SERVER