$$IN10 \begin{cases} RN \end{cases} R_2 \qquad i_0 = \frac{RN}{R_2 + RN} I_N = \frac{6}{5} mA$$

$$T_{s} = 6A$$

$$R_{s} = 2\Omega$$

$$R_{s} = 4\Omega$$

$$L = 3H$$

$$10^{-1}$$
  $\sqrt{i_1(0^{-})} = 0 = i_2(0^{+})$ 

$$t=\infty$$

$$R_{2}$$

$$V_{i_{L}}(w) = \frac{R_{1}}{R_{1}+R_{2}} I_{S} = 2A$$

Req
$$R_{2}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{6}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{6}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$


$$R_{6}$$


$$R_{6}$$

$$R_{6}$$

$$R_{7}$$

$$i_{L}(t) = [i_{L}(0) - i_{L}(\infty)] \exp(\frac{t}{2}) + i_{L}(\infty)$$
 $t [s]$ 





$$t = \infty$$

$$R_{2} = 0$$

$$R_{2} = 0$$

$$R_{2} = 0$$


$$R_{3} = 0$$


$$R_{1} + R_{2} = 0$$

Req 
$$\frac{R_1}{R_2}$$
  $\frac{R_2}{R_1+R_2}$   $\frac{R_1}{R_1+R_2}$   $\frac{R_2}{R_1+R_2}$   $\frac{R_2}{R_1+R_2}$ 

$$\tilde{\mathcal{J}}_{c}(t) = \left[\tilde{\mathcal{J}}_{c}(0) - \tilde{\mathcal{J}}_{c}(\infty)\right] \exp\left(-\frac{t}{\tau}\right) + \tilde{\mathcal{J}}_{c}(\infty)$$

$$= \frac{R_{2}}{R_{1} + R_{2}} \sqrt{s} \left(1 - \exp\left(-t \frac{R_{1} + R_{2}}{R_{1} R_{2} C}\right)\right)$$






$$F_{S} = 3A$$

$$R_{1} = 5\Omega$$

$$R_{2} = 10\Omega$$

$$L = 1.5 H$$

tzo




$$R_1 \neq R_2$$
  $O1F_5$ 


$$i(\varphi) = J_{S} \frac{R_{2}}{R_{1} + R_{2}} = 2A$$

L

$$i(t) = I_{s} \left[ 1 - \frac{R_{z}}{R_{i} + R_{z}} \right] exp \left( -\frac{(R_{i} + R_{z})t}{L} \right) + I_{s} \frac{R_{z}}{R_{i} + R_{z}}$$

7= = 0,15 Rea






$$V_{S_1} = 20V$$

$$V_{S_2} = 3V$$

$$R_1 = 4\Omega$$

$$R_2 = 3\Omega$$


$$L = 2H$$



$$i(0) = i_1 + i_2$$
 $i_2 = \frac{\sqrt{s_1}}{R_1} | i_2 = \frac{\sqrt{s_2}}{R_2}$ 


$$i(0) = \frac{\sqrt{s_1}}{R_1} + \frac{\sqrt{s_2}}{R_2} = 6A$$

$$i(0^+) = i(0^-)$$




$$\dot{x}(\omega) = \frac{v_{s_1}}{R_1} = 5A$$


Z



$$i(t) = \frac{\sqrt{s_2}}{R_2} \exp\left(\frac{R_1 t}{L}\right) + \frac{\sqrt{s_1}}{R_1}$$

$$= \exp(-2t) + 5 A$$





$$V_{s}=10V$$
 $R_{1}=R_{4}=3.2$ 
 $R_{2}=1.2$ 
 $R_{3}=2.2$ 
 $L=1H$ 

$$t=0$$

$$-> i_{2}(0^{-})$$

$$R_{3}$$

$$R_{4}$$

$$i_{2}(0^{-}) = \lambda(0^{-}) = \frac{V_{s}}{R_{1} + R_{2}}$$

$$= 2.5 A$$

$$t = 0^{+}$$

$$\frac{i_{1}(0^{-})}{0}$$

$$R_{3}$$

$$\frac{i_{2}(0^{+})}{0}$$

$$R_{2}$$

$$R_{3}$$


$$i(0^{+}) = i_{L}(0^{-}) \frac{R_{3} + R_{4}}{R_{2} + R_{3} + R_{4}} = V_{5} \frac{R_{3} + R_{4}}{R_{1} + R_{2}} \frac{1}{R_{2} + R_{3} + R_{4}}$$


$$= 2,08 A$$

t= 00

$$\frac{V_{S}}{R_{1}} = \frac{V_{S}}{R_{1}} = \frac{V_{S}}{R_{2}} = \frac{V_{S}}{R_{3} + R_{4}}$$

$$\frac{V_{S}}{R_{1}} = \frac{V_{S}}{R_{1}} = \frac{V_{S}}{R_{2} + R_{2} + R_{3} + R_{4}} = \frac{V_{S}}{R_{1} + R_{2}} = \frac{V_{S}}{R_{2} + R_{2}} = \frac{V_{S}}{R_{2} + R_{2}} = \frac{V_{S}}{R_{3} + R_{4}} = \frac{V_{S}}{R_{2} + R_{2}} = \frac{V_{S}}{R_{2} + R_{3} + R_{4}} = \frac{2}{2} + \frac{R_{2}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{2}} = \frac{R_{3}}{R_{3}} =$$





 $V_s = 120V$   $\mathcal{F}_s = 30A$   $R_1 = 5\Omega$   $R_2 = 10\Omega$   $C = 12\mu F$   $t_0 = 50\mu s$ 

# 1º teansitorio

t=0"

$$i_c(o^-)=0$$
 $J_c(o^+)=J_c(o^+)=R_2J_s$ 
= 300V

t= or (come se il recondo transitario mon a' forse)

$$\lambda = \frac{V_s - R_2 J_s}{R_1 + R_2}$$

$$\tilde{V}_{c}(\infty) = V_{s} - R, i = V_{s} - R, \frac{V_{s} - R_{z}T_{s}}{R_{1} + R_{2}} = \frac{V_{s}R_{z} - R_{1}R_{z}T_{s}}{R_{1} + R_{2}}$$

$$\mathcal{L}_{1} = \mathcal{R}_{0}^{0} = \frac{\mathcal{R}_{1} \mathcal{R}_{2}}{\mathcal{R}_{1} + \mathcal{R}_{2}}$$

$$\mathcal{L}_{1} = \mathcal{R}_{0}^{0} = \frac{\mathcal{R}_{1} \mathcal{R}_{2}}{\mathcal{R}_{1} + \mathcal{R}_{2}} = 40 \mu s$$

$$\mathcal{L}_{1} = \mathcal{L}_{0} = \left[\mathcal{L}_{0}(0) - \mathcal{L}_{0}(0)\right] \exp\left(-\frac{t}{\tau_{1}}\right) + \mathcal{L}_{0}(0)$$


$$= 120 \exp\left(-\frac{t(\mathcal{R}_{1} + \mathcal{R}_{2})}{\mathcal{R}_{1} \mathcal{R}_{2}}\right) + 180 \text{ V}$$

$$\hat{i}_{c}(t) = C \frac{d\hat{v}_{c}}{dt} = -36 \exp\left(-\frac{t}{\tau_{i}}\right) A$$

$$[A] \hat{i}_{c}(t) = C \frac{d\hat{v}_{c}}{dt} = -36 \exp\left(-\frac{t}{\tau_{i}}\right) A$$

## 2° teansitoris

$$\delta_c(t_0^-) = \hat{\delta}_c(t_0^-) = 120 \exp(-\frac{5}{4}) + 180 = 214,38$$
  
 $i_c(t_0^-) = \hat{i}_c(t_0^-) = -36 \exp(-\frac{5}{4}) = -19,31$  A



 $\tau_2$ 

$$v_c(t) = (214, 38 - 120) \exp\left(-\frac{t-t_0}{\tau_z}\right) + 120 \text{ V}$$

$$= 94,38 \exp\left(-\frac{t-t_0}{\tau_z}\right) + 120 \text{ V}$$

$$i_c(t) = C \frac{dv_c}{dt} = -18,876 \exp\left(-\frac{t-t_0}{r_z}\right) A$$

$$V_{S}$$

$$(0)$$

$$V_{C}(D_{0}) = V_{S}$$

$$i_c(t) = \frac{\sqrt{s}}{dt} = \frac{\sqrt{s}}{R_i C} \exp(-\frac{t}{x_i})$$

$$= \frac{\sqrt{s}}{R_i} \exp(-\frac{t}{x_i})$$

$$v_{c}(t) = \left[v_{c}(t_{0}) - v_{c}(0)\right] \exp\left(-\frac{t-t_{0}}{t_{z}}\right) + v_{c}(0)$$

$$= V_{s} \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$


$$i_{c}(t) = \left(-\frac{dv_{c}}{dt} = -\frac{V_{s}C}{R_{z}C}\right) \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$


$$= -\frac{V_{s}}{R_{z}} \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$

$$V_{s} = -\frac{V_{s}}{R_{z}} \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$

$$V_{s} = -\frac{V_{s}}{R_{z}} \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$

$$V_{s} = -\frac{V_{s}}{R_{z}} \exp\left(-\frac{t-t_{0}}{t_{z}}\right)$$






$$V_{s_1} = 36V$$
 $V_{s_2} = 12V$ 
 $V_{s_2} = 12V$ 
 $R_1 = 2 R \Omega$ 
 $R_2 = 6 R \Omega$ 
 $R_3 = 4 R \Omega$ 


C = 100 M F

$$i(o^{-}) = \frac{V_{s_1} - V_{s_2}}{R_1 + R_2 + R_3} = 2 m A$$

$$t = 0^{+}$$
 $v_{s_{1}}(0^{+})$ 
 $v_{s_{2}}(0^{-})$ 
 $v_{s_{2}}(0^{-})$ 
 $v_{s_{2}}(0^{-})$ 
 $v_{s_{3}}(0^{-})$ 
 $v_{s_{4}}(0^{-})$ 

$$i(0^{+}) = \frac{N_{c}(0^{-})}{R_{c}} = \frac{16}{3} \text{ m A}$$






$$i(t) = [i(0^{+}) - i(0^{+})] \exp(-\frac{t}{2}) + i(0^{+})$$

$$= (\frac{16}{3} - \frac{9}{2}) \exp(-\frac{t}{2}) + \frac{9}{2} mA$$

$$= \frac{5}{6} \exp(\frac{t}{2}) + \frac{9}{2}$$

$$= \frac{5}{6} \exp(\frac{t}{2}) + \frac{9}{2}$$



$$i(o^{-}) = -\frac{R_3 V_5}{R_2 R_3 + R_0 (R_2 + R_3)} = -9.5 A$$

$$|t=0^{+}|$$

$$|t=0$$

$$i(0^{+}) = -\frac{1}{R_{2}} I \frac{1}{\frac{1}{R_{1}} + \frac{1}{R_{2}} + \frac{1}{R_{0}}}$$

$$= -\left(\frac{\sqrt{s}}{R_0} + \frac{\sqrt{c}(0^{-})}{R_1}\right) \frac{R_1 R_0}{R_1 R_2 + R_1 R_0 + R_2 R_0}$$

$$|t \rightarrow \infty|$$

$$R_1 \quad i(\omega) \downarrow R_2$$

$$R_2 \quad i(\omega) = -\frac{V_S}{0.10} = -0,67 \text{ A}$$

$$i(\infty) = -\frac{V_S}{R_2 + R_0} = -0,67$$
 A

$$\mathcal{L}$$

$$R_{eq} = R_1 + \frac{R_2 R_0}{R_0 + R_2} = 8,33.2$$