


# Data Export 'Standard Zone' version 2022.1

## Version

Date	Description / Changes
1-mrt-2022	Initiale versie
22-mrt-2022	Boolean will be exported as 'Y' / 'N' Total number of records per table Which checks are in place Added 'SLA' info Added 'datamodel' specifications

## Global overview



## Definition

	Description
Staging	A process where the data is imported from external component into 'Landing Zone'
Landing Zone	Raw data from external component
Process data	A process where the data is transformed (eg. ETL tooling) into the standard data model.
Standard Zone	Standard data model (is used for all customers) from which all 'information questions' can be answered
Publish	A process where the data is publish to a specific format

## Export StandardZone data

In Fyndoo Data Analytics a standard export is available for the 'standard zone'. Below the specifications of this export

- The export of the standard Zone contains **all** data available in the standard Zone. Every day all data is supplied in the export
- All tables in the standard zone will be exported as csv-file. With the following specifications:
  - Encoding: UTF8
  - Separator: semicolon (;)
  - Timestamps as yyyy-MM-dd HH:mm:ss
  - Dates yyyy-MM-dd
  - Numbers will be exported with a dot (###.## with out a thousand separator)
  - Strings will be enclosed with a double quote (")
  - Booleans will be exported as 'Y' or 'N'
- The frequency will be on a daily basis (between 23:00 and 04:00)
- Every table will be in a separate csv-file
- All csv-files will be zipped in a zipfile with the following name specifications. The filename is <environment>-<whitelabel>-<versionnumber>-<date>.zip  
eg:
  - PRODUCTION\_xyzBank\_v2022.1\_2022-01-29.zip

- ACCEPTANCE\_xyzBank\_v2022.1\_2022-01-29.zip
- There is no automatic clean up of old zipfiles yet (this will be realized in the future)  
For now we cleanup the files by hand, when cleaning up old files, at least the files of the last 7 days will remain on the sftp server.

## Versioning Export StandardZone data

- The aim is to do a maximum of 4 version updates per year
- When a new version is available, the old version (t-1) will remain available.  
We inform all customers when a new version is available and ask the customer to use this new version.  
The old version (T-1) will be available for a maximum of 365 days, so the customer has one year to 'migrate' to a new version.
- New feature requests are only executed on the current version (NEVER on old versions!)
- Documentation of the standard zone data export version will be available online  
See <https://fyndoo.github.io/FDA/>

## Checks and monitoring

- All data is processed in a Postgres database and all tables have a 'primary key' so the uniqueness of a record is guaranteed by Postgres
- The team will be notified of all important ETL jobs on ACCEPTANCE and PRODUCTION via a SLACK notification (error and success)
- The data-export-job will not start if a previous job results in an error, so the data-export will NOT generate any data
- In the data-export there is a table with the name 'sz\_meta.csv' with meta data, eg:
  - Number of records per table (available in FDA version 2022.4 - April 2022)
  - DateTime of the last synchronization with Fyndoo Lending database
- When a job is aborted or produces an error an email is sent (with the logging) to the team.
- Topicus will proactively inform the customer about the error by email.  
The follow-up of this issue, will be done in the regular way (service desk) just like all other issues.

## Service Level Agreement

- No specific SLA has been agreed for this component/product. The SLA agreements made for Fyndoo also apply to this component/product.

## Other

- The schedules of the data-export jobs can be configured per customer and will be scheduled in consultation with the customer  
Updates of Fyndoo Lending and OS updates of our datacenter are most of the time planned between 18:00 and 22:00, so we suggest to start the data-export jobs after 22:00
- We deliver the data in a zipfile on our own SFTP server (sftp.fyndoo.com), see document 'sftp.fyndoo.com'

## Data Export 'Standard Zone'

Below are the definitions of the tables as populated by the FDA application in Postgres. These tables are exported 1 on 1 under the conditions as defined above.

Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
sz_agreement							
Primary key (referenceid + processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
created	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	4	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
whitelabel	5	varchar (255)	[NULL]	default	TRUE	[NULL]	The whitelabel
mainborrowerreferenceid	6	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a counterparty
startdate	7	date	[NULL]	[NULL]	TRUE	[NULL]	The start date of this credit agreement
enddate	8	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the agreement
reviewdate	9	date	[NULL]	[NULL]	FALSE	[NULL]	The review date of the agreement
agreementperfect	10	bool	[NULL]	[NULL]	FALSE	[NULL]	Whether or not this credit agreement is perfect
datelastchanged	11	timestamp	[NULL]	[NULL]	FALSE	[NULL]	The date the credit agreement was last changed (and lead to a new actual version of this credit agreement)
externalreferenceid	12	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an agreement

sz_annualaccounts							
Primary key (documentid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
counterpartyreferenceid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a counterparty
sz_annualaccounts details							
Primary key (documentid + columnenddate)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	2	date	[NULL]	[NULL]	TRUE	now()	End date of the column in the history application
CashAndEquivalents	3	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentLiabilities	4	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ebitda	5	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
FinancialExpenses	6	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
FinancialFixedAssets	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
IntangibleFixedAssets	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Inventories	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MaterialFixedAssets	10	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MinorityInterests	11	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetSales	12	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetWorth	13	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NonCurrentLiabilities	14	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OperatingIncome	15	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OtherShortTermDebt	16	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OverdraftCurrentAccount	17	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ProfitAfterTax	18	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Provisions	19	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Receivables	20	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SubordinatedDebt	21	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalAssets	22	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalNumberOfEmployees	23	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TradePayablesTotal	24	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
dscr	25	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ValCheck	26	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
QuickRatio	27	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentRatio	28	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SolvencyRatio	29	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
InterestCoverageRatio	30	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_businessrules							
Primary key (referenceid,processnumber, fiatreferenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (16)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process

fiatreferenceid	5	varchar (255)	[NULL]	default	TRUE	[NULL]	[NULL]
description	6	varchar (1000)	[NULL]	default	FALSE	[NULL]	[NULL]
initial_result	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
final_result	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
overruled	9	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
overrule_motivation	10	varchar (4000)	[NULL]	default	FALSE	[NULL]	[NULL]
rejection_reason	11	varchar (1000)	[NULL]	default	FALSE	[NULL]	[NULL]
<b>sz_collateral</b>							
<b>Primary key (referenceid, agreementreferenceid, processnumber)</b>							
<b>Column Name</b>	<b>#</b>	<b>Data type</b>	<b>Identity</b>	<b>Collation</b>	<b>Not Null</b>	<b>Default</b>	<b>Comment</b>
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a collateral
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
collateralttype	4	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
definitioncode	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
description	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
valuationdate	9	date	[NULL]	[NULL]	FALSE	[NULL]	Collateral > Valuation > ValuationDate
valuationcurrency	10	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
valuationamount	11	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Collateral > Valuation > ValuationValue.
externalreferenceid	12	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral
<b>sz_collateral_object</b>							
<b>Primary key (referenceid, agreementreferenceid, processnumber)</b>							
<b>Column Name</b>	<b>#</b>	<b>Data type</b>	<b>Identity</b>	<b>Collation</b>	<b>Not Null</b>	<b>Default</b>	<b>Comment</b>
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	[NULL]
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	[NULL]
collateralreferenceid	4	varchar (128)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
postalcode	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
place	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
marketvalue	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
purchasevalue	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
executionvalue	11	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
energylabel	12	varchar (25)	[NULL]	default	FALSE	[NULL]	[NULL]
sequenceid	13	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
externalreferenceid	14	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object

sz_collateral_object_rental							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	[NULL]
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	[NULL]
collateral_objectreferenceid	4	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
regulatedproperty	7	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
pointscoreforregulatedrent	8	numeric (9, 5)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
admissiblemonthlyrent	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
coldrentpermonth	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
marketbasedrent	11	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
totalrentpermonth	12	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
totalrentperyear	13	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_contactperson							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
organisationname	5	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
emailaddress	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
telephone	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
type	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_counterparty							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
created	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	4	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
legality	5	bool	[NULL]	[NULL]	TRUE	[NULL]	Organisation (1) Personal (0)
datelastchanged	6	date	[NULL]	[NULL]	TRUE	[NULL]	Date of last change
address	7	varchar (255)	[NULL]	default	FALSE	[NULL]	The address of the counterparty
postalcode	8	varchar (10)	[NULL]	default	FALSE	[NULL]	Free formatted postalcode, no specific country restrictions
isholding	9	bool	[NULL]	[NULL]	FALSE	[NULL]	Derived information and indicaties if the counterparty is a Holding company

counterpartysegment code	10	varchar (255)	[NULL]	default	FALSE	[NULL]	The segment code of this counterparty.
counterpartycategory code	11	varchar (255)	[NULL]	default	FALSE	[NULL]	The counterparty category this counterparty belongs to.
foundationdate	12	date	[NULL]	[NULL]	FALSE	[NULL]	The foundation date of the organisation
organisationname	13	varchar (255)	[NULL]	default	FALSE	[NULL]	Name of the organisation
numerofoemployees	14	int4	[NULL]	[NULL]	FALSE	[NULL]	The number of employees of the organisation
cocnumber	15	varchar (20)	[NULL]	default	FALSE	[NULL]	Chamber of commerce code
legalform	16	varchar (100)	[NULL]	default	FALSE	[NULL]	The legal form of a counterparty. Example values (nl): BV, NV, VOF. The values should correspond with the configured values in Force Business Lending.
countrycode	17	varchar (25)	[NULL]	default	FALSE	[NULL]	The country code that matches with a country description. The list of country descriptions can differ per customer installation.
annualincome	18	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
employmentstatus	19	varchar (20)	[NULL]	default	FALSE	[NULL]	[NULL]
sectorcodestandard	20	varchar (100)	[NULL]	default	FALSE	[NULL]	[NULL]
sectorcodecustom	21	varchar (100)	[NULL]	default	FALSE	[NULL]	[NULL]
externalreferenceid	22	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object
<b>sz_counterpartyrating</b>							
<b>Primary key (referenceid, processnumber)</b>							
<b>Column Name</b>	<b>#</b>	<b>Data type</b>	<b>Identity</b>	<b>Collation</b>	<b>Not Null</b>	<b>Default</b>	<b>Comment</b>
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
counterpartyreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
RatingType	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
RatingValue	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
pd	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
<b>sz_facility</b>							
<b>Primary key (referenceid, processnumber)</b>							
<b>Column Name</b>	<b>#</b>	<b>Data type</b>	<b>Identity</b>	<b>Collation</b>	<b>Not Null</b>	<b>Default</b>	<b>Comment</b>
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
mainfacilityreferenceid	4	varchar (128)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
productname	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
productdefinitioncode	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
repaymenttype	9	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
agreedlimitamount	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	The agreed or contractual limit on top-facility level.

agreedlimitcurrency	11	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
limitamount	12	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of the limit
limitcurrency	13	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
facilitystartdate	14	date	[NULL]	[NULL]	FALSE	[NULL]	The start date of the facility
facilityduration	15	int4	[NULL]	[NULL]	FALSE	[NULL]	The duration of the facility
facilityenddate	16	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the facility
facilityaccountnumber	17	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
fixedrateperiod	18	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
floor	19	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
indicativebaserate	20	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
indicativeinterestmargin	21	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
liquidityspread	22	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerbaserate	23	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerinterestmargin	24	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
loantovalue	25	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualinterestrate	26	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualannuity	27	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
redemptionatstartmonth	28	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualrentalincomesurplus	29	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestcoverageratynarrow	30	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestcoverageratiobroad	31	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
debtsevicecoverageratio	32	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
reversionmargininterestrate	33	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
borrowerfee	34	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestreferencedate	35	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestproductstartdate	36	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
firstinterestpaymentdate	37	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestproductenddate	38	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
firstrepaymentdate	39	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
repaymentfrequency	40	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
discountrate	41	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
discounttype	42	varchar (20)	[NULL]	default	FALSE	[NULL]	[NULL]
nominalratebeforediscount	43	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_fee							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
facilityreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]

name	4	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
startdate	5	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
fiatamountofthefee	6	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offeramountofthefee	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
fiatpercentageofthefee	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerpercentageofthefee	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
frequency	10	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
daycountconvention	11	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_financinggoal							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a financinggoal
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
agreementreferenceid	4	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	5	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
definitioncode	6	varchar (255)	[NULL]	default	FALSE	[NULL]	DefinitionCode
sz_metadata							
Primary key (key)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
key	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Label of the information
value	2	varchar (128)	[NULL]	default	FALSE	[NULL]	Value of the information
description	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Description of the key, value pair.
type	4	varchar (128)	[NULL]	default	FALSE	[NULL]	INFO, FACT, ASSERT
sz_otherproperties							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
created	1	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
additionalrentalincome	4	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_process							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	1	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
processname	2	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
whitelabel	3	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
contractnumber	4	int8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
externalreferencecontract	5	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]



externalreferencerequest	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
processstatus	7	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
startdatetime	8	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
enddatetime	9	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
durationtimehours	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
currentstatus	11	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
loanpassingdate	12	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
numberofstatuschanges	13	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
firsttimeright	14	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
currency	15	varchar (10)	[NULL]	default	FALSE	[NULL]	[NULL]
teamcode	16	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
channel	17	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_processevents							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
created	1	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
conditionalofferdate	4	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
conditionalofferdate_hours	5	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
bindingofferdate	6	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
bindingofferdate_hours	7	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
processedfinancialfiguresauto	8	bool	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offersent	9	bool	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_processtatuschange							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	int4	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
code	2	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
name	3	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
status_startdatetime	4	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
status_enddatetime	5	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
processtatusgroupname	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
userreferenceid	8	int8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
workingdaysinstatus	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_relation							
Primary key (processnumber, counterpartyreferenceid, borrowerrelationtype)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
created	1	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update

agreementreferenceid	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of an agreement
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
counterpartyreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
borrowerrelationtype	6	varchar (128)	[NULL]	default	FALSE	[NULL]	Type of borrower relation (Main borrower or Borrower)
sz_user							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
created	2	timestamp	[NULL]	[NULL]	TRUE	now()	moment of row creation
modified	3	timestamp	[NULL]	[NULL]	TRUE	now()	moment of last update
username	4	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
active	5	bool	[NULL]	[NULL]	TRUE	[NULL]	[NULL]