

sz_agreement						
Primary key (referenceid + processnumber)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	int8	[NULL]		TRUE	[NULL]	Unique identifier of a process
whitelabel	varchar(255)	[NULL]	default	TRUE	[NULL]	White label name
mainborrowerreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a counterparty
startdate	date	[NULL]	[NULL]	TRUE	[NULL]	The start date of this agreement
enddate	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the agreement
reviewdate	date	[NULL]	[NULL]	FALSE	[NULL]	The review date of the agreement
agreementperfect	bool	[NULL]	[NULL]	FALSE	[NULL]	Whether or not this credit agreement is perfect
datelastchanged	timestamp	[NULL]	[NULL]	FALSE	[NULL]	The date the credit agreement was last changed (and lead to a new actual version of this credit agreement)
externalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an agreement
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted of the agreement

sz_agreement_periodicstatement						
Primary key (agreementreferenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
mainborrowerreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a counterparty
processnumber_last_successful	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process

sz_annualaccounts						
Primary key (annualaccountsid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
annualaccountsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
documenttype	varchar(128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)

sz_annualaccountsdetails						
Primary key (annualaccountsid + columnenddate)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
currency	varchar(3)	[NULL]	default	FALSE	[NULL]	Currency code
annualaccountsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the column in the history application
CashAndEquivalents	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Cash And Equivalents
CurrentLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Current Liabilities
ebitda	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Earnings Before Interest, Taxes, Depreciation and Amortisation
FinancialExpenses	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Financial Expenses
FinancialFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Financial Fixed Assets
IntangibleFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Intangible Fixed Assets
Inventories	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Inventories
MaterialFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Material Fixed Assets
MinorityInterests	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Minority Interests
NetSales	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Net Sales
NetWorth	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Net Worth
NonCurrentLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Non Current Liabilities
OperatingIncome	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Operating Income
OtherShortTermDebt	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Other Short Term Debt
OverdraftCurrentAccount	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Overdraft Current Account
ProfitAfterTax	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Profit After Tax
Provisions	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Provisions
Receivables	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Subordinated Debts
SubordinatedDebts	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet:
TotalAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Total Assets
TotalNumberOfEmployees	float8	[NULL]	[NULL]	FALSE	[NULL]	Total Number Of Employees
TradePayablesTotal	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Trade Payables Total
dscr	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Debt Service Coverage Ratio
ValCheck	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Difference between Activa and Passiva (normally empty)
QuickRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Quick Ratio
CurrentRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Current Ratio
SolvencyRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Solvency Ratio
InterestCoverageRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Interest Coverage Ratio
ChangeInInventories	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Change In Inventories
DepreciationOfAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Depreciation Of Assets
ShareResultMinorityInterest	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Share Result Minority Interest
CurrentAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Current Assets
TotalEquityAndLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Total Equity And Liabilities
STPartOfLTDebts	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Short Term Part of the Long Term Debts
DebtToEBITDA	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Debt divided by EBITDA

sz_approval						
Primary key (referenced)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(255)	[NULL]	default	TRUE	[NULL]	Referenceid of the approval (group of businessrules). This name is a customer specific Fyndoo configuration.
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
approvaldate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date of approval
name	varchar(255)	[NULL]	default	FALSE	[NULL]	name of the approval (group of businessrules). This name is a customer specific Fyndoo configuration.
resultdescription	varchar(800)	[NULL]	default	FALSE	[NULL]	Result description in text. This name is a customer specific Fyndoo configuration.
resultcode	varchar(20)	[NULL]	default	FALSE	[NULL]	Result code. This name is a customer specific Fyndoo configuration.

sz_businessrules						
Primary key (referenceid,processnumber,fiatreferenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	UUID Unique identifier of this table.
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
fiatreferenceid	varchar(255)	[NULL]	default	TRUE	[NULL]	Unique identifier of fiat.
description	varchar(1000)	[NULL]	default	FALSE	[NULL]	Name of the business rule. This name is a customer specific Fyndoo configuration.
initial_result	varchar(255)	[NULL]	default	FALSE	[NULL]	Initial result of the business rule determined by the application.
final_result	varchar(255)	[NULL]	default	FALSE	[NULL]	Initial result of the business rule.
overruled	int4	[NULL]	[NULL]	FALSE	[NULL]	Boolean which indicates if the businessrule is overruled
overrule_motivation	varchar(4000)	[NULL]	default	FALSE	[NULL]	Motivation in text in case of overruling
rejection_reason	varchar(1000)	[NULL]	default	FALSE	[NULL]	Motivation in text in case of rejection
referenceid_sequence	varchar(16)	[NULL]	default	FALSE	[NULL]	Sequence which is used for ordering

sz_businessrules_parameters
Primary key (referenceid,businessrulereferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of this table.
businessrulereferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of the businessrule
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
fiatreferenceid	varchar(255)	[NULL]	default	TRUE	[NULL]	Unique identifier of a fiat/approval.
parametername	varchar(255)	[NULL]	default	FALSE	[NULL]	Unique identifier name of a parameter
numericvalue	numeric(19, 5)	[NULL]	[NULL]	FALSE	[NULL]	Numeric value of the parameter
alfanumericvalue	varchar(255)	[NULL]	default	FALSE	[NULL]	Alphanumeric value of the parameter
booleanvalue	int4	[NULL]	[NULL]	FALSE	[NULL]	Boolean value of the parameter
datevalue	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date value of the parameter
businessrulereferenceid_sequence	varchar(16)	[NULL]	default	FALSE	[NULL]	Sequence which is used for ordering

sz_calcmodel_customerbased

Primary key (documentid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
documentid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents regarding the same counterparty
documenttype	varchar(128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)

sz_calcmodel_customerbaseddetails

Primary key (documentid + columnenddate + variablename + T1 + T2 + T3)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
documentid	varchar(128)	[NULL]	default	FALSE	[NULL]	Internal identifier of the document of the history application
columnenddate	date	[NULL]	[NULL]	FALSE	[NULL]	Enddate of the column in case of a variable which is time dependent
variablename	varchar(128)	[NULL]	default	FALSE	[NULL]	Name of the variable in the calculation model.
stringvalue	varchar(255)	[NULL]	default	FALSE	[NULL]	In case of alfa-numeric value this column is filled.
numericvalue	float8	[NULL]	[NULL]	FALSE	[NULL]	In case of numeric value this column is filled.
t1	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance first level (zero-based)
t2	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance second level (zero-based)
t3	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance level (zero-based)

sz_calcmodel_processbased

Primary key (documentid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
documentid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents regarding the same counterparty
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
documenttype	varchar(128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)

sz_calcmodel_processbaseddetails

Primary key (documentid + columnenddate + variablename + T1 + T2 + T3)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
documentid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	date	[NULL]	[NULL]	FALSE	[NULL]	Enddate of the column in case of a variable which is time dependent
variablename	varchar(128)	[NULL]	default	FALSE	[NULL]	Name of the variable in the calculation model.
stringvalue	varchar(255)	[NULL]	default	FALSE	[NULL]	In case of alfa-numeric value this column is filled.
numericvalue	float8	[NULL]	[NULL]	FALSE	[NULL]	In case of numeric value this column is filled.
t1	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance first level (zero-based)
t2	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance second level (zero-based)
t3	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance level (zero-based)

sz_collateral

Primary key (referenceid, agreementreferenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a collateral
collateralttype	varchar(255)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
definitioncode	varchar(255)	[NULL]	default	FALSE	[NULL]	This name is a customer specific fyndoo configuration
description	varchar(255)	[NULL]	default	FALSE	[NULL]	This name is a customer specific fyndoo configuration
valuationdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of valuation of collateral
valuationcurrency	varchar(10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
valuationamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Value of the collateral
externalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral
amortizationfrequency	varchar(128)	[NULL]	default	FALSE	[NULL]	Amortization Frequency
firstreductiondatestrategy	varchar(128)	[NULL]	default	FALSE	[NULL]	First reduction date strategy
amortizationtype	varchar(128)	[NULL]	default	FALSE	[NULL]	Amortization type
numberofperiods	int4	[NULL]	[NULL]	FALSE	[NULL]	Number of periods (months)
firstreductiondate	date	[NULL]	[NULL]	FALSE	[NULL]	First reduction date

sz_collateral_object

Primary key (referenceid, agreementreferenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateralreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
postalcode	varchar(255)	[NULL]	default	FALSE	[NULL]	Postalcode
place	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the place
marketvalue	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Market value
purchasevalue	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Purchase value
executionvalue	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Execution value
energylabel	varchar(25)	[NULL]	default	FALSE	[NULL]	Current Energy label (e.g.'A','B',...)
energylabelafterrenovation	varchar(25)	[NULL]	default	FALSE	[NULL]	Energy label after renovation (e.g.'A','B',...)
externalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object
propertyspecifications	varchar(255)	[NULL]	default	FALSE	[NULL]	Tyoe of property (e.g 'PlannedConstruction', 'PlannedRemodeling', 'UnderConstruction', 'RemodelingInProgress', 'Completed', 'Remodeled'
insurance	varchar(255)	[NULL]	default	FALSE	[NULL]	Insurance information
constructionyear	int4	[NULL]	[NULL]	FALSE	[NULL]	Year of construction
leasehold	int4	[NULL]	[NULL]	FALSE	[NULL]	Lease hold (1=yes / 0=no)
leaseholdenddate	date	[NULL]	[NULL]	FALSE	[NULL]	End date of lease hold
propertysurface	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Property surface in m2
officespacesurface	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Office surface in m2
street	varchar(255)	[NULL]	default	FALSE	[NULL]	Street name
country	varchar(255)	[NULL]	default	FALSE	[NULL]	ISO code of the country
rank	int4	[NULL]	[NULL]	FALSE	[NULL]	Rank/order of the mortgages
prioramount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Prior amount in case rank of mortgage > 1
collateralttype	varchar(255)	[NULL]	default	FALSE	[NULL]	Description of collateralttype. This name is a customer specific fyndoo configuration

collateraltypecode	varchar(255)	[NULL]	default	FALSE	[NULL]	Referencecode of collateraltype. This name is a customer specific fyndoo configuration
collateraltypecategory	varchar(255)	[NULL]	default	FALSE	[NULL]	E.g.: Apartment, RealEstate, CommercialRealEstate, AgriculturalLand, Airplane, Ship, RealEstateWithOfficeSpace, OfficeSpace, Other
monumenttype	varchar(255)	[NULL]	default	FALSE	[NULL]	Type monumuent (e.g. 'National', 'Municipal'
province	varchar(255)	[NULL]	default	FALSE	[NULL]	Province

sz collateral_object_monumentregistration

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateral_objectreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateralreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
registrationnumber	varchar(255)	[NULL]	default	FALSE	[NULL]	Registration number of the monument
registrationname	varchar(255)	[NULL]	default	FALSE	[NULL]	Registration name of the monument
registrationdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of registration
agreementreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	[NULL]

sz collateral_object_rental

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateral_objectreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateralreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
regulatedproperty	int4	[NULL]	[NULL]	FALSE	[NULL]	Regulated property (1= Yes / 0 =No
pointscoreforregulatedrent	numeric(9, 5)	[NULL]	[NULL]	FALSE	[NULL]	Points score for regulated rent
admissiblemonthlyrent	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Admissible monthly rent
coldrentpermonth	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Cold rent per month
marketbasedrent	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Market based rent
totalrentpermonth	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total rent per month
totalrentperyear	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total rent per year
agreementreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	[NULL]
sequenceid	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]

sz collateral_object_taxation

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateral_objectreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateralreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
valuationdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of valuation
valuationmethod	varchar(255)	[NULL]	default	FALSE	[NULL]	Method of valuation (e.g. 'Full expert', 'Desktop expert', 'Internal', 'Volgens balans', 'External', 'WOZ', 'Indexation')
valuationvaluetype	varchar(255)	[NULL]	default	FALSE	[NULL]	Valuation value type (e.g. 'MarketValueCurrentState', 'MarketValueAfterRenovation', 'MarketValueRented', 'PurchaseValue')
valuationvalue	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	This is called 'marktwaarde' in the application. Correction is already applied on this value.
marketvaluecurrentstate	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Market value current state
correctionpercentage	float8	[NULL]	[NULL]	FALSE	[NULL]	Market value correction percentage. eg: 0.9 is 90%
valuercompany	varchar(255)	[NULL]	default	FALSE	[NULL]	Company name of the valuer
valuername	varchar(255)	[NULL]	default	FALSE	[NULL]	Lastname of the valuer
agreementreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	[NULL]
sequenceid	int4	[NULL]	[NULL]	FALSE	[NULL]	Obsolete will be removed

sz contactperson

Primary key (referenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a contactperson
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
organisationname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the organisation
emailaddress	varchar(255)	[NULL]	default	FALSE	[NULL]	Email address of person
telephone	varchar(255)	[NULL]	default	FALSE	[NULL]	Telephone number of the person
type	varchar(255)	[NULL]	default	FALSE	[NULL]	Contactperson type (e.g. 'Intermediary' or 'Entrepreneur'

sz counterparty

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
legalentity	bool	[NULL]	[NULL]	TRUE	[NULL]	Organisation (1) Personal (0)
datelastchanged	date	[NULL]	[NULL]	TRUE	[NULL]	Date of last change
address	varchar(255)	[NULL]	default	FALSE	[NULL]	The address of the counterparty
street	varchar(255)	[NULL]	default	FALSE	[NULL]	The street of the counterparty
housenumber	varchar(255)	[NULL]	default	FALSE	[NULL]	The housenumber of the counterparty
housenumberaddition	varchar(255)	[NULL]	default	FALSE	[NULL]	The housenumberaddition of the counterparty
postalcode	varchar(10)	[NULL]	default	FALSE	[NULL]	Free formatted postalcode, no specific country restrictions
city	varchar(255)	[NULL]	default	FALSE	[NULL]	The city of the counterparty
countryofaddress	varchar(255)	[NULL]	default	FALSE	[NULL]	The country name of the counterparty address
countrycodeofaddress	varchar(25)	[NULL]	default	FALSE	[NULL]	The country code (ISO2) of the counterparty address
isholding	bool	[NULL]	[NULL]	FALSE	[NULL]	Derived information and indicates if the counterparty is a Holding company
counterpartysegmentcode	varchar(255)	[NULL]	default	FALSE	[NULL]	The segment code of this counterparty.
counterpartycategorycode	varchar(255)	[NULL]	default	FALSE	[NULL]	The counterparty category this counterparty belongs to.
foundationdate	date	[NULL]	[NULL]	FALSE	[NULL]	The foundation date of the organisation
organisationname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the organisation
numberofemployees	int4	[NULL]	[NULL]	FALSE	[NULL]	The number of employees of the organisation
ccnumber	varchar(20)	[NULL]	default	FALSE	[NULL]	Chamber of commerce code
legalform	varchar(100)	[NULL]	default	FALSE	[NULL]	The legal form of a counterparty. Example values (nl): BV, NV, VOF. The values should correspond with the configured values in Force Business Lending.
countrycode	varchar(25)	[NULL]	default	FALSE	[NULL]	Country of birth (person) or country of incorporation (company). (ISO 3166 country code)
annualincome	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Annual income of the counterparty
employmentstatus	varchar(20)	[NULL]	default	FALSE	[NULL]	Employment status (e.g. 'Employed', 'Unemployed', 'SelfEmployed', 'Retired'
sectorcodestandard	varchar(100)	[NULL]	default	FALSE	[NULL]	The standard sectorcode which is configured in Fyndoo
sectorcodecustom	varchar(100)	[NULL]	default	FALSE	[NULL]	The custom sectorcode which is configured in Fyndoo
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted of the counterparty
externalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object
gender	varchar(20)	[NULL]	default	FALSE	[NULL]	Gender of counterparty (e.g. Male/Female/Unknown'
islatestapprovedversion	bool	[NULL]	[NULL]	FALSE	[NULL]	if TRUE this is the 'master' version.
preferredname	varchar(55)	[NULL]	default	FALSE	[NULL]	Preferred name

dateofbankruptcy	date	[NULL]	[NULL]	FALSE	[NULL]	The bankruptcy date of the organisation
dateofdeath	date	[NULL]	[NULL]	FALSE	[NULL]	The date of the death of the natural person
province	varchar(255)	[NULL]	default	FALSE	[NULL]	Province

sz_counterparty_financials

Primary key (counterpartyreferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
counterpartyreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a counterparty
financialsid	varchar(128)	[NULL]	default	FALSE	[NULL]	Identifier of a group of documents (History/SLU/Prognoses) regarding the same counterparty

sz_counterpartyrating

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
counterpartyreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterpartyreference
RatingType	varchar(255)	[NULL]	default	FALSE	[NULL]	Rating type. This name is a customer specific Fyndoo configuration
RatingValue	varchar(255)	[NULL]	default	FALSE	[NULL]	Rating value. This name is a customer specific Fyndoo configuration
pd	float8	[NULL]	[NULL]	FALSE	[NULL]	Probability of default percentage.

sz_counterparty_fiscal_info

Primary key (counterpartyreferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
counterpartyreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
birthdate	date	[NULL]	[NULL]	FALSE	[NULL]	The birthdate of the counterparty (person).
socialsecuritynumber	varchar(255)	[NULL]	default	FALSE	[NULL]	Social security number of a person.

sz_facility

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of the facility
mainfacilityreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of the main facility
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
productname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the product configured in Fyndoo
productdefinitioncode	varchar(255)	[NULL]	default	FALSE	[NULL]	Definitioncode of product configured in Fyndoo
repaymenttype	varchar(255)	[NULL]	default	FALSE	[NULL]	Repayment type (e.g. 'Annuity', 'Linear', 'Bullet', 'Schedule', 'Revolving')
agreedlimitamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The agreed or contractual limit on top-facility level.
agreedlimitcurrency	varchar(10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
limitamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of the limit
limitcurrency	varchar(10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
facilitystartdate	date	[NULL]	[NULL]	FALSE	[NULL]	The start date of the facility
facilityduration	int4	[NULL]	[NULL]	FALSE	[NULL]	The duration of the facility in months
facilityenddate	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the facility
facilityaccountnumber	varchar(255)	[NULL]	default	FALSE	[NULL]	Bank accountnumber
fixedrateperiod	float8	[NULL]	[NULL]	FALSE	[NULL]	Interest fixed rate period in months
floor	float8	[NULL]	[NULL]	FALSE	[NULL]	Floor rate
indicativebase rate	float8	[NULL]	[NULL]	FALSE	[NULL]	Indicative base rate
indicativeinterestmargin	float8	[NULL]	[NULL]	FALSE	[NULL]	indicative interest margin
liquidityspread	float8	[NULL]	[NULL]	FALSE	[NULL]	Liquidity spread
offerbase rate	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer base rate
offerinterestmargin	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer interest margin
offerinterestcorrection	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer interest correction
loan to value	float8	[NULL]	[NULL]	FALSE	[NULL]	LTV (loan to value) for this process
annualinterest rate	float8	[NULL]	[NULL]	FALSE	[NULL]	Annual interest rate
annualannuity	float8	[NULL]	[NULL]	FALSE	[NULL]	Annual annuity
redemptionatstartmonth	float8	[NULL]	[NULL]	FALSE	[NULL]	Redemption at startmonth
annualrentalincomesurplus	float8	[NULL]	[NULL]	FALSE	[NULL]	Annual rental income surplus
interestcoverageratiowarrow	float8	[NULL]	[NULL]	FALSE	[NULL]	ICR narrow (interest coverage ratio narrow) for this process
interestcoverageratiobroad	float8	[NULL]	[NULL]	FALSE	[NULL]	ICR broad (interest coverage ratio broad) for this process
debt service coverage ratio	float8	[NULL]	[NULL]	FALSE	[NULL]	DSCR (Debt Service Coverage Ratio)
reversionmargininterest rate	float8	[NULL]	[NULL]	FALSE	[NULL]	Reversion Margin Interest rate
interestreference date	date	[NULL]	[NULL]	FALSE	[NULL]	Interest reference date
interestproductstartdate	date	[NULL]	[NULL]	FALSE	[NULL]	Start date of interest fixedrate period
firstinterestpaymentdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of the first interest payment
interestproductenddate	date	[NULL]	[NULL]	FALSE	[NULL]	End date of interest fixedrate period
firstrepaymentdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of the first repayment
repaymentfrequency	varchar(255)	[NULL]	default	FALSE	[NULL]	Frequency of repayment (e.g. 'Monthly', 'Two monthly', 'Quarterly', 'Yearly', 'Half yearly')
discount rate	float8	[NULL]	[NULL]	FALSE	[NULL]	discount rate
discount type	varchar(20)	[NULL]	default	FALSE	[NULL]	Type of discount, possible options are: 'Commercial', 'Lender', 'Other'
nominalratebeforediscount	float8	[NULL]	[NULL]	FALSE	[NULL]	Nominal rate before discount
interestratenam e	varchar(128)	[NULL]	default	FALSE	[NULL]	Interest productname e.g. '3 month Euribor + opslag'. This name is a customer specific fyndoo configuration
interestratecode	varchar(128)	[NULL]	default	FALSE	[NULL]	Interest productcode e.g. 'EU.IR.0000003' This name is a customer specific fyndoo configuration
interesttype	varchar(128)	[NULL]	default	FALSE	[NULL]	Interest type e.g. 'Fixed' or 'Variable'
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted
externalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid received from an external application
parenttenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted of the parent facility
parentexternalreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid received from an external application of the parent facility
discounttypecomment	varchar(255)	[NULL]	default	FALSE	[NULL]	Comment of user for discounttype
mutationtype	varchar(255)	[NULL]	default	FALSE	[NULL]	Type of mutation of the facility. E.g. 'New', 'Unchanged', 'changed, etc
blockingamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of the limit which is blocked
blockingamountmotivation	varchar(255)	[NULL]	default	FALSE	[NULL]	Motivation of blockingamount (max. 255 chars)

sz_facilityreference

Primary key (facilityreferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]

sz_facility_periodicstatement

Primary key (facilityreferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a agreement
processnumber_last_successful	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process

sz_fee_agreement

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an fee agreement
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
name	varchar(255)	[NULL]	default	FALSE	[NULL]	Unique identifier name of a fee. This name is a customer specific Fyndoo configuration.
startdate	date	[NULL]	[NULL]	FALSE	[NULL]	Start date of the fee
fiatamountofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Fiat amount of the fee (currency ammount)
offeramountofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer amount of the fee (currency ammount)
fiatpercentageofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Fiat percentage of the fee (%)
offerpercentageofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer percentage of the fee (%)
frequency	varchar(255)	[NULL]	default	FALSE	[NULL]	Frequency of the fee (E.g. 'Quarterly', 'Monthly'
daycountconvention	varchar(255)	[NULL]	default	FALSE	[NULL]	Day count convention (E.g. '30/360')

sz_fee_facility

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a fee facility
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a facility
name	varchar(255)	[NULL]	default	FALSE	[NULL]	Unique identifier name of a fee. This name is a customer specific Fyndoo configuration.
startdate	date	[NULL]	[NULL]	FALSE	[NULL]	Start date of the fee
fiatamountofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Fiat amount of the fee (currency ammount)
offeramountofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer amount of the fee (currency ammount)
fiatpercentageofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Fiat percentage of the fee (%)
offerpercentageofthefee	float8	[NULL]	[NULL]	FALSE	[NULL]	Offer percentage of the fee (%)
frequency	varchar(255)	[NULL]	default	FALSE	[NULL]	Frequency of the fee (E.g. 'Quarterly', 'Monthly'
daycountconvention	varchar(255)	[NULL]	default	FALSE	[NULL]	Day count convention (E.g. '30/360')

sz_financials

Primary key (financialsid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
financialsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLU/Prognoses) regarding the same counterparty

sz_financialstate

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a facility
timestampfinancialstate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Timestamp of the creation of financial_state
currentoutstanding	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current outstanding
arrearsamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Arrears amount
arrearcode	numeric(1)	[NULL]	[NULL]	FALSE	[NULL]	Arrearcode, 0 - No arrears / 1 - In arrears (payments overdue) /2 - 30 days overdue /3 - 60 days overdue / 4 - 90 days overdue
isactive	bool	[NULL]	[NULL]	FALSE	[NULL]	Is the facility active
overduepaymentobligationamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of payment obligations whose due date has passed.
outstandingamountafterscheduledt	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance sheet minus all scheduled payments plus all redemption payment obligations.
installmentamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current installment amount. (So current amount you pay for that product each term. With annuities, will only change after things like an additional repayment).
surplusamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Advance. How many installments did you pay in advance? For mortgages not relevant.
initialamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Initial balance. So the balance when the product is created.
nextinstallmentinterestamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Next interest amount. How much interest is in the next installment amount.
nextinstallmentpayoffamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Next repayment amount. How much repayment is in the next installment amount.
brokenperiodinterestamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Broken period interest rate. To be determined at product creation; basically does not change.
outstandingpayoff	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance sheet minus all scheduled payments plus all redemption payment obligations.
outstandingdebt	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance minus all scheduled payments plus all payment obligations.
prepaidAmountInCurrentYear	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Prepaid Amount In Current Year.

sz_financialstate_agreementlevel

Primary key (agreementreferenceid)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a agreement
timestampfinancialstate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Timestamp of the creation of financial_state
currentoutstanding	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current outstanding
arrearsamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Arrears amount
arrearcode	numeric(1)	[NULL]	[NULL]	FALSE	[NULL]	Arrearcode, 0 - No arrears / 1 - In arrears (payments overdue) /2 - 30 days overdue /3 - 60 days overdue / 4 - 90 days overdue
isactive	bool	[NULL]	[NULL]	FALSE	[NULL]	Is the agreement active
overduepaymentobligationamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of payment obligations whose due date has passed.
outstandingamountafterscheduledt	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance sheet minus all scheduled payments plus all redemption payment obligations.
installmentamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current installment amount. (So current amount you pay for that product each term. With annuities, will only change after things like an additional repayment).
surplusamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Advance. How many installments did you pay in advance? For mortgages not relevant.
initialamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Initial balance. So the balance when the product is created.
nextinstallmentinterestamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Next interest amount. How much interest is in the next installment amount.
nextinstallmentpayoffamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Next repayment amount. How much repayment is in the next installment amount.
brokenperiodinterestamount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Broken period interest rate. To be determined at product creation; basically does not change.
outstandingpayoff	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance sheet minus all scheduled payments plus all redemption payment obligations.
outstandingdebt	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Current balance minus all scheduled payments plus all payment obligations.
expecteddateofnextinstallment	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Expected date of next installment

sz_financinggoal

Primary key (referenceid, processnumber)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a financing goal.
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement.
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
definitioncode	varchar(255)	[NULL]	default	FALSE	[NULL]	Code of financinggoal. This name is a customer specific Fyndoo configuration.
description	varchar(255)	[NULL]	default	FALSE	[NULL]	Description of financinggoal. This name is a customer specific Fyndoo configuration.

sz_metadata

Primary key (key)

Column Name	Data type	Identity	Collation	Not Null	Default	Comment
key	varchar(128)	[NULL]	default	TRUE	[NULL]	Label of the information
value	varchar(128)	[NULL]	default	FALSE	[NULL]	Value of the information
description	varchar(128)	[NULL]	default	FALSE	[NULL]	Description of the key, value pair.
type	varchar(128)	[NULL]	default	FALSE	[NULL]	INFO, FACT, ASSERT

sz_otherproperties

Primary key (processnumber)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
additionalrentalincome	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Additional rental income

sz_periodicstatement

Primary key (facilityreferenceid,periodtype,periodenddate)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a facility
reportreference	varchar(255)	[NULL]	default	TRUE	[NULL]	Unique identifier for the periodic statement
reportcreationdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Creation datetime of the report
periodtype	varchar(255)	[NULL]	default	TRUE	[NULL]	Type of period (E.g. 'MONTH', 'YEAR')
periodstartdate	date	[NULL]	[NULL]	TRUE	[NULL]	Start date of the period
periodenddate	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the period
balanceatstart	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at startdate of period
balanceatend	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at enddate of period
totalinterestpaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest paid in period
totalinterestchargepaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest charges paid in period
totalfeespaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total fees paid in period
totalothercostspaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total other costs (not fees or interest charges) paid in period
totaldebit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Regular repayment (planned)
totalcredit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Actual repayment (f greater than totaldebit then it is an additional repayment)

sz_periodicstatement_agreementlevel

Primary key (agreementreferenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
agreementreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a agreement
reportreference	varchar(255)	[NULL]	default	TRUE	[NULL]	Unique identifier for the periodic statement
reportcreationdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Creation datetime of the report
periodtype	varchar(255)	[NULL]	default	TRUE	[NULL]	Type of period (E.g. 'MONTH', 'YEAR')
periodstartdate	date	[NULL]	[NULL]	TRUE	[NULL]	Start date of the period
periodenddate	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the period
balanceatstart	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at startdate of period
balanceatend	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at enddate of period
totalinterestpaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest paid in period
totalinterestchargepaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest charges paid in period
totalfeespaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total fees paid in period
totalothercostspaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total other costs (not fees or interest charges) paid in period
totaldebit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Regular repayment (planned)
totalcredit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Actual repayment (f greater than totaldebit then it is an additional repayment)

sz_process

Primary key (processnumber)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
processname	varchar(255)	[NULL]	default	FALSE	[NULL]	Description of process. This name is a customer specific Fyndoo configuration
whitelabel	varchar(255)	[NULL]	default	FALSE	[NULL]	White label name. This name is a customer specific Fyndoo configuration
contractnumber	int8	[NULL]	[NULL]	FALSE	[NULL]	Unique identifier of a contract
externalreferencecontract	varchar(255)	[NULL]	default	FALSE	[NULL]	Unique external identifier of a contract
externalreferencecrequest	varchar(255)	[NULL]	default	FALSE	[NULL]	Unique external identifier of a request
processstatus	int4	[NULL]	[NULL]	FALSE	[NULL]	Status of the process (0 = in progress / 1 = closed)
startdatetime	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Start date of the process
enddatetime	timestamp	[NULL]	[NULL]	FALSE	[NULL]	End date of the process (processtatus=1)
durationtimehours	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Duration of the process based on begin and startdate
currentstatus	varchar(255)	[NULL]	default	FALSE	[NULL]	Actual status name. This name is a customer specific Fyndoo configuration
loanpassingdate	date	[NULL]	[NULL]	FALSE	[NULL]	Date of passing date of a loan (optional, not applicable for all processtypes
latestexecutiondate	date	[NULL]	[NULL]	FALSE	[NULL]	Last possible loan passingdate
numberofstatuschanges	int4	[NULL]	[NULL]	FALSE	[NULL]	Number of status changes of the process
firsttimeright	int4	[NULL]	[NULL]	FALSE	[NULL]	Are all statuschange unique, the firsttime right is true
currency	varchar(10)	[NULL]	default	FALSE	[NULL]	The currencycode of the process
teamcode	varchar(255)	[NULL]	default	FALSE	[NULL]	The teamcode of the process. This name is a customer specific Fyndoo configuration.
channel	varchar(255)	[NULL]	default	FALSE	[NULL]	Channel name of the process. This name is a customer specific Fyndoo configuration.
processtype	varchar(255)	[NULL]	default	FALSE	[NULL]	processtype e.g. LoanOrigination, LoanReview, LoanModification, etc.
mainadministrator	varchar(128)	[NULL]	default	FALSE	[NULL]	User which is the main administrator of the process. This name is a customer specific Fyndoo configuration.
currentstatuscode	varchar(255)	[NULL]	default	FALSE	[NULL]	Actual status CODE. This CODE is a customer specific Fyndoo configuration.
currentstatusgroupname	varchar(255)	[NULL]	default	FALSE	[NULL]	Actual status statusgroupname. This is a Fyndoo default configuration.
referenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a process
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique referenceid generated by Fyndoo for a process, but tenant formatted

sz_processevents

Primary key (processnumber)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
conditionalofferdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Datetime of conditional offer
conditionalofferdate_hours	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Number of hours from start process to date of conditional offer
bindingofferdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Datetime of binding offer
bindingofferdate_hours	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Number of hours from start process to date of binding offer
processedfinancialfiguresauto	bool	[NULL]	[NULL]	FALSE	[NULL]	Indication (boolean) if the financial figures are automatically processed by the application
offerrent	bool	[NULL]	[NULL]	FALSE	[NULL]	Indication (boolean) if an offer is sent.
finishedsuccessful	bool	[NULL]	[NULL]	FALSE	[NULL]	True if the process has reached a successful status
finishedsuccessfuldate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date and time of when the process has reached a successful status
readyforfilling	bool	[NULL]	[NULL]	FALSE	[NULL]	True if the process has a transition with the property IsProcessReadyForFiling
readyforfillingdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date and time of when the process has transition with the property IsProcessReadyForFiling

sz_processtatuschange

Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of processtatus change
code	varchar(255)	[NULL]	default	FALSE	[NULL]	Process statuschange code. This name is a customer specific Fyndoo configuration.
name	varchar(255)	[NULL]	default	FALSE	[NULL]	Process statuschange name. This name is a customer specific Fyndoo configuration.
status_startdatetime	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Start datetime of the statuschang
status_enddatetime	timestamp	[NULL]	[NULL]	FALSE	[NULL]	End datetime of the statuschange
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
userreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	User reference id of the person who initiate the statuschange
statusgroupname	varchar(255)	[NULL]	default	FALSE	[NULL]	Groupname of the status definition (to).
workingdaysinstatus	float8	[NULL]	[NULL]	FALSE	[NULL]	Number of workingdays of this statuschange
fromreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of current workflowstatus
toreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of next workflowstatus

sz_relation						
Primary key (processnumber, counterpartyreferenceid, borrowerrelationtype)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
agreementreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Unique identifier of an agreement
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
counterpartyreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
borrowerrelationtype	varchar(128)	[NULL]	default	FALSE	[NULL]	Type of borrower relation (Main borrower or Borrower)
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of this table.

sz_sl						
Primary key (sliid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
sliid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	varchar(128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
processnumber	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
documenttype	varchar(128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)

sz_slidetails						
Primary key (sliid + columnenddate)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
currency	varchar(3)	[NULL]	default	FALSE	[NULL]	Currency code
sliid	varchar(128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the column in the history application
CashAndEquivalents	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Cash And Equivalents
CurrentLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Current Liabilities
ebitda	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Earnings Before Interest, Taxes, Depreciation and Amortisation
FinancialExpenses	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Financial Expenses
FinancialFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Financial Fixed Assets
IntangibleFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Intangible Fixed Assets
Inventories	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Inventories
MaterialFixedAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Material Fixed Assets
MinorityInterests	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Minority Interests
NetSales	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Net Sales
NetWorth	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Net Worth
NonCurrentLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Non Current Liabilities
OperatingIncome	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Operating Income
OtherShortTermDebt	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Other Short Term Debt
OverdraftCurrentAccount	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Overdraft Current Account
ProfitAfterTax	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Profit After Tax
Provisions	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Provisions
Receivables	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Subordinated Debts
SubordinatedDebts	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet:
TotalAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Total Assets
TotalNumberOfEmployees	float8	[NULL]	[NULL]	FALSE	[NULL]	Total Number Of Employees
TradePayablesTotal	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Trade Payables Total
dscr	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Debt Service Coverage Ratio
ValCheck	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Difference between Activa and Passiva (normally empty)
QuickRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Quick Ratio
CurrentRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Current Ratio
SolvencyRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Solvency Ratio
InterestCoverageRatio	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Interest Coverage Ratio
ChangeInInventories	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Change In Inventories
DepreciationOfAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Depreciation Of Assets
ShareResultMinorityInterest	float8	[NULL]	[NULL]	FALSE	[NULL]	Profit and Loss: Share Result Minority Interest
CurrentAssets	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Current Assets
TotalEquityAndLiabilities	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Total Equity And Liabilities
STPartOfLTD debts	float8	[NULL]	[NULL]	FALSE	[NULL]	Balancesheet: Short Term Part of the Long Term Debts
DebtToEBITDA	float8	[NULL]	[NULL]	FALSE	[NULL]	Ratio: Debt divided by EBITDA

sz_user						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a user
username	varchar(128)	[NULL]	default	TRUE	[NULL]	Username of the user
active	bool	[NULL]	[NULL]	TRUE	[NULL]	Is user account active

sz_statuschangedefinition						
Primary key (fromreferenceid,toreferenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
workflowprocessreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of workflowprocess
fromreferenceid	varchar(255)	[NULL]	default	TRUE	[NULL]	Referenceid of the status definition (from)
toreferenceid	varchar(255)	[NULL]	default	TRUE	[NULL]	Referenceid of the status definition (to)
tostatuscode	varchar(255)	[NULL]	default	FALSE	[NULL]	Code of the status definition (to)
tostatusname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the status definition (to)
statusgroupname	varchar(255)	[NULL]	default	FALSE	[NULL]	Groupname of the status definition (to).
automaticstatuschange	bool	[NULL]	[NULL]	FALSE	[NULL]	Is the statuschange automatically

sz_workflowprocessdefinition						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of workflowprocessdefinition
whitelabel	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the whitelabel
processname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the workflow process
processtype	varchar(255)	[NULL]	default	FALSE	[NULL]	Groupname of the status definition (to).
beginstatus	varchar(255)	[NULL]	default	FALSE	[NULL]	Beginstatus of the process definition.

sz_workflowprocessdefinition						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of statuschangedefinition
workflowprocessreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of workflowprocess
statuscode	varchar(255)	[NULL]	default	FALSE	[NULL]	Code of the status definition (from)
statusname	varchar(255)	[NULL]	default	FALSE	[NULL]	Name of the status definition (from)
statusgroupname	varchar(255)	[NULL]	default	FALSE	[NULL]	Groupname of the status definition (to).
endstatus	bool	[NULL]	[NULL]	FALSE	[NULL]	This is an end status of a process.
isprocessreadyforfilling	bool	[NULL]	[NULL]	FALSE	[NULL]	In this status the process is ready for filling.
isterminationssuccessful	bool	[NULL]	[NULL]	FALSE	[NULL]	In this status the process is terminated successful.

sz_funder						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a Funder
funderreferenceid	varchar(20)	[NULL]	default	TRUE	[NULL]	Type of funder (e.g NonNaturalPerson or NaturalPerson)
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Akkuro, but tenant formatted of the Funder
fundername	varchar(255)	[NULL]	default	FALSE	[NULL]	In case a NaturalPerson the fullname and in case a NonNaturalPerson organisationname
cocnumber	varchar(20)	[NULL]	default	FALSE	[NULL]	Chamber of commerce code (in case a NonNaturalPerson)
birthdate	date	[NULL]	[NULL]	FALSE	[NULL]	The birthdate of the Funder (in case a NaturalPerson).
socialsecuritynumber	varchar(255)	[NULL]	default	FALSE	[NULL]	Social security number (in case a NaturalPerson)
sz_fundingaccount						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a funding account
funderreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a funder
tenantformattedreferenceid	varchar(128)	[NULL]	default	FALSE	[NULL]	Tenantformatted reference of fundingaccount
productname	varchar(128)	[NULL]	default	FALSE	[NULL]	Productname of fundingaccount
productdefinitioncode	varchar(128)	[NULL]	default	FALSE	[NULL]	productdefinitioncode of fundingaccount
sz_fundingaccount_periodicstatement						
Primary key (fundingaccountreferenceid, periodtype, periodenddate)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
fundingaccountreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier for a funding account
reportreference	varchar(255)	[NULL]	default	TRUE	[NULL]	Unique identifier for the periodic statement
reportcreationdate	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Creation datetime of the report
periodtype	varchar(255)	[NULL]	default	TRUE	[NULL]	Type of period (E.g. 'MONTH', 'YEAR')
periodstartdate	date	[NULL]	[NULL]	TRUE	[NULL]	Start date of the period
periodenddate	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the period
balanceatstart	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at startdate of period
balanceatend	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at enddate of period
totalinterestpaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest paid in period
totalinterestchargepaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest charges paid in period
totalfeespaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total fees paid in period
totalothercostspaid	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total other costs (not fees or interest charges) paid in period
totaldebit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Regular repayment (planned)
totalcredit	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	Actual repayment (f greater than totaldebit then it is an additional repayment)
sz_fund						
Primary key (referenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a Fund
fundname	varchar(255)	[NULL]	default	FALSE	[NULL]	In case a NaturalPerson the fullname and in case a NonNaturalPerson organisationname
sz_fund_facility_participation						
Primary key (facilityreferenceid,fundreferenceid,funderreferenceid)						
Column Name	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an facility
fundreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a Fund
funderreferenceid	varchar(128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a Funder
participation_amount	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The participation_amount of the funder in this facility
managementfee	numeric(19, 2)	[NULL]	[NULL]	FALSE	[NULL]	The managementfee of the funder of this facility