


Data Export 'Standard Zone' version 2024.3

1.1.1. Global overview



Definition

	Description
Staging	A process where the data is imported from external component into 'Landing Zone'
Landing Zone	Raw data from external component
Process data	A process where the data is transformed (eg. ETL tooling) into the standard data model.
Standard Zone	Standard data model (is used for all customers) from which all 'information questions' can be answered
Publish	A process where the data is publish to a specific format

1.1.2. Export StandardZone data

In Fyndoo Data Analytics a standard export is available for the 'standard zone'. Below the specifications of this export

- The export of the standard Zone contains **all** data available in the standard Zone. Every day all data is supplied in the export
- All tables in the standard zone will be exported as csv-file. With the following specifications:
 - Encoding: UTF8
 - Separator: semicolon (;)
 - Timestamps as yyyy-MM-dd HH:mm:ss
 - Dates yyyy-MM-dd
 - Numbers will be exported with a dot (###.## with out a thousand separator)
 - Strings will be enclosed with a double qoute ("")
 - Booleans will be exported as 'Y' or 'N'
- The frequency will be on a daily basis (between 23:00 and 04:00)
- Every table will be in a separate csv-file

sz_agreement							
Primary key (referenceid + processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
whitelabel	5	varchar (255)	[NULL]	default	TRUE	[NULL]	The whitelabel
mainborrowerreferenceid	6	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a counterparty

startdate	7	date	[NULL]	[NULL]	TRUE	[NULL]	The start date of this credit agreement
enddate	8	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the agreement
reviewdate	9	date	[NULL]	[NULL]	FALSE	[NULL]	The review date of the agreement
agreementperfect	10	bool	[NULL]	[NULL]	FALSE	[NULL]	Whether or not this credit agreement is perfect
datelastchanged	11	timestamp	[NULL]	[NULL]	FALSE	[NULL]	The date the credit agreement was last changed (and lead to a new actual version of this credit agreement)
externalreferenceid	12	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an agreement
sz_annualaccounts							
Primary key (annualaccountsid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
annualaccountsid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
documenttype	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)
sz_annualaccountsdetails							
Primary key (annualaccountsid + columnenddate)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
currency	1	varchar(3)	[NULL]	default	FALSE	[NULL]	Currency code
annualaccountsid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	3	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the column in the history application
CashAndEquivalents	4	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentLiabilities	5	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ebitda	6	float8	[NULL]	[NULL]	FALSE	[NULL]	Earnings Before Interest, Taxes, Depreciation and Amortisation
FinancialExpenses	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
FinancialFixedAssets	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
IntangibleFixedAssets	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Inventories	10	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MaterialFixedAssets	11	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MinorityInterests	12	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetSales	13	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetWorth	14	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NonCurrentLiabilities	15	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OperatingIncome	16	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OtherShortTermDebt	17	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OverdraftCurrentAccount	18	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ProfitAfterTax	19	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Provisions	20	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]

Receivables	21	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SubordinatedDebts	22	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalAssets	23	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalNumberOfEmployees	24	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TradePayablesTotal	25	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
dscr	26	float8	[NULL]	[NULL]	FALSE	[NULL]	Debt Service Coverage Ratio
ValCheck	27	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
QuickRatio	28	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentRatio	29	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SolvencyRatio	30	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
InterestCoverageRatio	31	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ChangeInInventories	32	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
DepreciationOfAssets	33	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ShareResultMinorityInterest	34	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentAssets	35	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalEquityAndLiabilities	36	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
STPartOfLTDebts	37	float8	[NULL]	[NULL]	FALSE	[NULL]	Short Term Part of the Long Term Debts
sz_approval							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (255)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
approvaldate	3	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
name	4	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
resultdescription	5	varchar (800)	[NULL]	default	FALSE	[NULL]	[NULL]
resultcode	6	varchar (20)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_businessrules							
Primary key (referenceid,processnumber, fiatreferenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	UUID
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
fiatreferenceid	3	varchar (255)	[NULL]	default	TRUE	[NULL]	[NULL]
description	4	varchar (1000)	[NULL]	default	FALSE	[NULL]	[NULL]
initial_result	5	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
final_result	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]

overruled	7	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
override_motivation	8	varchar (4000)	[NULL]	default	FALSE	[NULL]	[NULL]
rejection_reason	9	varchar (1000)	[NULL]	default	FALSE	[NULL]	[NULL]
referenceid_sequence	10	varchar (16)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_businessrules_parameters							
Primary key (referenceid, businessrulereferenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
businessrulereferenceid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
fiatreferenceid	4	varchar (255)	[NULL]	default	TRUE	[NULL]	[NULL]
parametername	5	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
numericvalue	6	numeric (19, 5)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
alphanumericvalue	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
booleanvalue	8	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
datevalue	9	timestamp	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
businessrulereferenceid_sequence	10	varchar (16)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_calcmmodel_customerbased							
Primary key (documentid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents regarding the same counterparty
documenttype	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)
sz_calcmmodel_customerbased_details							
Primary key (documentid + columnenddate + variablename + T1 + T2 + T3)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	2	date	[NULL]	[NULL]	FALSE	[NULL]	Enddate of the column in case of a variable which is time dependent
variablename	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Name of the variable in the calculation model.
stringvalue	4	varchar (255)	[NULL]	default	FALSE	[NULL]	In case of alfa-numeric value this column is filled.
numericvalue	5	float8	[NULL]	[NULL]	FALSE	[NULL]	In case of numeric value this column is filled.
t1	6	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance first level (zero-based)
t2	7	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance second level (zero-based)
t3	8	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance level (zero-based)

sz_calcmode_l_processbased							
Primary key (documentid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents regarding the same counterparty
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
documenttype	4	varchar (128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)
sz_calcmode_l_processbaseddetails							
Primary key (documentid + columnenddate + variablename + T1 + T2 + T3)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
documentid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	2	date	[NULL]	[NULL]	FALSE	[NULL]	Enddate of the column in case of a variable which is time dependent
variablename	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Name of the variable in the calculation model.
stringvalue	4	varchar (255)	[NULL]	default	FALSE	[NULL]	In case of alfa-numeric value this column is filled.
numericvalue	5	float8	[NULL]	[NULL]	FALSE	[NULL]	In case of numeric value this column is filled.
t1	6	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance first level (zero-based)
t2	7	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance second level (zero-based)
t3	8	int8	[NULL]	[NULL]	FALSE	[NULL]	tuple Instance level (zero-based)
sz_collateral							
Primary key (referenceid, agreementreferenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a collateral
collateralttype	2	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
definitioncode	5	varchar (255)	[NULL]	default	FALSE	[NULL]	This name is a customer specific fyndoo configuration
description	6	varchar (255)	[NULL]	default	FALSE	[NULL]	This name is a customer specific fyndoo configuration
valuationdate	7	date	[NULL]	[NULL]	FALSE	[NULL]	Date of valuation of collateral
valuationcurrency	8	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
valuationamount	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Value of the collateral
externalreferenceid	10	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral
amortizationfrequency	11	varchar (128)	[NULL]	default	FALSE	[NULL]	Amortization Frequency
firstreductiondatestrategy	12	varchar (128)	[NULL]	default	FALSE	[NULL]	First reduction date strategy
amortizationtype	13	varchar (128)	[NULL]	default	FALSE	[NULL]	Amortization type

numberofperiods	14	int4	[NULL]	[NULL]	FALSE	[NULL]	Number of periods (months)
firstreductiondate	15	date	[NULL]	[NULL]	FALSE	[NULL]	First reduction date
sz_collateral_object							
Primary key (referenceid, agreementreferenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateralreferenceid	2	varchar (128)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
postalcode	5	varchar (255)	[NULL]	default	FALSE	[NULL]	Postalcode
place	6	varchar (255)	[NULL]	default	FALSE	[NULL]	Name of the place
marketvalue	7	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Market value
purchasevalue	8	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Purchase value
executionvalue	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Execution value
energylabel	10	varchar (25)	[NULL]	default	FALSE	[NULL]	Energy label (e.g.'A','B',...)
sequenceid	11	int4	[NULL]	[NULL]	FALSE	[NULL]	Obsolete, will be removed
externalreferenceid	12	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object
propertyspecifications	13	varchar (255)	[NULL]	default	FALSE	[NULL]	Type of property (e.g 'PlannedConstruction', 'PlannedRemodeling', 'UnderConstruction', 'RemodelingInProgress', 'Completed', 'Remodeled'
insurance	14	varchar (255)	[NULL]	default	FALSE	[NULL]	Insurance information
constructionyear	15	int4	[NULL]	[NULL]	FALSE	[NULL]	Year of construction
leasehold	16	int4	[NULL]	[NULL]	FALSE	[NULL]	Lease hold (1=yes / 0=no)
leaseholdenddate	17	date	[NULL]	[NULL]	FALSE	[NULL]	End date of lease hold
propertysurface	18	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Property surface in m2
officespacesurface	19	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Office surface in m2
street	20	varchar (255)	[NULL]	default	FALSE	[NULL]	Street name
country	21	varchar (255)	[NULL]	default	FALSE	[NULL]	ISO code of the country
rank	22	int4	[NULL]	[NULL]	FALSE	[NULL]	Rank/order of the mortgages
prioramount	23	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Prior amount in case rank of mortgage > 1
collateraltype	24	varchar (255)	[NULL]	default	FALSE	[NULL]	Description of collateraltype. This name is a customer specific fyndoo configuration
collateraltypecode	25	varchar (255)	[NULL]	default	FALSE	[NULL]	Referencecode of collateraltype. This name is a customer specific fyndoo configuration
collateraltypecategory	26	varchar (255)	[NULL]	default	FALSE	[NULL]	E.g.: Apartment, RealEstate, CommercialRealEstate, AgriculturalLand, Airplane, Ship, RealEstateWithOfficeSpace, OfficeSpace, Other
sz_collateral_object_rental							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment

referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateral_objectreferenceid	4	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
regulatedproperty	7	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
pointscoreforregulatedrent	8	numeric (9, 5)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
admissiblemonthlyrent	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
coldrentpermonth	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
marketbasedrent	11	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
totalrentpermonth	12	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
totalrentperyear	13	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sequenceid	14	int4	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_collateral_object_taxation							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
collateral_objectreferenceid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
agreementreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
valuationdate	5	date	[NULL]	[NULL]	FALSE	[NULL]	Date of valuation
valuationmethod	6	varchar (255)	[NULL]	default	FALSE	[NULL]	Method of valuation (e.g. 'Full expert', 'Desktop expert', 'Internal', 'Volgens balans', 'External', 'WOZ', 'Indexation')
valuationvaluetype	7	varchar (255)	[NULL]	default	FALSE	[NULL]	Valuation value type (e.g. 'MarketValueCurrentState', 'MarketValueAfterRenovation', 'MarketValueRented', 'PurchaseValue')
valuationvalue	8	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	This is called 'marktwaarde' in the application. Correction is already applied on this value.
marketvaluecurrentstate	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Market value current state
correctionpercentage	10	float8	[NULL]	[NULL]	FALSE	[NULL]	Market value correction percentage. eg: 0.9 is 90%
valuercompany	11	varchar (255)	[NULL]	default	FALSE	[NULL]	Company name of the valuer
valuername	12	varchar (255)	[NULL]	default	FALSE	[NULL]	Lastname of the valuer
sequenceid	13	int4	[NULL]	[NULL]	FALSE	[NULL]	Obsolete will be removed
sz_contactperson							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
organisationname	5	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
emailaddress	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]

telephone	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
type	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_counterparty							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
legalentity	5	bool	[NULL]	[NULL]	TRUE	[NULL]	Organisation (1) Personal (0)
datelastchanged	6	date	[NULL]	[NULL]	TRUE	[NULL]	Date of last change
address	7	varchar (255)	[NULL]	default	FALSE	[NULL]	The address of the counterparty
postalcode	8	varchar (10)	[NULL]	default	FALSE	[NULL]	Free formatted postalcode, no specific country restrictions
isholding	9	bool	[NULL]	[NULL]	FALSE	[NULL]	Derived information and indicates if the counterparty is a Holding company
counterpartysegmentcode	10	varchar (255)	[NULL]	default	FALSE	[NULL]	The segment code of this counterparty.
counterpartycategorycode	11	varchar (255)	[NULL]	default	FALSE	[NULL]	The counterparty category this counterparty belongs to.
foundationdate	12	date	[NULL]	[NULL]	FALSE	[NULL]	The foundation date of the organisation
organisationname	13	varchar (255)	[NULL]	default	FALSE	[NULL]	Name of the organisation
numberofemployees	14	int4	[NULL]	[NULL]	FALSE	[NULL]	The number of employees of the organisation
cocnumber	15	varchar (20)	[NULL]	default	FALSE	[NULL]	Chamber of commerce code
legalform	16	varchar (100)	[NULL]	default	FALSE	[NULL]	The legal form of a counterparty. Example values (nl): BV, NV, VOF. The values should correspond with the configured values in Force Business Lending.
countrycode	17	varchar (25)	[NULL]	default	FALSE	[NULL]	The country code that matches with a country description. The list of country descriptions can differ per customer installation.
annualincome	18	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
employmentstatus	19	varchar (20)	[NULL]	default	FALSE	[NULL]	[NULL]
sectorcodestandard	20	varchar (100)	[NULL]	default	FALSE	[NULL]	[NULL]
sectorcodecustom	21	varchar (100)	[NULL]	default	FALSE	[NULL]	[NULL]
externalreferenceid	22	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique external reference identifier of an collateral_object
sz_counterparty_financials							
Primary key (counterpartyreferenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
counterpartyreferenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a counterparty
financialsid	2	varchar (128)	[NULL]	default	FALSE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
sz_counterpartyrating							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
counterpartyreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]

RatingType	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
RatingValue	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
pd	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_facility							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
mainfacilityreferenceid	4	varchar (128)	[NULL]	default	FALSE	[NULL]	[NULL]
agreementreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
productname	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
productdefinitioncode	8	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
repaymenttype	9	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
agreedlimitamount	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	The agreed or contractual limit on top-facility level.
agreedlimitcurrency	11	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
limitamount	12	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	The amount of the limit
limitcurrency	13	varchar (10)	[NULL]	default	FALSE	[NULL]	The currency code for identification of the currency
facilitystartdate	14	date	[NULL]	[NULL]	FALSE	[NULL]	The start date of the facility
facilityduration	15	int4	[NULL]	[NULL]	FALSE	[NULL]	The duration of the facility
facilityenddate	16	date	[NULL]	[NULL]	FALSE	[NULL]	The end date of the facility
facilityaccountnumber	17	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
fixedrateperiod	18	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
floor	19	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
indicativebaserate	20	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
indicativeinterestmargin	21	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
liquidityspread	22	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerbaserate	23	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerinterestmargin	24	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerinterestcorrection	25	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
loantovalue	26	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualinterestrate	27	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualannuity	28	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
redemptionatstartmonth	29	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
annualrentalincomesurplus	30	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestcoveragerationarrow	31	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]

interestcoverageratiobroad	32	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
debtservicecoverageratio	33	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
reversionmargininterestrate	34	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
borrowerfee	35	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestreferencedate	36	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestproductstartdate	37	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
firstinterestpaymentdate	38	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestproductenddate	39	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
firstrepaymentdate	40	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
repaymentfrequency	41	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
discountrate	42	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
discounttype	43	varchar (20)	[NULL]	default	FALSE	[NULL]	Type of discount, possible options are: Commercial/Lender/Other
nominalratebeforediscount	44	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
interestratename	45	varchar (128)	[NULL]	default	FALSE	[NULL]	Interest productname e.g. '3 month Euribor + opslag'
interestratecode	46	varchar (128)	[NULL]	default	FALSE	[NULL]	Interest productcode e.g. 'EU.IR.000003'
interesttype	47	varchar (128)	[NULL]	default	FALSE	[NULL]	Interest type e.g. 'Fixed' or 'Variable'
tenantformattedreferenceid	48	varchar (128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted
externalreferenceid	49	varchar (128)	[NULL]	default	FALSE	[NULL]	Referenceid received from an external application
parenttenantformattedreferenceid	50	varchar (128)	[NULL]	default	FALSE	[NULL]	Referenceid generated by Fyndoo, but tenant formatted of the parent facility
parentexternalreferenceid	51	varchar (128)	[NULL]	default	FALSE	[NULL]	Referenceid received from an external application of the parent facility
discounttypecomment	52	varchar (255)	[NULL]	default	FALSE	[NULL]	Comment of user for discounttype
sz_facilityreference							
Primary key (facilityreferenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
sz_fee_agreement							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
agreementreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
name	4	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
startdate	5	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
fiatamounttothefee	6	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offeramounttothefee	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]

fiatpercentageofthefee	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerpercentageofthefee	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
frequency	10	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
daycountconvention	11	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_fee_facility							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	2	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
facilityreferenceid	3	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
name	4	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
startdate	5	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
fiatamountofthefee	6	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offeramountofthefee	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
fiatpercentageofthefee	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
offerpercentageofthefee	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
frequency	10	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
daycountconvention	11	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_financials							
Primary key (financialsid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
financialsid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
sz_financinggoal							
Primary key (referenceid, processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a financinggoal
agreementreferenceid	4	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of an agreement
processnumber	5	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
definitioncode	6	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
description	7	varchar (255)	[NULL]	default	FALSE	[NULL]	[NULL]
sz_metadata							
Primary key (key)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
key	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Label of the information
value	2	varchar (128)	[NULL]	default	FALSE	[NULL]	Value of the information
description	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Description of the key, value pair.

type	4	varchar (128)	[NULL]	default	FALSE	[NULL]	INFO, FACT, ASSERT
sz_otherproperties							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
additionalrentalincome	4	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
sz_periodicstatement							
Primary key (facilityreferenceid,periodtype, periodenddate)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
facilityreferenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
reportreference	2	varchar (255)	[NULL]	default	TRUE	[NULL]	Unique identifier for the periodic statement
reportcreationdate	3	date	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
periodtype	4	varchar (255)	[NULL]	default	TRUE	[NULL]	[NULL]
periodstartdate	5	date	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
periodenddate	6	date	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
balanceatstart	7	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at startdate of period
balanceatend	8	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Outstanding amount at enddate of period
totalinterestpaid	9	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest paid in period
totalinterestchargepaid	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total interest charges paid in period
totalfeespaid	11	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total fees paid in period
totalothercostspaid	12	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total other costs (not fees or interest charges) paid in period
totaldebit	13	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total debit
totalcredit	14	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Total credit
sz_process							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	1	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
processname	2	varchar (255)	[NULL]	default	FALSE	[NULL]	Description of process. This name is a customer specific Fyndoo configuration
whitelabel	3	varchar (255)	[NULL]	default	FALSE	[NULL]	White label name. This name is a customer specific Fyndoo configuration
contractnumber	4	int8	[NULL]	[NULL]	FALSE	[NULL]	Unique identifier of a contract
externalreferencecontract	5	varchar (255)	[NULL]	default	FALSE	[NULL]	Unique external identifier of a contract
externalreferencerequest	6	varchar (255)	[NULL]	default	FALSE	[NULL]	Unique external identifier of a request
processstatus	7	int4	[NULL]	[NULL]	FALSE	[NULL]	Status of the process (0 = in progress / 1 = closed)
startdatetime	8	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Start date of the process

enddate	9	timestamp	[NULL]	[NULL]	FALSE	[NULL]	End date of the process (processtatus=1)
durationtimehours	10	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Duration of the process based on begin and startdate
currentstatus	11	varchar (255)	[NULL]	default	FALSE	[NULL]	Actual status name. This name is a customer specific Fyndoo configuration
loanpassingdate	12	date	[NULL]	[NULL]	FALSE	[NULL]	Date of passing date of a loan (optional, not applicable for all processtypes
latestexecutiondate	13	date	[NULL]	[NULL]	FALSE	[NULL]	Last possible loan passingdate
numberofstatuschanges	14	int4	[NULL]	[NULL]	FALSE	[NULL]	Number of status changes of the process
firsttimeright	15	int4	[NULL]	[NULL]	FALSE	[NULL]	Are all statuschange unique, the firsttime right is true
currency	16	varchar (10)	[NULL]	default	FALSE	[NULL]	The currencycode of the process
teamcode	17	varchar (255)	[NULL]	default	FALSE	[NULL]	The teamcode of the process. This name is a customer specific Fyndoo configuration.
channel	18	varchar (255)	[NULL]	default	FALSE	[NULL]	Channel name of the process. This name is a customer specific Fyndoo configuration.
processtype	19	varchar (255)	[NULL]	default	FALSE	[NULL]	processtype e.g. LoanOrigination, LoanReview, LoanModification, etc.
mainadministrator	20	varchar (128)	[NULL]	default	FALSE	[NULL]	User which is the main administrator of the process. This name is a customer specific Fyndoo configuration.
currentstatuscode	21	varchar (255)	[NULL]	default	FALSE	[NULL]	Actual status CODE. This CODE is a customer specific Fyndoo configuration.
currentstatusgroupname	22	varchar (255)	[NULL]	default	FALSE	[NULL]	Actual status statusgroupname. This is a Fyndoo default configuration.
referenceid	23	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of a process
sz_processevents							
Primary key (processnumber)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
processnumber	1	int8	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
conditionalofferdate	2	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Datetime of conditional offer
conditionalofferdate_hours	3	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Number of hours from start process to date of conditional offer
bindingofferdate	4	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Datetime of binding offer
bindingofferdate_hours	5	numeric (11, 2)	[NULL]	[NULL]	FALSE	[NULL]	Number of hours from start process to date of binding offer
processedfinancialfigures auto	6	bool	[NULL]	[NULL]	FALSE	[NULL]	Indication (boolean) if the financial figures are automatically processed by the application
offersent	7	bool	[NULL]	[NULL]	FALSE	[NULL]	Indication (boolean) if an offer is sent.
finishedsuccessful	8	bool	[NULL]	[NULL]	FALSE	[NULL]	True if the process has reached a successful status
finishedsuccessfuldate	9	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date and time of when the process has reached a successful status
readyforfiling	10	bool	[NULL]	[NULL]	FALSE	[NULL]	True if the process has a transition with the property IsProcessReadyForFiling
readyforfilingdate	11	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Date and time of when the process has transition with the property IsProcessReadyForFiling
sz_processtatuschange							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of processtatus change
code	2	varchar (255)	[NULL]	default	FALSE	[NULL]	Process statuschange code. This name is a customer specific Fyndoo configuration.
name	3	varchar (255)	[NULL]	default	FALSE	[NULL]	Process statuschange name. This name is a customer specific Fyndoo configuration.

status_startdatetime	4	timestamp	[NULL]	[NULL]	FALSE	[NULL]	Start datetime of the statuschang
status_enddatetime	5	timestamp	[NULL]	[NULL]	FALSE	[NULL]	End datetime of the statuschange
processnumber	6	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of a process
userreferenceid	7	varchar (128)	[NULL]	default	FALSE	[NULL]	User reference id of the person who initiate the statuschange
statusgroupname	8	varchar (255)	[NULL]	default	FALSE	[NULL]	Groupname of the status definition (to).
workingdaysinstatus	9	float8	[NULL]	[NULL]	FALSE	[NULL]	Number of workingdays of this statuschange
statuschangereferenceid	10	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of processtatus change
sz_sli							
Primary key (sliid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
sliid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document (eg. document of type history)
financialsid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Identifier of a group of documents (History/SLI/Prognoses) regarding the same counterparty
processnumber	3	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
documenttype	4	varchar (128)	[NULL]	default	FALSE	[NULL]	Documenttype of underlying data (eg. history)
sz_slidetails							
Primary key (sliid + columnenddate)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
currency	1	varchar(3)	[NULL]	default	FALSE	[NULL]	Currency code
sliid	2	varchar (128)	[NULL]	default	TRUE	[NULL]	Internal identifier of the document of the history application
columnenddate	3	date	[NULL]	[NULL]	TRUE	[NULL]	End date of the column in the history application
CashAndEquivalents	4	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentLiabilities	5	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ebitda	6	float8	[NULL]	[NULL]	FALSE	[NULL]	Earnings Before Interest, Taxes, Depreciation and Amortisation
FinancialExpenses	7	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
FinancialFixedAssets	8	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
IntangibleFixedAssets	9	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Inventories	10	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MaterialFixedAssets	11	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
MinorityInterests	12	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetSales	13	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NetWorth	14	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
NonCurrentLiabilities	15	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OperatingIncome	16	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OtherShortTermDebt	17	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
OverdraftCurrentAccount	18	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]

ProfitAfterTax	19	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Provisions	20	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
Receivables	21	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SubordinatedDebts	22	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalAssets	23	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalNumberOfEmployees	24	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TradePayablesTotal	25	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
dscr	26	float8	[NULL]	[NULL]	FALSE	[NULL]	Debt Service Coverage Ratio
ValCheck	27	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
QuickRatio	28	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentRatio	29	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
SolvencyRatio	30	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
InterestCoverageRatio	31	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ChangeInInventories	32	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
DepreciationOfAssets	33	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
ShareResultMinorityInterest	34	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
CurrentAssets	35	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
TotalEquityAndLiabilities	36	float8	[NULL]	[NULL]	FALSE	[NULL]	[NULL]
STPartOfLTDebts	37	float8	[NULL]	[NULL]	FALSE	[NULL]	Short Term Part of the Long Term Debts
sz_relation							
Primary key (processnumber, counterpartyreferenceid, borrowerrelationtype)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
agreementreferenceid	3	varchar (128)	[NULL]	default	FALSE	[NULL]	Unique identifier of an agreement
processnumber	4	int8	[NULL]	[NULL]	TRUE	[NULL]	Unique identifier of an process
counterpartyreferenceid	5	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of a counterparty
borrowerrelationtype	6	varchar (128)	[NULL]	default	FALSE	[NULL]	Type of borrower relation (Main borrower or Borrower)
referenceid	7	varchar (128)	[NULL]	default	TRUE	[NULL]	Unique identifier of this table.
sz_user							
Primary key (referenceid)							
Column Name	#	Data type	Identity	Collation	Not Null	Default	Comment
referenceid	1	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
username	4	varchar (128)	[NULL]	default	TRUE	[NULL]	[NULL]
active	5	bool	[NULL]	[NULL]	TRUE	[NULL]	[NULL]
sz_statuschangedefinition							
Primary key (referenceid)							

Column Name	#	Data type	Ident ity	Collat ion	Not Null	Defa ult	Comment
referenceid	1	varchar (128)	[NU LL]	default	TRUE	[NU LL]	Unique identifier of statuschangedefinition
workflowprocessreferenc eid	2	varchar (128)	[NU LL]	default	TRUE	[NU LL]	Unique identifier of workflowprocess
fromreferenceid	3	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Referenceid of the status definition (from)
toreferenceid	4	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Referenceid of the status definition (to)
tostatuscode	5	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Code of the status definition (to)
tostatusname	6	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Name of the status definition (to)
statusgroupname	7	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Groupname of the status definition (to).
automaticstatuschange	8	bool	[NU LL]	[NUL L]	FAL SE	[NU LL]	Is the statuschange automatically
sz_workflowprocessdefini tion							
Primary key (referenceid)							
Column Name	#	Data type	Ident ity	Collat ion	Not Null	Defa ult	Comment
referenceid	1	varchar (128)	[NU LL]	default	TRUE	[NU LL]	Unique identifier of workflowprocessdefinition
whitelabel	2	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Name of the whitelabel
processname	3	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Name of the workflow process
processtype	4	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Groupname of the status definition (to).
sz_workflowstatusdefinition							
Primary key (referenceid)							
Column Name	#	Data type	Ident ity	Collat ion	Not Null	Defa ult	Comment
referenceid	1	varchar (128)	[NU LL]	default	TRUE	[NU LL]	Unique identifier of statuschangedefinition
workflowprocessreferenc eid	2	varchar (128)	[NU LL]	default	TRUE	[NU LL]	Unique identifier of workflowprocess
statuscode	3	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Code of the status definition (from)
statusname	4	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Name of the status definition (from)
statusgroupname	5	varchar (255)	[NU LL]	default	FAL SE	[NU LL]	Groupname of the status definition (to).
endstatus	6	bool	[NU LL]	[NUL L]	FAL SE	[NU LL]	This is an end status of a process.
isprocessreadyforfilling	7	bool	[NU LL]	[NUL L]	FAL SE	[NU LL]	In this status the process is ready for filling.
isterminationssuccessful	8	bool	[NU LL]	[NUL L]	FAL SE	[NU LL]	In this status the process is terminated successful.