Title of the Presentation Subtitle of the Presentation

John Smith January 6, 2022



Table of contents

- 1 Overview
- 2 Mathematics
 - Theorem
 - Example
- 3 Highlighting
- 4 Lists
- 5 Effects
- 6 References

Mathematics

Theorem (Fermat's little theorem)

For a prime p and $a \in \mathbb{Z}$ it holds that $a^p \equiv a \pmod{p}$.

Proof.

The invertible elements in a field form a group under multiplication. In particular, the elements

$$1, 2, \ldots, p-1 \in \mathbb{Z}_p$$

form a group under multiplication modulo p. This is a group of order p-1. For $a \in \mathbb{Z}_p$ and $a \neq 0$ we thus get $a^{p-1} = 1 \in \mathbb{Z}_p$. The claim follows.

Mathematics

Example

The function $\phi \colon \mathbb{R} \to \mathbb{R}$ given by $\phi(x) = 2x$ is continuous at the point $x = \alpha$, because if $\epsilon > 0$ and $x \in \mathbb{R}$ is such that $|x - \alpha| < \delta = \frac{\epsilon}{2}$, then

$$|\phi(x) - \phi(\alpha)| = 2|x - \alpha| < 2\delta = \epsilon.$$

Highlighting

Highlighting

Some times it is useful to highlight certain words in the text.

Important message

If a lot of text should be highlighted, it is a good idea to put it in a box.

It is easy to match the colour theme.

Lists

- Bullet lists are marked with a grey box.
- Numbered lists are marked with a white number inside a grey box.

Description highlights important words with grey text.

Items in numbered lists like 11 can be referenced with a grey box.

Example

Lists change colour after the environment.

Effects that control

Use textblock for arbitrary placement of objects.

- Effects that control
- when text is displayed

Use **textblock** for arbitrary placement of objects.

Theorem

This theorem is only visible on slide number 2.

- Effects that control
- when text is displayed
- 3 are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

- Effects that control
- when text is displayed
- 3 are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

- Effects that control
- when text is displayed
- are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.

It creates a box with the specified width (here in a percentage of the slide's width) and upper left corner at the specified coordinate (x, y) (here x is a percentage of width and y a percentage of height).

References I

- Hartshorne, R. Algebraic Geometry. Springer-Verlag, 1977.
- Helsø, M.

 "Rational quartic symmetroids".

 Adv. Geom., 20(1):71–89, 2020.
- Helsø, M. and Ranestad, K. Rational quartic spectrahedra, 2018. https://arxiv.org/abs/1810.11235
- Atiyah, M. and Macdonald, I.
 Introduction to commutative algebra.
 Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills, Ont., 1969

References II

[5] Artin, M."On isolated rational singularities of surfaces".Amer. J. Math., 80(1):129–136, 1966.