Fyxnora Role Workflow

Operational guide for customer, technician, service-centre, regional and super-admin experiences, including verified email delivery.

Test repair	Final state	Approved quote	Timeline
FX-2026-001001	CLOSED	INR 4,200	17 events

1. Role-based experiences

Portal	Responsibilities
Customer	Register with email OTP; book repairs; view estimate and timeline; approve quotation; track delivery; close repair; use warranty and support records.
Field technician / pickup partner	Accept assigned visits; schedule pickup; record condition and OTP custody; move devices in transit; perform verified delivery handover.
Service-centre partner	Receive devices; diagnose; submit itemized quotations; manage repair and parts; complete quality checks; assign linked technicians; view centre commission.
City / regional operations	Oversee assigned regional work; manage coverage; coordinate verified providers; monitor service progress, exceptions and escalations.
Super admin	Manage users and roles; reset passwords; maintain catalogue and pricing; configure centre commission; review queries; configure SMTP and recipients.

2. End-to-end repair workflow

1. Booking

Customer selects category, brand, model and repairs; the platform calculates the estimate and creates a BOOKED order.

2. Operations assignment

Super admin assigns regional operations and a verified service centre. The service centre assigns a linked technician.

3. Pickup and custody

Technician schedules the visit, records condition details, verifies pickup OTP and moves the sealed device in transit.

4. Diagnosis and quotation

Service centre receives the device, records diagnosis and sends an itemized quotation. Customer approves or rejects it.

5. Repair and QC

Approved work moves through repair, parts handling and quality control before it is marked ready for delivery.

6. Delivery and closure

Technician verifies delivery handover. Customer confirms completion and closes the order.

Verified status path

BOOKED -> ASSIGNED -> VISIT_SCHEDULED -> PICKUP_VERIFIED -> IN_TRANSIT -> RECEIVED_AT_CENTRE -> DIAGNOSIS -> QUOTE_SENT -> CUSTOMER_APPROVED -> REPAIRING -> QUALITY_CHECK -> READY_FOR_DELIVERY -> OUT_FOR_DELIVERY -> DELIVERED -> CLOSED

3. Email verification and notifications

Event	Email behaviour
Registration OTP	Six-digit code sent to the entered email; expires after 10 minutes; maximum five incorrect attempts.
Welcome	Sent after OTP validation and confirmed account creation.
Repair milestones	Customer receives booking and every subsequent state transition. Internal recipients receive each request.
Business enquiries	Confirmation goes to the enquirer and the full enquiry goes to configured internal recipients.
Global CC	All automated messages include the comma-separated CC addresses configured by super admin.
SMTP test	Admin sends a real test message to the saved test recipient.

4. SMTP setup guide

Configure this in Super Admin -> Integrations / Email SMTP.

Provider	Host	Port	Implicit TLS	Notes
Gmail	smtp.gmail.com	587	No (STARTTLS)	Use a Google app password; normal account passwords are usually rejected.
Zoho Mail India	smtp.zoho.in	465	Yes	Use the Zoho mailbox or app-specific password. Global accounts may use smtp.zoho.com.
Other / Custom	Provider supplied	465 or 587	Provider supplied	Enter any standards-compatible SMTP host, port and credential.

Recipient controls

Internal notification recipients: comma-separated operations/support addresses that must receive new accounts, bookings and enquiries.
CC recipients: comma-separated oversight addresses copied on every automated message.
Test recipient: destination used by the Send test email action.

5. Validation and launch checklist

- ✓ Run the unified schema so email_verification_codes exists.
- ✓ Set SMTP_SETTINGS_ENCRYPTION_KEY to a strong value of at least 32 characters.
- ✓ Save SMTP provider credentials and send a real test email.
- ✓ Register a new customer and verify the OTP, welcome email and login.
- ✓ Create a repair and advance one status to confirm customer, internal and CC delivery.
- ✓ Review spam, SPF, DKIM and DMARC configuration for the sender domain before production.
- ✓ Replace all published test-account passwords before launch.

Security note

SMTP passwords are encrypted at rest. OTP codes are stored only as SHA-256 hashes, are single-use, expire after ten minutes and are limited to five failed verification attempts. Customer passwords are never stored in the verification table.