



☰ Docs meta > Docs Hubs

Docs meta

Docs Hubs

❗ If you are new to OpenClaw, start with [Getting Started](#).

Use these hubs to discover every page, including deep dives and reference docs that don't appear in the left nav.

Start here

[Index](#)

[Getting Started](#)

[Quick start](#)

[Onboarding](#)

[Wizard](#)

[Setup](#)

[Dashboard \(local Gateway\)](#)

[Help](#)

[Docs directory](#)

[Configuration](#)

[Configuration examples](#)

[OpenClaw assistant](#)

[Showcase](#)



Lore

Installation + updates

Docker

Nix

Updating / rollback

Bun workflow (experimental)

Core concepts

Architecture

Features

Network hub

Agent runtime

Agent workspace

Memory

Agent loop

Streaming + chunking

Multi-agent routing

Compaction

Sessions

Sessions (alias)

Session pruning

Session tools

Queue

Slash commands

RPC adapters



[TypeBox schemas](#)

[Timezone handling](#)

[Presence](#) >

[Discovery + transports](#)

[Bonjour](#)

[Channel routing](#)

[Groups](#)

[Group messages](#)

[Model failover](#)

[OAuth](#)

Providers + ingress

[Chat channels hub](#)

[Model providers hub](#)

[WhatsApp](#)

[Telegram](#)

[Telegram \(grammY notes\)](#)

[Slack](#)

[Discord](#)

[Mattermost](#) (plugin)

[Signal](#)

[BlueBubbles \(iMessage\)](#)

[iMessage \(legacy\)](#)

[Location parsing](#)

[WebChat](#)

[Webhooks](#)

[Gmail Pub/Sub](#)

Gateway + operations



[Gateway runbook](#)

[Network model](#)

[Gateway pairing](#)

[Gateway lock](#)

[Background process](#)

[Health](#)

[Heartbeat](#)

[Doctor](#)

[Logging](#)

[Sandboxing](#)

[Dashboard](#)

[Control UI](#)

[Remote access](#)

[Remote gateway README](#)

[Tailscale](#)

[Security](#)

[Troubleshooting](#)

Tools + automation

[Tools surface](#)

[OpenProse](#)

[CLI reference](#)

[Exec tool](#)

[Elevated mode](#)

[Cron jobs](#)



Cron vs Heartbeat

Thinking + verbose

Models >

Sub-agents

Agent send CLI

Terminal UI

Browser control

Browser (Linux troubleshooting)

Polls

Nodes, media, voice

Nodes overview

Camera

Images

Audio

Location command

Voice wake

Talk mode

Platforms

Platforms overview

macOS

iOS

Android

Windows (WSL2)

Linux



Web surfaces

macOS companion app (advanced)

macOS dev setup

macOS menu bar

macOS voice wake

macOS voice overlay

macOS WebChat

macOS Canvas

macOS child process

macOS health

macOS icon

macOS logging

macOS permissions

macOS remote

macOS signing

macOS release

macOS gateway (launchd)

macOS XPC

macOS skills

macOS Peekaboo

Workspace + templates

Skills

ClawHub

Skills config



[Default AGENTS](#)

[Templates: AGENTS](#)

[Templates: BOOTSTRAP](#)

[Templates: HEARTBEAT](#)

[Templates: IDENTITY](#)

[Templates: SOUL](#)

[Templates: TOOLS](#)

[Templates: USER](#)

Experiments (exploratory)

[Onboarding config protocol](#)

[Cron hardening notes](#)

[Group policy hardening notes](#)

[Research: memory](#)

[Model config exploration](#)

Project

[Credits](#)

Testing + release

[Testing](#)

[Release checklist](#)

[Device models](#)

[◀ CI Pipeline](#)

[Docs directory >](#)



Powered by mintlify

>