

Work Days Application

User Manual

Developer: Fabricio Zambroni

Important: Right-click any valid day cell in the yearly grid to open the context menu. That menu gives quick access to Add/Edit Tag, On-Site, Remote, Holiday, PTO, Travel, Sick, and Blank actions.

1. Overview

Work Days is a calendar-based desktop application for planning and tracking day classifications throughout the year. It combines a monthly calendar, a yearly day grid, quarter summaries, a yearly summary, backup/restore tools, holiday import, and PDF reporting.

The current application logic assumes an average target of **3 on-site days for every 5 workdays**. Quarterly and yearly indicators are calculated from the data stored in the application.

2. Main screen and navigation

- Monthly calendar: used to pick the active date and move to another month or year.
- Yearly grid: 12 rows for months and 31 columns for days. This is the main overview for the whole year.
- Action buttons: On Site, Remote, Holiday, PTO, Travel, Sick, and Blank.
- Quarter area: Q1 to Q4 tabs show totals, estimated on-site target, real on-site count, remaining value, and category counts.
- Year Summary area: shows totals by category and a chart. Clicking a category button filters the chart; Reset shows the full chart again.
- Reload Data: refreshes the screen after changes or after importing/restoring data.
- "Calendar Tag" is managed through the Add/Edit Tag pop-up.

3. How to update a day

1. Select a date using the monthly calendar, or click a valid day cell in the yearly grid.
2. Apply the desired status using the button panel or by right-clicking the day cell in the yearly grid.
3. To add or change a note, use Add/Edit Tag from the right-click menu.
4. Use Reload Data if you want to force a manual refresh after broader changes.

Right-click behavior: When you right-click a valid day cell in the yearly grid, the application selects that date first and then opens the contextual menu at the mouse position.

4. Day types used by the application

Type	Code	What it means	Included in Work Days	Counts as Real On-Site
On Site	O	Work performed on site.	Yes	Yes
Remote	R	Remote workday.	Yes	No
Travel	T	Travel day recorded by the app.	Yes	Yes
Blank	B / Empty	Neutral day entry used to clear a day or leave it uncategorized.	Yes	No
Holiday	H	Holiday or non-working holiday event.	No	No
PTO	P	Paid time off.	No	No
Sick	S	Sick day.	No	No
Weekend	W	Weekend entry (Selected from Blank category).	No	No

Weekend handling: weekend entries are normally created automatically when a year is initialized. The visible button on the main screen is Blank, while weekend values can also be set via initialization, file import, or automatically selecting a Blank category over a weekend date.

5. Tags, notes, and tooltips

- Use Add/Edit Tag from the right-click menu to open a multiline note editor for the selected date.
- Tags can contain multiple lines.
- Cells with notes are shown with underlined text in the yearly grid, making them easier to spot.
- Hovering over a valid day cell shows a tooltip with the date, weekday name, ISO week number, current status, and any saved note.

6. Quarterly and yearly statistics

- Q1 = January to March, Q2 = April to June, Q3 = July to September, Q4 = October to December.
- Each quarter shows Total Days, Work Days, Estimated On-Site, Real On-Site, Remaining, and category totals.
- Travel is included in Real On-Site totals.
- When you are viewing the current year, the application highlights the current quarter and shows Ratio to Date only for the quarter that matches today's month.
- The Remaining field changes color based on the current result, giving a quick visual cue.

7. Reports

- Menu path: File > Report > Simple > [Year] or File > Report > Detailed > [Year].
- Reports are generated as PDF files in the application folder.
- The generated file name follows this pattern: Workdays_Report_MM_DD_YYYY.pdf.
- After the PDF is created, the application opens it automatically.

Simple report: shows quarterly and annual totals by category.

Detailed report: includes the same totals plus the listed dates and notes for each category.

8. Importing holidays or day entries

Use File > Data > Import Holidays File to import a text file with one entry per line. Existing values for the same dates are overwritten.

Supported format: YYYY/MM/DD-TYPE-TAG

```
2026/01/01-H-New Year
2026/02/16-R-Remote planning day
2026/03/04-T-Travel to customer site
2026/07/04-H-Independence Day
2026/10/10-W-Weekend note
```

Accepted TYPE values: O, R, B, T, P, H, S, and W.

Important: W is accepted only when the date is actually a weekend. Invalid lines are skipped and listed in the import result message.

9. Backup, restore, and autosave

- Create Backup: File > Data > Create Backup.
- The application saves backups as .bkp files.
- A backup includes both application settings and stored day entries.
- Restore Backup: File > Data > Restore Backup.

Restore behavior: restoring a backup first resets the current database, then imports the backup contents. In practice, this means the restore process replaces the existing dataset.

Automatic backup: the application maintains an autosave file named autosave.db in the application folder. It is created if missing and refreshed when it is more than one day old.

10. Data management options

Menu option	What it does
File > Data > Data Management > Reset Entire Database	Deletes all Work Days data and settings stored by the application.
File > Data > Data Management > Delete Specific year > [Year]	Deletes only the selected year from the database.
Settings > Reset Screen Position	Returns the main window position to its default location on the next launch.

11. Settings and customization

- Open Settings > Options to customize the interface.
- You can change colors for On Site, Remote, Holiday, PTO, Travel, Sick, Blank, Weekend, Today, Selected, Graphic line, and Quarter line.
- You can choose white or black font color for each day type.
- You can adjust quarter border size.
- You can adjust the grid font size.
- You can reset the application window's initial position to the default values.
- Changes are saved when you click Close in the Options window.

12. Where the data is stored

Registry location: HKEY_CURRENT_USER\Software\WorkDays

- Application settings are stored at the main WorkDays registry key.
- Daily entries are stored under year and month subkeys, using the day number as the value name.
- Each stored value begins with a one-letter code, optionally followed by the note text.

13. Practical notes and troubleshooting

- No context menu appears: right-click a valid day cell in the yearly grid. Right-clicking the month name column or an invalid date cell will not open the menu.
- Import or restore changed more data than expected: this is normal for restore, because restore replaces the current database contents.
- Report was not created: make sure the application folder is writable, because the PDF is generated there.
- Weekend values look different from Blank values: this is expected. Weekends are tracked as W, while manual clearing uses Blank.
- Data does not persist: verify that the Windows user account has permission to write to the registry under HKEY_CURRENT_USER.
- Window opens off-screen or in the wrong place: use Settings > Options > Reset Screen Position.