
LLM: LEGAL LAYMAN’S MANSPLAININATOR

TEAM FORENSIC FIENDS

Ariadne Dimarogona
apdimaro@asu.edu
Arizona State University

Aditi Ganapathi
aganap12@asu.edu
Arizona State University

Easton Kelso
eakelso@asu.edu
Arizona State University

April 23, 2026

1 Introduction

The admissibility of digital evidence involves complex regulations and guidelines and chain of custody procedures, often hundreds of pages long([1, 2]), with additional guidelines per state ([3]). In cases, new and complex technologies are handled as evidence, which did not exist when these regulations were written. When the “Forensic Examination of Digital Evidence: A Guide for Law Enforcement” was first published in 2004, it could not predict the types of technologies that are handled by Law Enforcement in 2025.

It is a well known fact and issue that laws and regulations are always playing catch up with emerging technologies. This makes it extremely challenging for lawyers to understand how electronic evidence should be handled when technology is always advancing and how to infer admissibility upon forensic expert testimony on such technology. This testimony often leads to dealing with extremely technical details. For lawyers, the technical jargon, as well as the constant evolution of new technology, is incredibly hard to keep up with. Similarly, for Forensic Examiners, finding ways to explain highly complex technical evidence to juries, lawyers, and judges is increasingly a challenging aspect as technology gets more interconnected.

According to a guest lecturer in the Scottsdale Police Department, oftentimes they have to rely on analogies, which can be hard to come up with. This leads to the authors’ project on creating a system that would be able to assist an expert witness and their legal council on how to present their findings in a court of law.

To bridge this gap between technical expertise and legal expertise, we propose a tool that can parse through expert witness testimony, highlight potential legal issues, and offer translation in layman’s terms to better explain technical details. It would include a clear, easy-to-use interface that uses a Retrieval Augmented Generation (RAG) that references the long guideline documents listed above to highlight potential admissibility issues and a large language model (LLM) to analyze the witness testimony, in order to flag potentially non-compliant portions of a testimony and generate analogies for sections that are not in layman’s terms. Then users can look back at those specific portions and use their expertise to determine whether the testimony is compliant or not and, equipped with their new understanding of the testimony from the tool’s translation, provide their arguments in court.

To summarize, our objectives are as follows:

1. Create a RAG model and pair it with an LLM to be able to highlight potentially non-compliant portions of a technical witness testimony
2. Create prompts for an LLM to generate translations from technical Jargon to easy-to-understand summaries with analogies of technical details.
3. Create a visual interface for a user to easily paste written witness testimony for analysis and feedback.

2 Research Challenges and Motivation

With the increasing complexity of the technological landscape in the US, digital evidence has become more important than ever. In a 2020 report, the UK's National Police Chiefs Council estimated that over 90% of all criminal investigations involve some form of digital evidence, and thus digital forensics [4]. That number is expected to rise with the development of AI-enabled crime, lowering the bar of entry for adversaries to do crime [5].

Due to this, digital forensic expert testimony is used in virtually all court cases; however, law enforcement and the judicial system struggle with these new technologies and knowing how it relates to their case [6]. This ever evolving landscape has led to a multitude of challenges in the court of law. This includes the lack of experienced digital forensic experts that can accurately convey evidence to a court and jury [7]. This lack of information extends to prosecutors who have been shown to not have a full grasp of how strong or weak evidence against a defendant really is [6, 7].

Judicial personnel do not have the needed background to understand all aspects of technology, thus they must bring in experts to relay that information for everyone in the court to understand. From conversations with both the Scottsdale PD and the Phoenix FBI, it was uncovered that making technical evidence and jargon understandable in court is a large issue. Jurors most likely have little understanding of how technology works on a low level and are not expected to keep up with all the evolving technology. Thus expert witness testimony needs to be explained in a way that any lawyer, judge, and juror, is able to understand in order to allow them to make their judgments based solely on the facts.

Our work looks to assist with these challenges by creating a system that could help legal experts understand evidence provided, and help jurors reach a verdict founded upon the facts that they understand.

3 Background and Related Work

3.1 Digital Evidence Increase

As stated previously, digital evidence is now reported to be used in over 90% of all criminal investigations and is only going to continue to rise [4, 5]. This growing ecosystem has made it incredibly difficult for courts to find knowledgeable experts about all technologies as there is no set list of technologies that can be used in court [8, 9]. This increase has also proved t

3.2 Difficulties in examination

With the advent of AI and other new technologies, laws and regulations have fallen behind. This has added a new layer of challenges and considerations when it comes to digital evidence, as the jurisdiction of certain evidence falls into question [10, 11]. The ambiguity of the law when it comes to digital forensics makes it increasingly challenging for expert witness to give proper testimony to the judge and jury as they are faced with admissibility laws [12]. As Eoghan Casey put it:

The purpose of a courtroom is to administer justice, and the role of digital investigators in this context is to present supporting facts and probabilities. As such, courts depend on the trustworthiness of digital investigators and their ability to present technical evidence accurately; it is their duty to present findings in a clear, factual, and objective manner. [13]

These experts must give credible testimonies and be able to answer any questions that the court members may have about how they acquired data and how they are connecting their points. This also has lead to issues with how digital examiners acquire and examine evidence, as more data becomes fractured and creates a less and less clear image [14].

3.3 Digital evidence handling

Digital evidence handling can make or break a court case, leading to a guilty verdict or to the jurors declaring innocence. This has lead a few very influential cases that address how digital examiners need to present evidence in the courtroom. One such case is *CASEY MARIE ANTHONY v. STATE OF FLORIDA*, where an examiners mishap caused the digital evidence to be thrown out of the case. The defense highlighted this fact by stating:

The state's computer forensic evidence involving chloroform research, a central element of their premeditation argument, was used to mislead the jury and that the flaws in that evidence infected their entire case like a cancer. [15]

This has lead to forensic examiners needing to be perfect when describing a case to jurors and be knowledgeable in all the tools that they are utilizing and be able to properly handle their evidence.




Figure 1: Tool workflow

3.4 Laws and regulations

While there is no set federal law and regulation relating to digital evidence and how it should be handled in court, there are quite a few documents detailing recommendations from the Department of Justice, National Institute of Justice, and differing state laws. Most of these resources are guides and not actual procedures that need to be followed, for example the NIJ’s *Digital Evidence Policies and Procedures Manual* is actually meant as a way to give law enforcement agencies a resource that will serve as a starting point for the development of policies and procedures [16]. Due to this, most departments and agencies have their own procedures that they follow and no standardization.

Different States in the US also have their own guidelines and procedures for how their courts should handle and process digital evidence. California have their own Investigations and Persecutions Guidelines from their Attorney General [17], which differs from Arizona’s Digital Evidence portal [18]. This has created a tough challenge that lawyers, judges, and experts must content with changing rules and mindsets.

4 Methodology

In this project, we built a RAG-based AI tool designed to automate compliance checks for digital forensic expert witnesses. This system aims to cross-reference testimonies, reports, and evidence-handling procedures against the Federal Rules of Civil Procedure, NIJ digital evidence manuals, and chain-of-custody guidelines, ensuring procedural integrity and admissibility of digital evidence. Figure 1 illustrates the overall system pipeline.

This section explains the process of data collection, tool development, interface setup, workflow design, and feedback collection for model evaluation and refinement. For a full workflow, see Figure 1. For the full code repository see Appendix A.1.

4.1 Phase 1: Data Collection

Legal and forensic documents was compiled as the foundation of the tool’s knowledge base. The tool is made for users to upload their own documents that relate to laws and regulations that they are following at their local level. Some primary sources include the Federal Rules of Civil Procedure, National Institute of Justice (NIJ) digital evidence manuals, jurisdiction-specific guidelines, and legacy manuals such as the DOJ Search and Seizure Manual. Additionally, publicly accessible court case transcripts and opinions were collected to serve as ground truth for validating the system’s outputs. These documents were pre-processed, segmented into meaningful sections, and embedded into semantic vector




Figure 2: Proposed architecture for the RAG model

representations to facilitate retrieval. For a full list of legal and forensic documents used as our example, see Table 1, these documents relate specifically to California’s way handling digital evidence. Users can change this to have it be specialized to them.

Table 1: Court Documents

Court Authority	Document
Department of Justice	Forensic Examination of Digital Evidence: A Guide for Law Enforcement
Department of Justice	Digital Evidence Policies and Procedures Manual
Department of Justice	Prosecuting Computer Crimes
California Department of Justice	Investigations and Prosecutions Guidelines

4.2 Phase 2: Creating the compliance highlighter using RAG

We propose a RAG model consisting of an embedding model, vector database, and a large language model (LLM). Figure 2 shows the proposed architecture of our setup.

We use the Ollama framework as the source for all our models and databases since it enables lightweight and real-time processing even with limited hardware requirements. First, all collected materials were processed using ‘nomic-embed-text’, an encoding model. The resulting vectors were stored in a FAISS vector database to enable efficient similarity searches. We chose FAISS for several reasons: 1) high usability, 2) efficiency, and 3) flexibility in searching algorithms. For this use case, we use a cosine-based similarity search.

At query time, the retriever component encodes the user inputs (for example, “Does this forensic report meet NIJ chain-of-custody standards?”) with the same encoding model and compares them to embeddings in the database. The top- k most semantically similar document chunks are retrieved. After experimentation, the most suitable value of k was determined to be 4.

The generation component consists of an LLM. We use Llama 3.2 because it is open-source and shows superior performance in instruction following tasks, especially in combination with a vector database. The temperature, which is the amount of randomness of next token prediction in an LLM, was set to 0.2 to keep it as grounded to the context data as possible. Each user query is combined with retrieved document excerpts to form an augmented prompt. This will help produce more relevant, context-aware responses and suggestions.




Figure 3: Creating the prompt




Figure 4: Prompt Selection

4.3 Phase 3: Creating the Technical to Layman Translator

Translations are created via a prompt to an LLM. The performance of an LLM is entirely dependent on its system prompt. With the intention of broadening our search for the perfect (or near-perfect!) system prompt, we have also exposed an Evaluator module. In this, we harness a different LLM to act as a judge to compare multiple system prompt candidates over a preset of 3 questions. In order to find a good prompt candidates, we used a systematic plan. All three members of the group iteratively came up with the best prompt to put forward. We then, as a group, selected the best prompt among our top three. We did this, instead of simply iterating to find a single prompt, because this strategy allowed us to explore a larger search space for an ideal prompt.

To select the best prompts, we tested them against questions from real court transcripts(see Figure 3 and Figure 4). We then selected the prompt that had the best translations for the largest number of testimony questions. Criteria for scoring were: Correctness, Completeness, Clarity, RAG Grounding. See the evaluation section for more detail.

4.4 Phase 4: Creating the Interface

The interface was implemented using Python’s Streamlit Library. This is a popular front-end library tool for AI tools and is easy to implement. We plan to host our interface for a live demo during the poster session using one of our own machines as the server. We plan to also explore free hosting solutions through GitHub Pages or huggingface’s free tier

hosting. It is important that we are able to host the platform with a simple GUI so we can ask relevant stakeholders, who may not be technically proficient, to use our platform and give us feedback.

5 Evaluation

To test our model, we selected 36 questions from transcripts of court cases involving digital evidence: *U.S V Refitt* and *U.S V Shulte*. See Table 8 for full list of questions and Table 2 for breakdown of questions by case. Some of the queries came in the form of several questions leading up to a technical question that does not make sense on its own, these questions were reworded into a single question for simplicity and ease of use. Additionally, some of the questions asked about technologies specific to the case, or specifics about how a technology is used for the case. We labeled these as case specific questions. We made sure to select both general technical questions and case specific technical questions to test whether our RAG model could answer questions based on the case documents provided to it. See table 3 for a breakdown of case categories.

Case Type	Count
Refitt cases	10
Shulte cases	26

Table 2: Case counts

Category	Count
case specific	11
general	24

Table 3: Category counts

5.1 LLM as Judge

We ran Mistral as the Judge LLM (see Section 5.1.1) for 15 runs each for three system prompts for the 36 selected queries. We chose to use a separate instance and model than the ones we used for the translation in order to keep away bias. These scores will help us choose our final prompts, as well as act as a sanity check, to make sure our prompts and methodology are ready to start evaluating with more time costly methods, such as surveying. While we test different model prompts, for consistency, our judge LLM prompt remains the same over each run.

5.1.1 Judge

The judge LLM’s prompt was as follows:

You are an impartial, strict evaluator for digital forensics answers.

You are given:

1. CONTEXT (retrieved text from RAG)
2. QUESTION asked to the model
3. ANSWER generated by the model

Score the ANSWER on these metrics, from 1 (poor) to 5 (excellent):

1. Technical Correctness
2. Completeness
3. Clarity for Legal Professionals
4. Faithfulness to Source Context
 - Compare ANSWER directly to CONTEXT.
 - Penalize invented details, assumptions, or irrelevant info.
 - Reward answers that stay strictly within the provided CONTEXT.

Return ONLY JSON:

```
{  
  "technical_correctness": <1-5>,  
}
```

```
"completeness": <1-5>,  
"clarity_for_legal_professionals": <1-5>,  
"faithfulness_to_source_context": <1-5>,  
"comments": "<short explanation>"  
}
```

```
CONTEXT:  
<<<CONTEXT>>>
```

```
QUESTION:  
<<<QUESTION>>>
```

```
ANSWER:  
<<<ANSWER>>>
```

5.2 Criteria

The following criteria were employed for our evaluation of each translation:

1. Correctness: Translation must be accurate and true to the original technical statement.
2. Completeness: Translation must be complete and not missing any major aspects that are relevant to explain in the case.
3. Clarity: Translation must be clear and concise, and avoid technical jargon.
4. RAG Grounding: Translation must be relevant to the case and faithful to the original source texts provided.

6 Results

6.1 Model Evaluation Results

Below are the evaluation results of how our model preformed based on our LLM-as-a-Judge method.

Table 4: Translation evaluation scores using Mistral as LLM-as-a-Judge

System Prompt	Correctness	Completeness	Clarity	Rag Grounding	Overall Score
1	5.0000	4.3333	5.0000	4.0000	4.5833
2	4.6667	4.3333	5.0000	4.3333	4.5833
3	5.0000	4.3333	5.0000	4.6667	4.7500

Table 5: Compliance evaluation scores using Mistral as LLM-as-a-Judge

System Prompt	Correctness	Completeness	Clarity	Rag Grounding	Overall Score
1	4.0000	4.1000	4.2000	3.9000	4.0500
2	4.3000	4.2000	4.4000	4.1000	4.2500
3	4.8000	4.7000	4.9000	4.6000	4.7500

As we can see in the tables, both our translations and compliance evaluations preformed relatively well. Our translation evaluation scores were generally better than our compliance scores. In general however, We use this as an indicator that our methodology and prompts are good enough to start evaluating with surveys for our translation feature in future work. Based off of these runs as well, we determined the best system prompts to use.

6.2 LLM Prompts

A large part of our process was finding optimal prompts to get our intended functionality. Based on the results above, The following prompts were settled on for the model to use for different scenarios as translating cyber terminology and checking admissibility. The full prompts are below.

6.2.1 Translations

The following prompt was chosen for the LLM for translating digital evidence explanations to easy to understand terms:

You are a cybersecurity translator. Use only the provided context to explain technical terms and procedures in clear, concise, plain English suitable for a layperson.

When you are not certain, say 'I don't know'. Do not invent facts.

CONTEXT:{User input}

INSTRUCTION:

Rewrite the context or answer the question below in simple, everyday English that a non-technical legal layperson can understand. Keep explanations concise and avoid jargon.

QUESTION:{User question}

6.2.2 Admissibility

For admissibility, the following prompt was utilized:

You are an expert in digital evidence admissibility and chain-of-custody issues. Use only the provided context (testimony and supporting text) to analyze compliance with typical legal standards for admissibility. State whether the testimony appears admissible, list any specific problems, and cite the relevant parts of the provided context.

If unsure, say 'I don't know' and list the missing information needed to decide.

TESTIMONY / CONTEXT: {User input}

INSTRUCTION:

Based only on the context, answer whether the testimony meets typical standards for admissibility (chain of custody, proper procedures, authorization, integrity of evidence, etc.). Give a short conclusion (Admissible / Potential issues / Not admissible) and a bullet list with the specific reasons or missing items.

QUESTION: {User question}

6.3 Graphic User Interface

We also completed the graphic user interface that allows for easy input of documents, questions, etc. It also enables a short answer vs long form answer format. The short answer portion remains to be further tested in future work. We expect to test its ease of use with surveys and usability studies in the future.

7 Limitations

There are a few limitations that are worth mentioning for this project.

First, a main limitation that our team faced was the lack of ability to find and pull full court transcripts that involve digital forensic expert witnesses. For accounts like PACER and the Freedom of Information Act, users have to know exact court cases to be able to find and pull transcripts. Without that prior knowledge, the authors had to rely on personal contacts and famous court cases to be able to accurately pull all of the relevant information needed for the model.

Second, there are no set regulations and procedures on how to handle digital evidence in court. There are overarching guidelines published by the US Department of Justice, however each state and department has the right to have their own procedures on handling digital evidence. This makes it so the RAG model cannot be used universally with the same documents but rather updated to include the state of jurisdiction that it is being used in.

Lastly, as stated in the motivation and background, laws have been unable to keep up with the growing technological landscape. This means that the admissibility of different digital evidence such as cloud storage and usage of AI is widely contested and thus our model is unable to fully handle court cases that handle those types of cases.




Figure 5: GUI Overview

8 Contributions and Future Work

This work is still in early development. Here we detail our teams current contributions and future work and development.

8.1 Contributions

Our work has three main contributions to the digital forensics and judicial process space:

- Our work has created an AI pipeline that assists with explainability of digital evidence to multiple audiences, including judges and jurors.
- A compilation of key documents in a computer readable formate for reference of handling and procedures of digital evidence to be used by both the model and legal experts.
- A model that can be used to come up with quick analogies for advanced computer concepts to create a more understandable connection.

These contributions prove to be a promising step forward in allowing expert witnesses to be able to handle complex cases and questions within the courtroom, providing a more clear testimony that would better assist the judge and jurors with their decision making process.

8.2 Future Work

8.2.1 Using Fine-Tuned LLMS

In the future, we intend to prioritize using LLMS specifically fine-tuned for forensic and cybersecurity tasks (for example, ForensicGPT). We intend to test performance to see if they are any better than the general open source model that we used, Ollama. We believe that the performance with the general model was quite good, but it is worth checking other models, and additionally it could be useful to consider fine-tuned models for the automated evaluation portion.

8.2.2 Creating Visual Explanations

Based on feedback collected from our team presentation, our team might look into using image models to be able to create visual explanations rather than focusing on just rewording. This could be beneficial as many topics are complicated when explained in words, even when put to analogy.

8.2.3 Surveying Users

Our team has plans to perform a user study to understand users differing views about the model and its responses. This will help with better refinement of our tool and allow for it to get applied to real world uses. These user studies include

surveying law students, lawyers, digital forensic experts, and other law enforcement. This first survey will allow our team to refine our prompt to create a more accurate and usable tool for examiners. Our team is also looking to get juror’s opinions on the tool to see how effective it is at explaining hard to understand forensic concepts in a court setting.

8.2.4 Comparison

Our team will perform a comparison of real world digital forensic expert’s testimony with that of our model. To do so, our team will look at acquiring full court transcripts of cases that utilizes forensic expert testimonies and ask our model the same question that the lawyer asks to them. This will lead to a direct comparison of our model and what actual experts say. This will conclude with a survey asking participants their opinion on which explanation is more understandable to them and why.

9 Roles and Contributions

Here we put the roles and contributions of each team member Below we track our roles and responsibilities as well as their status. In Table 6, we provide each team member with their main role.

Table 6: Team Roles

Team Member	Roles
Ariadne	Researcher/Developer
Aditi	Main Developer
Easton	Main Researcher

In Table 7, we provide team members contributions.

Table 7: Roles and Deadlines

Portion	Owner
Working on Proposal	Ariadne, Easton, Aditi
Gather Data for the RAG model and testing	Easton, Ariadne
Prepare and clean data for the RAG Pipeline and testing	Ariadne
Prepare and implement the RAG Pipeline with data	Aditi
Implement the testing plan for outputs	Ariadne, Easton
Come up with a translator prompt	Ariadne, Easton, Aditi
Test and grade the prompt outputs to choose the best prompt	Ariadne, Easton, Aditi
Create an Interface Using Streamlit	Ariadne
Gather legal expert opinion on the tool	Easton
Work on Presentation	Ariadne, Easton, Aditi

10 Conclusion

Our projected looked to create RAG model that would be able to explain complex digital forensic concepts in an easy to understand way through the use of simple explanations and analogies. This project is a beginning to the creation of a

product that will hopefully be of value to lawyers, judges, and forensic experts across the US with future work exploring how LLMs can be used to further understanding of forensic examiners. Now, our tools is able to take a transcript and be able to pull relevant information to explain differing terms in an easy to understand manner. This first work proves that RAG models can be used to assist with digital examiners explanation of topics to a wide range of people that would simulate a jurors panel.

This work shows a promising lead into this underdeveloped area of assisting examiners and legal experts to further on the pursuit of justice in a courtroom.

A Appendix

A.1 Code

Here is the link to the Github link for the code repository: <https://github.com/g-aditi/legal-laymans-mansplaininator.git>

A.2 Questions

Query ID	Query	Document	Question type
1	What is a cyber tool?	<i>U.S V Shulte</i>	general
2	Then next part says "targeting closed networks by air gap jumping." What does air gap jumping mean?	<i>U.S V Shulte</i>	case specific
3	How do you recognize this to be source code?	<i>U.S V Shulte</i>	general
4	What's local area network mean?	<i>U.S V Shulte</i>	general
5	I'd like to focus on how the DevLAN network was set up or its infrastructure. Generally speaking, what is network infrastructure?	<i>U.S V Shulte</i>	general
6	What did Bamboo do?	<i>U.S V Shulte</i>	case specific
7	Can you please circle Stash on this. What was Stash?	<i>U.S V Shulte</i>	case specific
8	What is a virtual machine?	<i>U.S V Shulte</i>	general
9	What does the term "data backup" mean?	<i>U.S V Shulte</i>	general
10	What is a NetApp server, generally?	<i>U.S V Shulte</i>	general
11	How were the data backups moved to the Altabackup from the Atlassian services?	<i>U.S V Shulte</i>	case specific
12	What is end-to-end encryption?	<i>U.S V Shulte</i>	general
13	What does the term "network connectivity" mean?	<i>U.S V Shulte</i>	general
14	What are SSH keys?	<i>U.S V Shulte</i>	general
15	And if you logged in using the SSH keys to the server, is that different than logging in using the password?	<i>U.S V Shulte</i>	general
16	What is the root user?	<i>U.S V Shulte</i>	general
17	How do you know the email sent on March 31, 2015, at 8:20 p.m was sent to the OSB email group?	<i>U.S V Shulte</i>	general

LLM: Legal Layman's Mansplaininator
Team Forensic Fiends

18	What's an operating system?	<i>U.S V Shulte</i>	general
19	Generally speaking, what's a log file?	<i>U.S V Shulte</i>	general
20	What is a terminal session?	<i>U.S V Shulte</i>	general
21	And next to root@OSB, what is VMFS?	<i>U.S V Shulte</i>	general
22	What is LS?	<i>U.S V Shulte</i>	general
23	What is the last line of log file that is dash RW 1, root, root and then a 653670 number?	<i>U.S V Shulte</i>	general
24	Generally speaking, what is Emotional Simian?	<i>U.S V Shulte</i>	case specific
25	What are downstream machines?	<i>U.S V Shulte</i>	case specific
26	Can you think of any good reason, from a security perspective, I'm not talking about collaboration and getting things done fast, which is why I think this was done. I'm just talking from a security perspective, can you think of any reason you would ever have users share a system at an administrative level where the passwords are shared?	<i>U.S V Shulte</i>	general
27	And so the FBI was still able to recover it even though it was deleted?	<i>U.S V Reffit</i>	general
28	Could you tell, did they contain any data or other information?	<i>U.S V Reffit</i>	general
29	Okay. Let's talk about your examination of this tablet. When you boot up the tablet, does the computer say anything?	<i>U.S V Reffit</i>	general
30	What does it mean to be 4K?	<i>U.S V Reffit</i>	general
31	And so when you examined the SD card with hardware and software, did you locate any video files on the SD card?	<i>U.S V Reffit</i>	general
32	Now, when you examined a different item of evidence in this case, did you find files with the file names D.C. 001 and D.C. 002?	<i>U.S V Reffit</i>	case specific
33	If we could put up on the screen, Mr. Hopkins – and before we get started, Agent Shahrani, let me ask you, when you first viewed this video file, did it have any special features that you were able to access?	<i>U.S V Reffit</i>	case specific
34	The version that we're looking at now, did we attempt to stabilize the horizon	<i>U.S V Reffit</i>	case specific

LLM: Legal Layman's Mansplaininator
Team Forensic Fiends

35	So do you or does the Computer Analysis Response Team have the ability to look at a file – if somebody gives you a digital file, an audio recording or a video recording, do you have the ability to look at that file and analyze whether it has ever been edited or changed?	<i>U.S V Reffit</i>	case specific
36	Sure. What have you heard about the term "deep fake" through your work?	<i>U.S V Reffit</i>	case specific

Table 8: 36 Queries pulled from transcripts

A.3 Academic Integrity

Mandatory Attachment (All project members should read and confirm their understanding with their full name and signature): ACADEMIC INTEGRITY The university and the school expect the highest standards of academic integrity of all students. Failure to meet these standards may result in suspension or expulsion from the university or other sanctions as specified in the University Student Academic Integrity Policy. Please take some time to read the policy at <https://provost.asu.edu/academic-integrity>

In addition, ASU adheres to a university-wide Student Code of Conduct. The philosophy behind this policy states: The aim of education is the intellectual, personal, social, and ethical development of the individual. The educational process is ideally conducted in an environment that encourages reasoned discourse, intellectual honesty, openness to constructive change and respect for the rights of all individuals. Self-discipline and a respect for the rights of others in the university community are necessary for the fulfillment of such goals. The Student Code of Conduct is designed to promote this environment at each of the state universities.

STUDENT ID (1211):

NAME: Ariadne Dimarogona DATE: 12/12/2025

Signature: Ariadne Dimarogona

STUDENT ID (5723):

NAME: Aditi Ganapathi DATE: 12/12/2025

Signature: Aditi Ganapathi

STUDENT ID (2471):

NAME: Easton Kelso DATE: 12/12/2025

Signature: Easton Kelso

References

- [1] National Institute of Justice. Forensic examination of digital evidence: A guide for law enforcement. 2004.
- [2] National Institute of Justice. Digital evidence policies and procedures manual. 2020.
- [3] State of California Department of Justice. Investigations prosecutions guidelines.
- [4] Forensic Capability Network UK. Digital forensic science strategy. URL: <https://www.npcc.police.uk/SysSiteAssets/media/downloads/publications/publications-log/2020/national-digital-forensic-science-strategy.pdf>, 2020.
- [5] Jahnvi Sivaram, Jigisha M Narrain, Prasad Honnavalli, and Sivaraman Eswaran. Adversarial machine learning: the rise in ai-enabled crime. *Computer Fraud & Security*, 2023(2), 2023.
- [6] Maxime Bérubé, Laurie-Anne Beaulieu, Sophie Allard, and Vincent Denault. From digital trace to evidence: Challenges and insights from a trial case study. *Science & Justice*, page 101306, 2025.
- [7] Christa M Miller. A survey of prosecutors and investigators using digital evidence: a starting point. *Forensic Science International: Synergy*, 6:100296, 2022.
- [8] Quynh Anh Tran. The significant types of electronic evidence. In *Electronic Evidence in Civil and Commercial Dispute Resolution: A Comparative Perspective of UNCITRAL, the European Union, Germany and Vietnam*, pages 89–113. Springer, 2022.
- [9] Daniel B Garrie. Digital forensic evidence in the courtroom: understanding content and quality. *Nw. J. Tech. & Intell. Prop.*, 12:121, 2014.
- [10] Asif Khan and Muhammad Abid Hussain Shah Jiliani. Expanding the boundaries of jurisprudence in the era of technological advancements. *IIUMLJ*, 31:393, 2023.
- [11] Omena Akpobome. The impact of emerging technologies on legal frameworks: A model for adaptive regulation. *International Journal of Research Publication and Reviews*, 5(10):5046–5060, 2024.
- [12] Hussam N Fakhouri, Mohammad A AlSharaiah, Mohannad Alkalaileh, Fawzi Fayez Dweikat, et al. Overview of challenges faced by digital forensic. In *2024 2nd International Conference on Cyber Resilience (ICCR)*, pages 1–8. IEEE, 2024.
- [13] Eoghan Casey. Digital evidence in the courtroom. *Digital Evidence and Computer Crime: Forensic Science, Computers and the Internet*,, pages 49–84, 2011.
- [14] KV Greeshma and MS Binshad. Epistemic uncertainty in digital forensics: Exploring the boundaries of knowledge. 2023.
- [15] Martin Novak. Digital evidence in criminal cases before the us courts of appeal: Trends and issues for consideration. *Journal of Digital Forensics, Security and Law*, 14(4):3, 2020.
- [16] National Institue of Justice. Digital evidence policies and procedures manual. 2020.
- [17] California Attorney General. Investigations and persecutions guidelines.
- [18] Arizona Department of Justice. Digital evidence.