

Kaiserstand Bracket

Version 3.0



Project Goals

Create an easy to install and easy to remove bracket for Kaiser Stand


Drawings

Back size: 76x44 mm

There is an hole in the center to avoid interference with the photo mount screw.

Mounting threads are created using M3 heat set inserts

There are 6 mounting holes, 28 mm spaced.




Side view

Basic dimensions: 44 x 90 mm

There are 2 mounting threads 28 mm spaced in the center.




3D Rendering




3D Printer layout

PLA Printing Time: 1h 11m



Final result

This is the final result. Not all heat inserts are in place.



For the next Iteration

No request.

Reference

M3 Heat set insert



<https://amzn.eu/d/2jmdR2e>



High quality brass

Clear thread, smooth surface without burrs, not easy to peel off when rotating, stable and reliable



SHEENO 390 PCS Dadi Zigrinati,Inserti Filettati,M2 M2.5 M3 M4 M5 M6 Dadi Zigrinati in Ottone per Parti in Plastica Calore o Dagli Ultrasuoni Nelle Parti Della Stampante 3D

Marca: Knpwer

4,6 ★★★★★ (271) | [Cerca in questa pagina](#)

-3% 17⁸⁹ €

Prezzo medio: 18,49€

prime Un giorno

Resi GRATUITI

I prezzi degli articoli in vendita su Amazon includono l'IVA. In base all'indirizzo di spedizione, l'IVA potrebbe variare durante il processo di acquisto. Per maggiori informazioni clicca [qui](#).

Materiale	Ottone
Tipo di chiusura	Ad asse
Dimensioni filettatura	M2 M2.5 M3 M4 M5 M6
Finitura esterna	Ottone
Colore	oro
Tipo di trasmissione	Spline
Marchio	Knpwer
Mostra altro	

Kaiserstand

My model is [RS2 XA](#)

