



Website Audit - coloradosuperiorroofing.com

<https://coloradosuperiorroofing.com/> | Apex Data | 2026-09-25

NEEDS WORK · 67/100

67/100

HEALTH SCORE

2

FAILED CHECKS

7

IMAGES W/O ALT

244 KB

HTML SIZE

Findings on the checked page (2 issues, 8 to check, 4 checks passed)

H1 heading

ISSUE FOUND

Measured: 3 H1 tag(s) found - "Reliable Roofing Starts Here" | "Reliable Roofing Starts Here" | "Schedule An Appointment"

The H1 is the strongest on-page signal for "what is this page about". No H1 means the page competes for the main keyword without ever stating it; several H1s dilute the topic.

Recommended fix: Set exactly one H1 per page containing the core service and city.

Image alt text

ISSUE FOUND

Measured: 7 of 21 images without usable alt text (33.3%): 1 without attribute, 6 empty

More than one in ten images carries no alt text. Every missing alt text is a lost image-search entry and an accessibility defect (WCAG 2.1 / ADA exposure for US clients). Screen readers announce nothing, so visually impaired visitors - and crawlers - see gaps.

Recommended fix: Add descriptive alt text to every content image; decorative images get alt="".

Accessibility (WCAG 2.1 AA): ARIA role should be appropriate for the element

CHECK

Measured: 3 Stelle(n), Auswirkung: minor

axe-core meldet diesen Verstoß (Auswirkung minor) auf .post-246929, .post-246775, .post-245527. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .post-246929, .post-246775, .post-245527 gemäß <https://dequeuniversity.com/rules/axe/4.12/aria-allowed-role?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Elements must meet minimum color contrast ratio thresholds

ISSUE FOUND

Measured: 6 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoß (Auswirkung serious) auf a[aria-current="page"] > .e-n-menu-title-text, .elementor-element-63e7416 > .elementor-widget-container > .elementor-button-wrapper > .el, strong > a. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) a[aria-current="page"] > .e-n-menu-title-text, .elementor-element-63e7416 > .elementor-widget-container > .elementor-button-wrapper > .el, strong > a
gemaess <https://dequeuniversity.com/rules/axe/4.12/color-contrast?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Heading levels should only increase by one

CHECK

Measured: 2 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf .elementor-element-8ec0e24 > .elementor-widget-container > h5, .elementor-element-71c2ebd5 > .elementor-widget-container > .elementor-icon-box-wrapper > . Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .elementor-element-8ec0e24 > .elementor-widget-container > h5, .elementor-element-71c2ebd5 > .elementor-widget-container > .elementor-icon-box-wrapper > .
gemaess <https://dequeuniversity.com/rules/axe/4.12/heading-order?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Document should have one main landmark

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf html. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) html
gemaess <https://dequeuniversity.com/rules/axe/4.12/landmark-one-main?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Links must be distinguishable without relying on color

ISSUE FOUND

Measured: 1 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf .adroll_consent_box:nth-child(1) > .adroll_consent_banner_partners_link_class[href="javasc. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .adroll_consent_box:nth-child(1) > .adroll_consent_banner_partners_link_class[href="javasc
gemaess <https://dequeuniversity.com/rules/axe/4.12/link-in-text-block?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Links must have discernible text

ISSUE FOUND

Measured: 3 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf .elementor-element-ecd40f1 > .elementor-widget-container > a, .elementor-element-57391ba > .elementor-widget-container > a[data-elementor-open-lightbox=, .post-246775 > .elementor-post__card > .elementor-post__thumbnail__link. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .elementor-element-ecd40f1 > .elementor-widget-container > a, .elementor-element-57391ba > .elementor-widget-container > a[data-elementor-open-lightbox=, .post-246775 > .elementor-post__card > .elementor-post__thumbnail__link
gemaess <https://dequeuniversity.com/rules/axe/4.12/link-name?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): All page content should be contained by landmarks

CHECK

Measured: 41 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoß (Auswirkung moderate) auf .skip-link, .elementor-element-22361af0, .elementor-element-22160d09. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .skip-link, .elementor-element-22361af0, .elementor-element-22160d09 gemäß <https://dequeuniversity.com/rules/axe/4.12/region?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): The skip-link target should exist and be focusable CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoß (Auswirkung moderate) auf .skip-link. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .skip-link gemäß <https://dequeuniversity.com/rules/axe/4.12/skip-link?application=axeAPI> korrigieren.

Checks that passed

- HTTPS / SSL - Served over HTTPS, certificate valid (expires Dec 14 12:42:50 2026 GMT)
- Meta description - 140 characters
- Schema.org structured data - 1 JSON-LD block(s), types: BreadcrumbList, EntryPoint, ImageObject, ListItem, Organization, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
- Page size (HTML) - 244.1 KB HTML

Measured values

URL checked	https://coloradosuperiorroofing.com/
HTTP status	200 (nginx)
Fetch method	urllib-direct
Server response	1841 ms
Page title	Colorado Superior Roofing - Residential & Commercial Roofing (64 chars)
HTTPS / certificate	https, certificate valid, expires Dec 14 12:42:50 2026 GMT
Meta description	140 chars
Schema.org	1 JSON-LD block(s): BreadcrumbList, EntryPoint, ImageObject, ListItem, Organization, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
H1 tags	3
Images / without alt	21 / 7
HTML size	244.1 KB (249977 bytes)

Accessibility (WCAG 2.1 AA, axe-core)

axe-core 4.12.1 via Playwright: 8 Verstoss/Verstoesse, 43 bestanden, 5 unklar gegen WCAG wcag2a/wcag2aa/wcag21a/wcag21aa/best-practice

- **ARIA role should be appropriate for the element** (minor): 3 Stelle(n)
 - .post-246929, .post-246775, .post-245527
- **Elements must meet minimum color contrast ratio thresholds** (serious): 6 Stelle(n) - a[aria-current="page"] > .e-n-menu-title-text, .elementor-element-63e7416 > .elementor-widget-container > .elementor-button-wrapper > .el, strong > a
- **Heading levels should only increase by one** (moderate): 2 Stelle(n) - .elementor-element-8ec0e24 > .elementor-widget-container > h5, .elementor-element-71c2ebd5 > .elementor-widget-container > .elementor-icon-box-wrapper >
- **Document should have one main landmark** (moderate): 1 Stelle(n) - html
- **Links must be distinguishable without relying on color** (serious): 1 Stelle(n)
 - .adroll_consent_box:nth-child(1) > .adroll_consent_banner_partners_link_class[href="javasc
- **Links must have discernible text** (serious): 3 Stelle(n) - .elementor-element-ecd40f1 > .elementor-widget-container > a, .elementor-element-57391ba > .elementor-widget-container > a[data-elementor-open-lightbox=, .post-246775 > .elementor-post_card > .elementor-post_thumbnail_link
- **All page content should be contained by landmarks** (moderate): 41 Stelle(n) - .skip-link, .elementor-element-22361af0, .elementor-element-22160d09
- **The skip-link target should exist and be focusable** (moderate): 1 Stelle(n) - .skip-link

How this audit was made

The page was loaded once as a normal browser request and analysed in its delivered state (no CMS login, no JavaScript executed unless the request had to fall back to a rendering service). All values above come from that single response; they are reproducible. Assessment date: 2026-09-25. Page-size numbers cover the HTML document only, external assets excluded.

Next steps

- Fixes are implemented page-by-page; the highest-impact items (H1 heading, Image alt text) go first.
- After the fix we re-run this exact measurement set and hand over the before/after numbers.
- Structured data and meta descriptions are also submitted to Google Search Console so the rich results actually appear.
- Questions or the raw measurement file: hello@apex-data.io

Apex Data (Werbesolutions e.U.), Arbeitergasse 123, 7022 Schattendorf, Austria
apex-data.io · Website audit generated automatically · no obligation, no cost.