



Website Audit - denverroofingworks.com

<https://www.denverroofingworks.com/> | Apex Data | 2026-09-25

NEEDS WORK · 50/100

50/100

HEALTH SCORE

3

FAILED CHECKS

16

IMAGES W/O ALT

122 KB

HTML SIZE

Findings on the checked page (3 issues, 8 to check, 3 checks passed)

Meta description

ISSUE FOUND

Measured: No <meta name="description"> tag found

Google writes the snippet itself from random page text. Competitors with a crafted description get a more convincing result and more clicks from the same ranking.

Recommended fix: Write a 120-160 character description per key page naming service + city.

H1 heading

ISSUE FOUND

Measured: 3 H1 tag(s) found - "You Deserve The Best Roofing Service" | "Your Local Denver Roofing Contractor" | "Proudly Serving Denver Since 1980!"

The H1 is the strongest on-page signal for "what is this page about". No H1 means the page competes for the main keyword without ever stating it; several H1s dilute the topic.

Recommended fix: Set exactly one H1 per page containing the core service and city.

Image alt text

ISSUE FOUND

Measured: 16 of 19 images without usable alt text (84.2%): 0 without attribute, 16 empty

More than one in ten images carries no alt text. Every missing alt text is a lost image-search entry and an accessibility defect (WCAG 2.1 / ADA exposure for US clients). Screen readers announce nothing, so visually impaired visitors - and crawlers - see gaps.

Recommended fix: Add descriptive alt text to every content image; decorative images get alt="".

Accessibility (WCAG 2.1 AA): ARIA hidden element must not be focusable or contain focusable elements

ISSUE FOUND

Measured: 8 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoß (Auswirkung serious) auf .scroll-down-link, .prev-slide, .next-slide. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .scroll-down-link, .prev-slide, .next-slide gemäß <https://dequeuniversity.com/rules/axe/4.12/aria-hidden-focus?application=axeAPI> korrigieren.

ISSUE FOUND

Accessibility (WCAG 2.1 AA): Certain ARIA roles must be contained by particular parents

Measured: 3 Stelle(n), Auswirkung: critical

axe-core meldet diesen Verstoss (Auswirkung critical) auf `.wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"]`, `.wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"]`, `.wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"]`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `.wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"]`, `.wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"]`, `.wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"]` gemaess <https://dequeuniversity.com/rules/axe/4.12/aria-required-parent?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Elements must meet minimum color contrast ratio thresholds **ISSUE FOUND**

Measured: 23 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf `.avia-buttonrow-wrap > .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(1) > .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(2) > .avia_iconbox_title`, `a[data-target="#ac_508_collapse1"] > .ac_title_class`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `.avia-buttonrow-wrap > .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(1) > .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(2) > .avia_iconbox_title`, `a[data-target="#ac_508_collapse1"] > .ac_title_class` gemaess <https://dequeuniversity.com/rules/axe/4.12/color-contrast?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Headings should not be empty

CHECK

Measured: 1 Stelle(n), Auswirkung: minor

axe-core meldet diesen Verstoss (Auswirkung minor) auf `#after_section_1 > .container > .template-page.content.av-content-full > .post-entry.post-.` Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `#after_section_1 > .container > .template-page.content.av-content-full > .post-entry.post-` gemaess <https://dequeuniversity.com/rules/axe/4.12/empty-heading?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Document should have one main landmark

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf `#ls-global`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `#ls-global` gemaess <https://dequeuniversity.com/rules/axe/4.12/landmark-one-main?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Links must have discernible text

ISSUE FOUND

Measured: 1 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf `#media_image-2 > a`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) #media_image-2 > a gemaess <https://dequeuniversity.com/rules/axe/4.12/link-name?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Interactive controls must not be nested

ISSUE FOUND

Measured: 3 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf .wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"]. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"] gemaess <https://dequeuniversity.com/rules/axe/4.12/nested-interactive?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): All page content should be contained by landmarks

CHECK

Measured: 20 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf #after_layer_slider_1, .heading-wrap, .avia-button-wrap. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) #after_layer_slider_1, .heading-wrap, .avia-button-wrap gemaess <https://dequeuniversity.com/rules/axe/4.12/region?application=axeAPI> korrigieren.

Checks that passed

- HTTPS / SSL - Served over HTTPS, certificate valid (expires Dec 7 07:35:14 2026 GMT)
- Schema.org structured data - 1 JSON-LD block(s), types: BreadcrumbList, EntryPoint, ListItem, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
- Page size (HTML) - 121.6 KB HTML

Measured values

URL checked	https://www.denverroofingworks.com/
HTTP status	200 (Apache)
Fetch method	urllib-direct
Server response	2403 ms
Page title	Roofing Contractor Denver CO Denver Roofers Denver Roofing Works (68 chars)
HTTPS / certificate	https, certificate valid, expires Dec 7 07:35:14 2026 GMT
Meta description	MISSING
Schema.org	1 JSON-LD block(s): BreadcrumbList, EntryPoint, ListItem, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
H1 tags	3
Images / without alt	19 / 16

Accessibility (WCAG 2.1 AA, axe-core)

axe-core 4.12.1 via Playwright: 8 Verstoss/Verstoesse, 45 bestanden, 2 unklar gegen WCAG wcag2a/wcag2aa/wcag21a/wcag21aa/best-practice

- **ARIA hidden element must not be focusable or contain focusable elements** (serious): 8 Stelle(n) - .scroll-down-link, .prev-slide, .next-slide
- **Certain ARIA roles must be contained by particular parents** (critical): 3 Stelle(n)
 - .wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"]
- **Elements must meet minimum color contrast ratio thresholds** (serious): 23 Stelle(n) - .avia-buttonrow-wrap > .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(1) > ., .avia-icon_select-no.avia-size-x-large.avia-button:nth-child(2) > .avia_iconbox_title, a[data-target="#ac_508_collapse1"] > .ac_title_class
- **Headings should not be empty** (minor): 1 Stelle(n) - #after_section_1 > .container > .template-page.content.av-content-full > .post-entry.post-
- **Document should have one main landmark** (moderate): 1 Stelle(n) - #ls-global
- **Links must have discernible text** (serious): 1 Stelle(n) - #media_image-2 > a
- **Interactive controls must not be nested** (serious): 3 Stelle(n) - .wpsm_panel.wpsm_panel-default:nth-child(1) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(2) > .wpsm_panel-heading[role="tab"], .wpsm_panel.wpsm_panel-default:nth-child(3) > .wpsm_panel-heading[role="tab"]
- **All page content should be contained by landmarks** (moderate): 20 Stelle(n) - #after_layer_slider_1, .heading-wrap, .avia-button-wrap

How this audit was made

The page was loaded once as a normal browser request and analysed in its delivered state (no CMS login, no JavaScript executed unless the request had to fall back to a rendering service). All values above come from that single response; they are reproducible. Assessment date: 2026-09-25. Page-size numbers cover the HTML document only, external assets excluded.

Next steps

- Fixes are implemented page-by-page; the highest-impact items (Meta description, H1 heading, Image alt text) go first.
- After the fix we re-run this exact measurement set and hand over the before/after numbers.
- Structured data and meta descriptions are also submitted to Google Search Console so the rich results actually appear.
- Questions or the raw measurement file: hello@apex-data.io

Apex Data (Werbesolutions e.U.), Arbeitergasse 123, 7022 Schattendorf, Austria
apex-data.io · Website audit generated automatically · no obligation, no cost.