



Website Audit - lonsmith.com

<https://www.lonsmith.com/> | Apex Data | 2026-09-25

NEEDS WORK · 67/100

67/100

HEALTH SCORE

2

FAILED CHECKS

17

IMAGES W/O ALT

572 KB

HTML SIZE

Findings on the checked page (2 issues, 6 to check, 4 checks passed)

Image alt text

ISSUE FOUND

Measured: 17 of 24 images without usable alt text (70.8%): 2 without attribute, 15 empty
More than one in ten images carries no alt text. Every missing alt text is a lost image-search entry and an accessibility defect (WCAG 2.1 / ADA exposure for US clients). Screen readers announce nothing, so visually impaired visitors - and crawlers - see gaps.

Recommended fix: Add descriptive alt text to every content image; decorative images get alt="".

Page size (HTML)

ISSUE FOUND

Measured: 572.3 KB of HTML (threshold 400 KB) with 1 scripts, 6 stylesheets and 24 images referenced

A heavy HTML document delays the first paint, most of all on the mobile connections used by people searching for an emergency repair. Slow pages lose visitors before the phone number is visible, and Core Web Vitals are a ranking factor.

Recommended fix: Split oversized inline CSS/JS into cached files, drop unused page-builder code, compress and lazy-load images.

Accessibility (WCAG 2.1 AA): Heading levels should only increase by one

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoß (Auswirkung moderate) auf .et_pb_text_inner > h5. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) .et_pb_text_inner > h5 gemäß <https://dequeuniversity.com/rules/axe/4.12/heading-order?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Document should have one main landmark

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoß (Auswirkung moderate) auf html. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) html genaess <https://dequeuniversity.com/rules/axe/4.12/landmark-one-main?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Links must have discernible text

ISSUE FOUND

Measured: 1 Stelle(n), Auswirkung: serious

axe-core meldet diesen Verstoss (Auswirkung serious) auf `.et_pb_image_0_tb_header > a[href$="lonsmith.com/"]`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `.et_pb_image_0_tb_header > a[href$="lonsmith.com/"]` genaess <https://dequeuniversity.com/rules/axe/4.12/link-name?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Zooming and scaling must not be disabled

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf `meta[name="viewport"]`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `meta[name="viewport"]` genaess <https://dequeuniversity.com/rules/axe/4.12/meta-viewport?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): Page should contain a level-one heading

CHECK

Measured: 1 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf `html`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `html` genaess <https://dequeuniversity.com/rules/axe/4.12/page-has-heading-one?application=axeAPI> korrigieren.

Accessibility (WCAG 2.1 AA): All page content should be contained by landmarks

CHECK

Measured: 5 Stelle(n), Auswirkung: moderate

axe-core meldet diesen Verstoss (Auswirkung moderate) auf `.et_pb_section_0`, `.et_pb_section_1`, `.et_pb_image_0`. Barrierefreiheit ist in den USA (ADA/Section 508) und in der EU (EAA/EN 301 549) einklagbar; Screenreader-Nutzer und Google-Bots bewerten die Seite danach mit.

Recommended fix: Element(e) `.et_pb_section_0`, `.et_pb_section_1`, `.et_pb_image_0` genaess <https://dequeuniversity.com/rules/axe/4.12/region?application=axeAPI> korrigieren.

Checks that passed

- HTTPS / SSL - Served over HTTPS, certificate valid (expires Dec 9 19:16:47 2026 GMT)
- Meta description - 149 characters
- Schema.org structured data - 1 JSON-LD block(s), types: BreadcrumbList, EntryPoint, ImageObject, ListItem, Organization, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
- H1 heading - 1 H1: "Lon Smith Roofing & #8211; Dallas / Fort Worth Roofing Company"

Measured values

URL checked	https://www.lonsmith.com/
HTTP status	200 (nginx)
Fetch method	urllib-direct
Server response	1733 ms
Page title	Dallas Roofing Contractors - Fort Worth Roofers (47 chars)
HTTPS / certificate	https, certificate valid, expires Dec 9 19:16:47 2026 GMT
Meta description	149 chars
Schema.org	1 JSON-LD block(s): BreadcrumbList, EntryPoint, ImageObject, ListItem, Organization, PropertyValueSpecification, ReadAction, SearchAction, WebPage, WebSite
H1 tags	1
Images / without alt	24 / 17
HTML size	572.3 KB (585999 bytes)

Accessibility (WCAG 2.1 AA, axe-core)

axe-core 4.12.1 via Playwright: 6 Verstoss/Verstoesse, 30 bestanden, 1 unklar gegen WCAG wcag2a/wcag2aa/wcag21a/wcag21aa/best-practice

- **Heading levels should only increase by one** (moderate): 1 Stelle(n) - .et_pb_text_inner > h5
- **Document should have one main landmark** (moderate): 1 Stelle(n) - html
- **Links must have discernible text** (serious): 1 Stelle(n) - .et_pb_image_0_tb_header > a[href\$="lonsmith.com/"]
- **Zooming and scaling must not be disabled** (moderate): 1 Stelle(n) - meta[name="viewport"]
- **Page should contain a level-one heading** (moderate): 1 Stelle(n) - html
- **All page content should be contained by landmarks** (moderate): 5 Stelle(n)
- .et_pb_section_0, .et_pb_section_1, .et_pb_image_0

How this audit was made

The page was loaded once as a normal browser request and analysed in its delivered state (no CMS login, no JavaScript executed unless the request had to fall back to a rendering service). All values above come from that single response; they are reproducible. Assessment date: 2026-09-25. Page-size numbers cover the HTML document only, external assets excluded.

Next steps

- Fixes are implemented page-by-page; the highest-impact items (Image alt text, Page size (HTML)) go first.
- After the fix we re-run this exact measurement set and hand over the before/after numbers.
- Structured data and meta descriptions are also submitted to Google Search Console so the rich results actually appear.
- Questions or the raw measurement file: hello@apex-data.io

Apex Data (Werbesolutions e.U.), Arbeitergasse 123, 7022 Schattendorf, Austria
apex-data.io · Website audit generated automatically · no obligation, no cost.