





!!! См внимательно выше





!!! См внимательно выше







или Вариант 2, описан ниже

```
| Comparison | Com
```

Вариант 2 git remote add origin https://github.com/g00u00/g00u00.github.io.git git pull origin master и с последущей командой git remote remove origin

```
MINGW64:/c/Users/hp600nn/Documents/g00u00
 np600nn@DESKTOP-U60V9P2 MINGW64 ~/Documents/g00u00
S git init
Initialized empty Git repository in C:/Users/hp600nn/Documents/g00u00/.git/
hp600nn@DESKTOP-U60V9P2 MINGW64 ~/Documents/g00u00 (master)
$ git remote add origin https://github.com/g00u00/g00u00.github.io.git
 p600nn@DESKTOP-U60V9P2 MINGW64 ~/Documents/g00u00 (master)
$ git pull origin master
 emote: Enumerating objects: 225, done.
remote: Enumerating objects: 120% (225/225), done.
remote: Counting objects: 100% (225/225), done.
remote: Compressing objects: 100% (144/144), done.
Receiviremote: Total 225 (delta 87), reused 140 (delta 54), pack-reused 0
Receiving objects: 100% (225/225), 37.38 KiB | 2.08 MiB/s, done.
Resolving deltas: 100% (87/87), done.
 From https://github.com/g00u00/g00u00.github.io

* branch master -> FETCH_HEAD
                                             -> FETCH_HEAD
-> origin/master
    [new branch]
                              master
 p600nn@DESKTOP-U60V9P2 MINGW64 ~/Documents/g00u00 (master)
README.md ReadMe.txt cgi-bin/ css/ django-apps/ img/ index.html js/ public_html/ tmp/ vim
 p600nn@DESKTOP-U60V9P2 MINGW64 ~/Documents/g00u00 (master)
```

```
## WINDOWS # CPU Neers / androm, Decomments / git_test / g000000.github.io (master)

| International content of the property of the property
```

```
### PART | Set your part | Set year | Set y
```



