

**SCHOOL OF COMPUTER SCIENCE ENGINEERING AND
INFORMATION SYSTEMS (SCORE)**

WINTER SEMESTER 2025-2026

ISWE205L – COMPUTER NETWORKS

Case Study Report

Edge Computing and Fog Computing in 5G Networks

TEAM MEMBERS

NAME: MARRI NAGALAKSHMI - 24MIS0278

NAME : KONANKI PRANAVI - 24MIS0325

1. INTRODUCTION

The rapid proliferation of Internet-connected devices and data-intensive applications has placed enormous pressure on traditional cloud computing infrastructures. Conventional cloud systems, while powerful, suffer from high latency due to the physical distance between users and centralized data centers. Edge Computing and Fog Computing have emerged as transformative paradigms to bring computational resources closer to the source of data, thereby reducing latency and improving service quality.

With the worldwide rollout of 5G networks, these computing models gain even greater significance. 5G's ultra-low latency (as low as 1 ms), massive device connectivity, and high bandwidth make it the perfect enabler for Edge and Fog computing deployments. Together, these technologies form the backbone of smart cities, autonomous vehicles, industrial automation, and real-time healthcare systems.

2. KEY DEFINITIONS

2.1 Edge Computing

Edge Computing refers to a distributed computing paradigm in which computation and data storage are performed closer to the location where data is generated, rather than relying on a centralized data center. 'The edge' refers to devices such as routers, gateways, base stations, or even end-user devices themselves.

2.2 Fog Computing

Fog Computing, introduced by Cisco, extends cloud computing capabilities to the edge of the network. Unlike pure edge computing, fog computing introduces an intermediate layer of fog nodes (local servers or gateways) positioned between IoT devices and the cloud. This creates a hierarchical three-tier architecture: Device Layer → Fog Layer → Cloud Layer.

2.3 5G Networks

5G (Fifth Generation) wireless networks provide data rates exceeding 10 Gbps, ultra-low latency below 1 ms, and support for up to 1 million devices per square kilometer. These features create ideal conditions for deploying edge and fog computing workloads in real-time environments.

3. ARCHITECTURE

3.1 Three-Tier Fog/Edge Architecture in 5G

The integrated Edge-Fog-5G architecture operates across three tiers:

Tier 1 – Device Layer: IoT sensors, smartphones, autonomous vehicles, and industrial machines that generate raw data.

Tier 2 – Fog/Edge Layer: MEC (Mobile Edge Computing) servers embedded in 5G base stations (gNBs), local fog nodes, and small data centers that process data with ultra-low latency.

Tier 3 – Cloud Layer: Centralized cloud servers for long-term storage, complex analytics, and global coordination.

Data flows upward only when necessary. Time-critical tasks are handled at Tier 2, while non-urgent analytics are offloaded to Tier 3. This reduces network congestion and backbone bandwidth usage significantly.

3.2 Mobile Edge Computing (MEC)

MEC is a key 5G component standardized by ETSI (European Telecommunications Standards Institute). MEC servers are installed at or near 5G base stations, enabling computation with latencies below 5 ms. Applications such as AR/VR, real-time video analytics, and vehicle-to-everything (V2X) communication benefit directly from MEC.

4. KEY FEATURES AND CHARACTERISTICS

Feature	Description
Low Latency	Processing at edge/fog reduces round-trip time to <10 ms, vs. 100+ ms in traditional cloud.
Bandwidth Efficiency	Only processed/summarized data is sent to cloud, reducing backbone traffic by up to 70%.
Real-Time Processing	Enables time-critical applications like autonomous driving and industrial control.

Scalability	Fog nodes can be added dynamically to match growing device density in 5G deployments.
Resilience	Local processing continues even during cloud connectivity loss or network failure.
Privacy	Sensitive data (e.g., healthcare or financial) can be processed locally without cloud exposure.
Energy Efficiency	Distributed workloads reduce energy consumed by long-distance data transmission.

5. WORKING PRINCIPLE

The working of Edge and Fog computing in a 5G environment follows these steps:

Step 1: IoT devices and sensors generate continuous streams of raw data (e.g., video frames, temperature readings, vehicle telemetry).

Step 2: Data is transmitted via 5G radio access networks (RAN) to the nearest 5G base station (gNB) equipped with an MEC server.

Step 3: The MEC/fog node filters, aggregates, and processes the data locally. Time-sensitive decisions (e.g., collision avoidance) are made instantly.

Step 4: Non-critical or aggregated data is forwarded to the cloud for deeper analytics, machine learning model training, or long-term storage.

Step 5: Results and commands are sent back to devices in real time to trigger actions, complete the feedback loop.

6. APPLICATIONS

6.1 Autonomous Vehicles (V2X Communication)

Autonomous vehicles generate up to 4 TB of data per day. Edge nodes process sensor fusion data (LiDAR, cameras, radar) in real time to enable safe driving decisions. 5G V2X (Vehicle-to-Everything) communication relays collision warnings within 1 ms latency via edge servers.

6.2 Smart Manufacturing (Industry 4.0)

Factory robots, conveyor belts, and CNC machines are monitored through industrial IoT sensors. Fog nodes at the factory floor perform predictive maintenance analysis, detecting micro-vibrations that indicate impending machine failure — preventing costly downtime without sending raw sensor data to the cloud.

6.3 Healthcare and Remote Surgery

Haptic feedback for robotic tele-surgery requires latency under 10 ms. Edge computing at hospital 5G nodes ensures surgical commands and feedback travel at the required speed. Patient vitals from wearables are monitored in real time using local fog nodes, alerting physicians instantly.

6.4 Smart Cities

Traffic cameras at intersections process video locally using edge AI to detect congestion and adjust signal timings dynamically. Smart surveillance systems identify anomalies (accidents, intrusions) without streaming raw video to cloud servers, preserving bandwidth and privacy.

6.5 Augmented Reality (AR) and Virtual Reality (VR)

AR/VR applications require rendering of 8K video at ultra-low latency. Edge servers co-located with 5G base stations offload rendering computation from head-mounted devices, enabling lightweight, high-fidelity mixed reality experiences for gaming, education, and industrial training.

7. ADVANTAGES

- Drastically reduced latency for real-time applications.
- Significant bandwidth savings by filtering data at the source.
- Enhanced data privacy and regulatory compliance (GDPR, HIPAA).
- Continued operation during cloud or internet outages (offline resilience).
- Scalable to millions of 5G-connected IoT devices.
- Energy efficient — reduces carbon footprint of large-scale data transmission.
- Supports AI inference at the edge for intelligent, autonomous decisions.

8. CHALLENGES AND LIMITATIONS

- Resource Constraints: Edge/fog nodes have limited CPU, memory, and storage compared to cloud data centers.
- Security Vulnerabilities: Distributed nodes increase the attack surface; physical tampering of edge hardware is a risk.
- Heterogeneity: Managing diverse hardware and software ecosystems across thousands of edge nodes is complex.
- Task Offloading Decisions: Dynamically deciding which tasks to process locally vs. in cloud requires intelligent orchestration.
- Network Management: Coordinating handoff of computation between edge nodes as mobile users move across 5G cells adds complexity.

- Standardization: Lack of universal standards for interoperability between vendors is a current limitation.

9. SECURITY IN EDGE AND FOG COMPUTING

Security is a critical concern given the distributed and exposed nature of edge/fog infrastructure in 5G environments.

9.1 Common Threats

- Man-in-the-Middle (MitM) attacks on 5G air interface communications.
- DDoS attacks targeting edge servers with resource exhaustion.
- Unauthorized access to fog nodes at public locations.
- Data poisoning attacks on edge-deployed AI/ML models.

9.2 Security Solutions

- Zero-Trust Architecture: No device or user is trusted by default; continuous authentication is enforced.
- End-to-End Encryption: TLS 1.3 and IPsec protect data in transit between devices, edge, and cloud.
- Trusted Execution Environments (TEE): ARM TrustZone and Intel SGX protect sensitive computations within edge hardware.
- Federated Learning: AI models are trained locally on edge nodes without sharing raw data, preserving privacy.
- Intrusion Detection Systems (IDS): AI-powered anomaly detection monitors traffic patterns at edge nodes.

10. COMPARISON: CLOUD vs. FOG vs. EDGE COMPUTING

Parameter	Cloud Computing	Fog Computing	Edge Computing
Latency	100–500 ms	10–50 ms	1–10 ms
Location	Centralized Data Center	Intermediate nodes	Near/at device
Bandwidth Use	Very High	Medium	Low
Processing Power	Very High	Medium	Low to Medium

Scalability	Very High	High	Moderate
Privacy	Low (data leaves)	Medium	High (local processing)
Use Case	Big data analytics	Smart cities, IIoT	Autonomous vehicles, AR/VR

11. FUTURE SCOPE

The convergence of Edge/Fog computing with 5G is still in its early stages. Several exciting research directions are shaping its future:

- **6G Integration:** 6G networks (expected by 2030) will push latency below 0.1 ms and data rates to 1 Tbps, enabling even more powerful edge intelligence.
- **AI-Native Edge:** AI models will be natively trained and updated at edge nodes using federated learning, enabling truly autonomous edge intelligence without cloud dependency.
- **Network Slicing:** 5G network slicing will allow dedicated virtual network segments for each edge application (healthcare slice, autonomous vehicle slice), ensuring guaranteed QoS.
- **Digital Twins:** Real-time synchronization of physical systems with digital replicas will rely on fog computing for low-latency state updates in industrial and urban environments.
- **Quantum-Safe Edge Security:** Post-quantum cryptography algorithms will be integrated into edge nodes to defend against future quantum computing attacks.
- **Green Edge Computing:** Solar-powered, energy-harvesting edge nodes are being developed for sustainable deployment in remote and rural areas.

12. CONCLUSION

Edge Computing and Fog Computing represent fundamental paradigm shifts in how data is processed and acted upon in the modern networked world. By bringing computation closer to the data source, these approaches dramatically reduce latency, conserve bandwidth, and unlock a new generation of real-time intelligent applications.

The synergy with 5G networks is a defining development of this decade. The ultra-low latency, massive connectivity, and high reliability of 5G amplify the capabilities of edge and fog infrastructure, making previously impossible applications — such as real-time robotic surgery, fully autonomous driving, and immersive mixed reality — technically feasible at scale.

While challenges in security, standardization, and resource management remain, ongoing research in AI-driven orchestration, federated learning, and zero-trust security is steadily addressing them. Edge and Fog Computing in 5G networks will be indispensable pillars of the intelligent, connected world of tomorrow.

REFERENCES

- ETSI MEC (Multi-access Edge Computing) White Paper, European Telecommunications Standards Institute, 2022.
- Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge Computing: Vision and Challenges. *IEEE Internet of Things Journal*, 3(5), 637–646.
- Bonomi, F., et al. (2012). Fog Computing and Its Role in the Internet of Things. MCC Workshop, ACM.
- Cisco Systems. (2021). Fog Computing and the Internet of Things: Extend the Cloud to Where the Things Are. Cisco White Paper.
- ITU-R IMT-2020 Recommendations – Technical Performance Requirements for 5G, International Telecommunication Union.
- Khan, L. U., et al. (2020). Edge-Computing-Enabled Smart Cities: A Comprehensive Survey. *IEEE Internet of Things Journal*.