SQL 2

Gage Powell
ISIN 325
March 3, 2026
Dr. Greg Gogolin

Table Of Contents

Page 1…….……Cover Page

Page 2……...……Table of Contents

Page 3…….....Query 1 & 2

Page 4…….....Query 3 & 4

Page 5…….....Query 5 & 6

Page 6……..…….…….....Query 7 & 8

Page 7…….…….....Query 9 & 10

Page 8……Query 11 & 12

Query #1: Count Rows



Comments: As you can see in the results we see there are a total of 27 total records in the Patient table.

Query #2: Delete Record



Comments: In this query, we started by showing what record we wanted to delete, then ran the delete command and finished by proving it was deleted by running the same query we did to show what was being targeted in p1.

Query #3: Two Table Join View



Comments: We created a view called vw_GetProviderAndType that joins the Provider and ProviderType tables to display each provider's first name, last name, and corresponding provider type, then queried the view to verify the results.

Query #4: Three Table Join with Filter



Comments: In this query we actually did a four table join as demonstrated in class because the view already joins two base tables and we then joined it with two additional tables to retrieve the final results.

Query #5: SQL Functions



Comments: I used ChatGPT to help me come up with some new functions in SQL including UPPER(), LOWER(), LEN(), GETDATE(), DATEDIFF(), and ISNULL(), and then I applied them to my own database tables to complete this query.

Query #6: Stored Procedure Insert



Comments: I created a stored procedure that allows new provider types to be inserted into the ProviderType table by passing values as parameters during execution.

Query #7: Create Table with Key and Index



Comments: This query created the Student table and established a clustered primary key on StudentID, which also serves as the table's index to ensure unique records.

Query #8: Group By Query



Comments: This query groups the PatientAilment table by AilmentID and calculates the total number of patients linked to each ailment.

Query #9: Distinct and Sorting



Comments: These queries demonstrate the use of DISTINCT to eliminate duplicate provider first names and ORDER BY to sort the results in both ascending (A–Z) and descending (Z–A) order.

Query #10: Inner Join



Comments: This query uses an INNER JOIN to link the Provider and ProviderType tables, displaying each provider's last name alongside their corresponding provider type.

Query #11: Left Outer Join



Comments: This query uses a LEFT OUTER JOIN to show all providers, including those who do not have a matching provider type, displaying the provider type only when it exists.

Query #12: Right Outer Join



Comments: This query uses a RIGHT OUTER JOIN to display all provider types, showing the last name of the provider only when a match exists.