

Form 2: Resource Utilization - Data Dictionary & Capture Form

Resource Utilization — Data Dictionary & Capture Form

Purpose: Quantify ICU length-of-stay, ENDING-S components, procedures avoided, and key care decisions (non-escalation, LST limitation, compassionate extubation, terminal sedation), consistent with the protocol and outcomes specified in the proposal.

1. Site id

2. Hospital name

Date of admission to ICU

- ☐ Kasturba Medical College Manipal
- ☐ AIIMS Delhi
- ☐ CMC Vellore
- ☐ Tata Memorial Hospital Mumbai
- ☐ Bharati Vidyapeeth Deemed University Pune
- ☐ P.D. Hinduja Hospital,Mumbai
- ☐ St John's Medical College Hospital Bangalore
- ☐ Vardhaman Mahavir Medical College & Safdarjung Hospital Delhi
- ☐ Aster CMI Hospital Bengaluru
- ☐ Yashoda Super -speciality Hospital,Kaushambi,Ghaziabad

3. ICU model

- ☐ Open
- ☐ Closed
- ☐ Mixed

4. Discharge date

Palliative or ICU?

5. Procedures performed

6. Was the Palliative care referred?

☐ Yes☐ No

7. Palliative care referral date

8. PMD form available?

☐ Yes☐ No

PMD Form means Goals of care?

9. Information recorded by PMD

☐ Pain management☐ Psychological Issues☐ Spiritual needs☐ Social/Financial Issues☐ Anticipatory Issues☐ Decision makingSymptom Management
Homecare/ Transfer to other
hospice/homecare

10. Family meeting conducted

☐ Yes☐ No

11. If yes, date

12. Family meeting date

13. decision_non_escalation

☐ Yes

☐ No

14. decision_limited_life_support

☐ Yes

☐ No

15. compassionate_extubation

☐ Yes

☐ No

16. terminal_sedation

☐ Yes

☐ No

17. after_death_preferences_documented

☐ Yes

☐ No

18. Outcome

☐ Died in ICU

☐ Died in ward

☐ Discharged home

☐ DAMA

☐ Under treatment

☐ Discharge to Hospice

Homecare/ referral to other
hospice/institution

19. Date of outcome

20. Hospital length of stay (days)

21. Procedures during ICU stay

- ☐ Dialysis
- ☐ Tracheostomy
- ☐ Re-intubation
- ☐ Central line
- ☐ CPR attempted
- ☐ Other

22. Treatment limitation documented

- ☐ Yes
- ☐ No

23. Treatment limitation type

- ☐ Non-escalation
- ☐ Withdrawal
- ☐ Comfort-focused care
- ☐ Other

24. Critical Care Review Board (CCRB) Involved

- ☐ Yes
- ☐ No

25. Major cost drivers

- ☐ Ventilation
- ☐ Dialysis
- ☐ Drugs
- ☐ Procedures
- ☐ Other

26. Was any bereavement counselling provided?

- ☐ Yes
- ☐ No

27. Notes

(brief qualitative context)

Cost Analysis — Data Dictionary & Capture Form

Purpose: Capture direct/indirect ICU costs, component costs (drugs, procedures, devices, diagnostics, consultations), palliative care and bereavement costs; compute total cost, ICER (vs. standard care), and budget impact for scale-up, per your proposal's health-economics plan.

Total ICU cost is the complete amount for the day the patient has stayed right? not at the total cost at the time of interview?

28. Total ICU Cost

29. ICU stay cost direct

30. ICU stay cost indirect

31. Drug cost

32. Procedure cost

33. Device cost

34. Diagnostics cost

35. Consultation cost

36. Palliative care cost

do we add average cost per day?

37. Bereavement support cost

38. Phase

- ☐ Pre implementation
- ☐ Post implementation

EQ-5D for QALY estimation

39. Mobility

- ☐ 1 – No problems in walking about
- ☐ 2 – Slight problems in walking about
- ☐ 3 – Moderate problems in walking about
- ☐ 4 – Severe problems in walking about
- ☐ 5 – Unable to walk about

40. Self-care

- ☐ 1 – No problems with self-care
- ☐ 2 – Slight problems with self-care
- ☐ 3 – Moderate problems with self-care
- ☐ 4 – Severe problems with self-care
- ☐ 5 – Unable to wash or dress myself

41. Usual activities

- ☐ 1 – No problems with usual activities
- ☐ 2 – Slight problems with usual activities
- ☐ 3 – Moderate problems with usual activities
- ☐ 4 – Severe problems with usual activities
- ☐ 5 – Unable to perform usual activities

42. Pain/discomfort

- ☐ 1 – No pain or discomfort
- ☐ 2 – Slight pain or discomfort
- ☐ 3 – Moderate pain or discomfort
- ☐ 4 – Severe pain or discomfort
- ☐ 5 – Extreme pain or discomfort

43. Anxiety/depression

- ☐ 1 – Not anxious or depressed
- ☐ 2 – Slightly anxious or depressed
- ☐ 3 – Moderately anxious or depressed
- ☐ 4 – Severely anxious or depressed
- ☐ 5 – Extremely anxious or depressed

44. Follow-up duration (in days)

(Total number of days from admission to outcome)

The value must be a number

45. Notes

REMINDER

Please make sure all questions are answered before submitting the form.

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.

 Microsoft Forms