

VigiScan Report

Alert: Content Security Policy (CSP) Header Not Set

Risk: Medium

First Detected: None

Last Detected: None

Path: <http://example.com/sitemap.xml>

Solution: Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.

Alert: Missing Anti-clickjacking Header

Risk: Medium

First Detected: None

Last Detected: None

Path: <http://example.com>

Solution: Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.

If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.

Alert: Content Security Policy (CSP) Header Not Set

Risk: Medium

First Detected: None

Last Detected: None

Path: <http://example.com/robots.txt>

Solution: Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.

Alert: Content Security Policy (CSP) Header Not Set

Risk: Medium

First Detected: None

Last Detected: None

Path: <http://example.com>

Solution: Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: X-Content-Type-Options Header Missing

Risk: Low

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.

If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.

Alert: User Agent Fuzzer

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution:

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Missing Anti-clickjacking Header

Risk: Medium

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.

If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.

Alert: Content Security Policy (CSP) Header Not Set

Risk: Medium

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: X-Content-Type-Options Header Missing

Risk: Low

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.

If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent

the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific

information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: <http://example.com/sitemap.xml>

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: <http://example.com/>

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: <http://example.com>

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: <http://example.com/sitemap.xml>

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: <http://example.com/robots.txt>

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/sitemap.xml

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational

First Detected: None

Last Detected: None

Path: http://example.com/robots.txt

Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:

Cache-Control: no-cache, no-store, must-revalidate, private

Pragma: no-cache

Expires: 0

This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Alert: Retrieved from Cache

Risk: Informational
First Detected: None
Last Detected: None
Path: http://example.com
Solution: Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:
Cache-Control: no-cache, no-store, must-revalidate, private
Pragma: no-cache
Expires: 0
This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.

Detailed Vulnerability Table

Alert	Risk	First	Last	Path	Solution
Content Security Policy (CSP) Header Not	Medium	N/A	N/A	http://example.com/sitemap.xml	Ensure that your web server, application
Missing Anti-clickjacking Header	Medium	N/A	N/A	http://example.com	Modern Web browsers support the Con
Content Security Policy (CSP) Header Not	Medium	N/A	N/A	http://example.com/robots.txt	Ensure that your web server, application
Content Security Policy (CSP) Header Not	Medium	N/A	N/A	http://example.com	Ensure that your web server, application
Retrieved from Cache	Informational	N/A	N/A	http://example.com	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com/robots.txt	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com/sitemap.xml	Validate that the response does not cor
X-Content-Type-Options Header Missing	Low	N/A	N/A	http://example.com	Ensure that the application/web server
User Agent Fuzzer	Informational	N/A	N/A	http://example.com	
Retrieved from Cache	Informational	N/A	N/A	http://example.com/robots.txt	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com/sitemap.xml	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com	Validate that the response does not cor
Missing Anti-clickjacking Header	Medium	N/A	N/A	http://example.com/	Modern Web browsers support the Con
Content Security Policy (CSP) Header Not	Medium	N/A	N/A	http://example.com/	Ensure that your web server, application
Retrieved from Cache	Informational	N/A	N/A	http://example.com/	Validate that the response does not cor
X-Content-Type-Options Header Missing	Low	N/A	N/A	http://example.com/	Ensure that the application/web server
Retrieved from Cache	Informational	N/A	N/A	http://example.com/sitemap.xml	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com/robots.txt	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com	Validate that the response does not cor
Retrieved from Cache	Informational	N/A	N/A	http://example.com/robots.txt	Validate that the response does not cor

[illegible]