




STEAM

DIGITAL DISTRIBUTION PLATFORM

Steam is a digital distribution platform for purchasing, downloading, and playing video games. It allows game developers to publish their titles and enables players to build personal game libraries, track playtime, and connect with other users globally. It is known for its vast library of games, user account management, and seamless integration between developers and players, making it one of the most popular gaming platforms in the world.

01 ENTITY-RELATIONSHIP DIAGRAM



02 SQL IMPLEMENTATION

```
steam_schema.sql

create database steam;

create table developers (
    id int primary key,
    full_name varchar(20) unique,
    country varchar(20) not null
);

create table games (
    id int primary key,
    title varchar(20) not null,
    price int default 0,
    status varchar(10) check ( status='released' or status='unreleased' ),
    developer_id int,
    foreign key (developer_id) references developers(id)
);

create table users (
    id int primary key,
    username varchar(20) unique,
    email varchar(20) unique,
    created_at datetime default current_timestamp
);

create table user_games (
    user_id int,
    game_id int,
    playtime_hours int default 0,
    purchased_at datetime default current_timestamp,
    foreign key (user_id) references users(id),
    foreign key (game_id) references games(id)
);

#DML

insert into developers values (1, 'Epic Games', 'USA');
insert into developers values (2, 'Sony', 'Japan');
insert into developers values (3, 'FromSoftware', 'Japan');
insert into developers values (4, 'Ubisoft', 'France');
insert into developers values (5, 'Rockstar Games', 'USA');

select * from developers;

insert into games values (1, 'Counter-Strike 2', 0, 'released', 1);
insert into games values (2, 'Cyberpunk 2077', 60, 'released', 2);
insert into games values (3, 'Elden Ring', 60, 'released', 3);
insert into games values (4, 'GTA VI', 70, 'unreleased', 5);
insert into games values (5, 'Half-Life 3', 0, 'unreleased', 1);
```

```
select * from games;

insert into users values (1, 'oKhalid', 'khalid@gmail.com', now());
insert into users values (2, 'D7o0omy999', 'da7m@gmail.com', now());
insert into users values (3, 'Kasparov', 'kasper@gmail.com', now());
insert into users values (4, 'Jack_TheGoat', 'jack@gmail.com', now());
insert into users values (5, 'ZoroJoro', 'zoro@gmail.com', now());

select * from users;

insert into user_games values (1, 1, 350, now());
insert into user_games values (2, 2, 80, now());
insert into user_games values (3, 3, 120, now());
insert into user_games values (4, 1, 45, now());
insert into user_games values (5, 2, 10, now());

select * from user_games;

update games set price=50 where id=2;

# we need to remove the dependent foreign key first
delete from user_games where game_id=5;
delete from games where id=5;
```