

DEMANDE D'ACCUEIL EN DELEGATION**ANNEE 2018 - 2019****Première demande****ETAT DEMANDE : A valider enseignant****IDENTITE****Civilité (M. – Mme) :**

M.

Nom de famille :

VALLVERDU

Nom d'usage :

SALVATO VALLVERDU

Prénom :

GERMAIN

Date de naissance :

10/08/1983

Adresse personnelle (N° et rue) :

62 Rue Bourg Neuf

(Complément d'adresse) :**(Complément d'adresse) :****Code postal :**

64160

Ville :

Morlaàs

Pays :

FRANCE

Téléphone :**Adresse électronique :**

germain.vallverdu@univ-pau.fr

SITUATION ADMINISTRATIVE**Section du CNU :**

31 - Chimie théorique, physique, analytique

Etablissement actuel :

0640251A - UNIVERSITE DE PAU

Corps :

MCF

Grade :

MCF CN

Echelon :

5

Unité de recherche :INSTITUT DES SCIENCES ANALYTIQUES ET DE PHYSICO-CHIMIE
POUR L'ENVIRONNEMENT ET LES MATERIAUX**ACCUEIL EN DELEGATION****NUMERO DE SECTION****N° de section 1 :**

13 - Chimie physique, théorique et analytique

N° de section 2 :**N° de section 3 :****DOMAINE THEMATIQUE / SUJET DE RECHERCHE ENVISAGE / MOTIF DE LA DEMANDE****Domaine thématique :**Chimie Théorique et Chemoinformatique : théories, méthodes,
méthodologies, modél**Sujet de recherche envisagé :**

Machine learning potentials for structure and reactivity in condensed matter

Motif de la demande :

LABORATOIRE D'ACCUEIL SOUHAITE (UNITE LIEE AU CNRS)

Code unité : UMR5254
Intitulé : INSTITUT DES SCIENCES ANALYTIQUES ET DE PHYSICO-CHIMIE
POUR L'ENVIRONNEMENT ET LES MATERIAUX
Directeur : Ryszard LOBINSKI
Ville : PAU CEDEX 9

DUREE/QUOTITE/DATE DE PRISE DE FONCTION

Durée et quotité souhaitées : 1 an à mi-temps
Date de prise de fonction : 01/09/2018



ANNEE UNIVERSITAIRE 2018-2019

DOSSIER DE DEMANDE D'ACCUEIL EN DELEGATION

Document à numériser et à intégrer en première page du PDF déposé à l'appui de votre demande d'accueil en délégation

Nom : Vallverdu

Prénom : Germain

Services d'enseignement effectués

Année universitaire	Etablissement d'enseignement	Nombre d'heures enseignées (équivalent TD – base 192h)	Décharges / CRCT / Délégation CNRS obtenus... (précisez)
2013 - 2014	Université de Pau et des Pays de l'Adour	239	0
2014 - 2015	Université de Pau et des Pays de l'Adour	228	0
2015 - 2016	Université de Pau et des Pays de l'Adour	237	0
2016 - 2017	Université de Pau et des Pays de l'Adour	254	0
2017 - 2018	Université de Pau et des Pays de l'Adour	206	0

Document à numériser et à intégrer en première page du PDF déposé à l'appui de votre demande d'accueil en délégation

LABORATOIRE D'ACCUEIL SOUHAITE POUR L'ACCUEIL EN DELEGATION (UNITE LIEE AU CNRS)

Unité d'accueil France métropolitaine

France d'Outre-Mer

Etranger

Code unité CNRS* : UMR 5254

Code unité RNSR : 200711919E

Intitulé : Institut des Sciences Analytiques et de Physico-Chimie pour l'Environnement et les Matériaux

Directeur : Ryszard Lobinski

Ville : Pau

Pays : France

*code unité CNRS : se référer à l'annuaire des laboratoires (<https://web-ast.dsi.cnrs.fr/l3c/owa/annuaire.recherche/index.html>)

AVIS DU DIRECTEUR DE L'UNITE DANS LAQUELLE L'ACCUEIL EN DELEGATION EST ENVISAGÉ

Avis du directeur (le directeur d'unité peut joindre un bref argumentaire qui sera intégré au dossier) :

Favorable

Défavorable

à..... *Pau*, le..... *18/10*..... Signature



Ryszard LOBINSKI
Directeur de l'IPREM

AVIS DU DIRECTEUR DE L'UNITE D'ORIGINE

Avis du directeur (le directeur d'unité peut joindre un bref argumentaire qui sera intégré au dossier) :

Favorable

Défavorable

à..... *Pau*, le..... *18/10*..... Signature



Ryszard LOBINSKI
Directeur de l'IPREM



Dossier de demande d'accueil en délégation au CNRS

Germain VALLVERDU

IPREM - UMR 5254

19 octobre 2017




Table des matières

1. Curriculum Vitae	6
2. Activités d'enseignement	8
3. Activités de Recherche	11
4. Research Project	22

Germain Vallverdu

Associate Professor -- PhD in Chemical Physics



10 août 1983, France
Maried, 2 children

Contact

germain.vallverdu@univ-pau.fr
(33) 5 59 40 78 51
(33) 6 88 59 08 87

IPREM
Technopôle Hélioparc
2 ave du Président P. Angot
FR-64053 Pau cedex 9

Theoretical Chemistry

Computational strategy
Development
Surfaces, interfaces
VASP, CRYSTAL (solid)
Gaussian (molecule)
DL-POLY, AMBER (dynamic)

Programming

Fortran, C
Python
 \LaTeX , HTML/CSS

Languages

French
English (Professional)

Bibliometry

15 articles
11 conferences
h-index: 7
12.2 citations per item

On the web

orcid.org/0000-0003-1116-8776
 gVallverdu
 gvallver.perso.univ-pau.fr

Abstract

Assistant professor at the Université de Pau et des Pays de l'Adour, I am a theoretical chemist at IPREM institute (Institute for Analytical sciences and chemical physics applied to environment and materials). My research activities concern the development of new methods and computational strategies at different time or space scales, applied to the investigations of complex systems. I teach mainly chemical-physics subjects and programming languages at the university of Pau.

Professional Experiences

since 2010	Université de Pau et des Pays de l'Adour <i>Associate professor</i> Theoretical chemistry and computational approaches. Surfaces, interfaces, reactivity and molecular interactions.	Pau, France
2009–2010	CEA - DAM <i>Postdoctoral position</i> Development and implementation of a mesoscopic model for reactive shock waves propagation in heterogeneous systems.	Bruyères le châtel, France
2006–2009	Université Paris-Sud 11 <i>PhD Student</i> Theoretical study of photophysical processes in fluorescent proteins.	Orsay, France

Education


2006-2009	PhD in chemistry speciality theoretical chemistry Mention très honorable	Université Paris-Sud 11
2004-2006	Master degree of chemistry speciality molecular chemical-physics Mention TB	Université Paris-Sud 11
2003-2004	Bachelor Degree of chemical-physics Mention TB	Université Paris-Sud 11
2003-2006	Magistère de Physico-Chimie Moléculaire	Université Paris-Sud 11 – ENS Cachan
2001-2003	Undergraduate physics and chemistry	Lycée François Arago, Perpignan

Main publications

- Quesne-Turin, A. et al. The surface reactivity of Li₂MnO₃: First principles and experimental study. *Appl. Mater. Interfaces* **2018**, Under Review.
- Santos Silva, H. et al. The role of metalloporphyrins on the physical-chemical properties of petroleum fluids. *Fuel* **2017**, 188, 374–381.
- Vallverdu, G. et al. First principle study of the surface reactivity of layered lithium oxides LiMO₂ (M = Ni, Mn, Co). *Surf. Sci.* **2016**,
- Guille, E. et al. Possible Existence of a Monovalent Coordination for Nitrogen Atoms in LixPOyNz Solid Electrolyte: Modeling of X-ray Photoelectron Spectroscopy and Raman Spectra. *J. Phys. Chem. C* **2015**, 119, 23379–23387.
- Martin, L. et al. First principles calculations of solid–solid interfaces: an application to conversion materials for lithium-ion batteries. *J. Mater. Chem.* **2012**, 22, 22063–22071.
- Maillet, J. B. et al. Mesoscopic simulations of shock-to-detonation transition in reactive liquid high explosive. *EPL* **2011**, 96, 68007.
- Vallverdu, G. et al. Relation between pH, structure, and absorption spectrum of Cerulean: A study by molecular dynamics and TD DFT calculations. *Proteins: Struct., Funct., Bioinf.* **2010**, 78, 1040–1054.

Teaching

- Lectures in chemical-physics, theoretical chemistry and programming languages.
- Strong involvement in new information and communication technologies for education
- Science popularization: Quantum mechanics and workshops for school student



Curriculum Vitae

Germain Vallverdu

Nationalité française

Né le 10 Août 1983 à Perpignan (Pyrénées orientales)

Marié, 2 enfants



✉ IPREM

Technopôle Hélioparc

2 avenue du Président Pierre Angot

64053 Pau Cedex 9

📞 05 59 40 78 51

✉ @germain.vallverdu@univ-pau.fr

ID orcid.org/0000-0003-1116-8776

Github [@gVallverdu](https://github.com/gVallverdu)

Website <http://gvallver.perso.univ-pau.fr>

Fonctions :



Octobre 2010 ⊕ Aujourd'hui

Maître de conférences

- Chimie théorique et simulation numérique. Surfaces, interfaces, couplage expérience-théorie.
- Université de Pau et des Pays de l'Adour

2009 ⊕ 2010


Chercheur-Ingénieur

- Développement et implémentation d'un modèle mésoscopique pour l'étude de la propagation d'ondes de choc réactives.
- CEA - DAM Île de France.

2006 ⊕ 2009

Allocataire Moniteur

- Étude théorique de processus photophysiques dans des protéines fluorescentes.
- Université Paris Sud 11, Laboratoire de Chimie Physique, Orsay



Formation :



16 Juillet 2009 • Soutenance de thèse

Titre : Étude théorique de processus photophysiques dans des protéines fluorescentes.
financement MNRT, mention très honorable.

Composition du jury :

- M. David Perahia (Directeur de recherche, IBBMC, Université Paris-Sud 11), *président*
- M. Xavier Assfeld (Professeur, Université Henry Poincaré, Nancy), *rapporteur*
- M. Daniel Borgis (Directeur de recherche, ENS Paris), *rapporteur*
- M. Olivier Parisel (Directeur de recherche, ICT, Université Paris 6)
- Mme Fabienne Mérola (Directeur de recherche, LCP, Université Paris-Sud 11)
- Mme Isabelle Demachy (Professeur, LCP, Université Paris-Sud 11), *directrice de thèse*

Disponible sur Thèse en ligne

- <http://tel.archives-ouvertes.fr/tel-00431879/fr/>

2006 - 2009 • Doctorat : Allocataire Moniteur à l'université Paris-Sud 11

Travaux de recherche effectués dans le Laboratoire de Chimie Physique, UMR 8000, financement MNRT, mention très honorable.

Enseignements effectués à l'IUT de mesures physiques d'Orsay.

2003 - 2006 • Magistère de Physico-Chimie Moléculaire

Université Paris-Sud 11 et Ecole Normale Supérieure de Cachan.

2004 - 2006 • Master de Physico-Chimie Moléculaire


Université Paris-Sud 11, mention Très Bien.

2003 - 2004 • Licence de Chimie Physique

Université Paris-Sud 11, mention Très Bien.

2001 - 2003 • Classes préparatoires aux grandes écoles

Lycée François Arago (Perpignan), classes PCSI - PC.



Activités d'enseignement :



1) Détails des enseignements

Depuis mon recrutement en septembre 2010 à l'Université de Pau et des Pays de l'Adour (UPPA), je suis rattaché au département Chimie de l'UFR Sciences et Techniques de Pau où j'effectue l'essentiel de mon service. Il s'agit d'enseignements de chimie-physique ou de chimie générale dont voici une liste représentative :


- Atomistique, L1 Physique-Chimie, Cours (9.5 HETD) / TD (10.5 HETD)
- États de la matière, L1 Physique-Chimie, TD (10.5 HETD)
- Atomistique et liaisons chimiques, L2 Chimie et Physique-Chimie, TD (19.5 HETD)
- Outils pour la symétrie moléculaire, L2 Chimie, Cours (9.5 HETD) / TD (10.5 HETD)
- Outils informatiques pour les sciences de l'ingénieur, L1, Cours/TD/TP (27 HETD)
- Travaux pratiques de techniques de séparation et d'analyse, L2 Chimie et Biologie (20 HETD)
- Travaux pratiques de catalyse chimique, L2 Chimie (20 HETD)
- Travaux pratiques de thermochimie et cinétique chimique, L2 Chimie (20 HETD)
- Travaux pratiques de structure et réactivité des molécules, L3 Chimie (16 HETD)
- Structure électroniques des solides, M1 Chimie et Physico-Chimie des Matériaux, TD (10.5 HETD).

Dans ce qui suit je présente les enseignements qui sortent des sujets classiques de chimie et de chimie-physique, ou, dans lesquels une pédagogie spécifique a été mise en œuvre. Un aspect transverse sur les points ci-dessous est l'utilisation avancée des technologies de l'information et de la communication pour l'enseignement. Dans ce cadre, je participe régulièrement au développement de la plateforme *moodle* de l'UPPA^a.

Apprentissage par projets ou problèmes

L'apprentissage par projets ou problèmes (APP) fait partie de ce que l'on appelle un mode de pédagogie active dans lequel l'étudiant est acteur de son apprentissage. Dans un enseignement sous forme APP, les étudiants travaillent en groupe sur un problème (ou la réalisation d'un projet) dont la résolution implique des notions qu'ils n'ont pas encore acquises et constituent les objectifs pédagogiques d'apprentissage. C'est donc à eux d'acquérir ces notions, notamment au travers de documents fournis par les enseignants. En plus de l'acquisition de ces savoirs, cette méthode permet de développer des compétences transversales de travail collaboratif et de gestion de projets. Ce type d'apprentissage a été mis en œuvre sur deux modules de la licence de physique-chimie. Dans les deux cas, le cours est adossé à une plateforme en ligne, de type *moodle*, permettant de gérer la formation, les contenus et les livrables des étudiants.

a. <https://elearn.univ-pau.fr/>



Premièrement, une activité de ce type a été proposée aux étudiants en préambule du module "états de la matière" en L1 Physique-Chimie. L'objectif était de découvrir les différents types de forces intermoléculaires et la notion d'émulsion dans un contexte culinaire. Chaque groupe d'étudiants devait alors proposer une recette originale de vinaigrette, ou sauce, en justifiant le choix des ingrédients sur la base des propriétés des molécules choisies.

Deuxièmement, l'enseignement par projet a été employé dans le cadre d'un module de L2 chimie dont l'objectif est une première découverte de la recherche bibliographique. Les étudiants, réunis en groupes, doivent réaliser un projet sur un sujet scientifique se rapportant à l'actualité et présentant une controverse. Ils doivent alors faire les recherches bibliographiques concernant les différentes thèses du sujet et restituer un document présentant objectivement ces différents courant avec la bibliographie associée.

Réseau Français de Chimie Théorique

J'effectue des enseignements dans le cadre du label de Chimie Théorique, délivré par le Réseau Français de Chimie Théorique. Ces enseignements concernent le pôle sud-ouest du réseau dans lequel le label, initialement réservé aux étudiants en M2, est, depuis 2016, ouvert à partir du M1. Cela permet, pour les étudiants qui le souhaitent, d'accroître la proportion des enseignements de chimie théorique sur l'ensemble du master. Ce dernier point est possible grâce à la mutualisation de certains cours sur les universités de Toulouse, Montpellier, Pau et Bordeaux. Les enseignements que je dispense concernent la chimie théorique du solide :


- Travaux pratiques d'introduction aux calculs de chimie quantique du solide avec VASP (2012, 2014, 2015, 2016, 2017).
- Cours, 8h : Theoretical approaches of surfaces and interfaces (2014 TCCM Toulouse, 2016 Pau)

Outils pour la simulation numérique

Je participe à la formation doctorale de l'ED 211, École doctorale des sciences exactes et leurs applications, via deux modules de 10h qui sont proposés aux doctorants ou aux personnels de l'université. L'objectif de ces modules est de former les participants pour qu'ils soient en mesure de se servir d'un centre de calculs et d'utiliser avec un esprit critique les codes mis à leur disposition. J'interviens principalement sur ce deuxième aspect par une initiation à la programmation (Fortran ou Python) et une sensibilisation à l'analyse numérique.

Python, traitements et visualisation des données

En complément de ce qui est proposé à l'école doctorale, j'ai créé un module dont l'objectif est d'une part d'introduire le langage python ; et d'autre part, de montrer comment s'en servir pour traiter ou visualiser des données. Ce module est ouvert à l'ensemble des composantes de l'UPPA et fait l'objet d'une intervention spécifique à l'IAE de Pau pour les étudiants en M2 Chargé d'études économiques et de marchés (12 heures de cours). Un projet est en cours pour ouvrir ce module sous la forme d'une formation à distance, pour, à terme, le proposer dans le cadre du PIX ou dans



le catalogue de la formation continue de l'UPPA. Cette étape intermédiaire pourrait conduire à proposer ce cours sur la plateforme FUN (France Université Numérique) en complément des cours déjà existant sur le langage python.

Documentation et bibliographie

Dans le cadre du Master Métiers de la traduction et de la documentation de l'UFR Lettres, langues, sciences humaines, j'ai effectué une intervention de 25 HETD jusqu'en 2016 dans le module de documentation. L'objectif de cette intervention était, d'une part, de confronter des étudiants littéraires à la documentation scientifique et technique et d'en présenter les spécificités ; et d'autre part, de former les étudiants à l'utilisation d'outils de documentation tel que Zotero^a. L'enseignement était effectué essentiellement sous la forme d'un projet de documentation en lien avec le projet de terminologie de la partie traduction du Master.

Sur ce thème de la documentation, je co-anime également un atelier à destination des doctorants en première année dont l'objectif est de présenter l'utilisation de Zotero et de \LaTeX pour la bibliographie.

2) Vulgarisation et animations scientifiques

Depuis mon doctorat, je participe ou organise des animations de vulgarisation scientifique à destinations de publics scolaire ou pour tout public.

En lien avec mes activités de recherche en chimie théorique, j'ai proposé plusieurs *café des sciences* sur le thème de la mécanique quantique. Il s'agissait de faire découvrir les aspects non usuels du monde microscopique et de replacer dans leur contexte historique les différents modèles qui ont conduit au développement de cette science. Ces animations permettent également de faire le lien avec la plateforme instrumentale disponible à l'IPREM et en particulier la spectroscopie de photoélectrons à rayonnement X ou le microscope à force atomique.


La conception de ces interventions a conduit à la création d'un jeu, type *jeu de l'oie*, mettant en œuvre quelques principes de mécanique quantique tels que la quantification de l'énergie ou l'aspect probabiliste de cette théorie. Il a été présenté en parallèle du Tic-Tac-Toe quantique (ou morpion quantique) proposé par Allen Goff^b.

Conférences, café des sciences

- [1] Vallverdu, G. Jouons avec la mécanique quantique ! *Animation à la médiathèque André Labarre, Pau, 2017.*
- [2] Vallverdu, G. ; Darrigan, C. Jeux quantiques. *Animation lors du Festival du jeu de société de Pau, 2017.*

a. <https://www.zotero.org/>

b. Goff, Allen (2006). "Quantum tic tac toe : A teaching metaphor for superposition in quantum mechanics" American Journal of Physics. 74 (11) : 962–973



- [3] Vallverdu, G. Jouons dans un monde quantique. *Animation à la médiathèque André Labarrère, Pau, 2017.*
- [4] Vallverdu, G. ; Tison, Y. De l'atome aux nano-objets : voyage dans l'espace et le temps. Épisode 2, Comment "voir" des atomes et effectuer des mesures à leur échelle ? *Fête de la science, 2015.*
- [5] Tison, Y. ; Vallverdu, G. De l'atome aux nano-objets : voyage dans l'espace et le temps. Épisode 1, Plongeons dans le monde microscopique : vers un monde quantique. *Fête de la science, 2015.*
- [6] Vallverdu, G. Votre vinaigrette au microscope : quand le réseau social moléculaire s'exprime. *Fête de la science, 2013.*
- [7] Vallverdu, G. Le voyage du lithium ou comment fonctionne les batteries de nos appareils électroniques. *Année mondiale de la chimie, "Les chimistes s'invitent au lycée", 2011.*

Depuis 2013, j'organise pour le département de Chimie de l'UFR Sciences et Techniques de Pau deux journées d'accueil d'élèves du collège ou du lycée dans le cadre de la fête de la science. L'objectif est d'accueillir ces élèves dans les salles de travaux pratiques de l'université et de leur faire découvrir à la fois l'environnement universitaire et quelques notions de chimie amusantes autour d'ateliers pratiques lors desquels les élèves manipulent. Chaque année nous recevons une dizaine d'établissements pour environ 200 élèves. L'animation de ces ateliers est assurée par des chercheurs, enseignants-chercheurs, ingénieurs et doctorants de l'IPREM, ces interventions pouvant être validées dans le cadre de la formation doctorale.

Ces animations ont donné lieu à la conception de trois ateliers :

- Chimie et couleur : Mise au point et utilisation d'une échelle de couleurs pour déterminer le pH de produits de la vie courante.
- Synthèses de molécules olfactives : Synthèses rapides, en tubes à essai, de quelques esters aux propriétés olfactives.
- Identification d'une substance inconnue : Il s'agit d'une démarche d'investigation dans un contexte fictif d'identification de stupéfiants. À l'aide des tests chimiques proposés, les élèves doivent identifier six poudres blanches. Les tests sont ceux proposés par le *National Institute of Justice (US)*.


Activités de recherche :



1) Encadrement doctoral

Depuis mon recrutement j'ai participé à l'encadrement des thèses de Lucile Martin (2010-2013), Emilie Guille (2011, 2014) et Ambroise Quesne-Turin (2014-2017).

Emilie Guille (2011-2014) : L'école doctorale et l'UPPA m'ont accordé une co-direction à hauteur de 40% avec le Pr Isabelle Baraille pour cette thèse.



Cette thèse a concerné l'étude de l'interface entre une électrode et un électrolyte solide. Ce type d'électrolyte est utilisé pour contourner les problèmes de sécurité inhérents aux électrolytes liquides dans des microbatteries au lithium. L'électrolyte étudié était le $\text{Li}_x\text{PO}_y\text{N}_z$ (LIPON) qui présente une structure amorphe. La plus longue partie de la thèse fut consacrée à l'identification de motifs représentatif de la structure du LIPON par comparaison de résultats expérimentaux et théoriques : spectres IR, Raman, XPS. Le modèle a ensuite été utilisé pour étudier l'interface entre le LIPON et un électrode modèle de silicium.


2) Encadrement d'étudiants en M2 Recherche

Depuis 2013 j'ai encadré 6 étudiants en Master 2 chimie et physico-chimie des matériaux, spécialité recherche. 4 d'entre eux ont travaillé sur des sujets mixtes couplant expériences et théorie en collaboration avec un expérimentateur de l'IPREM spécialiste de la caractérisation de surface.

Nom de l'étudiant	année	taux	sujet
Marie Minvielle	2013	50%	Étude de l'adsorption de sondes gazeuses à la surface de matériaux d'électrode positive : couplage expérience/théorie
Dimitri Del Pianta	2014	50%	Étude des processus d'insertion dans les matériaux d'électrode positive pour microbatteries au sodium
William Lafargue-Dit-Hauret	2015	100%	Étude théorique de la conductivité ionique à l'interface électrode/électrolyte solide : Application au système LiPON/Si
Youn Charles-Blin	2016	50%	Étude de la réactivité de surface de matériaux d'électrode modèles de la famille des oxydes de lithium lamellaire : approche couplée expérience/théorie
Amine Bekkali	2017	50%	Une étude via un couplage expérience-théorie des déplacements chimiques en spectroscopie photoélectronique à rayonnement X
Guillaume Fradet	2017	50%	Calculs de spectres Infra Rouge.

3) Participation à un comité de sélection

En 2013, j'ai participé au comité de sélection pour le recrutement d'un Maître de conférence en section CNU 33 et 31. Le profil du poste concernait la Physico-chimie des matériaux appliquée aux surfaces / interfaces.



4) Projets

- Soumissions de projets de Demande d'Allocation de Ressources Informatiques (DARI)
 - 2017 - 1 000 000 heures scalaires
 - 2016 - 400 000 heures scalaires
 - 2015 - 200 000 heures scalaires
 - 2014 - 200 000 heures scalaires
 - 2013 - 150 000 heures scalaires
- 2016 - participation à la rédaction du Projet ANR INGROWTH (Rejeté à la deuxième étape).

5) Research Activities

My research activities on the last five years concern the development of new methods and computational strategies at different time or space scales, applied to the investigation of complex systems. The common thread of my activities is the strong interaction with experimentalists and the will to address the considered issues in a complementary way, each discipline shedding light on one specific facet of the question. Moreover, a special attention is given to the accurate description of the interactions between the various objects of interest : between molecules, between a molecule or an aggregate and one surface of a material, or at the interface between two materials. On a computational point of view, that means to be able to set up relevant models and to use the right computational methods to reach the more accurate description that keep the whole study tractable.

Two main applications were explored. First, electrode or electrolyte materials for lithium batteries. The IPREM institute is one of the founders of the French Research Network on Electrochemical Energy Storage (RS2E)^a. In that scope we investigated electrode materials and in particular the processes that take place at the interface between the electrode and the electrolyte. This was done through the PhD works of Lucile Martin (2010-2013), Émilie Guille (2011- 2014), for which the doctoral school ED 211 give me the opportunity to be co-director, and Ambroise Quesne-Turin (2014-2017). The full control of interface phenomenon is crucial in the development of efficient lithium batteries as they are directly linked to the aging and the capacity fading of the device. Second, more recently, we considered the molecular characterization of complex matrices and in particular the chemical and physical properties of the heavy part of crude oil. This research activity takes place in the scope of a common laboratory, C2MC^b between the university of Pau, the university of Rouen, the CNRS and Total. Here, we attempt both to understand the aggregation mechanism of asphalten molecules and to get a more accurate knowledge of the chemical structure of these molecules.

a. <http://www.energie-rs2e.com/>

b. Complex Matrices Molecular Characterization <https://c2mclab.wordpress.com/>

Solid-Solid interfaces in Lithium microbatteries

During the PhD of Lucile Martin we investigate the solid-solid interface in CuO, a conversion material. This material is used as positive electrode in micro-battery devices whose thickness do not exceed several micrometers and the surface several millimeters square. In such compounds, the insertion of Li^+ cations in the electrode involves a complete reduction of the transition metal into a composite electrode described as nano-sized metallic particles embedded in a Li_xO matrix. In such system, there is a huge proportion of interfaces and interfacial phenomenon play a dominant role and the efficiency of the targeted properties are directly linked to the processes taking place at the interface. Nevertheless, reliable and precise data whether at the structural or chemical level are often obtained with difficulty from experimental techniques. Their low thickness, their possible reactivity and their difficulty of access from bulk or surface techniques explain that few experimental works report data on solid/solid interfaces. Theoretical approaches are then interesting tools in order to investigate such system.




Fig. 1: Successive steps leading to an interface model from two bulk phases A and B.

In that scope we developed a computational strategy in order to build solid-solid interface models, figure 1 and to investigate the thermodynamic properties of such systems. Indeed, the relative stability of such interfaces is correlated to the chemical composition of the interface and in order to describe that specificity a grand canonical approach is needed. In that thermodynamic ensemble, the stability of the interface models is given as a function of a chemical potential. We choose to use the chemical potential of Li^+ which can be directly linked to the voltage against a $\text{Li}|\text{Li}^+$ electrode that is of high interest in the case of lithium battery applications. An example of one model, the $\text{Li}_2\text{O}-\text{Cu}$ interface is depicted figure 2.

In order to suggest the nanostructuration of the electrode material along the electrochemical cycle, we computed the works of adhesion between the different systems. The comparison between the different possibilities allow us to suggest a nanostructuration in agreement with tunneling electron microscopy results at the beginning and at the end of the Li^+ insertion. We thus suggested the scheme depicted figure 2 as the general case.

Electrode-Electrolyte interface with a solid electrolyte

In the continuation of the investigation of solid-solid interfaces, we considered the interface between a solid electrolyte $\text{Li}_x\text{PO}_y\text{N}_z$ (LIPON) and an electrode. On a theoretical point of view, the challenge of this study lies both in providing an accurate description of the LIPON structure and in the calculation of reliable spectroscopic properties on this compound in order to compare them to




Fig. 2: This picture presents the suggested nanostructuration of the CuO electrode during the electrochemical cycle and focus on an example of a model for the solid-solid, $\text{Li}_2\text{O} - \text{Cu}$, interface.

the experimental data available. The LIPON consists in an amorphous structure with more or less long chains of PO_4^{3-} tetrahedron doped by nitrogen. Available experimental data are mainly spectroscopic data, that are Raman spectra and X-Ray photoemission spectroscopy (XPS) core peaks spectra.




Fig. 3: Examples of aggregates and bulk periodic systems investigated in order to identify recurrent pattern in the amorphous structure of LIPON. On the left, the main contribution of each aggregate to the Raman spectra are highlighted.

During the PhD of Émilie Guille, we first attempted to identify recurrent patterns in the amorphous structure of LIPON. We compute the XPS bending energies of N 1s, O 1s and P 2p core peaks and Raman spectra of both bulk periodic systems and aggregates extracted from a molecular dynamics annealing. This allowed us to suggest a possible existence of a monovalent coordination for the nitrogen atoms in the phosphate aggregates, see figure 3. This study, was the first one in the laboratory, in collaboration with the experimentalists of the XPS platform, for which a direct calculation of the XPS core peak was undertaken.

The identified aggregates were used in order to build interface models between a silicon electrode and the LIPON. The adhesion energies of the LIPON aggregates and the migration barrier of

Li^+ cations at the interface were investigated as a function of the nitrogen rate. We highlighted the crucial role of nitrogen in order to ease the migration at the interface.

Surface reactivity of lithium oxides

This research activity, still concerns the phenomenon taking place at the interface. But here, we consider the interface between an electrode material and an electrolyte and more precisely the surface reactivity of the material. The considered materials belong to two main families. First, we investigated the lithium layered oxides, among them, LiCoO_2 being widely used as positive electrode in commercial cells. Due to its high cost and toxicity, cobalt atoms are usually substituted by nickel or manganese atoms, leading to the so-called NMC materials ($\text{LiNi}_x\text{Mn}_y\text{Co}_z\text{O}_2$). Second, we considered the spinel compounds LiMn_2O_4 , which is a promising compound due to its high voltage stability. The surface reactivity is investigated indirectly, following an original approach developed in the laboratory. The approach consists in the adsorption of gaseous probes at the surface of the material, in controlled conditions, followed by an XPS characterization of the adsorbed species in order to identify and quantify the adsorbed species. Concomitantly, computational approaches allow us to describe more precisely the electronic processes taking place after the chemisorption of the gaseous probes. This study was done in collaboration with Laurence Croguennec and Michel Ménétrier, from ICMCB who provides us several samples for experimental investigation.




Fig. 4: SO_2 adsorption on the surface of LiCoO_2 : sulfate adsorption (left panel) sulfite adsorption (middle panel), S 2p XPS core peak after SO_2 adsorption on $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ (right panel). The color scale shows the difference between the converged electronic density and the sum of atomic densities (positive values are red).

The gaseous probe SO_2 was used because of its high reactivity and allows us to probe the acidic sites of the surface. Moreover, the S 2p XPS core peak presents a wide chemical shift scale which ease the identification of the adsorbed species. The chemisorption of SO_2 leads to the formation of sulfite (SO_3^{2-}) or sulfate (SO_4^{2-}) species, see figure 5. The computational results allowed us to describe two electronic processes associated to a redox or an acid-base reactivity linked to the formation of sulfate or sulfite species, respectively. We considered the lamellar LiMO_2 ($\text{M} = \text{Ni}, \text{Mn}, \text{Co}$) and Li_2MnO_3 compounds and the spinel LiMn_2O_4 compound. This allows us to investigate in details the role of the oxidation degree of the manganese atoms and the morphology of the material, on the

surface reactivity. The presence of Mn³⁺ cations was associated to high miller index surfaces and to the formation of sulfite species with an acid-base reactivity ; whereas the presence of Mn⁴⁺ cations, was associated to a higher and redox reactivity with the formation of sulfate species.

Molecular characterization of complex matrices

More recently, I have started to work on the molecular characterization of complex matrices and more specifically on the molecular description and the chemical-physics properties of crude oil. The complexity of such system comes with the diversity of the molecular species composing the mixture, the exact composition being still not completely known. The whole species can be described as a continuum, from a simple methane molecule to a large poly-cyclic aromatic hydrocarbons substituted with several alkyl side chains. In these first studies, the issue we would like to address was to better understand the nano-aggregation of the high-molecular weight phases of crude oil and in particular the asphaltene molecules. To that end, a series of classical molecular dynamics simulation was undertaken.





Fig. 5: Snapshot from a molecular dynamics simulation (60 ns) of 5 asphaltene molecules in toluene at 298 K and 1 bar. The solvent is hidden. These snapshots illustrate the two interactions highlighted : the π -stacking between the aromatic nucleus and the hydrogen bonds between the side chains.

Both chemical and physical factors were taken into account. First, the chemical nature of the molecule itself was considered by screening the effects of the positions of heteroatoms such as nitrogen, oxygen or sulfur. Second, the role of metalloporphyrins, who also make part of this crude oil fraction was considered and more precisely the role of free base porphyrins and the vanadyl one. Finally, we investigated the sensitivity of asphaltene molecules aggregation towards the thermodynamic conditions, that is temperature and pressure. This studies allow us to identify and quantify the two interaction types leading to the formation of nano-aggregates energy : the π -stacking interactions and the formation of hydrogen bonds.

6) Production scientifique

- 15 articles (with 2 under review)
- h-index = 7^a


a. Sources : ISI Web Of Knowledge



- 12.17 average citations per articles
- 146 citations (138 without self-citations)
- 11 conferences (with 7 in national congresses)

Articles in international and peer reviewed journals :


- [1] Quesne-Turin, A. ; Flahaut, D. ; Croguennec, L. ; Vallverdu, G. ; Allouche, J. ; Charles-Blin, Y. ; Chotard, J.-N. ; Ménétrier, M. ; Baraille, I. The surface reactivity of Li₂MnO₃ : First principles and experimental study. *Appl. Mater. Interfaces* **2018**, Under Review.
- [2] Quesne-Turin, A. ; Vallverdu, G. ; Flahaut, D. ; Croguennec, L. ; Allouche, J. ; Ménétrier, M. ; Baraille, I. Morphology and surface reactivity relationship in the Li_{1+x}Mn_{2-x}O₄ spinel with x=0.05 and 0.10 : A combined first-principal and experimental study. *Appl. Mater. Interfaces* **2018**, Under Review.
- [3] Santos Silva, H. ; Alfarra, A. ; Vallverdu, G. ; Bégué, D. ; Bouyssiere, B. ; Baraille, I. Sensitivity of the Molecular Architecture of Asphaltenes to Aggregation Under Desalting Conditions : The Effect of the Temperature and Pressure. *Energy & Fuel* **2017**, Accepted.
- [4] Santos Silva, H. ; Sodero, A. C. R. ; Korb, J.-P. ; Alfarra, A. ; Giusti, P. ; Vallverdu, G. ; Bégué, D. ; Baraille, I. ; Bouyssiere, B. The role of metalloporphyrins on the physical-chemical properties of petroleum fluids. *Fuel* **2017**, 188, 374–381.
- [5] Vallverdu, G. ; Minvielle, M. ; Andreu, N. ; Gonbeau, D. ; Baraille, I. First principle study of the surface reactivity of layered lithium oxides LiMO₂ (M = Ni, Mn, Co). *Surf. Sci.* **2016**,
- [6] Silva, H. S. ; Sodero, A. C. R. ; Bouyssiere, B. ; Carrier, H. ; Korb, J.-P. ; Alfarra, A. ; Vallverdu, G. ; Bégué, D. ; Baraille, I. Molecular Dynamics Study of Nanoaggregation in Asphaltene Mixtures: Effects of the N, O, and S Heteroatoms. *Energy & Fuels* **2016**,
- [7] Guille, E. ; Vallverdu, G. ; Tison, Y. ; Bégué, D. ; Baraille, I. Possible Existence of a Monovalent Coordination for Nitrogen Atoms in Li_xPO_yNz Solid Electrolyte: Modeling of X-ray Photoelectron Spectroscopy and Raman Spectra. *J. Phys. Chem. C* **2015**, 119, 23379–23387.
- [8] Guille, E. ; Vallverdu, G. ; Baraille, I. First-principle calculation of core level binding energies of Li_xPO_yNz solid electrolyte. *J. Chem. Phys.* **2014**, 141, 244703.
- [9] Martin, L. ; Vallverdu, G. ; Martinez, H. ; Cras, F. L. ; Baraille, I. First principles calculations of solid-solid interfaces: an application to conversion materials for lithium-ion batteries. *J. Mater. Chem.* **2012**, 22, 22063–22071.
- [10] Maillet, J. B. ; Bourasseau, E. ; Desbiens, N. ; Vallverdu, G. ; Stoltz, G. Mesoscopic simulations of shock-to-detonation transition in reactive liquid high explosive. *EPL* **2011**, 96, 68007.
- [11] Jonasson, G. ; Teuler, J.-M. ; Vallverdu, G. ; Mérola, F. ; Ridard, J. ; Lévy, B. ; Demachy, I. Excited State Dynamics of the Green Fluorescent Protein on the Nanosecond Time Scale. *J. Chem. Theory Comput.* **2011**, 7, 1990–1997.
- [12] Vallverdu, G. ; Demachy, I. ; Mérola, F. ; Pasquier, H. ; Ridard, J. ; Lévy, B. Relation between pH, structure, and absorption spectrum of Cerulean : A study by molecular dynamics and TD DFT calculations. *Proteins : Struct., Funct., Bioinf.* **2010**, 78, 1040–1054.



- [13] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. Using biased molecular dynamics and Brownian dynamics in the study of fluorescent proteins. *J. Mol. Struct. : THEOCHEM* **2009**, *898*, 73–81.
- [14] Villoing, A.; Ridhoir, M.; Cinquin, B.; Erard, M.; Alvarez, L.; Vallverdu, G.; Pernot, P.; Grailhe, R.; Mérola, F.; Pasquier, H. Complex Fluorescence of the Cyan Fluorescent Protein : Comparisons with the H148D Variant and Consequences for Quantitative Cell Imaging†. *Biochemistry* **2008**, *47*, 12483–12492.
- [15] Demachy, I.; Ridard, J.; Laguitton-Pasquier, H.; Durnerin, E.; Vallverdu, G.; Archirel, P.; Lévy, B. Cyan Fluorescent Protein : Molecular Dynamics, Simulations, and Electronic Absorption Spectrum. *J. Phys. Chem. B* **2005**, *109*, 24121–24133.

Personal conferences

- [1] Vallverdu, G.; Quesne-Turin, A.; Flahaut, D.; Croguenec, L.; Ménétrier, M.; Baraille, I. Surface reactivity of layered lithium oxides used as cathode materials : a coupled experimental-theoretical study. *Structure-Property Relationships in Solid State Materials, Nantes, France, 2016*.
- [2] Vallverdu, G.; Guille, E.; Tison, Y.; Bégué, D.; Baraille, I. XPS Chemical shifts calculations : confrontation between experimental and theoretical investigations. *GDR RENcontres de Spectroscopie Théorique, Roscoff, France, 2016*.
- [3] Vallverdu, G. Au sujet de Python appliqué à la chimie théorique. *PyCon-fr 2015, 2015*.
- [4] Vallverdu, G.; Minvielle, M.; Andreu, N.; Gonbeau, D.; Baraille, I. Réactivité de surface d'oxydes lamellaires $\text{LiNi}_x\text{Mn}_y\text{Co}_{1-x-y}\text{O}_2$. *14^e Rencontres des Chimistes Théoriciens Francophones, Paris, France, 2014*.
- [5] Martin, L.; Vallverdu, G.; Martinez, H.; Baraille, I. Étude par une approche couplée expérience-théorie des interfaces solide/solide dans le matériau de conversion CuO : propriétés thermodynamiques et nanostructuration. *GDR-CoDFT, Lorient, France, 2013*.
- [6] Martin, L.; Vallverdu, G.; Martinez, H.; Baraille, I. Theoretical study of solid-solid interfaces in conversion materials : structure, electronic properties and thermodynamic stability. *International Conference on Advanced Materials Modelling (ICAMM), Nantes, France, 2012*.
- [7] Vallverdu, G.; Maillet, J.-B.; Bourasseau, E.; Stoltz, G.; Soulard, L. A mesoscopic model for shock wave propagation in TATB. *Discrete Simulations of Fluid Dynamics, Rome, Italie, 2010*.
- [8] Vallverdu, G.; Maillet, J.-B.; Bourasseau, E.; Stoltz, G.; Soulard, L. A mesoscopic model for shock wave propagation in TATB. *New Models and Hydrocodes for Shock Wave Processes in Condensed Matter, Paris, France, 2010*.
- [9] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. Calcul de spectre d'absorption par simulation moléculaire : incertitudes statistique et liées à la fonctionnelle de la densité. *Journées Modélisation de l'ENS - ENSC Paris, Paris, France, 2009*.
- [10] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. Utilisation de dynamique moléculaire contrainte et dynamique Brownienne dans l'étude des protéines fluorescentes. *Journée de l'école doctorale de chimie de l'université Paris Sud 11, 2008*.




- [11] Vallverdu, G. ; Demachy, I. ; Ridard, J. ; Lévy, B. Le chromophore de la Green Fluorescent Protein : effets de la protéine sur le déclin de la fluorescence. *9^e Journées Francophones des Jeunes Physico-Chimistes, Bordeaux, France, 2007.*
- [12] Vallverdu, G. ; Demachy, I. ; Ridard, J. ; Lévy, B. Le chromophore de la Green Fluorescent Protein : étude du déclin de la fluorescence. *Journées Modélisation de l'ENS - ENSC Paris, Paris, France, 2007.*

Conferences done by others

- [1] Quesne-Turin, A. ; Flahaut, D. ; Vallverdu, G. ; Croguennec, L. ; Ménétrier, M. ; Baraille, I. Investigation on the Surface Reactivity of layered manganese oxides : an experimental and theoretical combined approach. *17th European Conference On Applications Of Surface And Interface Analysis, Montpellier, France, 2016.*
- [2] Quesne-Turin, A. ; Flahaut, D. ; Vallverdu, G. ; Croguennec, L. ; Ménétrier, M. ; Baraille, I. Investigation on the surface reactivity of layered lithium oxides : an experimental and theoretical combined approach. *European Conference on surface Science, Grenoble, France, 2016.*
- [3] Quesne-Turin, A. ; Vallverdu, G. ; Flahaut, D. ; Croguennec, L. ; Ménétrier, M. ; Baraille, I. Défauts structuraux et impact sur la réactivité de surface de Li₂MnO₃ : Couplage expérience/théorie. *26ème Journée de Chimie du Grand Sud-Ouest, Bordeaux, France, 2016.*
- [4] Guille, E. ; Vallverdu, G. ; Baraille, I. Modelling of the electronic properties of Li_xPO_yN_z: molecular dynamics and periodic DFT approaches. *International Conference on Advanced Materials Modelling (ICAMM), Nantes, France, 2014.*
- [5] Martin, L. ; Vallverdu, G. ; Martinez, H. ; Pecquenard, B. ; Le Cras, F. ; Baraille, I. Etude des interfaces formées au sein du matériau de conversion CuO, électrode positive pour microbatterie au Li. *13^{eme} journée de la matière condensée, Montpellier, France, 2012.*
- [6] Martin, L. ; Vallverdu, G. ; Martinez, H. ; Pecquenard, B. ; Le Cras, F. ; Baraille, I. Theoretical interface investigations in conversion positive electrode for Li-ion batteries. *Materials Research Society (MRS), San-Fransisco, USA, 2012.*
- [7] Vallverdu, G. ; Demachy, I. ; Ridard, J. ; Lévy, B. Theoretical study of the radiationless decay of the Green Fluorescent Protein chromophore in water and in protein. *ISQBP President's Meeting "Pushing the Boundaries of Biomolecular Simulation", Ascona, Suisse, 2008.*

Posters


- [1] Vallverdu, G. ; Minvielle, M. ; Andreu, N. ; Gonbeau, D. ; Baraille, I. Surface reactivity of layered lithium oxide LiNi_xMn_yCo_{1-x-y}O₂. *International Conference on Advanced Materials Modelling (ICAMM), Nantes, France, 2014.*
- [2] Martin, L. ; Vallverdu, G. ; Martinez, H. ; Baraille, I. Approche théorique des interfaces solide/solide : application au calcul des propriétés structurales et thermodynamiques des matériaux de conversion. *13^e Rencontres des Chimistes Théoriciens Francophones, Marseille, France, 2012.*
- [3] Vallverdu, G. ; Demachy, I. ; Ridard, J. ; Lévy, B. Using biased molecular dynamics and Brownian dynamics in the study of fluorescent proteins. *CCP5 summer school, Sheffield, Angleterre, 2008.*



DEMANDE D'ACCUEIL EN DÉLÉGATION AU CNRS

G. Vallverdu

-
- [4] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. Using biased molecular dynamics and Brownian dynamics in the study of fluorescent proteins. *XI^e Rencontres des Chimistes Théoriciens Francophones, Dinard, France, 2008*.
 - [5] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. The chromophore of Green fluorescent protein : dynamics of the fluorescent state inside the protein. *12th European Conference on the Spectroscopy of Biological Molecules, Bobigny, France, 2007*.
 - [6] Vallverdu, G.; Demachy, I.; Ridard, J.; Lévy, B. Fluorescence de la Cyan Fluorescent Protein : étude théorique de deux mécanismes de désactivation. *X^e Rencontres des Chimistes Théoriciens Francophones, Nancy, France, 2006*.



Research project :



The present demand relies on a research project in the IPREM institute which is described below. This project occurs at a special date for the university of Pau & Pays Adour (UPPA) which has just succeeded in 2017 to the French Initiative of excellence I-Site. This success has led to the creation of the E2S project : Energy Environment Solutions^a. The core scientific domain of the project focuses on Environment and Energy and relies on strongly recognized laboratories supported by state-of-the-art equipment. This is a new challenge for UPPA which will define its future position at the European and international level. The current demand will allow me to take a full advantage of this high dynamic configuration.

The E2S project, provides a series of call for proposals in order to increase the scientific skills in the thematic of excellence and the international visibility of the laboratories. In particular, several chairs of excellence are supposed to start in the coming year in close interaction with my research activities. Simultaneously, I will apply for the current call of proposals of the young researcher program of the French National Research Agency (ANR JCJC 2018). The teaching vacation demanded will allow me to play a full part in this project and to contribute actively to the scientific program of the chairs. Finally, this will permit me to broaden my research skills and reach the require experience in order to apply for an HDR (Accreditation to Supervise Research).


The current project focusses on the study of the chemical reactivity using molecular dynamics simulations. The long-term objective is to describe dynamically the whole chemical-physics process by considering both the thermodynamic and kinetic aspects of the reactivity. To reach this objective, it is necessary to develop new methods able to describe the potential energy surface of the system in condensed matter.

1) Context and objectives of the project

Molecular dynamics simulation is an essential tool to gain insight into dynamical molecular processes of condensed matter at the atomic scale and is nowadays widely applied to a huge variety of systems from biological systems to oil mixtures. The accuracy of the simulations is directly associated to the parametrization of robust and reliable force-fields associated to the potential energy surface of the system. Nonetheless, force-fields always require a trade-off between accuracy and computational cost. In consequence, the parametrization of a new force-fields needs to follow a robust procedure with well identified target properties and applications to ensure the quality of the model.

A variety of classical force-fields devoted to biological applications have been developed : GROMOS⁷, AMBER⁸ or OPLS⁶, among others. The development of these force-fields followed different strategies which lead to a large discrepancy in the parameters although the analytical potential

a. <http://e2s-uppa.eu/en/index.html>




energy functions are similar. This illustrates the difficulty of force-field parametrization. Indeed, because of the large number of parameters and the amount of target data the solution is highly underdetermined and parameters strongly correlated. Nonetheless, biological force-fields are successful and are able to describe numerous properties of biological systems. A reason of this success is that the available force-fields reproduce accurately the properties of a core set of a limited number of molecules such as amino acids, common solvent or nucleotides, that governs the chemistry of these systems.

In order to address the investigation of, for example, structure-based drug-design techniques, through the screening of large pharmaceutical database, new general force-fields were developed¹⁴ and automatic force-field parametrization programs or platforms^{8,13}, provides facilities to obtain the parameters of a custom drug or substrate. This can be achieved following two strategies. The more usual, is based on the determination of atom types from the local environment of each atom of the molecule. Thanks to robust databases associating atom types and force constants, the parameters of the force-field are extracted for each term of the chosen potential energy function^{8,13}. The second strategy consists in determining the force-field parameters directly from *ab initio* calculations. Recently Zheng et al.⁵ proposed a new software, based on the Seminario method⁴ which computes directly the required parameters from a subset of the Hessian matrix of the system.

Nevertheless, classical force-fields failed to describe the chemical reactivity. Indeed, the chemical bonds are defined at the beginning of the simulation and bond breakings are not allowed. To circumvent this issue, the ReaxFF force-field was developed by Adri van Duin, William A. Goddard, and co-workers at the California Institute of Technology³. ReaxFF replaces the explicit definition of bonds by a bond orders criteria, which allows continuous bond forming/breaking. Developed to be as general as possible, it has been parameterized and tested for hydrocarbon reactions, high-energy materials, or catalytic systems with transition metals. As a result, ReaxFF is an efficient intermediate computational method between *ab initio* and classical molecular dynamics.

For the last ten years, a new class of potentials has been proposed by Behler and Parrinello¹¹ which takes full advantages of the emerging technologies about machine learning algorithms. The aim of this new potentials is to provide an efficient method able to compute the energy and the forces acting on a system with a comparable accuracy as *ab initio* calculations. In order to do that, Behler and Parrinello¹¹ introduce a neural-network representation of the *ab initio* potential energy surfaces. This approach makes possible molecular dynamics simulations of large systems (or long time scale), with high accuracy. A recent article¹² reviews a wide range of applications of this method. This new potential is intrinsically a reactive potential because it is only based on *ab initio* calculations and does not need the explicit definition of chemical bonds. Nevertheless, the new bottleneck of the calculations is now the construction of the training set from which the neural network "learns" the potential energy surface and consists in a large number of *ab initio* calculations.

Using the above-mentioned strategies, in this project, I want to develop new force field (i) based on automatic generation, (ii) able to describe the reactivity and (iii) implemented with modern al-



gorithms. The aim is to describe various properties such as transport, thermodynamic or catalytic properties. The target systems will be hydrocarbon systems in condensed matter with heteroatoms (O, N, S) and transition metal (Ni, V). In order to reach this objective, three steps are considered at more or less long term.

Classical force-field

Task 1 : This first step focuses on the development of a global strategy in order to obtain reliable and robust classical force-fields using an automated procedure. Several aspects will be combine to set up this strategy. First, the input data to build the force-field will be extracted from *ab initio* calculations and in particular the Seminario method⁴ will be used to compute the needed force constants. Next, we will take advantage of the strong and recognized experience of the laboratory on the molecular vibrational properties and IR or Raman spectra will be the target properties for the fit of the force-field parameters. Using, home made code, the vibrational properties would be considered at the harmonic or anharmonic levels using the highly efficient AVCI algorithm recently developed by Odunlami et al.¹, Garnier et al.².


This task will be achieved by the validation of the force-fields against experimental data, using the data base of IR spectra built by the Pr John Shaw (University of Alberta) and Dr Michaelian Kirk (University of Alberta) who collaborate with our laboratory on the investigation of crude oil systems.

Task 2 : The validated force-fields parameters will be stored in a consolidated data-base. As a result, the force-field parameters of a canonical basis set of small molecules could be constructed and then, used to compute parameters for larger or more complex molecules. This second step could be achieved from the implementation of modern statistical algorithm based on machine learning or deep learning algorithm. Two approaches could be considered. The first one would be based on the link between the topology of the molecule and the force-field parameters and compute interpolated parameters for new molecules. The second one would be based on the molecular fragmentation methods, in order to get the electronic structure and the Hessian matrix of the large molecules from the calculations of smaller ones^{9,10}.

Reactive and quantum force-field

Using the force-fields obtained from Task 1 and 2, we will be able to describe the initial and final states of a chemical reaction. We need now to switch on reactive force-fields. Here the aim is to describe bonds forming/breaking accurately but with cheap calculations. Neural Network Potentials were recently used to investigate organic reactions⁷ but the *ab initio* calculations needed to build the training set are still a strong bottleneck.

Task 3 : Following the strategies of classical force-fields, we propose here to develop quantum force-fields, based on semi-empirical methods. The force constants used as parameters in classical force-field will be replaced by the parameters of the semi-empirical method which describe the ground state of the system. This approach is a trade-off between the possibility to describe the efficiently the reactivity and the accuracy of semi-empirical methods. The strategy followed to achieve Task 1 and 2 and the acquired experience will be applied in this Task with the new parameters.



Task 4 : In order to go further in the description of the quantum properties along the dynamic of the system, several improvements of the quantum force-fields developed in Task 3 could be done. In particular, in the case of open-shell molecular systems such as a metalloporphyrins or a metallic catalyst, a multi-reference or valence-bond approaches, based on the semi-empirical wavefunction would be implemented. The aims are to investigate a wide field of applications by considering excited states dynamics or electronic transfer.

2) Project organization and means implemented

In the IPREM institute, I am involved in two projects in line with the research priorities of the institute : The french research network electrochemical energy storage (RS2E) and the Complex Matrices Molecular Characterization (C2MC), the current project positioning itself, in this later one. Moreover, the present project topic is totally in line with the project under way of the university about Energy and Environment Solutions (E2S project).

This project will be supported by several researchers of the IPREM institute and a mathematician of the LMA laboratory (Laboratory of mathematics and their applications). Moreover, external collaborations with Pr John Shaw (University of Alberta, Canada) and Dr Michaelian Kirk (University of Alberta, Canada), will be helpful for the comparison with experimental data.

In the IPREM institute, Hugo Santos-Silva (Postdoc) expert in molecular dynamic simulations and specialist of crude oil investigations, will contribute to the new methods for the force-field parameters determination both on the development point of view and on the needed computational effort to obtain and validate the parameters. Didier Bégué and Isabelle Baraille, full professors in theoretical chemistry will contribute by their deep and recognized experience in *ab initio* calculations and vibrational properties which will be used as target properties for the development of the new force-fields. Finally, Brice Bouyssiere, full professor in analytic chemistry and specialist of crude oil and molecular characterization will provide precious insight and valuable experimental data in order to investigate complex matrices.

The LMA laboratory, part of the IPRA institute (multidisciplinary research institute applied to petroleum engineering), will bring to the team the needed skills in statistical and probabilistic approaches in order to implement relevant machine learning algorithms.

The UPPA university provides various local and regional high performance calculations (HPC) and data storage facilities which will be used in this project. Moreover, the members of the team are accustomed to answer to the calls concerning national HPC facilities (several hundred of thousand hours by year on the four last years and one million hours last year). This expertise in HCP will be advantageously exploited to reach the objectives of the current project.

3) Impact and benefits of the project

The methods developed in the scope of this project will provide powerful tools in order to investigate complex systems applied to the energetic transition.


The first application of the method will be devoted to the investigation of complex matrices particularly in the case of petroleum chemistry. The aim is to establish a clear cartography of the molecule existing in crude oil and to determine the composition of such complex mixtures in order to get a better knowledge and understanding of their chemical and physical properties. In that scope, using our classical force-field we will investigate complex mixture by screening a wide range of molecules. Moreover, the reactive and quantum force-field will be useful to investigate the role of transition metal in the chemical reactivity inside these mixtures.

More generally, the force-field will be designed to investigate accurately the molecular interactions between organic systems and between organic and inorganic systems. This will open a wide field of research. This is of high interest in order to develop new catalyst, for example for the dehydrogenation of CH₄ or H₂S; or to improve the efficiency of matrices for CO₂ storage.

This project is in line with the SNR (National Strategy of Research) challenge about the energetic transition : A sustainable, green, secure and efficient energy. Its theoretical aspect agrees with the objectives of the sub-thematic about fundamental, exploratory and breaking research.

References

- [1] Odunlami, M. ; Le Bris, V. ; Bégué, D. ; Baraille, I. ; Coulaud, O. A-VCI: A flexible method to efficiently compute vibrational spectra. *The Journal of Chemical Physics* **2017**, *146*, 214108.
- [2] Garnier, R. et al. Adaptive vibrational configuration interaction (A-VCI) : A posteriori error estimation to efficiently compute anharmonic IR spectra. *The Journal of Chemical Physics* **2016**, *144*, 204123.
- [3] van Duin, A. C. T. ; Dasgupta, S. ; Lorant, F. ; Goddard, W. A. ReaxFF: A Reactive Force Field for Hydrocarbons. *The Journal of Physical Chemistry A* **2001**, *105*, 9396–9409.
- [4] Nilsson, K. ; Lecero, D. ; Sigfridsson, E. ; Ryde, U. An automatic method to generate force-field parameters for hetero-compounds. *Acta Crystallographica Section D : Biological Crystallography* **2003**, *59*, 274–289.
- [5] Zheng, S. et al. VFFDT: A New Software for Preparing AMBER Force Field Parameters for Metal-Containing Molecular Systems. *Journal of Chemical Information and Modeling* **2016**, *56*, 811–818.
- [6] Jorgensen, W. L. ; Maxwell, D. S. ; Tirado-Rives, J. Development and Testing of the OPLS All-Atom Force Field on Conformational Energetics and Properties of Organic Liquids. *Journal of the American Chemical Society* **1996**, *118*, 11225–11236.
- [7] Schmid, N. et al. Definition and testing of the GROMOS force-field versions 54A7 and 54B7. *European Biophysics Journal* **2011**, *40*, 843.
- [8] Schüttelkopf, A. W. ; van Aalten, D. M. F. PRODRG: a tool for high-throughput crystallography of protein-ligand complexes. *Acta Crystallographica Section D : Biological Crystallography* **2004**, *60*, 1355–1363.



- [9] He, X.; Zhu, T.; Wang, X.; Liu, J.; Zhang, J. Z. H. Fragment Quantum Mechanical Calculation of Proteins and Its Applications. *Accounts of Chemical Research* **2014**, *47*, 2748–2757.
- [10] Collins, M. A.; Cvitkovic, M. W.; Bettens, R. P. A. The Combined Fragmentation and Systematic Molecular Fragmentation Methods. *Accounts of Chemical Research* **2014**, *47*, 2776–2785.
- [11] Behler, J.; Parrinello, M. Generalized Neural-Network Representation of High-Dimensional Potential-Energy Surfaces. *Physical Review Letters* **2007**, *98*, 146401.
- [12] Behler, J. First Principles Neural Network Potentials for Reactive Simulations of Large Molecular and Condensed Systems. *Angewandte Chemie International Edition* **2017**, *56*, 12828–12840.
- [13] Malde, A. K. et al. An Automated Force Field Topology Builder (ATB) and Repository: Version 1.0. *Journal of Chemical Theory and Computation* **2011**, *7*, 4026–4037.
- [14] Wang, J.; Wolf, R. M.; Caldwell, J. W.; Kollman, P. A.; Case, D. A. Development and testing of a general amber force field. *Journal of Computational Chemistry* **2004**, *25*, 1157–1174.