

CODE INSPECTION

Group 1

CSCE 5430 - Web Based Pharmacy Portal

1. login.php

```
<?php
```

```
class login
{
```

```
    function login()
    {
```

```
        session_start();
        //Include the Database connectivity File
        include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');

        error_reporting(E_ALL);
        ini_set('display_errors', '1');
```

```
        if ($_SERVER["REQUEST_METHOD"] == "POST") {
            $user_unsafe = $_POST['username'];
            $pass_unsafe = $_POST['password'];
```

```
            //Formatting the username and password for using them in the
```

MySQL query

```
            $user = mysqli_real_escape_string($dbConnection, $user_unsafe);
            $pass1 = mysqli_real_escape_string($dbConnection, $pass_unsafe);
```

```
            //Encrypting password using md5
            $pass = md5($pass1);
            $salt = "a1Bz20y dqelm8m1wql";
            $pass = $salt . $pass;
```

```
            //Checking if the credentials belong to admin or user
```

```
            $query = mysqli_query($dbConnection, "SELECT * FROM `admindetails`
WHERE AdminId='$user'");
```

```
            $res = mysqli_fetch_assoc($query);
            $id = $res['AdminId'];
```

```
            $query1 = mysqli_query($dbConnection, "SELECT * FROM `userdetails`
WHERE UserId='$user'");
```

```
            $res1 = mysqli_fetch_assoc($query1);
            $id1 = $res1['UserId'];
```

```
            //Validations for incorrect details
```

```
            if (!(mysqli_num_rows($query) <= 0)) {
                $pass2 = $res['Password'];
```

```
                //Wrong password by Admin
```

```
                if (!($pass2 == $pass)) {
```

```
                    $_SESSION['msg'] = "Please enter the correct password for
'$user'";
```

```
                    header("Location: loginnew.php");
                    exit();
                }
```

```
                $_SESSION['id'] = $res['AdminId'];
                header("Location: AdminPage.php", true, 301);
                exit();
            } else if (mysqli_num_rows($query) < 1 && mysqli_num_rows($query1)
```

```
== 1) {
```

```
                $pass2 = $res1['Password'];
```

```

        //Wrong password by User
        if (!($pass2 == $pass)) {
            $_SESSION['msg'] = "Please enter the correct password for
$user''";
            header("Location: loginnew.php");
            exit();
        }
        $_SESSION['id'] = $user;
        header("Location: userpage2.php");
        exit();

    } else
        //Incorrect User/Admin ID
        $_SESSION['msg'] = "Login Failed, user not found! '$user'";
        header("Location: loginnew.php");
    }

}

```

```

    }
}
$log = new login;

//Calling the login function using a class object
$log.login();

```

?>

2. loginnew.php

```

<?php
//Starting a new database session
session_start();
include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Login Page</title>
    <!--Including Bootstrap CDN-->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <!--Including the stylesheet-->
    <link rel="stylesheet" href="app new2.css">
</head>

<body>

//Navbar
<nav class="navbar navbar-expand-lg navbar-light bg-info">
    <a class="navbar-brand" id="logo" href="loginnew.php">Med-Anytime</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>

```

```

</button>

<div class="collapse navbar-collapse" id="navbarTogglerDemo02" >
  <form class="form-inline my-2 my-lg-0" style="margin-left: auto; display:
block margin-right: 20px;" >
    <a class= "btn btn-info my-2 my-sm-0 align-right" id="registration"
href="registration.php">Register</a>
  </form>
</div>
</nav>
<div class="wrapper">
<!--On successfully entering the details this section will redirect to login.php
for checking the credentials-->
<form class="form" method= "POST"  action="login.php" id="formstyle">
  <h2> Login</h2>

    <div class="form-group">
      <label for="InputEmail1">Email address</label>
      <input type="email" class="form-control" name ="username" aria-
describedby="emailHelp" placeholder="Enter email">

    </div>
    <div class="form-group">
      <label for="InputPassword1">Password</label>
      <input type="password" class="form-control" name="password"
placeholder="Password">
    </div>

    <div class="form-row">
      <div class="form-group col">
        <button type="submit" class="btn">Login</button>
      </div>

    </div>
</form>
<?php
//Display Error message received from login.php in case of incorrect credentials
if (isset($_SESSION['msg'])) {
    echo '<strong><span style ="color:#FF0000;">' . $_SESSION['msg'] .
'"</span></strong>';
    unset($_SESSION['msg']);
}
?>
</div>

    <!-- Scripts needed for proper functionality-->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>

</body>

```

```
</html>
```

3. logout.php

```
<?php
    session_start();
    //Kill the session to logout
    session_destroy();
    //Redirect to login page
    header('Location: loginnew.php');
?>
```

4. registration.php

```
<?php
session_start();
include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');

?>

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
        <title>Registration Page</title>
        <meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=0, shrink-to-fit=no' name='viewport' />
        <!--Includig Bootstrap and font CDN-->
        <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWVTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
        <link rel="stylesheet" href="app new2.css">
    </head>
    <body>
        <!--Navbar-->
        <nav class="navbar navbar-expand-lg navbar-light ">
            <a class="navbar-brand" id="logo" href="loginnew.php">Med-Anytime</a>
        </nav>
        <form method="post" action="" id="formstyle">
            <h4> Buy Medicines Online !!</h4>
            <h5> Fill out these details to register </h5>
            <div class="form-row">
                <div class="form-group col">
                    <label for="InputFirstname">Firstname</label>
                    <input type="text" class="form-control" placeholder="Firstname"
name = "firstname" id="InputFirstname">
                </div>
                <div class="form-group col">
                    <label for="InputLastname">Lastname</label>
                    <input type="text" class="form-control" placeholder="Lastname"
name = "lastname" id="InputLastname">
                </div>
            </div>
            <div class="row">
                <div class="form-group col">
                    <label for="exampleFormControlSelect1">Gender</label>
                </div>
                <div class="form-group col">
```

```

        <select class="form-control" name = "gender"
id="exampleFormControlSelect1" >
            <option>Male</option>
            <option>Female</option>
            <option>Other</option>
        </select>
    </div>
</div>
<div class="form-group">
    <label for="InputDOB">DateOfBirth</label>
    <input type="date" value="1990-06-01" class="form-control"
id="InputDOB" name = "DOB" placeholder="Enter Date of Birth">
</div>
<div class="form-group">
    <label for="InputEmail1">Email address</label>
    <input type="email" class="form-control" id="InputEmail1" name =
"username" aria-describedby="emailHelp" placeholder="Enter email">
</div>
<div class="form-group">
    <label for="InputPassword1">Password</label>
    <input type="password" class="form-control" id="InputPassword1" name
= "password" placeholder="Password">
</div>
<div class="form-group">

    <label for="exampleFormControlFile1">ID Proof</label>
    <input type="file" class="form-control-file" name = "govtID"
id="IdProoffile">

</div>
<div class="form-group">
    <div class="form-check">
        <input class="form-check-input" type="checkbox" name ="chkBox"
id="gridCheck">
        <label class="form-check-label" for="gridCheck">
            I agree that information provided by me is valid
        </label>
    </div>
</div>
    <button type="submit" name="submit" class="btn">Submit</button>
</form>
<?php
    //To calculate the age of users
    function dateDifference($date_1, $date_2, $differenceFormat = '%y
Year')
    {
        $datetime1 = date_create($date_1);
        $datetime2 = date_create($date_2);

        $interval = date_diff($datetime1, $datetime2);

        return $interval->format($differenceFormat);
    }
    if (isset($_POST['submit'])) {
        //Fetching all the values to be saved in the database
        $firstname = $_POST['firstname'];
        $lastname = $_POST['lastname'];
        $username = $_POST['username'];
        //To check if it is an existing user
        $chkquery = mysqli_query($dbConnection, "SELECT * FROM
`userdetails` WHERE UserId='$username'");
        $res = mysqli_fetch_assoc($chkquery);
        $gender = $_POST['gender'];
    }

```

```

$DOB          = $_POST['DOB'];
//To calculate the age of the user
$difference = dateDifference($DOB, date("Y-m-d"));
$password    = $_POST['password'];
$terms       = $_POST['chkBox'];
//encrypting the password
$pass1 = md5($password);
$salt   = "a1Bz20ydqe1m8m1wql";
$pass1 = $salt . $pass1;
$filename = $_POST["govtID"];

// checking empty fields
if (empty($firstname) || empty($lastname) || empty($username)
|| empty($gender) || empty($password) || empty($filename) || empty($terms) ||
empty($DOB)) {
    //echo "".$pass1.""";
    if (empty($firstname)) {
        echo "<font color='red'>Firstname field is empty!
</font><br/>";
    }
    if (empty($lastname)) {
        echo "<font color='red'>Lastname field is empty!
</font><br/>";
    }
    if (empty($gender)) {
        echo "<font color='red'>Gender field is empty!
</font><br/>";
    }
    if (empty($DOB)) {
        echo "<font color='red'>Date of Birth is empty!
</font><br/>";
    }
    if (empty($username)) {
        echo "<font color='red'>Email field is empty!
</font><br/>";
    }
    if (empty($password)) {
        echo "<font color='red'>Password field is empty!
</font><br/>";
    }
    if (empty($filename)) {
        echo "<font color='red'>It is mandatory to upload
any one valid government ID!</font><br/>";
    }
    if (empty($terms)) {
        echo "<font color='red'>Please check the box
stating all the information you provided is valid.</font><br/>";
    }
}
//Checking if the user already exists
else if (!(mysqli_num_rows($chkquery) <= 0)) {
    echo "<font color='red'>That emailID is already in
use.</font><br/>";
}
//Checking if the age is less than 18
else if ($difference < 18) {

```

```

        echo "<font color='red'>Age should be atleast 18
years.</font><br/>";
    }

    else {
        //Inserting new user details
        $query = "INSERT INTO userdetails (ID, UserID,
FirstName, LastName, Password, GovtID,DateOfBirth)
                                VALUES
('','$username','$firstname','$lastname','$pass1','$filename',$DOB)";

        $result = mysqli_query($dbConnection, $query);

        if ($result) {
            header("Location: loginnew.php", true, 301);
            exit();
        }
    }
}
//Clering the POST request variable
unset($_POST['submit']);
?>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KcRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
</body>

```

5. product_add.php

```

<?php
session_start();
if (!isset($_SESSION['id'])) {
    header('location:loginnew.php');
    exit();
}
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-
icon.png">
    <link rel="icon" type="image/png" href="../assets/img/favicon.png">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=0, shrink-to-fit=no' name='viewport' />
    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->

```

```

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
<!-- Custom CSS -->
<link rel="stylesheet" href="app_new2.css">
<title>Med-Anytime</title>
</head>

<body class="index-page sidebar-collapse">

<div class="wrapper">

<br>
<div class="main">
<div class="section section-basic">
<div class="container">
<h2>New Products</h2>
<br>
<a href='AdminPage.php' class='btn btn-success btn-
round'>Back to Index</a>
<br>
<br>
<div class="col-md-12">

<?php
// including the database connection file
include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
if (isset($_POST['submit'])) {

    $prod_name    = $_POST['prod_name'];
    $comp_name    = $_POST['comp_name'];
    $price        = $_POST['price'];
    $cureFor      = $_POST['cureFor'];
    $otcFlag      = $_POST['otcFlag'];
    $quantity     = $_POST['quantity'];
    $expDate      = $_POST['expDate'];
    $featuredFlag = $_POST['featuredFlag'];
    //Uploading image for the product in a server folder
    move_uploaded_file($_FILES["prodImage"]["tmp_name"],
"C:/xampp/htdocs/SwEngg/upload/" . $_FILES["prodImage"]["name"]);
    $prodImage = $_FILES["prodImage"]["name"];

    //Checking if the product already exists
    $chkquery = mysqli_query($dbConnection, "SELECT * FROM
`products` WHERE ProductName='$prod_name'");
    $res      = mysqli_fetch_assoc($chkquery);

    // checking empty fields
    if (empty($prod_name) || empty($comp_name) || empty($price) ||
empty($cureFor) || empty($otcFlag) || empty($quantity) || empty($expDate) ||
empty($prodImage)) {

        if (empty($prod_name)) {
            echo "<font color='red'>Product name field is
empty!</font><br/>";
        }

        if (empty($comp_name)) {
            echo "<font color='red'>Brand name field is empty!
</font><br/>";
        }
    }
}

```



```

        if (empty($price)) {
            echo "<font color='red'>Price field is empty!
</font><br/>";
        }
        if (empty($cureFor)) {
            echo "<font color='red'>Product cure for field is
empty!</font><br/>";
        }
        if (empty($otcFlag)) {
            echo "<font color='red'>Over the counter flag is
empty!</font><br/>";
        }
        if (empty($quantity)) {
            echo "<font color='red'>Quantity in stock field is
empty!</font><br/>";
        }
        if (empty($expDate)) {
            echo "<font color='red'>Expiry Date field is
empty!</font><br/>";
        }
        if (empty($prodImage)) {
            echo "<font color='red'>Product Image field is
empty!</font><br/>";
        }
        if (empty($featuredFlag)) {
            echo "<font color='red'>Featured image or No field
is empty!</font><br/>";
        }
    } else if (!(mysqli_num_rows($chkquery) <= 0)) {
        echo "The product already exists. Please update it.";
    }
    else {
        //Inserting new product into database
        $query = "INSERT INTO products (ProductName,
CompanyName, CureFor, Price, OtcFlag, ExpiryDate, NumberInStock, productImage,
Featured_Flag)
        VALUES
('$prod_name', '$comp_name', '$cureFor', '$price', '$otcFlag', '$expDate', '$quantity'
, '$prodImage', '$featuredFlag')";

        $result = mysqli_query($dbConnection, $query);
    }
}
?>

```

```

<div class="panel panel-success panel-size-custom">
    <div class="panel-heading"><h3>Add New
Product</h3></div>
    <!-- Fields to enter the new product details-->
    <div class="panel-body">
        <form action="" method="post"
enctype="multipart/form-data">
            <div class="form group">

```

```

        <label>Product Name:</label>
        <input type="text" class="form-
control" id="prod_name" name="prod_name" placeholder="Product Name"/>
        <label>Company Name:</label>
        <input type="text" class="form-
control" id="comp_name" name="comp_name" placeholder="Product Brand"/>
        <label>Price</label>
        <input type="text" class="form-
control" id="price" name="price" placeholder="Price"/>
        <label>Cure For</label>
        <input type="text" class="form-
control" id="cureFor" name="cureFor" placeholder="Product Used For"/>
        <label>Over The Counter or Not
(Y/N):</label>
        <input type="text" class="form-
control" id="otcFlag" name="otcFlag" placeholder="Y/N"/>
        <label>Featured Image (Y/N):</label>
        <input type="text" class="form-
control" id="featuredFlag" name="featuredFlag" placeholder="Y/N"/>
        <label>Number in Stock:</label>
        <input type="text" class="form-
control" id="quantity" name="quantity" placeholder="Quantity"/>
        <label>Expiry Date:</label>
        <input type="date" class="form-
control" id="expDate" name="expDate" />
        <label>Product Image:</label>
        <div class="input-group">
            <input type="file" class="form-
control" id="prodImage" name="prodImage">
        </div>
        </div>
        <br>
        <div class="form group">
            <button type="submit" class="btn btn-
success btn-round" id="submit" name="submit">
                Add Product</i>
            </button>
        </div>
    </form>
</div>
</div>
</div>
<br>
</div>
</div>
</div>
</body>

```

6. product_update.php

```

<?php
session_start();
if (!isset($_SESSION['id'])) {
    header('location:loginnew.php');
    exit();
}

// including the database connection file
include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
if (isset($_POST['update'])) {
    $id = mysqli_real_escape_string($dbConnection, $_POST['ID']);
    $ProductName = mysqli_real_escape_string($dbConnection,

```

```

$_POST['ProductName']);
    $CompanyName = mysqli_real_escape_string($dbConnection,
$_POST['CompanyName']);
    $CureFor      = mysqli_real_escape_string($dbConnection, $_POST['CureFor']);
    $Price        = mysqli_real_escape_string($dbConnection, $_POST['Price']);
    $OtcFlag      = mysqli_real_escape_string($dbConnection, $_POST['OtcFlag']);
    $ExpiryDate   = mysqli_real_escape_string($dbConnection,
$_POST['ExpiryDate']);
    $quantity     = mysqli_real_escape_string($dbConnection,
$_POST['quantity']);
    $FeaturedFlag = mysqli_real_escape_string($dbConnection,
$_POST['FeaturedFlag']);

    // checking empty fields
    if (empty($ProductName) || empty($CompanyName) || empty($CureFor) ||
empty($Price) || empty($OtcFlag) || empty($ExpiryDate) || empty($quantity) ||
empty($FeaturedFlag)) {

        if (empty($ProductName)) {
            echo "<font color='red'>Product name field is empty!</font><br/>";
        }

        if (empty($CompanyName)) {
            echo "<font color='red'>Company Name field is empty!</font><br/>";
        }

        if (empty($CureFor)) {
            echo "<font color='red'>Cure for field is empty!</font><br/>";
        }

        if (empty($Price)) {
            echo "<font color='red'>Product price field is empty!</font><br/>";
        }

        if (empty($OtcFlag)) {
            echo "<font color='red'>Over the counter is empty!</font><br/>";
        }

        if (empty($ExpiryDate)) {
            echo "<font color='red'>Expiry date field is empty!</font><br/>";
        }

        if (empty($quantity)) {
            echo "<font color='red'>Quantity in stock field is empty!
</font><br/>";
        }

        if (empty($FeaturedFlag)) {
            echo "<font color='red'>Product featured flag field is empty!
</font><br/>";
        }

    } else {
        //updating the table
        $query = "UPDATE products SET
ProductName='$ProductName',CompanyName='$CompanyName',CureFor='$CureFor',Price='
$Price',OtcFlag='$OtcFlag',

ExpiryDate='$ExpiryDate',NumberInStock='$quantity',Featured_Flag='$FeaturedFlag'
WHERE ID=$id";
        $result = mysqli_query($dbConnection, $query);

        if ($result) {

```

```

        //redirecting to the display page.
        header("Location: inventory.php");
    }

}

}
?>

<?php
//getting id from url
$ID=isset($_GET['ID']) ? $_GET['ID'] : die('ERROR: Record ID not found. ');
//selecting data associated with this particular id
$result = mysqli_query($dbConnection, "SELECT * FROM products WHERE ID=$ID");
while($res = mysqli_fetch_array($result))
{
    $CompanyName = $res['CompanyName'];
    $ProductName = $res['ProductName'];
    $CureFor = $res['CureFor'];
    $Price = $res['Price'];
    $OtcFlag = $res['OtcFlag'];
    $ExpiryDate = $res['ExpiryDate'];
    $quantity = $res['NumberInStock'];
    $FeaturedFlag = $res['Featured_Flag'];
}
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-
icon.png">
    <link rel="icon" type="image/png" href="../assets/img/favicon.png">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">

    <!-- Custom CSS -->
    <link rel="stylesheet" href="app_new2.css">

    <title>Med-Anytime</title>

</head>

<body class="index-page sidebar-collapse">
<div class="wrapper">
<br>
    <div class="main">
        <div class="section section-basic">
            <div class="container">
                <h2>Product Information</h2>
                <br>
                &nbsp;&nbsp;&nbsp;<a href='inventory.php' class='btn btn-
success btn-round'>Back to Index</a>
                <br>
                <div class="col-md-12">

```

```

        <div class="panel panel-success panel-size-custom">
        <div class="panel-heading"><h3>Update Product</h3></div>
        <div class="panel-body">
            <form action="product_update.php" method="post">
                <div class="form group">
                    <input type="hidden" class="form-control" id="ID" name="ID" value=?
php echo $_GET['ID'];?>>
                    <label>Company Name:</label>
                    <input type="text" class="form-control" id="CompanyName"
name="CompanyName" value="<?php echo $CompanyName;?>">
                    <label>Product Name:</label>
                    <input type="text" class="form-control" id="ProductName"
name="ProductName" value="<?php echo $ProductName;?>">
                    <label>Cure For:</label>
                    <input type="text" class="form-control" id="CureFor" name="CureFor"
value="<?php echo $CureFor;?>">
                    <label>Price :</label>
                    <input type="text" class="form-control" id="Price" name="Price"
value="<?php echo $Price;?>">
                    <label>Over the Counter or Not:</label>
                    <input type="text" class="form-control" id="OtcFlag" name="OtcFlag"
value="<?php echo $OtcFlag;?>">
                    <label>Featured Product or Not:</label>
                    <input type="text" class="form-control" id="FeaturedFlag"
name="FeaturedFlag" value="<?php echo $FeaturedFlag;?>">
                    <label>Expiry Date:</label>
                    <input type="text" class="form-control" id="ExpiryDate"
name="ExpiryDate" value="<?php echo $ExpiryDate;?>">
                    <label>Quantity in stock:</label>
                    <input type="text" class="form-control" id="quantity"
name="quantity" value="<?php echo $quantity;?>">
                </div>
            </div>
            <br>
            <div class="form group">
                <button type="submit" class="btn btn-success btn-round"
id="submit" name="update">
                    <i class="now-ui-icons ui-1_check"></i> Update Product
                </button>
            </div>
        </form>
    </div>
</div>
</div>
<footer class="footer" data-background-color="black">
    <section class="bg-light">
        <div class="container">
            <div class="row justify-content-center ">
                <div class="col-md-12 text-center heading-section">
                    <span class="subheading"> Contact Us at (956)5364567 or at
MedAnyTime2019@gmail.com</span>
                    <h2 class="mb-4"> Buying Medicines is easy now !!</h2>
                </div>
            </div>
            <div class="row">
                <div class="col-md-4 align-self-stretch text-center">
                    <h3 class="heading">Add to Cart</h3>
                    <p>Directly buy OTC Medicines</p>
                    <p>Upload a prescription for Non-OTC Medicines</p>
                </div>
                <div class="col-md-4 align-self-stretch text-center">

```

```

        <h3 class="heading">Confirmation</h3>
        <p> Recieve an Email about order confirmation </p>
    <p> Track your order </p>
    </div>

```

```

        <div class="col-md-4 align-self-stretch text-center">

            <h3 class="heading">Delivery</h3>
            <p>Delivery at your door step within 24-28 HRS</p>
            <p> 100 % Accurate and Verified Products </p>
        </div>

```

```

    </div>
</div>

```

```

</section>
    </footer>
</div>
</body>

</html>

```

7. userPage2.php

```

<?php
    session_start();
    //Checking if the user is logged in
    if (!isset($_SESSION['id'])) {
        header('location:loginnew.php');
        exit();
    }
?>
<!doctype html>
<html lang="en">
    <head>

        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">

        <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
        <!-- Bootstrap CSS -->
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">

        <script src="https://use.fontawesome.com/c6ae9d48ae.js"></script>
        <!-- Custom CSS -->
        <link rel="stylesheet" href="app new2.css">

        <title>User Page</title>
    </head>

    <body>

        <nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
            <a href="userpage2.php" class="navbar-brand">Med-AnyTime<span> <i
class="fas fa-clinic-medical"></i> </span></a>

```

```

        <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navmenu">
    <ul class="navbar-nav mr-auto">

        <li class="nav-item">
            <form class="form-inline my-2 my-lg-0">
                <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
            </form>
        </li>

        <li class="nav-item">
            <a class="nav-link" href="UserProducts.php">Products</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#">Cart</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="true">
                <i class="now-ui-icons users_circle-08"></i>
                <?php
//Checking for user details to
diplay on the nav bar

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
$query=mysqli_query($dbConnection,"SELECT *
FROM `userdetails` WHERE UserId='".$$_SESSION['id']."'");
$row=mysqli_fetch_assoc($query);
echo "'".$row['FirstName']."'";
                ?>
            </a>
            <div class="dropdown-menu" aria-
labelledby="navbarDropdown">
                <a class="dropdown-item" href="#">View Orders</a>
                <a class="dropdown-item" href="#">View Profile Information</a>
                <a class="dropdown-item" href="logout.php">Logout</a>
            </div>
        </li>

    </ul>

</div>
</nav>
<div class="image">
</div>
<!--Footer of the page -->
<section class="bg-light">
    <div class="container">
        <div class="row justify-content-center ">
            <div class="col-md-12 text-center heading-section">
                <span class="subheading"> Contact Us at (956)5364567 or at
MedAnyTime2019@gmail.com</span>
                <h2 class="mb-4"> Buying Medicines is easy now !!</h2>
            </div>
        </div>
    </div>

```

```

<div class="row">
  <div class="col-md-4 align-self-stretch text-center">

    <h3 class="heading">Add to Cart</h3>
    <p>Directly buy OTC Medicines</p>
    <p>Upload a prescription for Non-OTC Medicines</p>
  </div>

  <div class="col-md-4 align-self-stretch text-center">

    <h3 class="heading">Confirmation</h3>
    <p> Recieve an Email about order confirmation </p>
    <p> Track your order </p>
  </div>

  <div class="col-md-4 align-self-stretch text-center">

    <h3 class="heading">Delivery</h3>
    <p>Delivery at your door step within 24-28 HRS</p>
    <p> 100 % Accurate and Verified Products </p>
  </div>

</div>
</div>

</section>

<div class="container">
  <h1 align="center"> Featured Products </h1>
  <div class="row">
    <?php
      // Fetching the featured products from the
database
      $query = "SELECT * FROM products WHERE Featured_Flag =
'Y'";
      $result = mysqli_query($dbConnection,$query);
      while($res = mysqli_fetch_assoc($result)) {
        $ID=$res['ID'];
      ?>
      <?php if($res['ID'] != ""): ?>
        <div class="col-sm-4">
          <div class="card-columns">
            <div class="card" style = "width:
22rem; " >
              <!--Displaying all the featured
products in a loop -->
              
              <?php else: ?>
              
              <?php endif; ?>
              <div class="card-body">
                <h5 class="card-title"><b><?php echo
$res['ProductName'];?></b></h5>
                <h6><a class="card-text btn btn-success btn-round"
title="Click for more details!" href="userProductDetails.php?ID=<?php echo
$res['ID'];?>"><i class="now-ui-icons gestures_tap-01"></i>View</a>
                <strong class="card-text"><span
style="float:right;">Price: <?php echo $res['Price']; ?></span></strong></h6>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```



```
</div>
</div>
```

```
<?php }?>
```

```
</div>
```

```
</div>
```

```
<!-- Optional JavaScript -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>

</body>
</html>
```

8. userProductDetails.php

```
<?php
    session_start();
    //Checking if the user is logged in
    if (!isset($_SESSION['id'])) {
        header('location:loginnew.php');
        exit();
    }
?>

<!--Page to display all the products to the user-->
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPM0"
crossorigin="anonymous">

    <!-- Custom CSS -->
    <link rel="stylesheet" href="app new2.css">

    <title>Med-Anytime</title>

</head>

<body class="index-page sidebar-collapse">
```

```

<nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
    <a href="userpage2.php" class="navbar-brand">Med-AnyTime</a>
    <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <!-- navbar -->
    <div class="collapse navbar-collapse" id="navmenu">
    <ul class="navbar-nav mr-auto">

        <li class="nav-item">
            <form class="form-inline my-2 my-lg-0">
                <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
            </form>
        </li>

        <li class="nav-item">
            <a class="nav-link" href="UserProducts.php">Products</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#">Cart</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="true">
                <i class="now-ui-icons users_circle-08"></i>
                <?php
                    //Fetching the user details to
display on the navbar

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
                    $query=mysqli_query($dbConnection,"SELECT *
FROM `userdetails` WHERE UserId='".$$_SESSION['id']."'");
                    $row=mysqli_fetch_assoc($query);
                    echo ''. $row['FirstName'].'';
                <?php
            </a>
            <div class="dropdown-menu" aria-
labelledby="navbarDropdown">
                <a class="dropdown-item" href="#">View Orders</a>
                <a class="dropdown-item" href="#">View Profile Information</a>
                <a class="dropdown-item" href="logout.php">Logout</a>
            </div>
        </li>

    </ul>

</div>
</nav>
<!-- End Navbar -->
<div class="container">
<br><br><br>
<h1 align="Center"> Product Details</h1>

    <?php
        //Fetching all the products to be displayed

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');

```

```

        $ID=$_GET['ID'];
        $query = "SELECT * FROM products WHERE ID='$ID' ORDER BY
NumberInStock ASC";
        $result = mysqli_query($dbConnection,$query);
        while($res = mysqli_fetch_array($result)) {
            ?>
            <div class="row">
            <div class="col-sm-4">
            <div class="card-columns">
                <div class="card" style = "width: 40rem; " >
                    <?php if($res['productImage'] != ""): ?>
                        
                        <?php else: ?>
                            
                        <?php endif; ?>
                    <div class="card-body">
                        <!--Displaying product details in a
card format -->
                        <ul><strong class="card-title">Product Name:
</strong><?php echo $res['ProductName'];?></ul>
                        <ul><strong class="card-text">ID:</strong><?php
echo $res['ID']; ?></ul>
                        <ul> <strong class="card-text">Product
Brand:</strong> <?php echo $res['CompanyName']; ?> </ul>
                        <ul><strong class="card-
title">Price:</strong> <?php echo $res['Price']; ?></ul>
                        <ul><strong class="card-title">Cure For:</strong>
<?php echo $res['CureFor']; ?></ul>
                        <ul><strong class="card-title">Over
The Counter or Not:</strong><?php echo $res['OtcFlag']; ?> </ul>
                        <ul><strong class="card-
title">Featured Image (Y/N):</strong><?php echo $res['Featured_Flag']; ?></ul>
                        <ul><strong class="card-
title">Quantity In stock:</strong> <?php echo $res['NumberInStock']; ?></ul>
                        <ul><strong class="card-
title">Expiry Date:</strong> <?php echo $res['ExpiryDate']; ?></ul>
                        <?php } ?></ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
</html>

```

9. UserProducts.php

```

<?php
    session_start();
    //Checking if the user is logged in
    if (!isset($_SESSION['id'])) {
        header('location:loginnew.php');
        exit();
    }
?>
<!doctype html>
<html lang="en">
    <head>

```

```

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">

    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdKnLPM0"
crossorigin="anonymous">
    <link href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="app new2.css">

    <title>User Page</title>
</head>

<body>
<!--Navbar-->
<nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
    <a href="userpage2.php" class="navbar-brand">Med-AnyTime</a>
    <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navmenu">
    <ul class="navbar-nav mr-auto">

        <li class="nav-item">
            <form class="form-inline my-2 my-lg-0">
                <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
            </form>
        </li>

        <li class="nav-item">
            <!--Redirects to the same page-->
            <a class="nav-link" href="UserProducts.php">Products</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#">Cart</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="true">
                <i class="now-ui-icons users_circle-08"></i>
                <?php
                    //Fetching user details

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
                    $query=mysqli_query($dbConnection,"SELECT *
FROM `userdetails` WHERE UserId='".$$_SESSION['id']."'");
                    $row=mysqli_fetch_assoc($query);
                    echo ''. $row['FirstName'].'';
                <?>
            </a>
            <div class="dropdown-menu" aria-
labelledby="navbarDropdown">

```

```

        <a class="dropdown-item" href="#">View Orders</a>
        <a class="dropdown-item" href="#">View Profile Information</a>
        <a class="dropdown-item" href="logout.php">Logout</a>
    </div>

</li>

</ul>

</div>
</nav>
<div class="container" id="UserProducts">
<h1 align="Center"> Products </h1>
    <div class="row">
        <?php
            //Fetching all product details
            $query = "SELECT * FROM products Order By NumberInStock
ASC";
            $result = mysqli_query($dbConnection,$query);
            while($res = mysqli_fetch_assoc($result)) {
                $ID=$res['ID'];
                ?>
                <?php if($res['ID'] != ""): ?>
<div class="col-sm-4">
    <div class="card-columns">
        <div class="card" style = "width: 22rem; " >
            
            <?php else: ?>
            
            <?php endif; ?>
            <div class="card-body">
                <h5 class="card-title"><b><?php echo
$res['ProductName'];?></b></h5>
                <h6><a class="card-text btn btn-success btn-round"
title="Click for more details!" href="userProductDetails.php?ID=<?php echo
$res['ID'];?>"><i class="now-ui-icons gestures_tap-01"></i>View</a>
                <strong class="card-text"><span
style="float:right;">Price: <?php echo $res['Price']; ?></span></strong></h6>
            </div>
        </div>
    </div>
    </div>

        <?php }?>

    </div>

</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"></script>
<script

```

```
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqquxZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
```

```
</body>
</html>
```

10. View_Product_Details

```
<?php
    session_start();
    if (!isset($_SESSION['id'])) {
        header('location:loginnew.php');
        exit();
    }
?>

<!--Page for the admin to view details-->
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">

    <!-- Custom CSS -->
    <link rel="stylesheet" href="app new2.css">

    <title>View Product Details</title>

</head>

<body>
    <!--Navbar-->
    <nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
        <a href="AdminPage.php" class="navbar-brand">Med-AnyTime</a>
        <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navmenu">
            <ul class="navbar-nav mr-auto">

                <li class="nav-item">
                    <form class="form-inline my-2 my-lg-0">
                        <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                        <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
                    </form>
                </li>

                <li class="nav-item">
                    <a class="nav-link" href="inventory.php">Inventory</a>
                </li>
            </ul>
        </div>
    </nav>
</body>
</html>
```



```

<link rel="stylesheet" href="app new2.css">

<title>Med-Anytime</title>
</head>

<body>
<nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
    <a href="#" class="navbar-brand">Med-AnyTime</a>
    <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navmenu">
        <ul class="navbar-nav mr-auto">

            <li class="nav-item">
                <form class="form-inline my-2 my-lg-0">
                    <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                    <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
                </form>
            </li>

            <li class="nav-item">
                <!--Redirect to the inventory page -->
                <a class="nav-link" href="inventory.php">Inventory</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Cart</a>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="true">
                    <i class="now-ui-icons users_circle-08"></i>
                    <?php

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');

$query=mysqli_query($dbConnection,"SELECT * FROM `admindetails` WHERE
AdminId='".$$_SESSION['id']."'");

                    $row=mysqli_fetch_assoc($query);
                    echo ''. $row['FirstName']. ' ';
                    ?>
                </a>
                <div class="dropdown-menu" aria-
labelledby="navbarDropdown">
                    <a class="dropdown-item" href="#">View Orders</a>
                    <a class="dropdown-item" href="#">View Profile Information</a>
                    <a class="dropdown-item" href="logout.php">Logout</a>

                </div>
            </li>

        </ul>

    </div>

</nav>
<div class="image">

```

```

</div>

<!--Footer-->
<section class="bg-light">
    <div class="container">
        <div class="row justify-content-center ">
            <div class="col-md-12 text-center heading-section">
                <span class="subheading"> Contact Us at (956)5364567 or at
MedAnyTime2019@gmail.com</span>
                <h2 class="mb-4"> Buying Medicines is easy now !!</h2>
            </div>
        </div>
        <div class="row">
            <div class="col-md-4 align-self-stretch text-center">

                <h3 class="heading">Add to Cart</h3>
                <p>Directly buy OTC Medicines</p>
                <p>Upload a prescription for Non-OTC Medicines</p>
            </div>

            <div class="col-md-4 align-self-stretch text-center">

                <h3 class="heading">Confirmation</h3>
                <p> Recieve an Email about order confirmation </p>
                <p> Track your order </p>
            </div>

            <div class="col-md-4 align-self-stretch text-center">

                <h3 class="heading">Delivery</h3>
                <p>Delivery at your door step within 24-28 HRS</p>
                <p> 100 % Accurate and Verified Products </p>
            </div>

        </div>
    </div>
</section>

```

```

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykv+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
<!--<script>
    $(function() {
        $(document).scroll(function() {
            var $nav = $("#mainNavbar");

```

```

        $nav.toggleClass("scrolled", $(this).scrollTop() > $nav.height());
    })
}
</script>-->

</body>
</html>

```

12. invntory.php

```

<?php
    session_start();
    if (!isset($_SESSION['id'])) {
        header('location:loginnew.php');
        exit();
    }
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <link href="https://fonts.googleapis.com/css?
family=Gentium+Book+Basic&display=swap" rel="stylesheet">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPM0"
crossorigin="anonymous">

    <!-- Custom CSS -->
    <link rel="stylesheet" href="app new2.css">

    <title>Inventory Page</title>

</head>
<body>
    <nav class="navbar navbar-dark navbar-expand-md pt-0 pb-0 fixed-top">
        <a href="AdminPage.php" class="navbar-brand">Med-AnyTime</a>
        <button class="navbar-toggler" data-toggle="collapse" data-
target="#navmenu" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navmenu">
            <ul class="navbar-nav mr-auto">

                <li class="nav-item">
                    <form class="form-inline my-2 my-lg-0">
                        <input class="form-control mr-sm-3" type="search" placeholder="Search"
id="navBarSearchForm" aria-label="Search">
                        <button class="btn btn-success my-2 my-sm-0" type="submit"
id="SearchButton" >Search</button>
                    </form>
                </li>

                <li class="nav-item">
                    <a class="nav-link" href="inventory.php">Inventory</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="#">Cart</a>
                </li>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" href="#"

```

```

id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="true">
                <i class="now-ui-icons users_circle-08"></i>
                <?php

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');

        $query=mysqli_query($dbConnection,"SELECT * FROM `admindetails` WHERE
AdminId='".$$_SESSION['id']."'");
                                $row=mysqli_fetch_assoc($query);
                                echo "'".$row['FirstName']."'";
                                ?>
                        </a>
                                <div class="dropdown-menu" aria-
labelledby="navbarDropdown">
                                <a class="dropdown-item" href="#">View Orders</a>
                                <a class="dropdown-item" href="#">View Profile Information</a>
                                <a class="dropdown-item" href="logout.php">Logout</a>

                                </div>

                        </li>

</ul>

</div>

</nav>
<div class="wrapper"><br>
    <div class="main">
        <div class="section section-basic">
            <div class="container">
                <br><br>
                <h2 align="center">All Products List</h2>

                <div class="col-md-12">

                    <div class="panel panel-success panel-size-custom">
                        <div class="panel-body">

                                <?php
                                //Fetching all product
                                details to be displayed in the inventory

include('C:/xampp/htdocs/SwEngg/Config/dbConnection.php');
                                $action = isset($_GET['action']) ?
$_GET['action'] : "";
                                $query = "SELECT * FROM products ORDER BY
NumberInStock ASC";
                                $result = mysqli_query($dbConnection,
$query);
                                $result1=mysqli_fetch_assoc($result);
                                ?>

                                <br>
                                <br>
                                <table id="prodTable" class="table table-
condensed table-striped">
                                <tr>

```

```

        <th>Product Name</th>
        <th>Company Name</th>
        <th>Cure For</th>
        <th>Price</th>
        <th>Featured Product</th>
        <th>Expiry Date</th>
    <th>Quantity</th>
    </tr>
    <?php
        if($result1){
            while($res =
mysqli_fetch_array($result)) {
                echo
                "<tr>";
                //Display details in the form of
                a table
                echo "<td>".
                $res['ProductName']. "</td>";
                echo "<td>".
                $res['CompanyName']. "</td>";
                echo "<td>".
                $res['CureFor']. "</td>";
                echo
                "<td>". $res['Price']. "</td>";
                echo "<td
                contenteditable=\".true\".>". $res['Featured_Flag']. "</td>";
                echo
                "<td>". $res['ExpiryDate']. "</td>";
                //echo
                "<td>". $res['NumberInStock']. "</td>";

                $quantity=$res['NumberInStock'];

                if ($quantity<=10){
                    ?>
                    <td><span style="color:red;"><?
php echo $res['NumberInStock'];?> : Reorder!</span></td>
                    <?php
                    }else{
                    ?>
                    <td><?php echo
                    $res['NumberInStock'];?></td>
                    </ul>

                    <?php }
                    echo "<td><a
href=\"View_Product_Details.php?ID=$res[ID]\">View</a></td>";
                    echo "</tr>";
                }
            }?>
        </table><br><br>
        <a class="btn btn-success btn-
round" href="product_add.php"><i class="now-ui-icons ui-1_simple-add"></i> Add
new Product</a>
        </div>
    </div>
</div>
</div>
</div>
<br><br><br><br>

</div>

<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

```

```

integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqqxuzUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>

```

```

</body>

```

```

</html>

```

13. app new2.css

```

/** CSS File For the entire project. We
    have maintained the same style in all the pages */
/* Styling for the body element in all pages*/
body{
font-family: 'Gentium Book Basic', serif;
}

/* for login & registration pages*/
#formstyle
{
    width: 500px;
    margin: auto;
}

/* for registration page*/
#registration{
    align: right;
    color: white;
    font-size: 0.5rem;
}

/* for most of the buttons used*/
button{
    background-color:#2471A3 ;
    color: white;
}

/* To format the footer section*/
.wrapper {
    display: flex;
    align-items: center;
    flex-direction: column;
    justify-content: center;
    width: 100%;
    min-height: 100%;
    padding: 20px;
}

/** headings and paragraphs */
#headingGroup h2 {
    color: #5bc0de;
    font-weight: 100;
}

```

```

    font-size: 2rem;
}
#headingGroup h1 {
    font-weight: 100;
    font-size: 4rem;
    margin-top: 40px;
    color: #5bc0de;
}

p {
    color: black;
    font-weight: 100;
    font-size: 1.125rem;
    line-height: 2;
}

#registration{
    font-size: 1.5rem;;
    background-color: #2471A3 !important;
}

/** All styles related to nav-bar **/
.navbar {
    font-size: 1.5rem;
    font-weight: 100;
    background-color: #2471A3 !important;
}

.nav-link{
    color: white !important;
}
.navbar .navbar-brand{
    color: white !important;
    font-size: 1.5rem;
}
.navbar-nav > li{
    padding-left:20px;
    padding-right:20px;
    margin-left:20px;
    margin-right:20px;
}

#navBarSearchForm
{
    width:430px !important;
    margin-top: 5px;
}

/* Search button in the nav bar */
#SearchButton{
    margin-top: 10px;
}

/* for the background image in user and admin home pages*/

```

```
.image{
    background-image: url("medicinesc1.jpg");
    width: 100%;
    height:100%;
    height: 400px;
    position: relative;
    padding:0;
    margin:0;
    background-position: top center;
    background-repeat: no-repeat;
    background-size: 100% 400px;
    background-attachment: fixed;
    overflow: hidden;
}
```

14. dbConnection.php

```
<?php
$dbConnection = mysqli_connect("localhost","root","","medanytimedb");

// Check connection
if (mysqli_connect_errno())
{
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}
?>
```