

```
/*
New Perspectives on HTML and CSS
Tutorial 5
Review Assignment
```

```
Programming Table Style Sheet
Author: Kyle Mitchell
Date: 3/1/2011

Filename:    programs.css
Supporting Files:
```

**programstxt.css** should be saved as text, under **programs.css**, after entering *your name/the date* comments

```
*/
```

```
/* Table styles */
```

```
table.programs {
  border: 2px solid black;
  border-collapse: collapse;
  font-family: Arial, Verdana, sans-serif;
  width: 100%;
}
```

A style rule should be created to

- Set the width of the programs table to 100%
- Add a 2-px solid black border that is collapsed around the table
- Set the font family to: Arial, Verdana, sans-serif

```
/* Table caption styles */
```

```
table.programs caption {
  text-align: left;
  font-size: 0.8em;
  caption-side: bottom;
}
```

- A style rule should align the table caption with the table bottom-left corner
- Caption font size should be set to 0.8 em

```
/* Table body cell styles */
```

```
table.programs tbody td {
  border: 1px solid gray;
  font-size: 0.7em;
  vertical-align: top;
  padding: 2px;
}
```

- A style rule should be created for all data cells in the table body to
- Set all program table cells to font size 0.7em
  - Vertically align text of all data cells with the top of the cell
  - Add a 1-px solid gray border around every cell
  - Set padding space to 2 px

*/\* Table row styles \*/*

```
table.programs tr {  
  height: 25px;  
}
```

The height of all table rows should be set to 25

*/\* Table header styles \*/*

```
table.programs thead {  
  color: white;  
  background-color: rgb(105, 177, 60);  
}
```

Header row group should display in white font, background color (105, 177, 60)

```
table.programs th {  
  font-size: 0.7em;  
  border: 1px solid gray;  
}
```

```
table.programs thead th:first-of-type {  
  background-color: rgb(153, 86, 7);  
}
```

```
table.programs thead th:nth-of-type(7) {  
  background-color: rgb(153, 0, 153);  
}
```

```
table.programs thead th:nth-of-type(8) {  
  background-color: rgb(153, 0, 153);  
}
```

- Font size for table header cells within the header row group, should be 0.7em, 1-px solid gray border should be added
- Background color for 1<sup>st</sup> table header cell in the header row group, should be (153, 86, 7)
- Background color of 7<sup>th</sup>/8<sup>th</sup> table header cells in the header row group should be (153, 0, 153)

*/\* Styles for the table columns \*/*

```
table.programs col.timeColumn {  
  background-color: rgb(215, 205, 151);  
  width: 10%;  
}
```

```
table.programs col.wDayColumns {  
  background-color: rgb(236, 255, 211);  
  width: 11%;  
}
```

```
table.programs col.wEndColumns {  
  width: 17%;  
  background-color: rgb(255, 231, 255);  
}
```

- Style rules for the three column groups should
- a) Set width of timeColumn column group to 10%, background color (215, 205, 151)
  - b) Set width of wDayColumns column group to 11%, background color (236, 255, 211)
  - c) Set width of wEndColumns column group to 17%, background color (255, 231, 255)

```
/* Three column layout for the introductory paragraph */
```

```
#intro p {  
  -moz-column-count: 3;  
  -webkit-column-count: 3;  
  column-count: 3;  
  
  -moz-column-gap: 20px;  
  -webkit-column-gap: 20px;  
  column-gap: 20px;  
  
  -moz-column-rule: 1px solid black;  
  -webkit-column-rule: 1px solid black;  
  column-rule: 1px solid black;  
}
```

A 3-column layout for the introductory paragraph should be created within the intro section, separated by a gap of 20 px with a 1-px solid black divider

Style comments should be added to document the work, and changes saved