```
<label for="phone">Phone *</label>
<input name="phone" id="phone"
    required-"required"
    placeholder-" (nnn) nnn-nnnn"
    pattem="^\d{10}$|^(\(\d{3}\)\s*)?\d{3}[\s-]?\d{4}$"
```

```
<label for="delTime">Delivery Time<br />
            (leave blank for immediate delivery)
</label>
<input name="delTime" id="delTime"
    placeholder="hh:mm AM/PM"
    pattern="^([0-9] |1[012]): [0-5][0-9]\s?((a|p)m|(A|P)M

</fieldset>
```

```
<fieldset id="buildPizza">
    <legend>Build Your Own Pizza</legend>


<img src="sizes.png" id="sizeimage" alt-"" /> +
```

```html
<label for="size">Select Your Pizza Size <br />
        (10, 12, or 14 inch)</label>
<input name="size" id="size" type="range"
    value="12" min="10" max="14" step="2" />
```

- There should be a range slider for the `size` field with label **Select Your Pizza Size (10, 12, or 14 inch)**, parenthetical text goes on a new line
- Default value should be 12, minimum 10, maximum 14, step value is 2

```html
<label for="crust">Choose Your Crust</label>
<select name="crust" id="crust">
   <option value="Thin">Thin</option>
   <option value="Thick">Thick</option>
   <option value="Stuffed">Stuffed</option>
   <option value="Pan">Pan</option>
</select>
```

- There should be a selection list for the `crust` field labeled **Choose Your Crust**
- Selection list should display **Thin**, **Thick**, **Stuffed**, **Pan** with option values equal to the option text

```html
<label for="quantity">Quantity<br />
            (call for quantities larger than
            10 pizzas)
</label>
<input name="quantity" id="quantity"
    type="number" min="1" max="10" value="1" />
```

- There should be a number spinner for `quantity` field labeled **Quantity (call for quantities larger than 10 pizzas)**, parenthetical text on a new line
- Field should have default value 1, ranges 1-10, increments 1 unit

```html
<label for="instructions">
   Special Instructions
</label>
<textarea name="instructions" id="instructions"></textarea>
```

There should be a text area for `instructions` field labeled **Special Instructions**

```
<fieldset id="meat">
    <legend>Meat Toppings</legend>
```

```
    <label>Location</label>
    <img src="full.png" alt="full" />
    <img src="left.png" alt="left" />
    <img src="right.png" alt="right" />
    <img src="none.png" alt="none" />
```

```
    <label>Pepperoni</label>
    <fieldset class="optionGroup">
      <input type="radio" name="pepperoni" value="full" /
      <input type="radio" name="pepperoni" value="left" /
      <input type="radio" name="pepperoni" value="right"
      <input type="radio" name="pepperoni" value="none"
    </fieldset>
```

```
    <label>Ham</label>
    <fieldset class="optionGroup">
      <input type="radio" name="ham" value="full" />
      <input type="radio" name="ham" value="left" />
      <input type="radio" name="ham" value="right" />
      <input type="radio" name="ham" value="none" ch    eck
    </fieldset>
```

```
    <label>Pork</label>
    <fieldset class="optionGroup">
      <input type="radio" name="pork" value="full" />
      <input type="radio" name="pork" value="left" />
      <input type="radio" name="pork" value="right" />
      <input type="radio" name="pork" value="none" checl
    </fieldset>
```

```
    <label>Sausage</label>
    <fieldset class="optionGroup">
      <input type="radio" name="sausage" value="full" />
      <input type="radio" name="sausage" value="left" />
      <input type="radio" name="sausage" value="right" />
      <input type="radio" name="sausage" value="none" checked-'checked" />
    </fieldset>
```

```html
    <label>Chicken</label>
    <fieldset class="optionGroup">
       <input type="radio" name="chicken" value="full" />
       <input type="radio" name="chicken" value="left" />
       <input type="radio" name="chicken" value="right" />
       <input type="radio" name="chicken" value="none" checked-'checked" />
    </fieldset>
  </fieldset>

<fieldset id="vegetables">
  <legend>Vegetable Toppings</legend>

  <label>Location</label>
  <img src="full.png" alt="full" />
  <img src="left.png" alt="left" />
  <img src="right.png" alt="right" />
  <img src="none.png" alt="none" />

  <label>Mushrooms</label>
  <fieldset class="optionGroup">
     <input type="radio" name="mushrooms" value="full" />
     <input type="radio" name="mushrooms" value="left" />
     <input type="radio" name="mushrooms" value="right" />
     <input type="radio" name="mushrooms" value="none" checked-'checked" />
  </fieldset>

  <label>Green Peppers</label>
  <fieldset class="optionGroup">
     <input type="radio" name="peppers" value="full" />
     <input type="radio" name="peppers" value="left" />
     <input type="radio" name="peppers" value="right" />
     <input type="radio" name="peppers" value="none" checked-'checked" />
  </fieldset>

  <label>Onions</label>
  <fieldset class="optionGroup">
     <input type="radio" name="onions" value="full" />
     <input type="radio" name="onions" value="left" />
     <input type="radio" name="onions" value="right" />
     <input type="radio" name="onions" value="none" checked-'checked" />
  </fieldset>

  <label>Tomatoes</label>
  <fieldset class="optionGroup">
     <input type="radio" name="tomatoes" value="full" />
     <input type="radio" name="tomatoes" value="left" />
     <input type="radio" name="tomatoes" value="right" />
```

Last 3 steps should be repeated for the vegetable toppings within the vegetables field set, creating option groups for Mushrooms, Green Peppers, Onions, Tomatoes, Jalapenos, and naming the fields mushrooms, green peppers, onions, VT tomatoes, jalapenos

```
          <input type="radio" name="tomatoes" value="none" checked-'checked" />
        </fieldset>

        <label>Jalapenos</label>
        <fieldset class="optionGroup">
          <input type="radio" name="jalapenos" value-full"" />
          <input type="radio" name="jalapenos" value="left" />
          <input type="radio" name="jalapenos" value="right" />
          <input type="radio" name="jalapenos" value="none" checked-'checked" />
        </fieldset>


    </fieldset>

    <label for="doubleCheese">Add Double Cheese</label>
    <input type="checkbox" id="doubleCheese" name="doubleCheese" />

    <label for="doubleSauce">Add Double Sauce</label>
    <input type="checkbox" id="doubleSauce" name="doubleSauce" />
```

- After the `vegetables` field set, there should be a check box for the `doubleCheese` field labeled **Add Double Cheese**
- There should be another check box for the `doubleSauce` field labeled **Add Double Sauce**

After the `buildPizza` field set, there should be a submit button with text **Next**

```
    </fieldset>

    <input type="submit" value="Next" id="submitButton" />

  </form>
</section>
<footer>
  <address>
    Red Ball Pizza &bull;
    811 Beach Drive &bull;
    Ormond Beach, FL 32175 &bull;
    (386) 555 - 7499
  </address>
</footer>
</body>
</html>
```

- Changes to the file should be saved
- The form should show warnings for invalid data values and for required fields that have no values

Completed files should be submitted to the instructor, as requested