★

```
<label for="phone">Phone *</label>
<input name="phone" id="phone"
    required="required"
    placeholder="(nnn) nnn-nnnn"
    pattern="^\d{10}$|^(\(\d{3}\)\s*)?\d{3}[\s-]?\d{4}$"
```

★

★

```
<label for="delTime">Delivery Time<br />
            (leave blank for immediate delivery)
</label>
<input name="delTime" id="delTime"
    placeholder="hh:mm AM/PM"
    pattern="^([0-9]|1[012]):[0-5][0-9]\s?((a|p)m|(A|P)M)

</fieldset>
```

★

★

```
<fieldset id="buildPizza">
    <legend>Build Your Own Pizza</legend>
```

```
<img src="sizes.png" id="sizeimage" alt="" />
```

```html
<label for="size">Select Your Pizza Size <br />
        (10, 12, or 14 inch)</label>
<input name="size" id="size" type="range"
     value="12" min="10" max="14" step="2" />
```

- There should be a range slider for the `size` field with label **Select Your Pizza Size (10, 12, or 14 inch)**, parenthetical text goes on a new line
- Default value should be 12, minimum 10, maximum 14, step value is 2

```html
<label for="crust">Choose Your Crust</label>
<select name="crust" id="crust">
  <option value="Thin">Thin</option>
  <option value="Thick">Thick</option>
  <option value="Stuffed">Stuffed</option>
  <option value="Pan">Pan</option>
</select>
```

- There should be a selection list for the `crust` field labeled **Choose Your Crust**
- Selection list should display **Thin**, **Thick**, **Stuffed**, **Pan** with option values equal to the option text

```html
<label for="quantity">Quantity<br />
            (call for quantities larger than
            10 pizzas)
</label>
<input name="quantity" id="quantity"
     type="number" min="1" max="10" value="1" />
```

- There should be a number spinner for `quantity` field labeled **Quantity (call for quantities larger than 10 pizzas)**, parenthetical text on a new line
- Field should have default value 1, ranges 1-10, increments 1 unit

```html
<label for="instructions">
  Special Instructions
</label>
<textarea name="instructions" id="instructions"></textarea>
```

There should be a text area for `instructions` field labeled **Special Instructions**

```html
<fieldset id="meat">
  <legend>Meat Toppings</legend>
```

```html
<label>Location</label>
<img src="full.png" alt="full" />
<img src="left.png" alt="left" />
<img src="right.png" alt="right" />
<img src="none.png" alt="none" />
```

```html
<label>Pepperoni</label>
<fieldset class="optionGroup">
  <input type="radio" name="pepperoni" value="full" /
  <input type="radio" name="pepperoni" value="left" /
  <input type="radio" name="pepperoni" value="right"
  <input type="radio" name="pepperoni" value="none"
</fieldset>
```

```html
<label>Ham</label>
<fieldset class="optionGroup">
  <input type="radio" name="ham" value="full" />
  <input type="radio" name="ham" value="left" />
  <input type="radio" name="ham" value="right" />
  <input type="radio" name="ham" value="none" check
</fieldset>
```

```html
<label>Pork</label>
<fieldset class="optionGroup">
  <input type="radio" name="pork" value="full" />
  <input type="radio" name="pork" value="left" />
  <input type="radio" name="pork" value="right" />
  <input type="radio" name="pork" value="none" check
</fieldset>
```

```html
<label>Sausage</label>
<fieldset class="optionGroup">
  <input type="radio" name="sausage" value="full" />
  <input type="radio" name="sausage" value="left" />
  <input type="radio" name="sausage" value="right" />
  <input type="radio" name="sausage" value="none" checked="checked" />
</fieldset>
```

```html
      <label>Chicken</label>
      <fieldset class="optionGroup">
        <input type="radio" name="chicken" value="full" />
        <input type="radio" name="chicken" value="left" />
        <input type="radio" name="chicken" value="right" />
        <input type="radio" name="chicken" value="none" checked="checked" />
      </fieldset>
    </fieldset>

  <fieldset id="vegetables">
    <legend>Vegetable Toppings</legend>

      <label>Location</label>
      <img src="full.png" alt="full" />
      <img src="left.png" alt="left" />
      <img src="right.png" alt="right" />
      <img src="none.png" alt="none" />

      <label>Mushrooms</label>
      <fieldset class="optionGroup">
        <input type="radio" name="mushrooms" value="full" />
        <input type="radio" name="mushrooms" value="left" />
        <input type="radio" name="mushrooms" value="right" />
        <input type="radio" name="mushrooms" value="none" checked="checked" />
      </fieldset>

      <label>Green Peppers</label>
      <fieldset class="optionGroup">
        <input type="radio" name="peppers" value="full" />
        <input type="radio" name="peppers" value="left" />
        <input type="radio" name="peppers" value="right" />
        <input type="radio" name="peppers" value="none" checked="checked" />
      </fieldset>

      <label>Onions</label>
      <fieldset class="optionGroup">
        <input type="radio" name="onions" value="full" />
        <input type="radio" name="onions" value="left" />
        <input type="radio" name="onions" value="right" />
        <input type="radio" name="onions" value="none" checked="checked" />
      </fieldset>

      <label>Tomatoes</label>
      <fieldset class="optionGroup">
        <input type="radio" name="tomatoes" value="full" />
        <input type="radio" name="tomatoes" value="left" />
        <input type="radio" name="tomatoes" value="right" />
```

Last 3 steps should be repeated for the vegetable toppings within the `vegetables` field set, creating option groups for Mushrooms, Green Peppers, Onions, Tomatoes, Jalapenos, and naming the fields `mushrooms`, `green peppers`, `onions`, `tomatoes`, `jalapenos`

```
            <input type="radio" name="tomatoes" value="none" checked="checked" />
          </fieldset>

          <label>Jalapenos</label>
          <fieldset class="optionGroup">
            <input type="radio" name="jalapenos" value="full" />
            <input type="radio" name="jalapenos" value="left" />
            <input type="radio" name="jalapenos" value="right" />
            <input type="radio" name="jalapenos" value="none" checked="checked" />
          </fieldset>


        </fieldset>

        <label for="doubleCheese">Add Double Cheese</label>
        <input type="checkbox" id="doubleCheese" name="doubleCheese" />

        <label for="doubleSauce">Add Double Sauce</label>
        <input type="checkbox" id="doubleSauce" name="doubleSauce" />
```

- After the `vegetables` field set, there should be a check box for the `doubleCheese` field labeled **Add Double Cheese**
- There should be another check box for the `doubleSauce` field labeled **Add Double Sauce**

After the `buildPizza` field set, there should be a submit button with text **Next**

```
      </fieldset>

      <input type="submit" value="Next" id="submitButton" />

    </form>
  </section>
  <footer>
    <address>
      Red Ball Pizza &bull;
      811 Beach Drive &bull;
      Ormond Beach, FL  32175 &bull;
      (386) 555 - 7499
    </address>
  </footer>
  </body>
</html>
```

- Changes to the file should be saved
- The form should show warnings for invalid data values and for required fields that have no values

Completed files should be submitted to the instructor, as requested