

```

class CartService extends GetxService {
    final cartStorage = GetStorage();

    var cartItems = <ProductModel>[].obs;

    @override
    void onInit() {
        super.onInit();

        List? storedCart = cartStorage.read("cartItems");

        if (storedCart != null) {
            cartItems.assignAll(
                storedCart.map((e) => ProductModel.fromJson(e)).toList(),
            );
        }

        ever(cartItems, (_) {
            cartStorage.write("cartItems", cartItems.map((e) => e.toJson()).toList());
        });
    }

    void addToCart(ProductModel product) {
        cartItems.add(product);
    }

    void removeFromCart(ProductModel product) {
        cartItems.remove(product);
    }

    double get totalAmount =>
        cartItems.fold(0.0, (sum, item) => sum + item.price);

    void clearCart() {
        cartItems.clear();
    }
}
*****

```

```

class CartController extends GetxController {
    final CartService cartService = Get.find<CartService>();

    List<ProductModel> get cartItems => cartService.cartItems;

    double get totalAmount => cartService.totalAmount;

    void addToCart(ProductModel product) {
        cartService.addToCart(product);
    }

    void removeFromCart(ProductModel product) {
        cartService.removeFromCart(product);
    }

    void clearCart() {
        cartService.clearCart();
    }
}
*****

```

To create the transition service:

```

class AppTrans extends Translations {
    @override
    Map<String, Map<String, String>> get keys => {
        "en_US": {
            "product_title": "Products screen",
            "cart_title": "Cart screen",
            "product_detail_title": "Product detail screen",
            "checkout_title": "Checkout screen",
        },
        "ar_JL": {
            "product_title": "صفحة المنتجات",
            "cart_title": "صفحة البطاقة",
            "product_detail_title": "صفحة تفاصيل المنتج",
            "checkout_title": "صفحة الحساب",
        },
    };
}
-----

```

Then we define the locale, fallback locale:

```
Widget build(BuildContext context) {  
  return GetMaterialApp(  
    title: "Product App",  
    initialRoute: Routes.PRODUCT,  
    translations: AppTrans(),  
    locale: Locale('en', 'US'),  
    fallbackLocale: Locale('en', 'US'),  
    theme: ThemeData.light(),  
    darkTheme: ThemeData.dark(),  
    themeMode: ThemeService().theme,  
  
    getPages: [...AppPages.routes],  
    debugShowCheckedModeBanner: false,  
  );  
}
```

Then to use the locales inside the code, we use .tr with strings:

```
"product_title".tr  
"product_detail_title".tr  
"checkout_title".tr  
"cart_title".tr
```

And to change the locale using getx:

```
IconButton(  
  onPressed: () {  
    if (Get.locale == Locale('en', 'US')) {  
      Get.updateLocale(Locale('ar', 'JL'));  
    } else {  
      Get.updateLocale(Locale('en', 'US'));  
    }  
  },  
  icon: Icon(Icons.language),  
),  
*****
```

To implement the theme service:

```
import 'package:flutter/material.dart';
import 'package:get/get.dart';

class ThemeService {
  bool _loadThemFromStorage() => Get.isDarkMode;

  void _saveThemeToStorage(bool isDarkModel) =>
    Get.changeThemeMode(isDarkModel ? ThemeMode.dark : ThemeMode.light);

  ThemeMode get theme =>
    _loadThemFromStorage() ? ThemeMode.dark : ThemeMode.light;

  void switchTheme() {
    Get.changeThemeMode(Get.isDarkMode ? ThemeMode.light : ThemeMode.light);
    _saveThemeToStorage(!Get.isDarkMode);
  }
}
```

Then to define the theme in App:

```
Widget build(BuildContext context) {
  return GetMaterialApp(
    title: "Product App",
    initialRoute: Routes.PRODUCT,
    translations: AppTrans(),
    locale: Locale('en', 'US'),
    fallbackLocale: Locale('en', 'US'),
    theme: ThemeData.light(),
    darkTheme: ThemeData.dark(),
    themeMode: ThemeService().theme,

    getPages: [...AppPages.routes],
    debugShowCheckedModeBanner: false,
  );
}
```

To switch between themes:

```
IconButton(  
  onPressed: () {  
    ThemeService().switchTheme();  
  },  
  icon: Icon(Icons.brightness_7_sharp),  
),  
*****
```