

First test with pytest && playwright: **pip install pytest pytest-playwright**

Then for pytest.ini:

```
[pytest]
addopts = --headed --slowmo=1000
```

For test case and take screenshots & video:

```
from playwright.sync_api import Browser
import time

def test_orange_hrm_title(browser: Browser):
    context = browser.new_context(
        record_video_dir="."
    )
    page = context.new_page()
    page.goto("https://opensource-
demo.orangehrmlive.com/web/index.php/auth/login")
    username = page.get_by_placeholder("Username")
    username.fill("Admin")
    # username.screenshot(path="username.png")
    password = page.get_by_placeholder("Password")
    password.fill("admin123")
    # password.screenshot(path="password.png")
    page.get_by_role("button", name="Login").click()
    page.wait_for_selector("css=canvas[height='265']", state='attached')
    time.sleep(2)
    # page.screenshot(path="test.png", full_page=True)
    assert page.url == "https://opensource-
demo.orangehrmlive.com/web/index.php/dashboard/index"
    *****
```

To enable tracing:

```
from playwright.sync_api import BrowserContext, Page
import pytest
import time

@pytest.fixture(autouse=True)
def trace_test(context: BrowserContext):

    # enable saving snapshots of our test for every action
    context.tracing.start(
        name="hrm_trace",
        screenshots=True,
    # snapshots: save the real state of the page so that we can handle it using the
    # viewer
        snapshots=True, # enable screenshot of tracing frame by frame
        sources=True # enable saving snapshots of our test for every action
    )
    yield
    context.tracing.stop(path="trace.zip")

def test_orange_hrm_title(page: Page):
    page.goto("https://opensource-
demo.orangehrmlive.com/web/index.php/auth/login")
    username = page.get_by_placeholder("Username")
    username.fill("Admin")
    username.screenshot(path="username.png")
    password = page.get_by_placeholder("Password")
    password.fill("admin123")
    page.get_by_role("button", name="Login").click()
    page.wait_for_selector("css=canvas[height='265']", state='attached')
    time.sleep(2)
    assert page.url == "https://opensource-
demo.orangehrmlive.com/web/index.php/dashboard/index"
```

Then to show the trace: *playwright show-trace trace.zip*

OR we can visit and upload the trace file: *trace.playwright.dev*

To use playwright assertions:

```
from playwright.sync_api import Page, expect

def test_orange_hrm_title(page: Page):
    page.goto("https://opensource-
demo.orangehrmlive.com/web/index.php/auth/login")
    username = page.get_by_placeholder("Username")
    username.fill("Admin")
    password = page.get_by_placeholder("Password")
    password.fill("admin123")
    page.get_by_role("button", name="Login").click()
    expect(page).to_have_url("https://opensource-
demo.orangehrmlive.com/web/index.php/dashboard/index")
    *****
```

The locators-methods contains filter-method like: `get_by_text("").filter(...)`

- Ex: `page.get_by_text("").filter(has_text="")`

```
*****
```