

Team Enrollment Confirmation - Integrate Zscaler with Identity Providers (IdPs) such as Azure AD

COLLEGE NAME: TIRUPPUR KUMARAN COLLEGE FOR WOMEN

COLLEGE CODE:BRU3J

TEAM ID: SWTID-2026-8809

TEAM MEMBERS

TEAM LEADER: GAAYATHRI.D

EMAIL: gaayathridurai06@gmail.com

TEAM MEMBER: KAVITHA.S

EMAIL: kavidharma005@gmail.com

TEAM MEMBER: THILAGAVATHI.S

EMAIL: thilagavathisundaram6@gmail.com

TEAM MEMBER: HEMA MALINI.S

EMAIL: hemam3514@gmail.com

Abstract:

Cloud security platforms are becoming essential for organizations to protect applications, data, and users accessing resources from different locations. Zscaler is a cloud based security platform that enables secure internet and application access without relying on traditional network architecture such as VPNs. Integrating Zscaler with Identity Providers (IdPs) allows organizations to manage authentication, authorization, and identity management in a centralized and secure way.

This document explains the concept of Zscaler, Identity Providers, authentication methods, integration architecture, security benefits, monitoring capabilities, and implementation strategies.

The integration supports modern security models such as Zero Trust Architecture, which ensures that users and devices are continuously verified before being granted access to corporate resources.

The integration enhances security by supporting features such as MultiFactor Authentication (MFA), conditional access policies, and identity-based access control. It also simplifies user management by allowing administrators to manage identities and permissions from a centralized platform. This approach aligns with modern security frameworks like Zero Trust Architecture, where every user and device must be verified before accessing organizational resources. Overall, integrating Zscaler with identity providers improves security, reduces administrative complexity, and ensures secure access to applications from any location or device.

In conclusion, integrating Zscaler with Azure AD through a structured team enrollment and configuration process provides a comprehensive solution for managing identities and securing access to cloud services. It enables organizations to maintain strong security controls, streamline administrative processes, and ensure that users can securely access the resources they need from anywhere. As organizations continue to adopt cloud-first strategies, such integrations will play an increasingly important role in protecting digital assets and enabling secure digital transformation.

Introduction:

Organizations today rely heavily on cloud applications and internet connectivity. Traditional network security models that rely on perimeter based security are no longer sufficient to protect modern digital infrastructures. Employees now access resources from remote locations, mobile devices, and cloud environments. Zscaler addresses these challenges by providing a secure cloud platform that protects users, data, and applications regardless of location.

Integrating Zscaler with Identity Providers helps ensure that only authenticated and authorized users can access corporate systems. This integration strengthens security while simplifying user management and authentication.

Organizations today rely heavily on cloud applications and internet connectivity. Traditional network security models that rely on perimeter based security are no longer sufficient to protect modern digital infrastructures.

Employees now access resources from remote locations, mobile devices, and cloud environments. Zscaler addresses these challenges by providing a secure cloud

platform that protects users, data, and applications regardless of location. Integrating Zscaler with Identity Providers helps ensure that only authenticated and authorized users can access corporate systems.

This integration strengthens security while simplifying user management and authentication. Organizations today rely heavily on cloud applications and internet connectivity. Traditional network security models that rely on perimeter based security are no longer sufficient to protect modern digital infrastructures. Employees now access resources from remote locations, mobile devices, and cloud environments. Zscaler addresses these challenges by providing a secure cloud platform that protects users, data, and applications regardless of location.

Integrating Zscaler with Identity Providers helps ensure that only authenticated and authorized users can access corporate systems. This integration strengthens security while simplifying user management and authentication.

2. Overview of Zscaler

Zscaler is a leading cloud security platform designed to provide secure access to the internet and private applications. Instead of routing traffic through traditional data centers, Zscaler routes user traffic through its global cloud infrastructure where security policies are applied. Major components include Zscaler Internet Access (ZIA) for secure internet access and Zscaler Private Access (ZPA) for secure access to internal applications.

These services work together to provide comprehensive protection against cyber threats while enabling secure remote connectivity. Zscaler is a leading cloud security platform designed to provide secure access to the internet and private applications. Instead of routing traffic through traditional data centers, Zscaler routes user traffic through its global cloud infrastructure where security policies are applied.

Major components include Zscaler Internet Access (ZIA) for secure internet access and Zscaler Private Access (ZPA) for secure access to internal applications. These services work together to provide comprehensive protection against cyber threats while enabling secure remote connectivity.

Zscaler is a leading cloud security platform designed to provide secure access to the internet and private applications. Instead of routing traffic through traditional data centers, Zscaler routes user traffic through its global cloud infrastructure where security policies are applied.

Major components include Zscaler Internet Access (ZIA) for secure internet access and Zscaler Private Access (ZPA) for secure access to internal applications. These services work together to provide comprehensive protection against cyber threats while enabling secure remote connectivity.

3. Identity Provider (IdP)

An Identity Provider (IdP) is a service that authenticates users and manages digital identities. It verifies user credentials and provides authentication tokens that allow users to access applications and services securely. Identity Providers play a critical role in modern cybersecurity by enabling centralized identity management, secure login mechanisms, and strong authentication policies.

Common examples include Azure Active Directory, Okta, and Microsoft Active Directory. An Identity Provider (IdP) is a service that authenticates users and manages digital identities.

It verifies user credentials and provides authentication tokens that allow users to access applications and services securely. Identity Providers play a critical role in modern cybersecurity by enabling centralized identity management, secure login mechanisms, and strong authentication policies.

Common examples include Azure Active Directory, Okta, and Microsoft Active Directory. An Identity Provider (IdP) is a service that authenticates users and manages digital identities. It verifies user credentials and provides authentication tokens that allow users to access applications and services securely.

Identity Providers play a critical role in modern cybersecurity by enabling centralized identity management, secure login mechanisms, and strong authentication policies.

In a Zscaler deployment, the Identity Provider acts as the trusted authority responsible for authenticating both users and administrators. When integrated with services like Zscaler Internet Access (ZIA) or Zscaler Private Access (ZPA), the IdP ensures that only verified users can access applications or manage security policies. This integration supports modern security frameworks such as Zero Trust, where every access request is continuously validated based on user identity and context.

Overall, the Identity Provider is a critical component in modern enterprise security architecture. By centralizing authentication, enabling secure Single Sign-On, and automating identity management processes, it helps organizations maintain strong security while providing a smooth and efficient user experience.

4. Authentication Methods

Authentication is the process of verifying the identity of a user attempting to access a system or application. Common authentication methods include: Single Sign On (SSO), which allows users to log in once and access multiple applications.

Multi Factor Authentication (MFA), which adds additional verification steps such as mobile OTPs or authentication apps. Conditional access policies that evaluate location, device status, and risk level before granting access.

Authentication is the process of verifying the identity of a user attempting to access a system or application. Common authentication methods include: Single Sign On (SSO), which allows users to log in once and access multiple applications. Multi Factor Authentication (MFA), which adds additional verification steps such as mobile OTPs or authentication apps.

Conditional access policies that evaluate location, device status, and risk level before granting access. Authentication is the process of verifying the identity of a user attempting to access a system or application.

Common authentication methods include: Single Sign On (SSO), which allows users to log in once and access multiple applications. Multi Factor Authentication (MFA), which adds additional verification steps such as mobile OTPs or authentication apps.

Conditional access policies that evaluate location, device status, and risk level before granting access. Authentication methods are techniques used to verify the identity of a user before granting access to a system, application, or network. In identity-based security systems and cloud platforms like Zscaler, authentication methods ensure that only authorized users can access organizational resources.

This is the most common authentication method. Users enter a registered username and password to verify their identity. The system checks these credentials against the stored database before granting access.

MFA requires users to provide two or more verification factors. For example, a password plus a one-time verification code sent to a mobile device. This adds an extra layer of security.

5. Integration Architecture

The integration between Zscaler and an Identity Provider follows a secure authentication flow. When a user attempts to access an application, the request is redirected to the Identity Provider. The IdP verifies the user's credentials and returns an authentication token.

Zscaler validates this token and grants access to the requested application based on configured security policies. This architecture ensures secure authentication while maintaining seamless user experience.

The integration between Zscaler and an Identity Provider follows a secure authentication flow. When a user attempts to access an application, the request is redirected to the Identity Provider.

The IdP verifies the user's credentials and returns an authentication token. Zscaler validates this token and grants access to the requested application based on configured security policies.

This architecture ensures secure authentication while maintaining seamless user experience. The integration between Zscaler and an Identity Provider follows a secure authentication flow.

When a user attempts to access an application, the request is redirected to the Identity Provider. The IdP verifies the user's credentials and returns an authentication token. Zscaler validates this token and grants access to the requested application based on configured security policies.

This architecture ensures secure authentication while maintaining seamless user experience. Integration Architecture describes how different systems, applications, and services connect and communicate with each other to enable secure authentication, user management, and data exchange. In the case of integrating Zscaler with an Identity Provider such as Microsoft Azure Active Directory, the architecture ensures secure user authentication and centralized identity management.

The system integrates with an Identity Provider such as Azure AD to authenticate users and administrators before granting access to Zscaler services.

6. Integration Protocols

Several protocols are used to enable secure integration between Zscaler and Identity Providers. Security Assertion Markup Language (SAML) enables secure authentication and Single Sign On.

System for Cross domain Identity Management (SCIM) allows automated user provisioning and synchronization between systems. These protocols ensure compatibility and secure communication between the identity platform and the Zscaler cloud security environment.

Several protocols are used to enable secure integration between Zscaler and Identity Providers. Security Assertion Markup Language (SAML) enables secure authentication and Single Sign On.

System for Cross domain Identity Management (SCIM) allows automated user provisioning and synchronization between systems. These protocols ensure compatibility and secure communication between the identity platform and the Zscaler cloud security environment.

Several protocols are used to enable secure integration between Zscaler and Identity Providers. Security Assertion Markup Language (SAML) enables secure authentication and Single Sign On.

System for Cross domain Identity Management (SCIM) allows automated user provisioning and synchronization between systems. These protocols ensure

compatibility and secure communication between the identity platform and the Zscaler cloud security environment.

Security Assertion Markup Language is an XML-based protocol used to exchange authentication and authorization data between an Identity Provider (IdP) and a Service Provider. It is widely used for enabling Single Sign-On (SSO).

OpenID Connect is a modern authentication protocol built on OAuth 2.0 that allows applications to verify the identity of users and obtain basic profile information.

7. User Provisioning

User provisioning refers to the process of creating, managing, and removing user accounts within an organization's systems. Provisioning methods include manual provisioning, automated provisioning through identity management tools, and Just In Time (JIT) provisioning where user accounts are created automatically during the first login attempt.

User provisioning refers to the process of creating, managing, and removing user accounts within an organization's systems. Provisioning methods include manual provisioning, automated provisioning through identity management tools, and Just In Time (JIT) provisioning where user accounts are created automatically during the first login attempt.

User provisioning refers to the process of creating, managing, and removing user accounts within an organization's systems. Provisioning methods include manual provisioning, automated provisioning through identity management tools, and Just In Time (JIT) provisioning where user accounts are created automatically during the first login attempt.

When a new employee joins an organization, a user account is automatically created in the system. This account allows the user to access applications and services

required for their work. Users are assigned specific roles and permissions based on their job responsibilities.

This ensures that they only have access to the resources they need. SSO allows users to log in once and access multiple applications without entering credentials repeatedly, improving both security and user experience. Access to systems and applications is granted based on verified user identity, ensuring that only authorized users can access resources. Permissions are assigned according to the user's role within the organization, limiting access to sensitive information. Data is encrypted during transmission and storage to protect sensitive information from unauthorized access.

8. Security Features:

The Zscaler–IdP integration provides several powerful security capabilities. Identity based access ensures that only authorized users can reach applications. Multi Factor Authentication adds additional layers of verification.

Data loss prevention technologies protect sensitive information from unauthorized sharing. Advanced threat protection also identifies and blocks malware, phishing attempts, and other cyber threats in real time. The Zscaler–IdP integration provides several powerful security capabilities. Identity based access ensures that only authorized users can reach applications.

Multi Factor Authentication adds additional layers of verification. Data loss prevention technologies protect sensitive information from unauthorized sharing. Advanced threat protection also identifies and blocks malware, phishing attempts, and other cyber threats in real time.

The Zscaler–IdP integration provides several powerful security capabilities. Identity based access ensures that only authorized users can reach applications. Multi Factor Authentication adds additional layers of verification.

Data loss prevention technologies protect sensitive information from unauthorized sharing. Advanced threat protection also identifies and blocks malware, phishing attempts, and other cyber threats in real time.

Users must verify their identity using two or more authentication factors such as a password and a one-time verification code sent to their mobile device. SSO allows users to log in once and gain access to multiple applications without repeatedly entering credentials.

Access permissions are assigned based on the user's role within the organization, ensuring limited and controlled access to sensitive resources.

9. Monitoring and Logging :

Monitoring and logging are essential components of cybersecurity. Zscaler provides detailed logs of user activity, authentication attempts, policy enforcement actions, and detected threats.

Administrators can analyze these logs to identify suspicious behavior, detect security incidents, and maintain compliance with regulatory requirements.

Monitoring and logging are essential components of cybersecurity. Zscaler provides detailed logs of user activity, authentication attempts, policy enforcement actions, and detected threats.

Administrators can analyze these logs to identify suspicious behavior, detect security incidents, and maintain compliance with regulatory requirements.

Monitoring and logging are essential components of cybersecurity. Zscaler provides detailed logs of user activity, authentication attempts, policy enforcement actions, and detected threats.

Administrators can analyze these logs to identify suspicious behavior, detect security incidents, and maintain compliance with regulatory requirements. Systems continuously monitor user activities, login attempts, and network access to identify unusual or suspicious behavior.

Logs record user authentication events such as successful logins, failed login attempts, and multi-factor authentication verification. All actions performed by administrators, such as policy changes or configuration updates, are recorded for accountability and security auditing.

Access logs track which users accessed specific applications, websites, or services within the organization. Monitoring tools analyze logs to detect potential

threats such as unauthorized access attempts, abnormal login patterns, or suspicious network activity.

10. Advantages of Zscaler–IdP Integration:

Integrating Zscaler with Identity Providers provides multiple advantages for organizations. These include centralized identity management, simplified user authentication, improved security through identity verification, reduced administrative workload, and secure access from any location or device.

The integration also supports modern Zero Trust security models. Integrating Zscaler with Identity Providers provides multiple advantages for organizations. These include centralized identity management, simplified user authentication, improved security through identity verification, reduced administrative workload, and secure access from any location or device.

The integration also supports modern Zero Trust security models. Integrating Zscaler with Identity Providers provides multiple advantages for organizations. These include centralized identity management, simplified user authentication, improved security through identity verification, reduced administrative workload, and secure access from any location or device. The integration also supports modern Zero Trust security models.

All user identities and authentication processes are managed from a single Identity Provider, making administration easier and more efficient. Users can log in once through the Identity Provider and access multiple applications and Zscaler services without needing to authenticate repeatedly.

Integration supports advanced security features such as Multi-Factor Authentication (MFA), reducing the risk of unauthorized access. User accounts can be

automatically created, updated, or removed using System for Cross-domain Identity Management (**SCIM**), reducing manual administrative tasks. Organizations can implement role-based access control to ensure that users only access resources relevant to their job roles.

11. Implementation Steps:

The typical implementation process includes configuring the Identity Provider, creating a SAML application, configuring authentication settings within Zscaler, testing the authentication workflow, and deploying the solution to all users. Proper testing and validation are essential to ensure secure and reliable operation.

The typical implementation process includes configuring the Identity Provider, creating a SAML application, configuring authentication settings within Zscaler, testing the authentication workflow, and deploying the solution to all users. Proper testing and validation are essential to ensure secure and reliable operation.

The typical implementation process includes configuring the Identity Provider, creating a SAML application, configuring authentication settings within Zscaler, testing the authentication workflow, and deploying the solution to all users. Proper testing and validation are essential to ensure secure and reliable operation.

Configure the Identity Provider, such as Azure AD, by setting up user directories, roles, and authentication policies required for the integration. Add Zscaler as an enterprise application in the Identity Provider portal to enable authentication and identity management. Set up SSO between Zscaler and the Identity Provider using secure authentication protocols such as Security Assertion Markup Language (**SAML**) or OpenID Connect (**OIDC**).

Share configuration details such as metadata files and security certificates between Zscaler and the Identity Provider to establish a trusted connection.

Configure automated user provisioning using System for Cross-domain Identity Management (**SCIM**) to synchronize user accounts between the Identity Provider and Zscaler.

12. Use Cases :

Organizations implement Zscaler–IdP integration for several real world scenarios. These include enabling secure remote workforce access, protecting SaaS applications, supporting hybrid work environments, and securing access to internal enterprise systems.

Organizations implement Zscaler–IdP integration for several real world scenarios. These include enabling secure remote workforce access, protecting SaaS applications, supporting hybrid work environments, and securing access to internal enterprise systems.

Organizations implement Zscaler–IdP integration for several real world scenarios. These include enabling secure remote workforce access, protecting SaaS applications, supporting hybrid work environments, and securing access to internal enterprise systems.

Employees working from home or remote locations can securely access company applications through identity-based authentication without using traditional VPN systems. Users can log in once through the Identity Provider and access multiple enterprise applications and services without repeatedly entering their credential.

IT administrators can manage all user identities, roles, and access permissions from a single platform, reducing complexity and improving control. When a new employee joins the organization, their account is automatically created and synchronized with Zscaler using System for Cross-domain Identity Management

(SCIM). Organizations can ensure that only authenticated and authorized users can access cloud-based services and applications.

13. Challenges and Solutions :

Although the integration provides many benefits, organizations may face challenges such as configuration errors, identity synchronization problems, or authentication failures.

These challenges can be addressed through proper documentation, testing, monitoring tools, and regular system audits. Although the integration provides many benefits, organizations may face challenges such as configuration errors, identity synchronization problems, or authentication failures.

These challenges can be addressed through proper documentation, testing, monitoring tools, and regular system audits. Although the integration provides many benefits, organizations may face challenges such as configuration errors, identity synchronization problems, or authentication failures.

These challenges can be addressed through proper documentation, testing, monitoring tools, and regular system audits. Setting up integration between Zscaler and the Identity Provider can be complex, especially when configuring authentication protocols and security settings.

Follow official documentation, use predefined templates, and perform step-by-step configuration to ensure proper setup. Incorrect configuration of authentication protocols like Security Assertion Markup Language **(SAML)** or OpenID Connect **(OIDC)** may lead to login failures. Verify metadata files, certificates, and endpoint URLs to

ensure correct authentication settings. User accounts may not properly synchronize between the Identity Provider and Zscaler. Implement automated provisioning using System for Cross-domain Identity Management (**SCIM**) to ensure accurate user synchronization

14. Future Scope :

Future improvements in cloud security and identity management will continue to enhance Zscaler integrations. Artificial intelligence and machine learning will play important roles in threat detection and identity analytics.

Organizations will increasingly adopt Zero Trust architectures that rely heavily on identity based security and continuous verification.

Future improvements in cloud security and identity management will continue to enhance Zscaler integrations.

Artificial intelligence and machine learning will play important roles in threat detection and identity analytics. Organizations will increasingly adopt Zero Trust architectures that rely heavily on identity based security and continuous verification. Future improvements in cloud security and identity management will continue to enhance Zscaler integrations.

Artificial intelligence and machine learning will play important roles in threat detection and identity analytics. Organizations will increasingly adopt Zero Trust architectures that rely heavily on identity based security and continuous

verification. Future developments will further strengthen the Zero Trust security model, where every user, device, and application must be continuously verified before access is granted.

Artificial Intelligence and Machine Learning technologies will help detect unusual login behavior, predict security threats, and automatically respond to potential cyber attacks.

Future systems may rely less on passwords and more on biometric authentication, security keys, and mobile-based verification method.

Integration between cloud security platforms and identity providers will become more advanced, enabling seamless protection across multiple cloud environments. User provisioning and deprovisioning will become more automated using standards such as System for Cross-domain Identity Management (**SCIM**), reducing administrative workload and improving accuracy.

Screen Shots:

Dashboard

Analytics

Policy

Administration

Activation

Search

Authentication Settings

AUTHENTICATION PROFILE

AUTHENTICATION BRIDGES

AUTHENTICATION PROFILE

Directory Type

Hosted DB

Active Directory

OpenLDAP

Authentication Frequency

Only Once

Authentication Type

Form-Based

SAML

Configure SAML

IDP SSL Certificate Expiration Date

October 02, 2022

SP SSL Certificate Expiration Date

October 12, 2020

Temporary Authentication

Disabled

One-Time Link

Add IdP Configuration

-----END CERTIFICATE-----

Single Sign-On URL
https://login.microsoftonline.com/[REDACTED]/saml2

IdP Entity ID
https://sts.windows.net/[REDACTED]/

Status

☒ Enabled

Disabled

ZPA (SP) SAML Request

☒ Signed

Unsigned

HTTP-Redirect

☒ Enabled

Disabled

SCIM

SCIM Sync

☒ Enabled

Disabled

SCIM Service Provider Endpoint
https://scim1.private.zscaler.com/scim/1/[REDACTED]/v2

Bearer Token
[REDACTED]

Generate New Token

Save

Quit

Set up Single Sign-On with SAML

Manage

Properties

Owners

Roles and administrators (Preview)

Users and groups

Single sign-on

Provisioning

Self-service

Security

Conditional Access

Permissions

Token encryption

Activity

Sign-ins

Read the [configuration guide](#) for help integrating Zscaler Private Access (ZPA) qa cloud.

1

Basic SAML Configuration

 Edit



Identifier (Entity ID)	https://samlsp.private.zscaler.com/auth/metadata/144131828926644586
Reply URL (Assertion Consumer Service URL)	https://samlsp.private.zscaler.com/auth/144131828926644586/sso
Sign on URL	https://samlsp.private.zscaler.com/auth/144131828926644586/sso
Relay State	Optional
Logout Url	Optional

2


User Attributes & Claims

 Edit


givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname
Group	user.groups



Login Screen:



Login Successful Screen:



Sample Source Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Zscaler + Azure AD Integration</title>

<style>
```

```
body{ margin:0; font-family:Arial;  
background:linear-gradient(120deg,#00c6ff,#0072ff);  
color:white; }
```

```
header{ text-  
align:center;  
padding:40px; }
```

```
nav{  
text-align:center;  
background:black;  
padding:15px; }
```

```
nav a{  
color:white;  
margin:15px; text-  
decoration:none;  
font-weight:bold; }
```

```
nav a:hover{  
color:#00c6ff;  
}
```

```
.container{  
padding:40px;  
text-align:center;  
}
```

```
.cards{ display:flex;  
justify-content:center;  
flex-wrap:wrap;  
gap:20px; }
```



```
.card{ background:white; color:black;
padding:20px; border-radius:10px;
width:250px; box-shadow:0 5px 15px
rgba(0,0,0,0.3); transition:0.3s; }
```

```
.card:hover{
transform:scale(1.1);
}
```

```
button{
background:#ff6600;
border:none;
padding:10px 20px;
color:white; border-
radius:5px;
cursor:pointer; }
```

```
button:hover{
background:#cc5200;
}
```

```
.login{
background:white;
color:black;
padding:20px;
width:300px;
margin:auto; border-
radius:10px; }
```

```
input{
width:90%;
padding:10px;
margin:10px;
}
```

```
footer{ text-align:center;
padding:20px;
background:black;
margin-top:40px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Zscaler + Azure AD Integration</h1>
```

```
<p>Secure Identity Based Cloud Access</p>
```

```
</header>
```

```
<nav>
```

```
<a href="#">Home</a>
```

```
<a href="#">Technologies</a>
```

```
<a href="#">Architecture</a>
```

```
<a href="#">Login</a>
```

```
</nav>
```

```
<div class="container">
```

```
<h2>Project Overview</h2>
```

```
<p>
```

This project demonstrates secure authentication by integrating Zscaler cloud security with Azure Active Directory identity provider.

```
</p>
```

<button onclick="info()">Learn More</button>

</div>

<div class="container">

<h2>Technologies Used</h2>

<div class="cards">

<div class="card">

<h3>Zscaler</h3>

<p>Cloud based security platform that protects users from cyber threats.</p>

</div>

<div class="card">

<h3>Azure AD</h3>

<p>Identity provider that manages authentication and user access.</p>

</div>

<div class="card">

<h3>Single Sign On</h3>

<p>Allows one login to access multiple applications securely.</p>

</div>

</div>

</div>

<div class="container">

<h2>Login Simulation</h2>

<div class="login">

```
<input type="text" id="user" placeholder="Username">
```

```
<input type="password" id="pass" placeholder="Password">
```

```
<button onclick="login()">Login</button>
```

```
<p id="result"></p>
```

```
</div>
```

```
</div>
```

```
<footer>
```

```
<p>Cyber Security Project – Zscaler Integration with Azure AD</p>
```

```
</footer>
```

```
<script>
```

```
function info()
```

```
{ alert("Zscaler integrates with Azure AD to provide  
secure Single Sign-On authentication.");  
}
```

```
function login()
```

```
{ var  
u=document.getElementById("user").value; var  
p=document.getElementById("pass").value;
```

```
if(u=="admin" && p=="1234")
```

```
{ document.getElementById("result").innerHTML="Login  
Successful"; document.getElementById("result").style.color="green";  
}
```

```
else { document.getElementById("result").innerHTML="Invalid  
Login"; document.getElementById("result").style.color="red";  
}
```

```
}  
</script>
```

```
</body>
```

```
</html>
```

15. Conclusion :

Integrating Zscaler with Identity Providers enables organizations to build a secure, scalable, and efficient authentication framework. By combining cloud security with centralized identity management, businesses can protect their resources while enabling seamless access for users. This approach strengthens cybersecurity posture and supports modern digital transformation initiatives. Integrating Zscaler with Identity Providers enables organizations to build a secure, scalable, and efficient authentication framework. By combining cloud security with centralized identity management, businesses can protect their resources while enabling seamless access for users. This approach strengthens cybersecurity posture and supports modern digital transformation initiatives. Integrating Zscaler with Identity Providers enables organizations to build a secure, scalable, and efficient authentication framework. By combining cloud security with centralized identity management, businesses can protect their resources while enabling seamless access for users. This approach strengthens cybersecurity posture and supports modern digital transformation initiatives.