

Time in ≥10-min bouts,	6 (0 – 22)	0 (0 – 8)	7 (0 – 22)	14 (3 – 33) ^{*,†‡}	4 (0 – 27)	0 (0 – 20)	15 (3 – 40) ^{*,†‡}	7 (1 – 19)	12 (0 – 41)	3 (0 – 9) ^{*,§}	<0.000 1
Frequency of bouts,	1 (0 – 2)	0 (0 – 1)	1 (0 – 2) ^{†‡}	1 (0 – 2) ^{†‡}	0 (0 – 2) [†]	0 (0 – 2)	1 (0 – 3) ^{*,†‡}	1 (0 – 1)	1 (0 – 3)	0 (0 – 1)	<0.000 1)
Average duration of ≥10-min bouts,	14 (12 – 17)	14 (12 – 17)	15 (12 – 17)	14 (12 – 18)	14 (12 – 17)	15 (13 – 20)	15 (13 – 18)	15 (13 – 20)	15 (13 – 19)	15 (12 – 17)	0.40
EE in ≥10-min bouts, METs-min·day ⁻¹	23 (0 – 93) [¶]	0 (0 – 31) [¶]	31 (0 – 12 –)	65 (0 – 230) ^{†‡}	40 (0 – 82) [¶]	0 (12 – 198) ^{†‡}	64 (14 – 484)	140 (0 – 167)	40 (0 – 39) ^{¶,†,‡,§}	15 1	<0.000

Data expressed as absolute/relative frequency, or median (interquartile range). See Tables 1 and 2 for definition of abbreviations. *Data available for 219 subjects in the United Kingdom, 110 in Germany, 118 in Switzerland, and 64 in Spain; ¶Data available for 237 subjects in the United Kingdom, 110 in Germany, and 77 in Spain; [†]P<0.05 vs Germany; [‡]P<0.05 vs the Netherlands; [§]P<0.05 vs Spain; ^{*}P<0.05 vs Australia; [¶]P<0.05 vs the United States of America; **P<0.05 vs Italy; ^{††}P<0.05 vs Switzerland; ^{‡‡}P<0.05 vs Ireland; ^{¶¶}P<0.05 vs Brazil; ^{¶¶¶}P<0.05 vs the United Kingdom.