

Time in ≥10-min bouts,	6 (0 – 22)	0 (0 – 8)	7 (0 – 22)	14 (3 – 33) <sup>,†‡</sup>	4 (0 – 27)	0 (0 – 20)	15 (3 – 40) <sup>,†‡</sup>	7 (1 – 19)	12 (0 – 41)	3 (0 – 9) <sup>,§</sup>	<0.000 1
Frequency of bouts,	1 (0 – 2)	0 (0 – 1)	1 (0 – 2) <sup>,†‡</sup>	1 (0 – 2) <sup>,†‡</sup>	0 (0 – 2) <sup>†</sup>	0 (0 – 2)	1 (0 – 3) <sup>,†‡</sup>	1 (0 – 1)	1 (0 – 3)	0 (0 – 1)	<0.000 1)
Average duration of ≥10-min bouts,	14 (12 – 17)	14 (12 – 17)	15 (12 – 17)	14 (12 – 18)	14 (12 – 17)	15 (13 – 20)	15 (13 – 18)	15 (13 – 20)	15 (13 – 19)	15 (12 – 17)	0.40
EE in ≥10-min bouts, METs-min·day <sup>-1</sup>	23 (0 – 93) <sup>¶</sup>	0 (0 – 31) <sup>¶</sup>	31 (0 – 12 – )	65 (0 – 230) <sup>,†‡</sup>	40 (0 – 82) <sup>¶</sup>	0 (12 – 198) <sup>,†‡</sup>	64 (14 – 484)	140 (0 – 167)	40 (0 – 39) <sup>,¶,†,‡,§</sup>	15 1	<0.000

Data expressed as absolute/relative frequency, or median (interquartile range). See Tables 1 and 2 for definition of abbreviations. \*Data available for 219 subjects in the United Kingdom, 110 in Germany, 118 in Switzerland, and 64 in Spain; ¶Data available for 237 subjects in the United Kingdom, 110 in Germany, and 77 in Spain; <sup>†</sup>P<0.05 vs Germany; <sup>‡</sup>P<0.05 vs the Netherlands; <sup>§</sup>P<0.05 vs Spain; <sup>¶</sup>P<0.05 vs Australia; <sup>¶</sup>P<0.05 vs the United States of America; \*\*P<0.05 vs Italy; <sup>,†</sup>P<0.05 vs Switzerland; <sup>,‡</sup>P<0.05 vs Ireland; <sup>,§§</sup>P<0.05 vs Brazil; <sup>,</sup>P<0.05 vs the United Kingdom.