

---

*Proceedings of the 2013 International Symposium on Wearable Computers*. ACM, 2013, pp. 65–68.

[134] S. Saria, A. Duchi, and D. Koller, “Discovering deformable motifs in continuous time series data,” in *IJCAI Proceedings-International Joint Conference on Artificial Intelligence*, vol. 22, no. 1. Citeseer, 2011, p. 1465.

[135] P. Schulam, F. Wigley, and S. Saria, “Clustering longitudinal clinical marker trajectories from electronic health data: Applications to phenotyping and endotype discovery,” in *Twenty-Ninth AAAI Conference on Artificial Intelligence*, 2015.

[136] T. Huynh, M. Fritz, and B. Schiele, “Discovery of activity patterns using topic models,” in *Proceedings of the 10th international conference on Ubiquitous computing*. ACM, 2008, pp. 10–19.

[137] J. Seiter, O. Amft, M. Rossi, and G. Tröster, “Discovery of activity composites using topic models: An analysis of unsupervised methods,” *Pervasive and Mobile Computing*, vol. 15, pp. 215–227, 2014.

[138] F.-T. Sun, Y.-T. Yeh, H.-T. Cheng, C.-C. Kuo, and M. Griss, “Nonparametric discovery of human routines from sensor data,” in *Pervasive Computing and Communications (PerCom), 2014 IEEE International Conference on*. IEEE, 2014, pp. 11–19.

[139] D. M. Blei, A. Y. Ng, and M. I. Jordan, “Latent dirichlet allocation,” *the Journal of machine Learning research*, vol. 3, pp. 993–1022, 2003.

[140] “BodyMedia SenseWear,” <http://sensewear.bodymedia.com/>, 2016, [Online; accessed 16-January-2016].

[141] D. Cai, C. Zhang, and X. He, “Unsupervised feature selection for multi-cluster data,” in *Proceedings of the 16th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2010, pp. 333–342.

[142] D. M. Blei and J. D. Lafferty, “Topic models,” *Text mining: classification, clustering, and applications*, vol. 10, no. 71, p. 34, 2009.

[143] M. Ghassemi, M. A. Pimentel, T. Naumann, T. Brennan, D. A. Clifton, P. Szolovits, and M. Feng, “A multivariate timeseries modeling approach to severity of illness assessment and forecasting in icu with sparse, heterogeneous clinical data,” in *Proc. Twenty-Ninth AAAI Conf. on Artificial Intelligence*, 2015.

[144] S. Ghosh, M. Feng, H. Nguyen, and J. Li, “Risk prediction for acute hypotensive patients by using gap constrained sequential contrast patterns,” in *AMIA Annual Symposium Proceedings*, vol. 2014. American Medical Informatics Association, 2014, p. 1748.

[145] M. Bednarek, J. Maciejewski, M. Wozniak, P. Kuca, and J. Zielinski, “Prevalence, severity and underdiagnosis of copd in the primary care setting,” *Thorax*, vol. 63, no. 5, pp. 402–407, 2008.

[146] E. Derom, C. Van Weel, G. Liistro, J. Buffels, T. Schermer, E. Lammers, E. Wouters, and M. Decramer, “Primary care spirometry\*,” *European Respiratory Journal*, vol. 31, no. 1, pp. 197–203, 2008.

[147] R. A. Pauwels, A. S. Buist, P. M. Calverley, C. R. Jenkins, and S. S. Hurd, “Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease,” *American journal of respiratory and critical care medicine*, 2012.

[148] B. Arnrich, O. Mayora, J. Bardram, G. Tröster *et al.*, “Pervasive healthcare,” *Methods of information in medicine*, vol. 49, no. 1, pp. 67–73, 2010.