
Exploring Shiny as an interactive visualization tool for public health data


Tanvi Gaitonde, Gabrielle Gonzalez, Allen Gu, Camila Guetter

Supplementary Materials


Supp. Fig. 1: Physical activity vs BMI (stacked barplots, boxplots and jitterplots)




Supp. Fig. 1.1: Stacked barplot showing distribution of BMI WHO categories by physical activity status (binary: Yes/No)




Supp. Fig. 1.2: Stacked barplot showing distribution of BMI WHO categories by physical activity status (binary: Yes/No), faceted by gender




Supp. Fig. 1.3: Stacked barplot showing distribution of BMI WHO categories by days of physical activity per week (0-7), allowing interactive selection of activity days



Supp. Fig. 1.4: Stacked barplot showing distribution of BMI WHO categories by days of physical activity per week (0-7), allowing interactive selection of activity days, and faceted by gender




Supp. Fig. 1.5: Jitter plot showing distribution of continuous BMI by physical activity status (binary: Yes/No)




Supp. Fig. 1.6: Boxplot showing distribution of continuous BMI by physical activity status (binary: Yes/No)




Supp. Fig. 1.7: Jitter plot showing distribution of continuous BMI by physical activity status (binary: Yes/No), faceted by gender




Supp. Fig. 1.8: Boxplot showing distribution of continuous BMI by physical activity status (binary: Yes/No), faceted by gender




Supp. Fig. 1.9: Jitter plot showing distribution of continuous BMI by days of physical activity per week (0-7), allowing interactive selection of activity days



Supp. Fig. 1.10: Boxplot showing distribution of continuous BMI by days of physical activity per week (0-7), allowing interactive selection of activity days




Supp. Fig. 1.11: Jitter plot showing distribution of continuous BMI by days of physical activity per week (0-7), allowing interactive selection of activity days, and faceted by gender




Supp. Fig. 1.12: Boxplot showing distribution of continuous BMI by days of physical activity per week (0-7), allowing interactive selection of activity days, and faceted by gender

Supp. Fig. 2: Clinical parameters (scatterplots)



Supp. Fig. 2.1: Scatterplot of Testosterone vs. Age, faceted by Gender



Supp. Fig. 2.2: Scatterplot of Systolic Blood Pressure vs. Age, faceted by Gender



Supp. Fig. 2.3: Scatterplot of Diastolic Blood Pressure vs. Age, faceted by Gender




Supp. Fig. 2.4: Scatterplot of Total Cholesterol vs. Age, faceted by Gender



Supp. Fig. 2.5: Scatterplot of Pulse vs. Age, faceted by Gender




Supp. Fig. 2.6: Scatterplot of Urine Volume vs. Age, faceted by Gender




Supp. Fig. 2.7: Scatterplot of Systolic Blood Pressure vs. Age for Adults 50-80. Faceted by Gender and Stratified by Race


Supp. Fig. 3: Household income (heatmaps)



Supp. Fig. 3.1: Age by Decade and Education Level on Household Income. Note the hovered data panel.




Supp. Fig. 3.2: Continuous Age and Education Level on Household Income. Here the hover panel indicates NULL because the mouse cursor is not on any particular cell.




Supp. Fig. 3.3: Age by Decade and Education Level on Household Income, faceted by Gender.




Supp. Fig. 3.4: Age by Decade and Education Level on Household Income, faceted by Race. Note the figure may be scrolled.




Supp. Fig. 3.5: Age by Decade and Education Level on Household Income, faceted by Gender and Race. Note the figure may be scrolled. White squares indicate missing data.



Supp. Fig. 3.6: Age by Year and Education Level on Household Income, Faceted by Gender. Note the figure may be scrolled. White squares indicate missing data.



Supp. Fig. 3.7: Age by Year and Education Level on Household Income, faceted by Race. Note the figure may be scrolled. White squares indicate missing data.



Supp. Fig. 3.8: Age by Year and Education Level on Household Income, faceted by Gender and Race. Note the figure may be scrolled. White squares indicate missing data.