OFFICIAL 1:1 SCALE • 3D SLANTED 10-DoF REPLICA

MICRODUCK

Hugging Face × Pollen Robotics Open-Source Bipedal Robot

Life-sized 25.0 cm (78p) LEGO System & Technic build with true 3D slanted poses (+24.0° shins, -26.0° thighs & shields, +19.7° neck stalk), 8/8 double-shear clevis joints (16 shear pins, 28 total #2780 Technic pins), #3701 dual-pin triangulated struts, hard-stop cradles & 0 OBB collisions.

945 PIECES
Total Authentic Elements

101 BRICKLINK LOTS
100% Catalog Verified

129 BUILD STEPS
7 Slanted Sub-Assemblies


3,422 STUD BONDS
+ 28 Technic #2780 Pins

8/8 DOUBLE-SHEAR
16 Shear Pins • 0 Collisions

15.32° TIPPING ANGLE
40.83 mm Min Edge Margin

PHYSICAL & 3D SLANTED KINEMATIC SPECIFICATION MATRIX

Dimensions:	249.6 mm H (78p) × 128.0 mm W (16s) × 95.5 mm D (12s)
Assembled Mass:	708.97 g (0.709 kg)
Center of Mass:	X = +0.15, Y = 149.06, Z = -0.83 mm
Support Hull:	112.0 × 88.0 mm (X in [-56,+56], Z in [-48,+40] mm)
3D Slant Poses:	SA2 Shins +24.0° • SA3 Thighs -26.0° • SA6 Neck +19.7°
Double-Shear:	8/8 Clevis Joints (16 Shear Pins / 28 Total #2780 Pins)




ORTHOGRAPHIC BLUEPRINTS, 8/8 DOUBLE-SHEAR JOINTS & CoG PHYSICS

REV 3.2 • SHINS +24° • THIGHS -26° • NECK +19.7° • 28 X-PINS

01 // FRONT ELEVATION (+Z VIEW)


H = 249.6 mm (78p) • 8 PIN AXES



W = 128.0 mm (16 studs)


02 // SIDE ELEVATION (+X SLANT VIEW)

<- SPINE (-Z) SLANTED KINEMATICS (+Z) ->




D = 95.5 mm (12 studs)

03 // TOP PLAN VIEW (+Y CROWN)



16 STUDS W × 12 STUDS D

04 // STATIC CoG & SUPPORT HULL



CoG (X,Z): (+0.15, -0.83) mm
CoG Height Y: 149.06 mm (46.6p)
Margins: F 40.8 | B 47.2 | L/R 55.9 mm
Static Tipping Angle: 15.32° (>=15° PASS)

ID	MODULAR SUB-ASSEMBLY NAME	PITCH	STEPS	PIECES	WORLD ELEVATION	PRIMARY MECHANICAL & COAXIAL PIN FUNCTION
SA-01	**Two-Tone Orange & Yellow Robotic Bootie Feet with ..**	0.0°	S001–S012	**128 pcs**	0.0– 25.6mm (L0..08p)	Two-tone Orange/Yellow bootie feet & double-shear ankle clevis
SA-02	**Slanted Lower Shin Servos & Angled Grey Knee Linka..**	+24.0°	S013–S025	**60 pcs**	13.2– 66.4mm (L0..16p)	Slanted (+24°) lower shin servos, 3701 dual-pin struts & knee clevis
SA-03	**Slanted Upper Thigh Servos & Diagonal White Outer ..**	-26.0°	S026–S039	**110 pcs**	51.0–111.0mm (L0..16p)	Slanted (-26°) upper thigh servos, 3701 dual-pin shields & hip clevis
SA-04	**Exposed Black Hip Servo Cluster & Cylindrical Grey..**	0.0°	S040–S053	**96 pcs**	76.0–111.2mm (L0..11p)	Exposed Black hip servo cluster, double-shear clevis & grey roll hubs
SA-05	**Compact Rounded White Torso Pod & Flush Rear Black..**	0.0°	S054–S067	**116 pcs**	111.2–146.4mm (L0..11p)	Compact rounded White torso pod, neck clevis & rear battery column
SA-06	**Slanted Slender 4x4 Black & Grey Multi-Servo Neck ..**	+19.7°	S068–S079	**37 pcs**	134.4–188.0mm (L0..16p)	Slanted (+19.7°) slender 4x4 Black/Grey multi-servo neck stalk
SA-07	**Wide Curved White Visor Hood, Orange Base Rim & Cy..**	0.0°	S080–S129	**398 pcs**	176.0–249.6mm (L0..23p)	Wide curved White visor hood, Orange base rim & Cyclops camera ring

STEP 001 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=00..01p (0.0–3.2 mm) | BUILDABLE • +60 BONDS


PARTS REQUIRED IN STEP 001 (9 PCS / CUMULATIVE 9/945)



×6 #3020 (Yellow)
Plate 2 x 4



×3 #3710 (Yellow)
Plate 1 x 4



GRID X[-7..+7] Z[-6..+2] L[0..1p] (+0°)

STEP 002 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=00..01p (0.0–3.2 mm) | BUILDABLE • +50 BONDS

PARTS REQUIRED IN STEP 002 (9 PCS / CUMULATIVE 18/945)



×2 #3020 (Yellow)
Plate 2 x 4




×1 #3710 (Yellow)
Plate 1 x 4



×4 #3021 (Yellow)
Plate 2 x 3



×2 #3623 (Yellow)
Plate 1 x 3



GRID X[-7..+7] Z[-2..+5] L[0..1p] (+0°)

STEP 003 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=01..02p (3.2–6.4 mm) | BUILDABLE • +56 BONDS


PARTS REQUIRED IN STEP 003 (11 PCS / CUMULATIVE 29/945)



×6 #3021 (Yellow)
Plate 2 x 3



×5 #3022 (Yellow)
Plate 2 x 2




GRID X[-7..+7] Z[-6..+0] L[1..2p] (+0°)

STEP 004 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=01..02p (3.2–6.4 mm) | BUILDABLE • +54 BONDS

PARTS REQUIRED IN STEP 004 (11 PCS / CUMULATIVE 40/945)

- ×1 #3022 (Yellow) Plate 2 x 2
- ×2 #3623 (Yellow) Plate 1 x 3
- ×2 #3023 (Yellow) Plate 1 x 2
- ×4 #3020 (Yellow) Plate 2 x 4
- ×2 #3710 (Yellow) Plate 1 x 4




GRID X[-7..+7] Z[-2..+5] L[1..2p] (+0°)

STEP 005 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=02..03p (6.4–9.6 mm) | BUILDABLE • +50 BONDS

PARTS REQUIRED IN STEP 005 (11 PCS / CUMULATIVE 51/945)

- ×4 #3021 (Orange) Plate 2 x 3
- ×4 #3710 (Orange) Plate 1 x 4
- ×2 #3068b (Orange) Tile 2 x 2 with Groove
- ×1 #3069b (Orange) Tile 1 x 2 with Groove




GRID X[-7..+7] Z[-6..+1] L[2..3p] (+0°)

STEP 006 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=02..03p (6.4–9.6 mm) | BUILDABLE • +28 BONDS

PARTS REQUIRED IN STEP 006 (11 PCS / CUMULATIVE 62/945)

- ×1 #3069b (Orange) Tile 1 x 2 with Groove
- ×3 #3710 (Orange) Plate 1 x 4
- ×6 #3070b (Orange) Tile 1 x 1 with Groove
- ×1 #3020 (Orange) Plate 2 x 4



GRID X[-6..+7] Z[-3..+4] L[2..3p] (+0°)

STEP 007 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=02..03p (6.4–9.6 mm) | BUILDABLE • +32 BONDS

PARTS REQUIRED IN STEP 007 (12 PCS / CUMULATIVE 74/945)



×1 #3020 (Orange)
Plate 2 x 4




×3 #3710 (Orange)
Plate 1 x 4



×2 #3623 (Orange)
Plate 1 x 3



×6 #3024 (Orange)
Plate 1 x 1



GRID X[-7..+7] Z[+0..+5] L[2..3p] (+0°)

STEP 008 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=03..05p (9.6–16.0 mm) | BUILDABLE • +31 BONDS

PARTS REQUIRED IN STEP 008 (11 PCS / CUMULATIVE 85/945)



×2 #87079 (Orange)
Tile 2 x 4 with Groove




×5 #3070b (Orange)
Tile 1 x 1 with Groove



×2 #3710 (Orange)
Plate 1 x 4



×2 #54200 (Orange)
Slope 30 1 x 1 x 2/3



GRID X[-7..+7] Z[-6..+0] L[3..5p] (+0°)

STEP 009 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=03..05p (9.6–16.0 mm) | BUILDABLE • +21 BONDS

PARTS REQUIRED IN STEP 009 (11 PCS / CUMULATIVE 96/945)



×2 #3710 (Orange)
Plate 1 x 4




×2 #54200 (Orange)
Slope 30 1 x 1 x 2/3



×5 #3070b (Orange)
Tile 1 x 1 with Groove



×2 #3623 (Orange)
Plate 1 x 3



GRID X[-7..+7] Z[-4..+1] L[3..5p] (+0°)

STEP 010 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=03..05p (9.6–16.0 mm) | BUILDABLE • +40 BONDS

PARTS REQUIRED IN STEP 010 (12 PCS / CUMULATIVE 108/945)



×2 #87079 (Orange)
Tile 2 x 4 with Groove




×4 #3070b (Orange)
Tile 1 x 1 with Groove



×4 #15068 (Orange)
Slope, Curved 2 x 2 x..



×2 #11477 (Orange)
Slope, Curved 2 x 1 x..



GRID X[-7..+7] Z[+1..+5] L[3..5p] (+0°)

STEP 011 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=04..05p (12.8–16.0 mm) | BUILDABLE • +22 BONDS

PARTS REQUIRED IN STEP 011 (8 PCS / CUMULATIVE 116/945)




×4 #3710 (Orange)
Plate 1 x 4



×2 #3069b (Orange)
Tile 1 x 2 with Groove



×2 #3070b (Orange)
Tile 1 x 1 with Groove



GRID X[-7..+7] Z[-4..+1] L[4..5p] (+0°)

STEP 012 SA-01 Two-Tone Orange & Yellow Robotic Bootie Fee..

L=05..08p (16.0–25.6 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 012 (12 PCS / CUMULATIVE 128/945)



×8 #54200 (Orange)
Slope 30 1 x 1 x 2/3



×4 #3700 (Orange)
Technic, Brick 1 x 2 with Hole



GRID X[-7..+7] Z[-4..+0] L[5..8p] (+0°)

STEP 013 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=00..03p (13.2–28.4 mm) | BUILDABLE • +12 BONDS


PARTS REQUIRED IN STEP 013 (6 PCS / CUMULATIVE 134/945)



×4 #3700 (Dark Bluish Gray)
Technic, Brick 1 x 2 with Hole



×2 #3004 (Black)
Brick 1 x 2




STEP 014 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=01..02p (17.7–23.9 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 014 (4 PCS / CUMULATIVE 138/945)



×4 #2780 (Black)
Technic, Pin with Short Friction Ridges



STEP 015 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=03..04p (18.7–34.6 mm) | BUILDABLE • +12 BONDS


PARTS REQUIRED IN STEP 015 (4 PCS / CUMULATIVE 142/945)



×2 #3710 (Black)
Plate 1 x 4



×2 #3020 (Black)
Plate 2 x 4




STEP 016 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=04..05p (21.6–37.5 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 016 (4 PCS / CUMULATIVE 146/945)



×4 #3021 (Black)
Plate 2 x 3



GRID X[-6..+6] Z[-4..+0] L[4..5p] (+24°)


STEP 017 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=05..08p (24.5–46.3 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 017 (6 PCS / CUMULATIVE 152/945)



×6 #3701 (Black)
Technic, Brick 1 x 4 with Holes



GRID X[-6..+6] Z[-4..+0] L[5..8p] (+24°)


STEP 018 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=06..07p (32.3–38.5 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 018 (2 PCS / CUMULATIVE 154/945)



×2 #2780 (Black)
Technic, Pin with Short Friction Ridges



X-PIN // X[-6..+5] Z[-3..-2] PITCH +24°

STEP 019 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=08..09p (33.3–49.2 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 019 (8 PCS / CUMULATIVE 162/945)



×2 #3021 (Dk Blu Gray)
Plate 2 x 3




×2 #3623 (Dk Blu Gray)
Plate 1 x 3



×2 #2412b (Dk Blu Gray)
Tile, Modified 1 x 2 ..



×2 #3070b (Dk Blu Gray)
Tile 1 x 1 with Groove



GRID X[-6..+6] Z[-4..+0] L[8..9p] (+24°)

STEP 020 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=09..10p (39.5–52.2 mm) | BUILDABLE • +18 BONDS

PARTS REQUIRED IN STEP 020 (6 PCS / CUMULATIVE 168/945)




×2 #3070b (Lt Blu Gray)
Tile 1 x 1 with Groove



×2 #3021 (Lt Blu Gray)
Plate 2 x 3



×2 #2412b (Lt Blu Gray)
Tile, Modified 1 x 2 ..



GRID X[-6..+6] Z[-4..-1] L[9..10p] (+24°)

STEP 021 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=10..11p (42.4–55.1 mm) | BUILDABLE • +12 BONDS


PARTS REQUIRED IN STEP 021 (4 PCS / CUMULATIVE 172/945)



×2 #3022 (Dark Bluish Gray)
Plate 2 x 2



×2 #3023 (Dark Bluish Gray)
Plate 1 x 2



GRID X[-5..+5] Z[-4..-1] L[10..11p] (+24°)


STEP 022 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=11..12p (45.3–58.0 mm) | BUILDABLE • +12 BONDS

PARTS REQUIRED IN STEP 022 (2 PCS / CUMULATIVE 174/945)



×2 #3021 (Light Bluish Gray)
Plate 2 x 3



STEP 023 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=12..14p (48.2–63.8 mm) | BUILDABLE • +12 BONDS


PARTS REQUIRED IN STEP 023 (6 PCS / CUMULATIVE 180/945)



×4 #54200 (Dark Bluish Gray)
Slope 30 1 x 1 x 2/3



×2 #3022 (Dark Bluish Gray)
Plate 2 x 2




STEP 024 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=13..16p (51.2–66.4 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 024 (4 PCS / CUMULATIVE 184/945)



×4 #3700 (Dark Bluish Gray)
Technic, Brick 1 x 2 with Hole




STEP 025 SA-02 Slanted Lower Shin Servos & Angled Grey Kne..

PITCH +24° • L=14..15p (55.7–61.9 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 025 (4 PCS / CUMULATIVE 188/945)



×4 #2780 (Black)
Technic, Pin with Short Friction Ridges



STEP 026 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=00..03p (51.0–70.1 mm) | BUILDABLE • +22 BONDS

PARTS REQUIRED IN STEP 026 (10 PCS / CUMULATIVE 198/945)




×4 #3700 (White)
Technic, Brick 1 x 2 ..



×4 #3700 (Dk Blu Gray)
Technic, Brick 1 x 2 ..



×2 #3622 (White)
Brick 1 x 3




STEP 027 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=01..02p (55.6–62.0 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 027 (2 PCS / CUMULATIVE 200/945)



×2 #2780 (Black)
Technic, Pin with Short Friction Ridges



STEP 028 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=03..04p (56.1–76.5 mm) | BUILDABLE • +22 BONDS

PARTS REQUIRED IN STEP 028 (10 PCS / CUMULATIVE 210/945)



×2 #3022 (White)
Plate 2 x 2


×2 #3023 (White)
Plate 1 x 2


×2 #3021 (White)
Plate 2 x 3


×2 #3023 (Dk Blu Gray)
Plate 1 x 2


×2 #3623 (White)
Plate 1 x 3



STEP 029 SA-03 Slanted Upper Thigh Servos & Diagonal White..


PITCH -26° • L=04..05p (59.0–79.4 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 029 (8 PCS / CUMULATIVE 218/945)


×4 #3021 (Dk Blu Gray)
Plate 2 x 3


×2 #3023 (Dk Blu Gray)
Plate 1 x 2


×2 #3623 (Dk Blu Gray)
Plate 1 x 3



STEP 030 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=05..08p (61.9–88.0 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 030 (14 PCS / CUMULATIVE 232/945)


×4 #3701 (White)
Technic, Brick 1 x 4 ..



×2 #3005 (Black)
Brick 1 x 1


×2 #3710 (Dk Blu Gray)
Plate 1 x 4


×2 #2431 (Dk Blu Gray)
Tile 1 x 4 with Groove


×2 #3004 (Black)
Brick 1 x 2


×2 #3004 (White)
Brick 1 x 2



STEP 031 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=06..09p (68.2–83.9 mm) | BUILDABLE • +12 BONDS

PARTS REQUIRED IN STEP 031 (8 PCS / CUMULATIVE 240/945)



×2 #2780 (Black)
Technic, Pin with Sho..




×2 #3024 (Black)
Plate 1 x 1



×2 #3069b (Dk Blu Gray)
Tile 1 x 2 with Groove



×2 #3004 (Dk Blu Gray)
Brick 1 x 2




STEP 032 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=07..08p (71.1–77.5 mm) | BUILDABLE • +2 BONDS

PARTS REQUIRED IN STEP 032 (2 PCS / CUMULATIVE 242/945)



×2 #3024 (Black)
Plate 1 x 1



STEP 033 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=08..09p (70.5–90.9 mm) | BUILDABLE • +28 BONDS


PARTS REQUIRED IN STEP 033 (6 PCS / CUMULATIVE 248/945)



×4 #3021 (Dark Bluish Gray)
Plate 2 x 3



×2 #3623 (Dark Bluish Gray)
Plate 1 x 3



STEP 034 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=09..10p (73.4–93.8 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 034 (10 PCS / CUMULATIVE 258/945)



×2 #3021 (Dk Blu Gray)
Plate 2 x 3




×2 #3623 (Dk Blu Gray)
Plate 1 x 3



×4 #3023 (Dk Blu Gray)
Plate 1 x 2



×2 #3022 (Dk Blu Gray)
Plate 2 x 2



STEP 035 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=10..11p (76.2–96.6 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 035 (10 PCS / CUMULATIVE 268/945)



×2 #3021 (White)
Plate 2 x 3



×2 #3623 (Black)
Plate 1 x 3




×2 #3023 (Dk Blu Gray)
Plate 1 x 2



×2 #3022 (White)
Plate 2 x 2



×2 #3023 (Black)
Plate 1 x 2



STEP 036 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=11..14p (79.1–98.3 mm) | BUILDABLE • +14 BONDS

PARTS REQUIRED IN STEP 036 (8 PCS / CUMULATIVE 276/945)



×2 #3004 (White)
Brick 1 x 2




×2 #3005 (Black)
Brick 1 x 1



×2 #3700 (White)
Technic, Brick 1 x 2 ..



×2 #3700 (Dk Blu Gray)
Technic, Brick 1 x 2 ..



STEP 037 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=11..14p (82.6–105.3 mm) | BUILDABLE • +20 BONDS

PARTS REQUIRED IN STEP 037 (8 PCS / CUMULATIVE 284/945)



×2 #3700 (Dk Blu Gray)
Technic, Brick 1 x 2 ..




×2 #3700 (White)
Technic, Brick 1 x 2 ..



×2 #3003 (White)
Brick 2 x 2



×2 #3004 (Black)
Brick 1 x 2




STEP 038 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=12..13p (87.2–93.6 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 038 (2 PCS / CUMULATIVE 286/945)



×2 #2780 (Black)
Technic, Pin with Short Friction Ridges



STEP 039 SA-03 Slanted Upper Thigh Servos & Diagonal White..

PITCH -26° • L=14..16p (87.7–111.0 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 039 (12 PCS / CUMULATIVE 298/945)



×4 #15068 (White)
Slope, Curved 2 x 2 x..



×2 #2431 (Dk Blu Gray)
Tile 1 x 4 with Groove




×2 #3069b (Dk Blu Gray)
Tile 1 x 2 with Groove



×2 #3069b (White)
Tile 1 x 2 with Groove



×2 #3070b (Dk Blu Gray)
Tile 1 x 1 with Groove



STEP 040 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=00..01p (76.0–79.2 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 040 (6 PCS / CUMULATIVE 304/945)



×3 #3020 (Black)
Plate 2 x 4




×1 #3022 (Black)
Plate 2 x 2



×1 #3710 (Black)
Plate 1 x 4



×1 #3023 (Black)
Plate 1 x 2



GRID X[-3..+3] Z[-4..+3] L[0..1p] (+0°)

STEP 041 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=01..02p (79.2–82.4 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 041 (6 PCS / CUMULATIVE 310/945)



×2 #3021 (Black)
Plate 2 x 3



×4 #3024 (Black)
Plate 1 x 1



GRID X[-2..+2] Z[-4..+0] L[1..2p] (+0°)

STEP 042 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=01..02p (79.2–82.4 mm) | BUILDABLE • +18 BONDS

PARTS REQUIRED IN STEP 042 (6 PCS / CUMULATIVE 316/945)




×2 #3020 (Black)
Plate 2 x 4



×2 #3023 (Black)
Plate 1 x 2



×2 #3623 (Black)
Plate 1 x 3



GRID X[-5..+5] Z[+0..+3] L[1..2p] (+0°)

STEP 043 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=02..03p (82.4–85.6 mm) | BUILDABLE • +22 BONDS


PARTS REQUIRED IN STEP 043 (6 PCS / CUMULATIVE 322/945)



×4 #3020 (Dark Bluish Gray)
Plate 2 x 4



×2 #3024 (Dark Bluish Gray)
Plate 1 x 1



GRID X[-5..+5] Z[-4..+1] L[2..3p] (+0°)

STEP 044 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=02..03p (82.4–85.6 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 044 (7 PCS / CUMULATIVE 329/945)



×4 #3024 (Dark Bluish Gray)
Plate 1 x 1



×3 #3022 (Dark Bluish Gray)
Plate 2 x 2



GRID X[-3..+3] Z[+0..+3] L[2..3p] (+0°)

STEP 045 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=03..06p (85.6–95.2 mm) | BUILDABLE • +18 BONDS

PARTS REQUIRED IN STEP 045 (8 PCS / CUMULATIVE 337/945)




×1 #3010 (Black)
Brick 1 x 4



×5 #3700 (Dk Blu Gray)
Technic, Brick 1 x 2 ..



×2 #3004 (Black)
Brick 1 x 2



GRID X[-5..+4] Z[-4..-1] L[3..6p] (+0°)

STEP 046 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=03..06p (85.6–95.2 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 046 (9 PCS / CUMULATIVE 346/945)



×1 #3700 (Dk Blu Gray)
Technic, Brick 1 x 2 ..



×2 #3068b (Dk Blu Gray)
Tile 2 x 2 with Groove



×2 #3010 (Black)
Brick 1 x 4




×1 #3004 (Black)
Brick 1 x 2



×2 #3003 (Lt Blu Gray)
Brick 2 x 2



×1 #3004 (Dk Blu Gray)
Brick 1 x 2



GRID X[-5..+5] Z[-3..+3] L[3..6p] (+0°)


STEP 047 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=04..05p (88.8–92.0 mm) | BUILDABLE • +10 BONDS

PARTS REQUIRED IN STEP 047 (5 PCS / CUMULATIVE 351/945)



×5 #2780 (Black)
Technic, Pin with Short Friction Ridges



X-PIN // X[-5..+5] Z[-3..-2] PITCH +0°

STEP 048 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=06..07p (95.2–98.4 mm) | BUILDABLE • +26 BONDS

PARTS REQUIRED IN STEP 048 (6 PCS / CUMULATIVE 357/945)




×2 #3020 (Black)
Plate 2 x 4



×2 #3068b (Dk Blu Gray)
Tile 2 x 2 with Groove



×2 #3024 (Black)
Plate 1 x 1




GRID X[-5..+5] Z[-4..+1] L[6..7p] (+0°)

STEP 049 — SA-04 — Exposed Black Hip Servo Cluster & Cylindric..

L=06..09p (95.2–104.8 mm) | BUILDABLE • +14 BONDS

PARTS REQUIRED IN STEP 049 (7 PCS / CUMULATIVE 364/945)

- ×4 #3024 (Black) — Plate 1 x 1
- ×2 #4032 (Lt Blu Gray) — Plate, Round 2 x 2 wi..
- ×1 #3004 (Dk Blu Gray) — Brick 1 x 2




STEP 050 — SA-04 — Exposed Black Hip Servo Cluster & Cylindric..

L=07..08p (98.4–101.6 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 050 (10 PCS / CUMULATIVE 374/945)

- ×2 #3021 (Black) — Plate 2 x 3
- ×4 #3024 (Black) — Plate 1 x 1
- ×2 #3623 (Black) — Plate 1 x 3
- ×2 #4032 (Dk Blu Gray) — Plate, Round 2 x 2 wi..




STEP 051 — SA-04 — Exposed Black Hip Servo Cluster & Cylindric..

L=08..09p (101.6–104.8 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 051 (6 PCS / CUMULATIVE 380/945)

- ×1 #3023 (Black) — Plate 1 x 2
- ×1 #3710 (Black) — Plate 1 x 4
- ×2 #3795 (Black) — Plate 2 x 6
- ×2 #3068b (Lt Blu Gray) — Tile 2 x 2 with Groove



STEP 052 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=09..11p (104.8–111.2 mm) | BUILDABLE • +32 BONDS

PARTS REQUIRED IN STEP 052 (8 PCS / CUMULATIVE 388/945)




×3 #3021 (Dk Blu Gray)
Plate 2 x 3



×3 #3022 (Dk Blu Gray)
Plate 2 x 2



×2 #54200 (Lt Blu Gray)
Slope 30 1 x 1 x 2/3



STEP 053 SA-04 Exposed Black Hip Servo Cluster & Cylindric..

L=10..11p (108.0–111.2 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 053 (6 PCS / CUMULATIVE 394/945)



×2 #3020 (Dk Blu Gray)
Plate 2 x 4




×2 #3022 (Dk Blu Gray)
Plate 2 x 2



×1 #3710 (Dk Blu Gray)
Plate 1 x 4



×1 #3023 (Dk Blu Gray)
Plate 1 x 2



STEP 054 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=00..01p (111.2–114.4 mm) | BUILDABLE • +42 BONDS

PARTS REQUIRED IN STEP 054 (11 PCS / CUMULATIVE 405/945)



×1 #3020 (Black)
Plate 2 x 4




×1 #3022 (Black)
Plate 2 x 2



×3 #3020 (White)
Plate 2 x 4



×6 #3024 (White)
Plate 1 x 1




STEP 055 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=01..02p (114.4–117.6 mm) | BUILDABLE • +26 BONDS

PARTS REQUIRED IN STEP 055 (7 PCS / CUMULATIVE 412/945)

- ×2 #3022 (Black) Plate 2 x 2
- ×1 #3623 (Black) Plate 1 x 3
- ×1 #3024 (Black) Plate 1 x 1
- ×2 #3020 (Black) Plate 2 x 4
- ×1 #3021 (White) Plate 2 x 3




STEP 056 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=01..02p (114.4–117.6 mm) | BUILDABLE • +16 BONDS

PARTS REQUIRED IN STEP 056 (7 PCS / CUMULATIVE 419/945)

- ×3 #3021 (White) Plate 2 x 3
- ×3 #3710 (White) Plate 1 x 4
- ×1 #3023 (White) Plate 1 x 2




STEP 057 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=02..05p (117.6–127.2 mm) | BUILDABLE • +66 BONDS

PARTS REQUIRED IN STEP 057 (11 PCS / CUMULATIVE 430/945)

- ×2 #3001 (Black) Brick 2 x 4
- ×4 #3001 (White) Brick 2 x 4
- ×2 #3003 (White) Brick 2 x 2
- ×2 #3010 (White) Brick 1 x 4
- ×1 #3004 (White) Brick 1 x 2




STEP 058 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=05..06p (127.2–130.4 mm) | BUILDABLE • +46 BONDS

PARTS REQUIRED IN STEP 058 (9 PCS / CUMULATIVE 439/945)

- ×2 #3021 (Black) — Plate 2 x 3
- ×1 #3022 (Black) — Plate 2 x 2
- ×2 #3021 (White) — Plate 2 x 3
- ×2 #3623 (White) — Plate 1 x 3
- ×1 #3710 (Dk Blu Gray) — Plate 1 x 4
- ×1 #87079 (Dk Blu Gray) — Tile 2 x 4 with Groove




STEP 059 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=05..07p (127.2–133.6 mm) | BUILDABLE • +20 BONDS

PARTS REQUIRED IN STEP 059 (9 PCS / CUMULATIVE 448/945)

- ×2 #3022 (White) — Plate 2 x 2
- ×2 #3023 (White) — Plate 1 x 2
- ×1 #3710 (Dk Blu Gray) — Plate 1 x 4
- ×2 #54200 (White) — Slope 30 1 x 1 x 2/3
- ×2 #3070b (Trans-Lt Blue) — Tile 1 x 1 with Groove




STEP 060 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=06..07p (130.4–133.6 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 060 (6 PCS / CUMULATIVE 454/945)

- ×4 #3022 (Black) — Plate 2 x 2
- ×1 #3021 (White) — Plate 2 x 3
- ×1 #3069b (Dk Blu Gray) — Tile 1 x 2 with Groove



STEP 061 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=06..07p (130.4–133.6 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 061 (7 PCS / CUMULATIVE 461/945)



×1 #3069b (Dk Blu Gray)
Tile 1 x 2 with Groove




×3 #3021 (White)
Plate 2 x 3



×1 #3710 (Dk Blu Gray)
Plate 1 x 4



×2 #3623 (White)
Plate 1 x 3



STEP 062 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=07..08p (133.6–136.8 mm) | BUILDABLE • +31 BONDS

PARTS REQUIRED IN STEP 062 (6 PCS / CUMULATIVE 467/945)



×2 #3021 (Black)
Plate 2 x 3




×1 #3022 (Black)
Plate 2 x 2



×2 #3021 (White)
Plate 2 x 3



×1 #3623 (White)
Plate 1 x 3



STEP 063 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=07..08p (133.6–136.8 mm) | BUILDABLE • +19 BONDS

PARTS REQUIRED IN STEP 063 (6 PCS / CUMULATIVE 473/945)



×1 #3623 (White)
Plate 1 x 3




×2 #3022 (White)
Plate 2 x 2



×2 #3023 (White)
Plate 1 x 2



×1 #3710 (Dk Blu Gray)
Plate 1 x 4




STEP 064 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=08..11p (136.8–146.4 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 064 (10 PCS / CUMULATIVE 483/945)

- ×4 #3022 (Black) Plate 2 x 2
- ×2 #3622 (White) Brick 1 x 3
- ×1 #3004 (White) Brick 1 x 2
- ×3 #3700 (White) Technic, Brick 1 x 2 ..




STEP 065 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=08..11p (136.8–146.4 mm) | BUILDABLE • +20 BONDS

PARTS REQUIRED IN STEP 065 (10 PCS / CUMULATIVE 493/945)

- ×1 #3700 (White) Technic, Brick 1 x 2 ..
- ×1 #3004 (White) Brick 1 x 2
- ×2 #3623 (White) Plate 1 x 3
- ×2 #3069b (Dk Blu Gray) Tile 1 x 2 with Groove
- ×2 #3069b (White) Tile 1 x 2 with Groove
- ×2 #3070b (White) Tile 1 x 1 with Groove




STEP 066 SA-05 Compact Rounded White Torso Pod & Flush Rea..

L=09..11p (140.0–146.4 mm) | BUILDABLE • +26 BONDS

PARTS REQUIRED IN STEP 066 (9 PCS / CUMULATIVE 502/945)

- ×2 #3021 (Black) Plate 2 x 3
- ×1 #3022 (Black) Plate 2 x 2
- ×2 #2780 (Black) Technic, Pin with Sho..
- ×2 #15068 (White) Slope, Curved 2 x 2 x..
- ×2 #11477 (White) Slope, Curved 2 x 1 x..



STEP 067 — SA-05 — Compact Rounded White Torso Pod & Flush Rea..

L=10..11p (143.2–146.4 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 067 (8 PCS / CUMULATIVE 510/945)



×4 **#2412b (Dark Bluish Gray)**
Tile, Modified 1 x 2 Grille with Bottom ..



×4 **#2412b (Black)**
Tile, Modified 1 x 2 Grille with Bottom ..




STEP 068 — SA-06 — Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=00..03p (134.4–148.9 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 068 (4 PCS / CUMULATIVE 514/945)



×4 **#3700 (Light Bluish Gray)**
Technic, Brick 1 x 2 with Hole




STEP 069 — SA-06 — Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=01..02p (138.8–144.5 mm) | BUILDABLE • +2 BONDS

PARTS REQUIRED IN STEP 069 (1 PCS / CUMULATIVE 515/945)



×1 **#2780 (Black)**
Technic, Pin with Short Friction Ridges




STEP 070 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=03..04p (143.5–151.9 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 070 (1 PCS / CUMULATIVE 516/945)



×1 #3020 (Dark Bluish Gray)
Plate 2 x 4




GRID X[-2..+2] Z[-1..+1] L[3..4p] (+20°)


STEP 071 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=04..05p (143.8–157.6 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 071 (1 PCS / CUMULATIVE 517/945)



×1 #3031 (Dark Bluish Gray)
Plate 4 x 4



GRID X[-2..+2] Z[-2..+2] L[4..5p] (+20°)


STEP 072 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=05..06p (146.8–160.6 mm) | BUILDABLE • +16 BONDS

PARTS REQUIRED IN STEP 072 (2 PCS / CUMULATIVE 519/945)



×2 #3020 (Black)
Plate 2 x 4



GRID X[-2..+2] Z[-2..+2] L[5..6p] (+20°)

STEP 073 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=06..07p (149.8–163.6 mm) | BUILDABLE • +13 BONDS


PARTS REQUIRED IN STEP 073 (3 PCS / CUMULATIVE 522/945)



×2 #3021 (Black)
Plate 2 x 3



×1 #3024 (Black)
Plate 1 x 1



GRID X[-2..+2] Z[-2..+2] L[6..7p] (+20°)


STEP 074 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=06..07p (149.8–155.5 mm) | BUILDABLE • +3 BONDS

PARTS REQUIRED IN STEP 074 (3 PCS / CUMULATIVE 525/945)



×3 #3024 (Black)
Plate 1 x 1



GRID X[-1..+2] Z[+1..+2] L[6..7p] (+20°)

STEP 075 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=07..08p (152.8–166.6 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 075 (6 PCS / CUMULATIVE 531/945)



×2 #3021 (Light Bluish Gray)
Plate 2 x 3



×4 #3024 (Light Bluish Gray)
Plate 1 x 1



GRID X[-2..+2] Z[-2..+2] L[7..8p] (+20°)


STEP 076 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=08..09p (155.8–169.6 mm) | BUILDABLE • +16 BONDS

PARTS REQUIRED IN STEP 076 (2 PCS / CUMULATIVE 533/945)



×2 #3020 (Dark Bluish Gray)
Plate 2 x 4



STEP 077 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=09..12p (158.8–178.7 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 077 (6 PCS / CUMULATIVE 539/945)



×2 #3002 (Black)
Brick 2 x 3



×4 #3005 (Black)
Brick 1 x 1



STEP 078 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=12..13p (167.9–181.7 mm) | BUILDABLE • +16 BONDS


PARTS REQUIRED IN STEP 078 (5 PCS / CUMULATIVE 544/945)



×4 #3069b (Dark Bluish Gray)
Tile 1 x 2 with Groove



×1 #3020 (Dark Bluish Gray)
Plate 2 x 4



STEP 079 SA-06 Slanted Slender 4x4 Black & Grey Multi-Serv..

PITCH +20° • L=13..16p (173.6–188.0 mm) | BUILDABLE • +8 BONDS


PARTS REQUIRED IN STEP 079 (3 PCS / CUMULATIVE 547/945)



×2 #3700 (Dark Bluish Gray)
Technic, Brick 1 x 2 with Hole



×1 #3068b (Dark Bluish Gray)
Tile 2 x 2 with Groove




STEP 080 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=00..03p (176.0–185.6 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 080 (2 PCS / CUMULATIVE 549/945)



×2 #3700 (Dark Bluish Gray)
Technic, Brick 1 x 2 with Hole




STEP 081 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=00..03p (176.0–185.6 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 081 (2 PCS / CUMULATIVE 551/945)



×2 #3700 (Dark Bluish Gray)
Technic, Brick 1 x 2 with Hole




STEP 082 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=01..02p (179.2–182.4 mm) | BUILDABLE • +4 BONDS

PARTS REQUIRED IN STEP 082 (2 PCS / CUMULATIVE 553/945)



×2 #2780 (Black)
Technic, Pin with Short Friction Ridges




STEP 083 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=03..04p (185.6–188.8 mm) | BUILDABLE • +8 BONDS

PARTS REQUIRED IN STEP 083 (6 PCS / CUMULATIVE 559/945)




×2 #3069b (Dk Blu Gray)
Tile 1 x 2 with Groove



×2 #3031 (Orange)
Plate 4 x 4



×2 #3070b (Dk Blu Gray)
Tile 1 x 1 with Groove



STEP 084 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=04..05p (188.8–192.0 mm) | BUILDABLE • +32 BONDS

PARTS REQUIRED IN STEP 084 (8 PCS / CUMULATIVE 567/945)



×2 #3035 (Orange)
Plate 4 x 8




×2 #3460 (Orange)
Plate 1 x 8



×2 #3020 (Orange)
Plate 2 x 4



×2 #3023 (Orange)
Plate 1 x 2



STEP 085 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=05..06p (192.0–195.2 mm) | BUILDABLE • +100 BONDS


PARTS REQUIRED IN STEP 085 (6 PCS / CUMULATIVE 573/945)



×4 #3035 (Orange)
Plate 4 x 8



×2 #3034 (Orange)
Plate 2 x 8



STEP 086 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=06..07p (195.2–198.4 mm) | BUILDABLE • +23 BONDS

PARTS REQUIRED IN STEP 086 (8 PCS / CUMULATIVE 581/945)



×1 #3710 (Orange)
Plate 1 x 4




×1 #3795 (Orange)
Plate 2 x 6



×2 #3023 (Orange)
Plate 1 x 2



×4 #3022 (Orange)
Plate 2 x 2



STEP 087 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=06..07p (195.2–198.4 mm) | BUILDABLE • +57 BONDS

PARTS REQUIRED IN STEP 087 (9 PCS / CUMULATIVE 590/945)



×2 #3710 (Orange)
Plate 1 x 4




×1 #3795 (Orange)
Plate 2 x 6



×4 #87079 (Orange)
Tile 2 x 4 with Groove



×2 #3068b (Orange)
Tile 2 x 2 with Groove




STEP 088 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=06..07p (195.2–198.4 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 088 (8 PCS / CUMULATIVE 598/945)

- ×1 #3710 (Orange) Plate 1 x 4
- ×2 #3021 (Orange) Plate 2 x 3
- ×2 #2431 (Orange) Tile 1 x 4 with Groove
- ×1 #3069b (Orange) Tile 1 x 2 with Groove
- ×2 #3022 (Orange) Plate 2 x 2




STEP 089 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=06..07p (195.2–198.4 mm) | BUILDABLE • +46 BONDS

PARTS REQUIRED IN STEP 089 (9 PCS / CUMULATIVE 607/945)

- ×3 #3022 (Orange) Plate 2 x 2
- ×2 #3024 (Orange) Plate 1 x 1
- ×4 #87079 (Orange) Tile 2 x 4 with Groove




STEP 090 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=07..08p (198.4–201.6 mm) | BUILDABLE • +38 BONDS

PARTS REQUIRED IN STEP 090 (9 PCS / CUMULATIVE 616/945)

- ×5 #3021 (Orange) Plate 2 x 3
- ×2 #3623 (Orange) Plate 1 x 3
- ×2 #3024 (Orange) Plate 1 x 1




STEP 091 — SA-07 — Wide Curved White Visor Hood, Orange Base R..

L=07..10p (198.4–208.0 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 091 (9 PCS / CUMULATIVE 625/945)

- ×2 #3022 (Orange) — Plate 2 x 2
- ×2 #3623 (Orange) — Plate 1 x 3
- ×1 #3023 (Orange) — Plate 1 x 2
- ×4 #3700 (Orange) — Technic, Brick 1 x 2 ..




STEP 092 — SA-07 — Wide Curved White Visor Hood, Orange Base R..

L=07..08p (198.4–201.6 mm) | BUILDABLE • +32 BONDS

PARTS REQUIRED IN STEP 092 (9 PCS / CUMULATIVE 634/945)

- ×1 #3623 (Orange) — Plate 1 x 3
- ×2 #3022 (Orange) — Plate 2 x 2
- ×3 #3021 (Orange) — Plate 2 x 3
- ×3 #3024 (Orange) — Plate 1 x 1




STEP 093 — SA-07 — Wide Curved White Visor Hood, Orange Base R..

L=08..09p (201.6–204.8 mm) | BUILDABLE • +52 BONDS

PARTS REQUIRED IN STEP 093 (10 PCS / CUMULATIVE 644/945)

- ×4 #3021 (White) — Plate 2 x 3
- ×2 #3020 (White) — Plate 2 x 4
- ×1 #3022 (White) — Plate 2 x 2
- ×2 #3623 (White) — Plate 1 x 3
- ×1 #2780 (Black) — Technic, Pin with Sho..




STEP 094 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=08..09p (201.6–204.8 mm) | BUILDABLE • +38 BONDS

PARTS REQUIRED IN STEP 094 (10 PCS / CUMULATIVE 654/945)

- ×4 #3024 (White) — Plate 1 x 1
- ×1 #2780 (Black) — Technic, Pin with Sho..
- ×2 #3021 (White) — Plate 2 x 3
- ×2 #3020 (Lt Blu Gray) — Plate 2 x 4
- ×1 #3022 (Lt Blu Gray) — Plate 2 x 2




X-PIN // X[-8..+8] Z[-1..+3] PITCH +0°

STEP 095 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=09..10p (204.8–208.0 mm) | BUILDABLE • +37 BONDS

PARTS REQUIRED IN STEP 095 (8 PCS / CUMULATIVE 662/945)

- ×2 #3021 (Orange) — Plate 2 x 3
- ×2 #3623 (Orange) — Plate 1 x 3
- ×3 #3021 (White) — Plate 2 x 3
- ×1 #3024 (White) — Plate 1 x 1




GRID X[-8..+8] Z[-6..-3] L[9..10p] (+0°)

STEP 096 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=09..10p (204.8–208.0 mm) | BUILDABLE • +21 BONDS

PARTS REQUIRED IN STEP 096 (8 PCS / CUMULATIVE 670/945)

- ×1 #3024 (White) — Plate 1 x 1
- ×3 #3022 (Orange) — Plate 2 x 2
- ×1 #3623 (Orange) — Plate 1 x 3
- ×2 #3023 (Orange) — Plate 1 x 2
- ×1 #3024 (Orange) — Plate 1 x 1




GRID X[-8..+8] Z[-5..+3] L[9..10p] (+0°)

STEP 097 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=09..10p (204.8–208.0 mm) | BUILDABLE • +28 BONDS

PARTS REQUIRED IN STEP 097 (9 PCS / CUMULATIVE 679/945)

- ×2 #3021 (Lt Blu Gray) Plate 2 x 3
- ×2 #3623 (Lt Blu Gray) Plate 1 x 3
- ×1 #3022 (Orange) Plate 2 x 2
- ×2 #3024 (Lt Blu Gray) Plate 1 x 1
- ×2 #3022 (Yellow) Plate 2 x 2




GRID X[-6..+8] Z[+1..+4] L[9..10p] (+0°)

STEP 098 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=10..11p (208.0–211.2 mm) | BUILDABLE • +44 BONDS

PARTS REQUIRED IN STEP 098 (7 PCS / CUMULATIVE 686/945)

- ×4 #3021 (Orange) Plate 2 x 3
- ×2 #3020 (Dk Blu Gray) Plate 2 x 4
- ×1 #3022 (Dk Blu Gray) Plate 2 x 2




GRID X[-8..+8] Z[-6..-2] L[10..11p] (+0°)

STEP 099 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=10..11p (208.0–211.2 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 099 (8 PCS / CUMULATIVE 694/945)

- ×2 #3021 (Orange) Plate 2 x 3
- ×1 #3022 (Orange) Plate 2 x 2
- ×1 #3024 (Orange) Plate 1 x 1
- ×1 #3623 (Orange) Plate 1 x 3
- ×1 #3021 (Lt Blu Gray) Plate 2 x 3
- ×2 #3710 (Lt Blu Gray) Plate 1 x 4




GRID X[-8..+8] Z[-2..+3] L[10..11p] (+0°)

STEP 100 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=10..11p (208.0–211.2 mm) | BUILDABLE • +20 BONDS

PARTS REQUIRED IN STEP 100 (8 PCS / CUMULATIVE 702/945)

- ×1 #3024 (Lt Blu Gray) — Plate 1 x 1
- ×1 #3022 (Orange) — Plate 2 x 2
- ×1 #3023 (Orange) — Plate 1 x 2
- ×2 #3023 (Yellow) — Plate 1 x 2
- ×2 #3022 (Brt Lt Orange) — Plate 2 x 2
- ×1 #3623 (Lt Blu Gray) — Plate 1 x 3




GRID X[-8..+8] Z[+1..+4] L[10..11p] (+0°)

STEP 101 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=11..12p (211.2–214.4 mm) | BUILDABLE • +37 BONDS

PARTS REQUIRED IN STEP 101 (8 PCS / CUMULATIVE 710/945)

- ×2 #3021 (White) — Plate 2 x 3
- ×2 #3623 (White) — Plate 1 x 3
- ×3 #3021 (Dk Blu Gray) — Plate 2 x 3
- ×1 #3024 (Dk Blu Gray) — Plate 1 x 1




GRID X[-8..+8] Z[-6..-3] L[11..12p] (+0°)

STEP 102 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=11..12p (211.2–214.4 mm) | BUILDABLE • +33 BONDS

PARTS REQUIRED IN STEP 102 (9 PCS / CUMULATIVE 719/945)

- ×1 #3024 (Dk Blu Gray) — Plate 1 x 1
- ×4 #3021 (White) — Plate 2 x 3
- ×2 #3623 (White) — Plate 1 x 3
- ×2 #3024 (White) — Plate 1 x 1



GRID X[-8..+8] Z[-5..+3] L[11..12p] (+0°)

STEP 103 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=11..12p (211.2–214.4 mm) | BUILDABLE • +30 BONDS

PARTS REQUIRED IN STEP 103 (9 PCS / CUMULATIVE 728/945)



×1 #3021 (Lt Blu Gray)
Plate 2 x 3



×3 #3623 (Lt Blu Gray)
Plate 1 x 3




×2 #3022 (Yellow)
Plate 2 x 2



×2 #3022 (Black)
Plate 2 x 2



×1 #3024 (Lt Blu Gray)
Plate 1 x 1



GRID X[-6..+6] Z[+1..+4] L[11..12p] (+0°)

STEP 104 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=12..13p (214.4–217.6 mm) | BUILDABLE • +44 BONDS

PARTS REQUIRED IN STEP 104 (7 PCS / CUMULATIVE 735/945)




×4 #3021 (White)
Plate 2 x 3



×2 #3020 (Dk Blu Gray)
Plate 2 x 4



×1 #3022 (Dk Blu Gray)
Plate 2 x 2



GRID X[-8..+8] Z[-6..-2] L[12..13p] (+0°)

STEP 105 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=12..13p (214.4–217.6 mm) | BUILDABLE • +34 BONDS

PARTS REQUIRED IN STEP 105 (8 PCS / CUMULATIVE 743/945)



×2 #3021 (White)
Plate 2 x 3



×1 #3022 (White)
Plate 2 x 2



×1 #3024 (White)
Plate 1 x 1




×1 #3623 (White)
Plate 1 x 3



×1 #3021 (Lt Blu Gray)
Plate 2 x 3



×2 #3710 (Lt Blu Gray)
Plate 1 x 4




GRID X[-8..+8] Z[-2..+3] L[12..13p] (+0°)

STEP 106 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=12..13p (214.4–217.6 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 106 (8 PCS / CUMULATIVE 751/945)

- ×2 #3024 (Lt Blu Gray) — Plate 1 x 1
- ×1 #3022 (White) — Plate 2 x 2
- ×1 #3023 (White) — Plate 1 x 2
- ×2 #3022 (Yellow) — Plate 2 x 2
- ×2 #3022 (Black) — Plate 2 x 2




STEP 107 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=13..14p (217.6–220.8 mm) | BUILDABLE • +37 BONDS

PARTS REQUIRED IN STEP 107 (8 PCS / CUMULATIVE 759/945)

- ×2 #3021 (White) — Plate 2 x 3
- ×2 #3623 (White) — Plate 1 x 3
- ×3 #3021 (Dk Blu Gray) — Plate 2 x 3
- ×1 #3024 (Dk Blu Gray) — Plate 1 x 1




STEP 108 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=13..14p (217.6–220.8 mm) | BUILDABLE • +27 BONDS

PARTS REQUIRED IN STEP 108 (8 PCS / CUMULATIVE 767/945)

- ×1 #3024 (Dk Blu Gray) — Plate 1 x 1
- ×3 #3021 (White) — Plate 2 x 3
- ×2 #3623 (White) — Plate 1 x 3
- ×2 #3024 (White) — Plate 1 x 1



STEP 109 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=13..14p (217.6–220.8 mm) | BUILDABLE • +36 BONDS

PARTS REQUIRED IN STEP 109 (9 PCS / CUMULATIVE 776/945)



×1 #3021 (White)
Plate 2 x 3



×2 #3021 (Lt Blu Gray)
Plate 2 x 3




×2 #3623 (Lt Blu Gray)
Plate 1 x 3



×2 #3023 (Yellow)
Plate 1 x 2



×2 #3022 (Brt Lt Orange)
Plate 2 x 2



GRID X[-6..+8] Z[+0..+4] L[13..14p] (+0°)

STEP 110 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=14..15p (220.8–224.0 mm) | BUILDABLE • +56 BONDS

PARTS REQUIRED IN STEP 110 (9 PCS / CUMULATIVE 785/945)




×6 #3021 (White)
Plate 2 x 3



×2 #3020 (White)
Plate 2 x 4



×1 #3022 (White)
Plate 2 x 2



GRID X[-8..+8] Z[-6..+0] L[14..15p] (+0°)

STEP 111 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=14..15p (220.8–224.0 mm) | BUILDABLE • +42 BONDS

PARTS REQUIRED IN STEP 111 (10 PCS / CUMULATIVE 795/945)



×2 #3022 (White)
Plate 2 x 2



×1 #3024 (White)
Plate 1 x 1



×1 #3623 (White)
Plate 1 x 3




×2 #3020 (Lt Blu Gray)
Plate 2 x 4



×1 #3710 (Lt Blu Gray)
Plate 1 x 4



×1 #3023 (White)
Plate 1 x 2



GRID X[-8..+8] Z[+0..+4] L[14..15p] (+0°)

STEP 112 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=15..18p (224.0–233.6 mm) | BUILDABLE • +52 BONDS

PARTS REQUIRED IN STEP 112 (10 PCS / CUMULATIVE 805/945)



×3 #3001 (White)
Brick 2 x 4




×2 #3010 (White)
Brick 1 x 4



×3 #3002 (White)
Brick 2 x 3



×2 #3005 (White)
Brick 1 x 1



GRID X[-8..+8] Z[-6..+2] L[15..18p] (+0°)

STEP 113 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=15..18p (224.0–233.6 mm) | BUILDABLE • +42 BONDS

PARTS REQUIRED IN STEP 113 (10 PCS / CUMULATIVE 815/945)



×1 #3622 (White)
Brick 1 x 3



×1 #3002 (White)
Brick 2 x 3



×1 #3010 (White)
Brick 1 x 4




×3 #3001 (Lt Blu Gray)
Brick 2 x 4



×1 #3004 (White)
Brick 1 x 2



×3 #3005 (White)
Brick 1 x 1



GRID X[-8..+8] Z[-2..+3] L[15..18p] (+0°)

STEP 114 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=18..19p (233.6–236.8 mm) | BUILDABLE • +82 BONDS


PARTS REQUIRED IN STEP 114 (6 PCS / CUMULATIVE 821/945)



×4 #3035 (White)
Plate 4 x 8



×2 #3021 (White)
Plate 2 x 3



GRID X[-8..+8] Z[-6..+5] L[18..19p] (+0°)

STEP 115 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=18..19p (233.6–236.8 mm) | BUILDABLE • +12 BONDS


PARTS REQUIRED IN STEP 115 (7 PCS / CUMULATIVE 828/945)



×5 #3021 (White)
Plate 2 x 3



×2 #3623 (White)
Plate 1 x 3



GRID X[-4..+8] Z[+2..+5] L[18..19p] (+0°)

STEP 116 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=19..20p (236.8–240.0 mm) | BUILDABLE • +38 BONDS


PARTS REQUIRED IN STEP 116 (8 PCS / CUMULATIVE 836/945)



×6 #3021 (White)
Plate 2 x 3



×2 #3024 (White)
Plate 1 x 1



GRID X[-8..+8] Z[-6..-2] L[19..20p] (+0°)

STEP 117 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=19..20p (236.8–240.0 mm) | BUILDABLE • +38 BONDS


PARTS REQUIRED IN STEP 117 (8 PCS / CUMULATIVE 844/945)



×6 #3021 (White)
Plate 2 x 3



×2 #3024 (White)
Plate 1 x 1



GRID X[-8..+8] Z[-4..+0] L[19..20p] (+0°)

STEP 118 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=19..20p (236.8–240.0 mm) | BUILDABLE • +38 BONDS


PARTS REQUIRED IN STEP 118 (8 PCS / CUMULATIVE 852/945)



×6 #3021 (White)
Plate 2 x 3



×2 #3024 (White)
Plate 1 x 1



GRID X[-8..+8] Z[-2..+2] L[19..20p] (+0°)

STEP 119 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=19..20p (236.8–240.0 mm) | BUILDABLE • +38 BONDS


PARTS REQUIRED IN STEP 119 (8 PCS / CUMULATIVE 860/945)



×6 #3021 (White)
Plate 2 x 3



×2 #3024 (White)
Plate 1 x 1



GRID X[-8..+8] Z[+0..+4] L[19..20p] (+0°)

STEP 120 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=19..20p (236.8–240.0 mm) | BUILDABLE • +24 BONDS

PARTS REQUIRED IN STEP 120 (9 PCS / CUMULATIVE 869/945)




×1 #3021 (White)
Plate 2 x 3



×3 #3024 (White)
Plate 1 x 1



×5 #3623 (White)
Plate 1 x 3



GRID X[-8..+8] Z[+2..+5] L[19..20p] (+0°)


STEP 121 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=20..21p (240.0–243.2 mm) | BUILDABLE • +64 BONDS

PARTS REQUIRED IN STEP 121 (8 PCS / CUMULATIVE 877/945)



×8 #3020 (White)
Plate 2 x 4




STEP 122 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=20..21p (240.0–243.2 mm) | BUILDABLE • +64 BONDS

PARTS REQUIRED IN STEP 122 (8 PCS / CUMULATIVE 885/945)



×8 #3020 (White)
Plate 2 x 4




STEP 123 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=20..21p (240.0–243.2 mm) | BUILDABLE • +48 BONDS

PARTS REQUIRED IN STEP 123 (8 PCS / CUMULATIVE 893/945)



×8 #3021 (White)
Plate 2 x 3



STEP 124 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=21..23p (243.2–249.6 mm) | BUILDABLE • +42 BONDS


PARTS REQUIRED IN STEP 124 (10 PCS / CUMULATIVE 903/945)



×9 #15068 (White)
Slope, Curved 2 x 2 x 2/3



×1 #3021 (White)
Plate 2 x 3



GRID X[-8..+8] Z[-6..-2] L[21..23p] (+0°)

STEP 125 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=21..23p (243.2–249.6 mm) | BUILDABLE • +54 BONDS


PARTS REQUIRED IN STEP 125 (10 PCS / CUMULATIVE 913/945)



×7 #3021 (White)
Plate 2 x 3



×3 #15068 (White)
Slope, Curved 2 x 2 x 2/3



GRID X[-8..+8] Z[-4..+0] L[21..23p] (+0°)

STEP 126 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=21..23p (243.2–249.6 mm) | BUILDABLE • +43 BONDS

PARTS REQUIRED IN STEP 126 (10 PCS / CUMULATIVE 923/945)



×2 #15068 (White)
Slope, Curved 2 x 2 x..




×4 #3021 (White)
Plate 2 x 3



×1 #11477 (White)
Slope, Curved 2 x 1 x..



×3 #3623 (White)
Plate 1 x 3



GRID X[-8..+8] Z[+0..+3] L[21..23p] (+0°)

STEP 127 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=21..23p (243.2–249.6 mm) | BUILDABLE • +37 BONDS

PARTS REQUIRED IN STEP 127 (10 PCS / CUMULATIVE 933/945)




×1 #3623 (White)
Plate 1 x 3



×1 #11477 (White)
Slope, Curved 2 x 1 x..



×8 #15068 (White)
Slope, Curved 2 x 2 x..



GRID X[-8..+8] Z[+2..+5] L[21..23p] (+0°)


STEP 128 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=22..23p (246.4–249.6 mm) | BUILDABLE • +48 BONDS

PARTS REQUIRED IN STEP 128 (6 PCS / CUMULATIVE 939/945)



×6 #87079 (White)
Tile 2 x 4 with Groove



GRID X[-6..+6] Z[-4..+0] L[22..23p] (+0°)

STEP 129 SA-07 Wide Curved White Visor Hood, Orange Base R..

L=22..23p (246.4–249.6 mm) | BUILDABLE • +36 BONDS


PARTS REQUIRED IN STEP 129 (6 PCS / CUMULATIVE 945/945)



×3 #87079 (White)
Tile 2 x 4 with Groove



×3 #2431 (White)
Tile 1 x 4 with Groove



GRID X[-6..+6] Z[+0..+3] L[22..23p] (+0°)



×101 BL#3021 C:1 White
Plate 2 x 3
92.92g | $0.10/ea ($10.10) | SA:3,5,7



×33 BL#3623 C:1 White
Plate 1 x 3
16.17g | $0.07/ea ($2.31) | SA:3,5,7



×29 BL#3024 C:1 White
Plate 1 x 1
5.22g | $0.06/ea ($1.74) | SA:5,7



×28 BL#15068 C:1 White
Slope, Curved 2 x 2 x 2/3
22.96g | $0.14/ea ($3.92) | SA:3,5,7



×28 BL#2780 C:11 Black
Technic, Pin with Short F..
4.48g | $0.11/ea ($3.08) | SA:2,3,4,5,6,7



×28 BL#3700 C:85 Dk Blu Gray
Technic, Brick 1 x 2 with..
22.40g | $0.11/ea ($3.08) | SA:2,3,4,6,7



×23 BL#3020 C:1 White
Plate 2 x 4
28.06g | $0.11/ea ($2.53) | SA:5,7



×23 BL#3024 C:11 Black
Plate 1 x 1
4.14g | $0.06/ea ($1.38) | SA:3,4,5,6



×22 BL#3021 C:4 Orange
Plate 2 x 3
20.24g | $0.10/ea ($2.20) | SA:1,7



×22 BL#3070b C:4 Orange
Tile 1 x 1 with Groove
3.30g | $0.06/ea ($1.32) | SA:1



×22 BL#3710 C:4 Orange
Plate 1 x 4
14.30g | $0.08/ea ($1.76) | SA:1,7



×21 BL#3021 C:85 Dk Blu Gray
Plate 2 x 3
19.32g | $0.10/ea ($2.10) | SA:2,3,4,7



×19 BL#3022 C:4 Orange
Plate 2 x 2
11.78g | $0.08/ea ($1.52) | SA:7



×19 BL#3022 C:11 Black
Plate 2 x 2
11.78g | $0.08/ea ($1.52) | SA:4,5,7



×16 BL#3021 C:11 Black
Plate 2 x 3
14.72g | $0.10/ea ($1.60) | SA:2,4,5,6



×16 BL#3022 C:85 Dk Blu Gray
Plate 2 x 2
9.92g | $0.08/ea ($1.28) | SA:2,3,4,7



×15 BL#3024 C:4 Orange
Plate 1 x 1
2.70g | $0.06/ea ($0.90) | SA:1,7



×14 BL#3020 C:11 Black
Plate 2 x 4
17.08g | $0.11/ea ($1.54) | SA:2,4,5,6



×14 BL#3020 C:85 Dk Blu Gray
Plate 2 x 4
17.08g | $0.11/ea ($1.54) | SA:4,6,7



×14 BL#3022 C:1 White
Plate 2 x 2
8.68g | $0.08/ea ($1.12) | SA:3,5,7



×14 BL#3022 C:3 Yellow
Plate 2 x 2
8.68g | $0.08/ea ($1.12) | SA:1,7



×14 BL#3069b C:85 Dk Blu Gray
Tile 1 x 2 with Groove
4.20g | $0.07/ea ($0.98) | SA:3,5,6,7



×13 BL#3021 C:86 Lt Blu Gray
Plate 2 x 3
11.96g | $0.10/ea ($1.30) | SA:2,6,7



×13 BL#3023 C:85 Dk Blu Gray
Plate 1 x 2
4.42g | $0.07/ea ($0.91) | SA:2,3,4



×13 BL#3623 C:4 Orange
Plate 1 x 3
6.37g | $0.07/ea ($0.91) | SA:1,7



×12 BL#3020 C:3 Yellow
Plate 2 x 4
14.64g | $0.11/ea ($1.32) | SA:1



×12 BL#3700 C:1 White
Technic, Brick 1 x 2 with..
9.60g | $0.11/ea ($1.32) | SA:3,5



×12 BL#54200 C:4 Orange
Slope 30 1 x 1 x 2/3
2.64g | $0.11/ea ($1.32) | SA:1



×12 BL#87079 C:4 Orange
Tile 2 x 4 with Groove
13.80g | $0.11/ea ($1.32) | SA:1,7



×10 BL#3021 C:3 Yellow
Plate 2 x 3
9.20g | $0.10/ea ($1.00) | SA:1



×10 BL#3024 C:85 Dk Blu Gray
Plate 1 x 1
1.80g | $0.06/ea ($0.60) | SA:4,7



×10 BL#3024 C:86 Lt Blu Gray
Plate 1 x 1
1.80g | $0.06/ea ($0.60) | SA:6,7



×9 BL#3004 C:11 Black
Brick 1 x 2
7.38g | $0.10/ea ($0.90) | SA:2,3,4



×9 BL#3023 C:1 White
Plate 1 x 2
3.06g | $0.07/ea ($0.63) | SA:3,5,7



×9 BL#87079 C:1 White
Tile 2 x 4 with Groove
10.35g | $0.11/ea ($0.99) | SA:7



×8 BL#3004 C:1 White
Brick 1 x 2
6.56g | $0.10/ea ($0.80) | SA:3,5,7



×8 BL#3005 C:11 Black
Brick 1 x 1
3.60g | $0.07/ea ($0.56) | SA:3,6



×8 BL#3023 C:4 Orange
Plate 1 x 2
2.72g | $0.07/ea ($0.56) | SA:7



×8 BL#3623 C:85 Dk Blu Gray
Plate 1 x 3
3.92g | $0.07/ea ($0.56) | SA:2,3



×8 BL#3623 C:86 Lt Blu Gray
Plate 1 x 3
3.92g | $0.07/ea ($0.56) | SA:7



×8 BL#3700 C:4 Orange
Technic, Brick 1 x 2 with..
6.40g | $0.11/ea ($0.88) | SA:1,7



×7 BL#3001 C:1 White
Brick 2 x 4
15.75g | $0.24/ea ($1.68) | SA:5,7



×7 BL#3623 C:11 Black
Plate 1 x 3
3.43g | $0.07/ea ($0.49) | SA:3,4,5



×7 BL#3710 C:85 Dk Blu Gray
Plate 1 x 4
4.55g | $0.08/ea ($0.56) | SA:3,4,5



×6 BL#2412b C:85 Dk Blu Gray
Tile, Modified 1 x 2 Gril..
1.68g | $0.11/ea ($0.66) | SA:2,5



×6 BL#3023 C:3 Yellow
Plate 1 x 2
2.04g | $0.07/ea ($0.42) | SA:1,7



×6 BL#3023 C:11 Black
Plate 1 x 2
2.04g | $0.07/ea ($0.42) | SA:3,4



×6 BL#3035 C:4 Orange
Plate 4 x 8
28.80g | $0.31/ea ($1.86) | SA:7

×6 BL#3070b C:85 Dk Blu Gray
Tile 1 x 1 with Groove
0.90g | $0.06/ea ($0.36) | SA:2,3,7



×6 BL#3701 C:11 Black
Technic, Brick 1 x 4 with..
8.88g | $0.11/ea ($0.66) | SA:2



×6 BL#3710 C:3 Yellow
Plate 1 x 4
3.90g | $0.08/ea ($0.48) | SA:1



×5 BL#3005 C:1 White
Brick 1 x 1
2.25g | $0.07/ea ($0.35) | SA:7



×5 BL#3010 C:1 White
Brick 1 x 4
7.60g | $0.15/ea ($0.75) | SA:5,7



×5 BL#3068b C:85 Dk Blu Gray
Tile 2 x 2 with Groove
2.90g | $0.08/ea ($0.40) | SA:4,6



×5 BL#3069b C:4 Orange
Tile 1 x 2 with Groove
1.50g | $0.07/ea ($0.35) | SA:1,7



×5 BL#3622 C:1 White
Brick 1 x 3
5.90g | $0.12/ea ($0.60) | SA:3,5,7

ILLUSTRATED BRICKLINK BILL OF MATERIALS (ALL 101 LOTS • 945 PCS)

EST. TOTAL PROCUREMENT COST: $91.44 USD



×5 **BL#3710 C:86 Lt Blu Gray**
Plate 1 x 4
3.25g | $0.08/ea ($0.40) | SA:7



×4 **BL#11477 C:1 White**
Slope, Curved 2 x 1 x 2/3
1.68g | $0.11/ea ($0.44) | SA:5,7



×4 **BL#15068 C:4 Orange**
Slope, Curved 2 x 2 x 2/3
3.28g | $0.14/ea ($0.56) | SA:1



×4 **BL#2412b C:11 Black**
Tile, Modified 1 x 2 Gril..
1.12g | $0.11/ea ($0.44) | SA:5



×4 **BL#2431 C:85 Dk Blu Gray**
Tile 1 x 4 with Groove
2.40g | $0.08/ea ($0.32) | SA:3



×4 **BL#3002 C:1 White**
Brick 2 x 3
6.80g | $0.19/ea ($0.76) | SA:7



×4 **BL#3003 C:1 White**
Brick 2 x 2
4.60g | $0.15/ea ($0.60) | SA:3,5



×4 **BL#3004 C:85 Dk Blu Gray**
Brick 1 x 2
3.28g | $0.10/ea ($0.40) | SA:3,4



×4 **BL#3020 C:4 Orange**
Plate 2 x 4
4.88g | $0.11/ea ($0.44) | SA:1,7



×4 **BL#3020 C:86 Lt Blu Gray**
Plate 2 x 4
4.88g | $0.11/ea ($0.44) | SA:7



×4 **BL#3022 C:110 Brt Lt Orange**
Plate 2 x 2
2.48g | $0.08/ea ($0.32) | SA:7



×4 **BL#3035 C:1 White**
Plate 4 x 8
19.20g | $0.31/ea ($1.24) | SA:7



×4 **BL#3068b C:4 Orange**
Tile 2 x 2 with Groove
2.32g | $0.08/ea ($0.32) | SA:1,7



×4 **BL#3069b C:1 White**
Tile 1 x 2 with Groove
1.20g | $0.07/ea ($0.28) | SA:3,5



×4 **BL#3623 C:3 Yellow**
Plate 1 x 3
1.96g | $0.07/ea ($0.28) | SA:1



×4 **BL#3700 C:86 Lt Blu Gray**
Technic, Brick 1 x 2 with..
3.20g | $0.11/ea ($0.44) | SA:6



×4 **BL#3701 C:1 White**
Technic, Brick 1 x 4 with..
5.92g | $0.11/ea ($0.44) | SA:3



×4 **BL#3710 C:11 Black**
Plate 1 x 4
2.60g | $0.08/ea ($0.32) | SA:2,4



×4 **BL#54200 C:85 Dk Blu Gray**
Slope 30 1 x 1 x 2/3
0.88g | $0.11/ea ($0.44) | SA:2



×3 **BL#2431 C:1 White**
Tile 1 x 4 with Groove
1.80g | $0.08/ea ($0.24) | SA:7



×3 **BL#3001 C:86 Lt Blu Gray**
Brick 2 x 4
6.75g | $0.24/ea ($0.72) | SA:7



×3 **BL#3010 C:11 Black**
Brick 1 x 4
4.56g | $0.15/ea ($0.45) | SA:4



×3 **BL#3710 C:1 White**
Plate 1 x 4
1.95g | $0.08/ea ($0.24) | SA:5



×2 **BL#11477 C:4 Orange**
Slope, Curved 2 x 1 x 2/3
0.84g | $0.11/ea ($0.22) | SA:1



×2 **BL#2412b C:86 Lt Blu Gray**
Tile, Modified 1 x 2 Gril..
0.56g | $0.11/ea ($0.22) | SA:2



×2 **BL#2431 C:4 Orange**
Tile 1 x 4 with Groove
1.20g | $0.08/ea ($0.16) | SA:7



×2 **BL#3001 C:11 Black**
Brick 2 x 4
4.50g | $0.24/ea ($0.48) | SA:5



×2 **BL#3002 C:11 Black**
Brick 2 x 3
3.40g | $0.19/ea ($0.38) | SA:6



×2 **BL#3003 C:86 Lt Blu Gray**
Brick 2 x 2
2.30g | $0.15/ea ($0.30) | SA:4



×2 **BL#3031 C:4 Orange**
Plate 4 x 4
4.80g | $0.18/ea ($0.36) | SA:7



×2 **BL#3034 C:4 Orange**
Plate 2 x 8
4.84g | $0.18/ea ($0.36) | SA:7



×2 **BL#3068b C:86 Lt Blu Gray**
Tile 2 x 2 with Groove
1.16g | $0.08/ea ($0.16) | SA:4



×2 **BL#3070b C:1 White**
Tile 1 x 1 with Groove
0.30g | $0.06/ea ($0.12) | SA:5



×2 **BL#3070b C:15 Trans-Lt Blue**
Tile 1 x 1 with Groove
0.30g | $0.06/ea ($0.12) | SA:5



×2 **BL#3070b C:86 Lt Blu Gray**
Tile 1 x 1 with Groove
0.30g | $0.06/ea ($0.12) | SA:2



×2 **BL#3460 C:4 Orange**
Plate 1 x 8
2.56g | $0.11/ea ($0.22) | SA:7



×2 **BL#3795 C:4 Orange**
Plate 2 x 6
3.64g | $0.15/ea ($0.30) | SA:7



×2 **BL#3795 C:11 Black**
Plate 2 x 6
3.64g | $0.15/ea ($0.30) | SA:4



×2 **BL#4032 C:85 Dk Blu Gray**
Plate, Round 2 x 2 with A..
1.10g | $0.14/ea ($0.28) | SA:4



×2 **BL#4032 C:86 Lt Blu Gray**
Plate, Round 2 x 2 with A..
1.10g | $0.14/ea ($0.28) | SA:4



×2 **BL#54200 C:1 White**
Slope 30 1 x 1 x 2/3
0.44g | $0.11/ea ($0.22) | SA:5



×2 **BL#54200 C:86 Lt Blu Gray**
Slope 30 1 x 1 x 2/3
0.44g | $0.11/ea ($0.22) | SA:4



×1 **BL#3022 C:86 Lt Blu Gray**
Plate 2 x 2
0.62g | $0.08/ea ($0.08) | SA:7



×1 **BL#3031 C:85 Dk Blu Gray**
Plate 4 x 4
2.40g | $0.18/ea ($0.18) | SA:6



×1 **BL#87079 C:85 Dk Blu Gray**
Tile 2 x 4 with Groove
1.15g | $0.11/ea ($0.11) | SA:5

PROCUREMENT SUMMARY // 945 TOTAL PIECES • 101 UNIQUE BRICKLINK LOTS • 708.97g • EST. TOTAL: $91.44 USD

1-Click BrickLink Upload: Upload output/microduck_bricklink_wanted_list.xml directly at bricklink.com/v2/wanted/upload.page (BrickLink XML format).

Verified Rev 3.2 Double-Shear Clevis Fork Rig: All 8 Audits Passed (0 3D OBB Collisions, 3,422 Stud Bonds, 8/8 Double-Shear Joints, 28 Technic Pins, 15.32° Tipping Angle).

True 3D Slanted Poses: SA-01 Feet (0°), SA-02 Shins (+24°), SA-03 Thighs & Shields (-26°), SA-04 Hips (0°), SA-05 Torso (0°), SA-06 Neck (+19.7°), SA-07 Visor Head (0°).