1

A D A R E P V8.1 SM4 DBID = 00120 Started 2011-05-19

10:44:58

Parameters:

ADAREP REPORT

* Data Base Report * 2011-05-19

* Data Base Report * 10:44:58

* * *********

Data Base Name = CABA-DB

Data Base Number = 120

Date Loaded = 2009-11-23

Time Loaded = 08:38:34

Checkpoint File = 4

Trigger File = 20

Maximum number of files = 255

Number of files loaded = 8

Current Log Tape Number = 99

RABNSIZE = 3

Recovery Aid = No

Universal Encoding Sup. = No

Replication = No

PHYSICAL LAYOUT

- I	Dev	Ι	Nmbr of	Ι	Nmbr of	Extents	in	Blk.	Ι	Block	Ι	${\rm Nmbr\ of}$
es I	Тур	e I	Cyls	I	Blocks	From		То	Ι	Lngth	Ι	M-Byte
т		т		т					т		т	
1		1		Т					1		1	
I		I		-I-					-I-		_	
	I											
I		Ι		Ι					Ι		Ι	
	8390) I	250	Ι	52486	1	5	52486	Ι	3440	Ι	
		т		_					т		т	
1		Т		1					Т		1	
R1 I	8390) I	700	I	83992	1	8	33992	Ι	6518	Ι	
I		Ι		Ι					Ι		Ι	
R1 I	8390) I	100	Ι	7495	1		7495	Ι	10706	Ι	
-		_		_					_		_	
1		Τ		Τ					1		Τ	
- -	E E S I I I I I I I I I I I I I I I I I	ES I Type III I R1 I 8390 I R1 I 8390 I	ES I Type I I I II I I R1 I 8390 I I I R1 I 8390 I I I R1 I 8390 I	ES I Type I Cyls I I II I I R1 I 8390 I 250 I I R1 I 8390 I 700 I I	ES I Type I Cyls I I I I II I I I R1 I 8390 I 250 I I I I R1 I 8390 I 700 I I I I R1 I 8390 I 100 I	ES I Type I Cyls I Blocks I I I III I I I R1 I 8390 I 250 I 52486 I I I R1 I 8390 I 700 I 83992 I I I R1 I 8390 I 100 I 7495	es I Type I Cyls I Blocks From I I I I I II	es I Type I Cyls I Blocks From I I I II I I I R1 I 8390 I 250 I 52486 1 5 I I I R1 I 8390 I 700 I 83992 1 8 I I I R1 I 8390 I 100 I 7495 1	es I Type I Cyls I Blocks From To I	es I Type I Cyls I Blocks From To I I I I I I I I I I II I I I I I I I I I I I I I I	es I Type I Cyls I Blocks From To I Lngth I I I I I II I I I I I R1 I 8390 I 250 I 52486 1 52486 I 3440 I I I I R1 I 8390 I 700 I 83992 1 83992 I 6518 I I I I R1 I 8390 I 100 I 7495 1 7495 I 10706	II I I I I I R1 I 8390 I 250 I 52486

--

UNUSED STORAGE

	Ι	Dev	Ι	Nmbr of	Ι	Nmbr of	Extents	in Blk.	Ι	Block	Ι	Nmbr of
I Names	Ι	Туре	Ι	Cyls	I	Blocks	From	То	Ι	Lngth	Ι	M-Byte
I	т		т		т				Ι		I	
I					_							
I			-I-		-I				-I-		-	
T		T	Ι		Ι				Ι		Ι	
I	_	0200	_	_	_	CE4	10103	40752	_	6540	_	
DATAR1 4 I	1	8390	Τ	5	1	651	19102	19752	1	6518	1	
DATAR1	Ι	8390	Ι	10	Ι	1201	50353	51553	Ι	6518	Ι	
7 I DATAR1	Ι	8390	Ι	259	Ι	31154	52839	83992	Ι	6518	Ι	
193 I												
I	Ι		Ι		Ι				Ι		Ι	
ASSOR1	Ι	8390	Ι	0	Ι	37	1625	1661	Ι	3440	Ι	
0 I ASSOR1	т	9200	т	0	т	4	1663	1666	т	3440	т	
0 I	_	6390	_	V	1	4	1003	1000	1	3440	_	
ASSOR1	Ι	8390	Ι	0	Ι	1	1668	1668	Ι	3440	Ι	
0 I ASSOR1	Ι	8390	Ι	0	I	1	1670	1670	Ι	3440	Ι	
0 I												
ASSOR1 0 I	Ι	8390	Ι	0	Ι	13	1723	1735	Ι	3440	Ι	
ASSOR1	Ι	8390	Ι	0	Ι	87	6440	6526	Ι	3440	Ι	
0 I ASSOR1	т	8300	т	1	т	210	7367	7576	т	3440	т	
0 I	_	0330	_	_	т	210	7307	7570	_	5440	_	
ASSOR1 2 I	Ι	8390	Ι	4	Ι	840	8265	9104	Ι	3440	Ι	
ASSOR1	Ι	8390	Ι	140	Ι	29463	23024	52486	Ι	3440	Ι	
96 I	_		_		T				_		_	
I	Ι		Ι		Ι				Ι		Ι	

<u>1</u> ********************

--

* * Contents of Database 120 (CABA-DB) * 2011-05-19 10:44:58

	File	Name	Loaded	TOP-ISN	MAX-ISN		_,,,	ENTS
D						N	U	A
2	4	ADA-CKPT-FILE	2009-11-23	4002	9167	1	1	4
1	20	TRIGGER	2010-04-01	55	1145	1	1	1
1	51	C051-GUIDPOOL	2010-09-03	10000	81365	1	1	1
1	100	C100-AFAM	2010-04-20	8	1145	1	1	1
1	132	C132-ANTRAG	2010-09-10	36451	37817	1	1	1
1	169	C169-MINISTAMM	2010-08-11	381470	419435	1	1	1
1	232	X132-ANTRAG	2010-09-10	152	1145	1	1	1
1	233	Y132-ANTRAG	2010-07-30	528	1145	1	1	1
1	*****	*****						

* File Options *

ADAM File

- . Coupled File
- . . ISNREUSE
- . . . DSREUSE

		Ciphered File
		Expanded File
		USERISN
		NOACEXTENSION
		MIXDSDEV
		PGMREFRESH
		Multi-Client File
		Index Compressed
		2-Byte MU/PE Index
		Spanned Record
		Replicated
		Contains LOB Fields
		Privileged Use
		LOB File
File	Name	
 4	ADA-CKPT-FILE	D
20	TRIGGER	D
51	C051-GUIDPOOL	I D M
100	C100-AFAM	I D M
132	C132-ANTRAG	I D M
169	C169-MINISTAMM	I D M
232	X132-ANTRAG	I D M

233 Y132-ANTRAG I D M	233	Y132-ANTRAG			Ι	D					М									
-----------------------	-----	-------------	--	--	---	---	--	--	--	--	---	--	--	--	--	--	--	--	--	--

* File Space Allocations *

File	Name	Alloc.: NI Unused:	UI	AC	Data/Cyl
4	ADA-CKPT-FILE	10	4	8	127/1
4		10	3		11/0
20	TRIGGER	11	12	1	24000/200
20		1	1		23999/199
51	C051-GUIDPOOL	40	42	71	600/5
51		40	42		538/4
100	C100-AFAM	2100	2100	1	6000/50
100		2093	2092		5999/49
132	C132-ANTRAG	9919	420	33	7059/58
132		876	306		141/1
169	C169-MINISTAMM	4000	50	366	12000/100
169		278	17		3406/28
232	X132-ANTRAG	420	210	1	600/5
232		391	204		571/4
233	Y132-ANTRAG	420	228	1	600/5
233		256	219		361/3

1						
*	******	*****	***	****	*******	*
*						*
*	Physical	Layout	of	the	Database	*
10	:44:58					
*						*
_						

2011-05-19

From		То	Number	Dev	Table	File	VOLSER
Blk		Blk	of Blks	Туре	Type		Number
298	-	301	4	8390	FDT	4	BABE01
362	-	365	4	8390	FDT	20	BABE01
486	-	489	4	8390	FDT	51	BABE01
682	-	685	4	8390	FDT	100	BABE01
810	_	813	4	8390	FDT	132	BABE01
958	_	961	4	8390	FDT	169	BABE01
1210	-	1213	4	8390	FDT	232	BABE01
1214	-	1217	4	8390	FDT	233	BABE01
1306	-	1337	32	8390	PPT	0	BABE01
1338	-	1362	25	8390	DSST	0	BABE01
1363	_	1367	5	8390	AC	4	BABE01
1368	_	1371	4	8390	UI	4	BABE01
1372	-	1381	10	8390	NI	4	BABE01
1382	_	1591	210	8390	UI	232	BABE01
1592	_	1624	33	8390	AC	132	BABE01
1625	_	1661	37	8390	UNUSED	0	BABE01
1662	_	1662	1	8390	AC	232	BABE01
1663	_	1666	4	8390	UNUSED	0	BABE01
1667	_	1667	1	8390	AC	4	BABE01
1668	_	1668	1	8390	UNUSED	0	BABE01
1669	_	1669	1	8390	AC	4	BABE01
1670	_	1670	1	8390	UNUSED	0	BABE01
1671	_	1671	1	8390	AC	4	BABE01
1672	_	1672	1	8390	AC	233	BABE01
1673	_	1722	50	8390	UI	169	BABE01
1723	_	1735	13	8390	UNUSED	0	BABE01
1736	_	1806	71	8390	AC	51	BABE01
1807	_	1848	42	8390	UI	51	BABE01
1849	_	1849	1	8390	AC	100	BABE01
1850	_	3949	2100	8390	UI	100	BABE01
3950	_	6049	2100	8390	NI	100	
6050	_	6050	1	8390	AC		BABE01
6051	_	6061	11	8390	NI	20	
6062	_	6073		8390	UI	20	
6074	_	6439		8390	AC		BABE01
6440	_	6526	87	8390	UNUSED	0	BABE01
6527	_	6946	420	8390	NI	233	BABE01
6947	_	7366	420	8390	UI	132	
7367	_	7576	210	8390	UNUSED	0	BABE01
7577	_	7804	228	8390	UI	233	BABE01
7805	_	7844	40	8390	NI	51	
7845	_	8264	420	8390	NI		BABE01
8265	_	9104	840	8390	UNUSED	0	BABE01
0_00		2101	0.10	3330	0.10320	0	J, IDLUI

```
9105
                 13104
                              4000 8390
                                           NΙ
                                                  169 BABE01
      13105
                 23023
                                            NΙ
                              9919 8390
                                                  132 BABE01
      23024
                 52486
                             29463 8390
                                         UNUSED
                                                    0 BABE01
                    42
                                42 8390
                                           DS
                                                    4 BABE01
          1
         43
                 12042
                             12000 8390
                                           DS
                                                  169 BABE01
                                           DS
      12043
                 19101
                              7059 8390
                                                  132 BABE01
      19102
                 19752
                               651 8390
                                         UNUSED
                                                    0 BABE01
      19753
                 20352
                               600 8390
                                           DS
                                                   51 BABE01
      20353
                 26352
                              6000 8390
                                           DS
                                                  100 BABE01
      26353
                 50352
                             24000 8390
                                           DS
                                                   20 BABE01
              - 51553
                              1201 8390
                                         UNUSED
                                                    0 BABE01
      50353
      51554
              - 52153
                               600 8390
                                           DS
                                                  233 BABE01
                                           DS
      52154
              - 52753
                               600 8390
                                                  232 BABE01
      52754
                 52838
                                85 8390
                                           DS
                                                    4 BABE01
      52839
                 83992
                             31154 8390
                                         UNUSED
                                                    0 BABE01
1
* File
            4 (ADA-CKPT-FILE
                                                             2011-05-19
                                ) *
10:44:58
TOP-ISN
                               4,002
                                         Highest Index Level = 3
                               9,167
                                         Padding Factor ASSO = 10%
MAX-ISN Expected
                               1,890
                                          Padding Factor DATA = 10%
Records Loaded
                    =
MIN-ISN
                                   1
                                         Length of Client NR =
                    =
                                         ISNSIZE
                                                                  3
MAX COMP REC LEN
                               6,514
                                         Date Loaded
                                                              = 2009-11-23
                                         Time Loaded
BLK/ADD DS EXT
                                   0
                                                              = 08:38:34
                    =
BLK/ADD UI
            EXT
                                   0
                                         Date of last update = 2009-11-23
                    =
BLK/ADD NI EXT
                                   0
                                         Time of last update = 08:38:34
                    =
ADAM File
                    No
Ciphered File
                    No
ISN Reusage
                    No
Space Reusage
                    Yes
Coupled Files
                    None
Expanded File
                    No
USERISN
                    No
NOACEXTENSION
                    No
MIXDSDEV
                    No
PGMREFRESH
                    No
```

Multi Client File No Privileged usage No Online INVERT None Index Compressed No Spanned Rec Supp No Two Byte MU/PE No LOB file No Contain LOB fields No RPLUPDATEONLY No

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 187 extents

	Ι	Dev	Block	Ι	Space Alloc.	I	From	To I	Unused Space
	Ι	Туре	Lngth	Ι	Blocks Cyl	L I	RABN	RABN I	Blocks Cyl
I	Ι			Ι		I		I	
						I-			
I	Ι			Ī		I		I	
	Ι	8390	3440	Ι	5	0I	1363	1367I	
AC I	Ι	8390	3440	Ι	1	0I	1669	16691	
AC I	Ι	8390	3440	Ι	1	0I	1671	1671I	
AC I	Ι	8390	3440	Ι	1	0I	1667	16671	
NI 0I			3440		10	0I	1372	1381I	10
UI 0I			3440		4	0I	1368	1371I	3
I			3440		4	0I	298	301I	
I			3440		1	0I	1338	1338I	
DSST I			3440		1	0I -	1353	13531	
I	I		0=10	I		I	_	I	
DS	1	8390	6518	1	42	0I	1	42I	

```
Ι
 DS I 8390 6518 I
                        85
                                   0I
                                          52754
                                                     52838I
                                                                  11
0I
                                    Ι
                                                          Τ
     Ι
                  Ι
Ι
 FDT not printed - this file is a Checkpoint file
 **********
 * File
          20 (TRIGGER
                                                         2011-05-19
10:44:58
 TOP-ISN
                                      Highest Index Level = 3
                                55
 MAX-ISN Expected
                                      Padding Factor ASSO = 10%
                             1,145
 Records Loaded
                                      Padding Factor DATA = 10%
                                33
 MIN-ISN
                                      Length of Client NR = 0
                                1
 Number of Updates =
                                      ISNSIZE
                               206
 MAX COMP REC LEN
                             6,514
                                      Date Loaded
                                                         = 2010-04-01
 BLK/ADD DS EXT
                                 0
                                      Time Loaded
                                                          = 12:19:26
                                 0
                                      Date of last update = 2010-04-28
 BLK/ADD UI EXT
                   =
 BLK/ADD NI EXT
                                      Time of last update = 07:50:48
                   =
 ADAM File
                   No
 Ciphered File
                   No
 ISN Reusage
                   No
 Space Reusage
                   Yes
 Coupled Files
                   None
 Expanded File
                   No
 USERISN
                   No
 NOACEXTENSION
                   No
 MIXDSDEV
                   No
 PGMREFRESH
                   No
```

Multi Client File No

Privileged usage No
Online INVERT None
Index Compressed No
Spanned Rec Supp No
Two Byte MU/PE No
LOB file No
Contain LOB fields No
RPLUPDATEONLY No

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

List	I Dev	Block	Ι	Space Alloc.	I	From	To I	Unused S	Брасе
I									
Туре	I Type	Lngth	Ι	Blocks Cyl	. I	RABN	RABN I	Blocks	Cyl
Ι									
_	I		Ι		Ι		I		
I	_		_		_				
					·1-				
1	 I				т		т		
I	1		Ι		Ι		I		
-	I 8390	3440	т	1	0I	6050	6050I		
I	1 0330	3770	_	1	OI	0030	00301		
_	I 8390	3440	Τ	11	0I	6051	6061I	1	
0I			_		-			_	
UI	I 8390	3440	Ι	12	0 I	6062	6073I	1	
0 I									
FDT	I 8390	3440	Ι	4	0 I	362	365I		
I									
DSST	I 8390	3440	Ι	8	0I	1345	1352I		
Ι									
	I		Ι		Ι		I		
I			_						
DS	I 8390	6518	Ι	24000 2	200I	26353	50352I	23999	
199I	_		_		_		т		
I	I		Ι		Ι		I		
T									

--

```
1
          51 (C051-GUIDPOOL
 * File
                                                           2011-05-19
10:44:58
 ********
TOP-ISN
                             10,000
                                        Highest Index Level = 0
                                        Padding Factor ASSO =
                             81,365
MAX-ISN Expected
Records Loaded
                                        Padding Factor DATA =
                             10,000
                                                               2%
                                        Length of Client NR =
MIN-ISN
                                                               0
Number of Updates =
                                        ISNSIZE
                                                               3
                             10,000
                              6,514
                                        Date Loaded
MAX COMP REC LEN
                                                            = 2010-09-03
                                        Time Loaded
                                                            = 15:26:06
BLK/ADD DS EXT
                                  0
BLK/ADD UI EXT
                                  0
                                        Date of last update = 2010-09-07
                                        Time of last update = 19:04:59
BLK/ADD NI EXT
                                  0
ADAM File
                    No
Ciphered File
                    No
ISN Reusage
                    Yes
Space Reusage
                    Yes
Coupled Files
                    None
Expanded File
                    No
USERISN
                    No
NOACEXTENSION
                    No
                    Yes
MIXDSDEV
PGMREFRESH
                    No
Multi Client File
                    No
Privileged usage
                    No
Online INVERT
                    None
Index Compressed
                    No
Spanned Rec Supp
                    No
Two Byte MU/PE
                    No
LOB file
                    No
Contain LOB fields No
RPLUPDATEONLY
                    No
```

ADABAS version needed for this file: V71 or later

	ΙI	Dev	Block	Ι	Space Alloc.	I	From	To I	Unused Spo	ace
I Type I	I٦	Гуре	Lngth	Ι	Blocks Cy	l I	RABN	RABN I	Blocks	Cyl
	Ι			Ι		I		I		
I	т			т		т				
						1-				
	Ι			Ι		I		I		
I	.	2200	2440	_	74	ОТ	4726	40007		
AC T	Ι δ	8390	3440	1	71	0I	1736	1806I		
NI	Ι 8	8390	3440	Ι	40	0 I	7805	7844I	40	
0I					_					
UI 0I	Ι 8	8390	3440	Ι	42	0I	1807	1848I	42	
-	Ι 8	8390	3440	Ι	4	0I	486	489I		
I										
	Ι 8	8390	3440	Ι	1	0I	1343	1343I		
I	I			Ι		I		I		
I	_			_		_		_		
DS	Ι 8	8390	6518	Ι	600	5I	19753	20352I	538	
4I	т			т.		т		т		
I	Ι			Ι		Ι		I		
_										

	I	I	I	Ι		Ι	
I Level	I Name	I Length	I Format	Ι	Options	Ι	Parent of
T	I	I	I	Ι		Ι	
	-I	-I	-I	-I-		_	
I			I				
	I	I	I	Ι		Ι	

```
Ι
   1
      I AA I
                  32 I
                           A I
                                                       Ι
Ι
       Ι
             Ι
                       Ι
                                Ι
                                                       Ι
Ι
 Special Descriptor Table is empty
1
 * File
          100 (C100-AFAM
                                                           2011-05-19
10:44:58
 TOP-ISN
                                        Highest Index Level = 3
                                  8
 MAX-ISN Expected
                              1,145
                                        Padding Factor ASSO = 5%
 Records Loaded
                                        Padding Factor DATA = 5%
                                  1
                                        Length of Client NR = 0
 MIN-ISN
                                  1
 Number of Updates =
                                199
                                        ISNSIZE
                                                            = 3
 MAX COMP REC LEN
                              6,514
                                        Date Loaded
                                                           = 2010-04-20
 BLK/ADD DS EXT
                                        Time Loaded
                                                            = 15:14:41
                                  0
                    =
 BLK/ADD UI EXT
                                  0
                                        Date of last update = 2010-08-05
                                        Time of last update = 19:04:59
 BLK/ADD NI EXT
                                  0
 ADAM File
                    No
 Ciphered File
                    No
 ISN Reusage
                    Yes
 Space Reusage
                    Yes
 Coupled Files
                    None
 Expanded File
                    No
 USERISN
                    No
 NOACEXTENSION
                    No
 MIXDSDEV
                    Yes
 PGMREFRESH
                    No
 Multi Client File No
 Privileged usage
                    No
```

Online INVERT None
Index Compressed No
Spanned Rec Supp No
Two Byte MU/PE No
LOB file No
Contain LOB fields No
RPLUPDATEONLY No

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

	I Dev	Block I	Space A	lloc. I	From	To I	Unused Spa	ce
I Type I	I Type	Lngth I	Blocks	Cyl I	RABN	RABN I	Blocks	Cyl
_	I	I		I		I		
I	_T	T		T_				
		I						
	I	I		I		I		
	I 8390	3440 I	1	. 01	1849	1849I		
I NI 9I	I 8390	3440 I	2100	101	3950	60491	2093	
	I 8390	3440 I	2100	101	1850	3949I	2092	
FDT I	I 8390	3440 I	. 4	. 0I	682	6851		
DSST I	I 8390	3440 I	3	0I	1343	1345I		
I	I	Ι		I		I		
DS 49I	I 8390	6518 I	6000	501	20353	26352I	5999	
I	Ι	I		I		I		

I		Ι		Ι		Ι		Ι		Ι	
	evel	Ι	Name	ΙL	ength	Ι	Format	Ι	Options	Ι	Parent of
I		Ι		I		Ι		Ι		Ι	
								-I-		-	
						Ι		Ι		Ι	
I	1	Ι	AA	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AB	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AC	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AD	I	32	Ι	Α	Ι		Ι	
I	1	Ι	ΑE	I	32	Ι	Α	Ι	DE	Ι	
I	1	Ι	AF	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AG	I	32	Ι	Α	Ι	DE	Ι	
I	1	Ι	АН	I	32	Ι	Α	Ι		Ι	
I	1	Ι	ΑI	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AJ	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AK	I	32	Ι	Α	Ι		Ι	
I	1	Ι	AL	I	32	Ι	Α	Ι		Ι	
I	1	Ι	АМ	I	4	Ι	U	Ι	DE	Ι	
I	1	Ι	AN	I	8	Ι	U	Ι	DE	Ι	
I	1	Ι	AO	I	7	Ι	U	Ι		Ι	
I -	1	Ι	AP	I	50	Ι	Α	Ι		I	
I	1	Ι	AQ	I	1	Ι	U	Ι	DE	Ι	
Ι	1	Ι	AR	I	8	Ι	U	Ι		Ι	
Ι											

I	1	Ι	AS	Ι	50	I	Α	I	I
	1	Ι	AT	Ι	8	I	Α	I DE	I
Ι	1	Ι	AU	I	8	I	Α	I DE	I
Ι	1	Ι	AV	I	8	I	U	I	I
Ι	1	I	AW	I	8	I	U	I	I
Ι	1	I	AX	I	2	I	U	I	I
Ι	1	I	ΑY	I	2	I	U	I	I
Ι		I		I		I		I	I
Ι		-		-		-		-	-
S	peci	al	Desc	ript	or Ta	ble i	s em	ıpty	
1									
*	****	***	****	***	****	****	***	***	
*								*	
*	Fil	e	132	(C1	32-AN	TRAG) *	2011-05-19
	:44:		-	\					
*								*	

TOP-ISN 36,451 Highest Index Level = 4MAX-ISN Expected 37,817 Padding Factor ASSO = 5% Records Loaded 36,451 Padding Factor DATA = 5% MIN-ISN Length of Client NR = 437,776 Number of Updates = **ISNSIZE** 3 MAX COMP REC LEN 6,514 Date Loaded = 2010-09-10Time Loaded = 15:19:21 BLK/ADD DS EXT 0 Date of last update = 2011-05-18BLK/ADD UI EXT 0 Time of last update = 19:31:31 BLK/ADD NI EXT

ADAM File No

Ciphered File	No
ISN Reusage	Yes
Space Reusage	Yes
Coupled Files	None
Expanded File	No
USERISN	No
NOACEXTENSION	No
MIXDSDEV	Yes
PGMREFRESH	No
Multi Client File	No
Privileged usage	No
Online INVERT	None
Index Compressed	No
Spanned Rec Supp	No
Two Byte MU/PE	No
LOB file	No
Contain LOB fields	No
RPLUPDATEONLY	No

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

List	I Dev	Block :	I Space	Alloc.	I	From	To	Ι	Unused	Space
I										
	I Type	Lngth :	I Blocks	Cyl	Ι	RABN	RABN	Ι	Blocks	Cyl
Ι	_	_	_		_			_		
	Ι	-	Ι		Ι			Ι		
I	.T		[_T			_		
		. – – – – – .			Τ					
_	I		- [I			Ι		
I										
AC	I 8390	3440	I 3	3 (0I	1592	1624	4I		
I										
	I 8390	3440	I 991	.9 4	7I	13105	23023	3I	876	
4I										
	I 8390	3440	I 42	1.0	2I	6947	7360	6I	306	
1I		2442	_			24.0	0.4			
	1 8390	3440	L	4 (ðΙ	810	813	31		
I	T OOOA	3440	т	3 (ðΙ	1341	1343	эт		
I I	1 0290	3440 .	L	5 (01	1341	1343	эт		
T	I	-	I		I			Ι		
I	-	•	L		_			_		

DS	I 8390	6518 I	7059	58I	12043	19101I	141
1I							
T	Ι	Ι		I		I	
1							

I		Ι		I		Ι		Ι		Ι	
	evel	Ι	Name	ΙL	ength	Ιŀ	Format	Ι	Options	Ι	Parent of
I		Ι		Ι		Ι		Ι		Ι	
-								Ι-		-	
_		Ι		I		I I		Ι		Ι	
I	1	Ι	AA	Ι	8	I	U	Ι	DE	I S	SUPERDE
I	1	Ι	AB	Ι	9	Ι	U	Ι		I S	SUPERDE
I	1	Ι	AC	Ι	1	Ι	U	Ι		I S	SUPERDE
I	1	Ι	AD	Ι	8	Ι	U	Ι		Ι	
I	1	Ι	ΑE	Ι	7	Ι	U	Ι		Ι	
I	1	Ι	AF	Ι	4	Ι	U	Ι		Ι	
I	1	Ι	AG	Ι	4	Ι	U	Ι		Ι	
I	1	Ι	АН	Ι	3	Ι	U	Ι		Ι	
I	1	Ι	ΑI	I	3	Ι	U	Ι		Ι	
Ι	1	Ι	AJ	I	3	Ι	U	Ι		Ι	
Ι	1	I	AK	Ι	3	Ι	U	Ι		Ι	
Ι	1	I	AL	I	8	I	Α	Ι	DE	I S	SUPERDE
Ι	1	Ι	АМ	I	8	Ι	U	Ι		I S	SUPERDE

Ι									
I	1	Ι	AN	Ι	2	Ι	U	I NU	Ι
I	1	Ι	Α0	Ι	9	I	U	I NU	Ι
I	1	Ι	AP	I		I		I PE	I
	2	I	AQ	I	8	I	U	I NU	I
I	2	Ι	AR	I	8	I	U	I NU	I
I	2	Ι	AS	I	1	I	U	I NU	I
Ι	2	Ι	AT	I	25	I	Α	I NU	I
Ι	2	Ι	AU	Ι	25	I	Α	I NU	I
Ι	2	I	AV	I	8	I	Α	INU	I
Ι	2	I	AW	Ι	3	I	U	INU	I
Ι	2	I	AX	I	32	I	Α	I DE,NU	I
Ι	2	I	AY	I	32	I	A	I NU	I
I									
Ι	1	Ι	ΑZ	Ι	1	Ι	U	I	Ι
I	1	Ι	ВА	Ι	1	Ι	U	I	Ι
I	1	Ι	ВВ	I	1	I	U	I	I
	1	Ι	ВС	Ι	1	I	U	I	Ι
I	1	I	BD	I	1	I	U	I	I
Ι	1	I	BE	I	1	I	U	I	I
Ι	1	I	BF	I	1	I	U	I	I
Ι	1	I	BG	I	1	I	U	I	I
Ι	1	I	ВН	I	1	I	U	I	I
Ι	1	I	BI	I	1	I	U	I	I
Ι									
I	1	Ι	BJ	Ι	1	Ι	U	I	Ι

```
1 I BK I 1 I U I
                                  Ι
Ι
              Ι
               A I DE
                                  Ι
 1
    I BL I
           32
Ι
 1
   I BM I
           32
              I A I
                                  Ι
Ι
    Ι
        I I
                   Ι
                                  Ι
Ι
```

--

Special Descriptor Table

I		I I Length I	I	I	Options I I	I Structure I I
SUPER I SUPER I SUPER I I I I	BN	I	I I A I	I I I I I I I I I I I I I I I I	Q I I	AL (1 - 8) I AM (1 - 8) I AC (1 - 1) I AA (1 - 8) I AB (1 - 9) I I I

```
TOP-ISN = 381,470 Highest Index Level = 3

MAX-ISN Expected = 419,435 Padding Factor ASSO = 5%

Records Loaded = 381,470 Padding Factor DATA = 5%

MIN-ISN = 1 Length of Client NR = 0
```

Number of Updates	=	381,470	ISNSIZE	= 3
MAX COMP REC LEN	=	6,514	Date Loaded	= 2010-08-11
BLK/ADD DS EXT	=	0	Time Loaded	= 15:10:53
BLK/ADD UI EXT	=	0	Date of last update	
BLK/ADD NI EXT	=	0	Time of last update	= 21:36:41
ADAM File	No			
Ciphered File	No			
ISN Reusage	Yes			
Space Reusage	Yes			
Coupled Files	None			
Expanded File	No			
USERISN	No			
NOACEXTENSION	No			
MIXDSDEV	Yes			
PGMREFRESH	No			
Multi Client File	No			
Privileged usage	No			
Online INVERT	None			
Index Compressed	No			
Spanned Rec Supp	No			
Two Byte MU/PE	No			
LOB file	No			
Contain LOB fields	No			
RPLUPDATEONLY	No			

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

List	I Dev	Block	Ι	Space All	oc.	I	From	To	Ι	Unused	Space
I											
Type	I Тур	e Lngth	Ι	Blocks	Cyl	I	RABN	RABN	Ι	Blocks	Cyl
I											
	I		Ι			I			Ι		
Ι											
_	_		_			-I			-		
1	_		-1			_			_		
_	Ι		1			I			Ι		
T											
AC	I 839	0 3440	Ι	366		1I	6074	6439	PΙ		
Ι											
NI	I 839	0 3440	Ι	4000	1	9I	9105	13104	łΙ	278	3
1I											

UI	I 8390	3440	I 50	0I	1673	1722I	17
0 I							
FDT	I 8390	3440	I 4	01	958	961I	
I			_				
	I 8390	3440	I 4	0I	1338	1341I	
Ι	-		-	-		-	
-	I		I	I		I	
I	T 0200	CE10	1 1 2000	100T	42	120421	2406
DS 28I	I 8390	0219	I 12000	100I	43	12042I	3406
201	I		Т	I		I	
T	_		L	_		1	
-							

--

		Ι		Ι		Ι		Ι		Ι	
I Le I	evel	I	Name	ΙL	ength	Ι	Format	Ι	Options	Ι	Parent of
		Ι		I		Ι		Ι		Ι	
								-I-		=	
_		I				Ι		Ι		Ι	
I	1	Ι	АА	I	50	Ι	Α	Ι		Ι	
I	1	Ι	AB	Ι	50	Ι	Α	Ι	DE	I :	SUBDE
I	1	Ι	AC	Ι	50	Ι	Α	Ι		Ι	
Ι	1	Ι	AD	I	50	Ι	Α	Ι		Ι	
I	1	Ι	ΑE	Ι	50	Ι	Α	Ι		I	
Ι	1	Ι	AF	Ι	50	Ι	Α	Ι		Ι	
Ι	1	Ι	AG	Ι	50	Ι	Α	Ι		Ι	
Ι	1	Ι	ΑН	Ι	50	Ι	Α	Ι		Ι	
Ι	1	Ι	ΑI	Ι	50	I	Α	Ι		Ι	

Ι									
	1	Ι	AJ	Ι	50	I	Α	I	I
Ι		_		_		_	_	_	_
_	1	Ι	AK	Ι	50	Ι	Α	Ι	I
Ι	1	т	ΛI	т	50	I	٨	т	т
Ι		_	AL	1	30	1	А	1	1
_	1	Ι	ΑМ	Ι	50	I	Α	I	I
Ι									
	1	Ι	AN	Ι	50	I	Α	I	I
Ι		_		_		_		_	_
_		Ι		Ι		Ι		Ι	I
T									

--

Special Descriptor Table

	Ι	Ι	Ι	Format	Ι		Options	I I I	Structure	I I I
SUB	Ī	I I I I	Ī		I	DE		I I I I I	AB (1 -	I (8 I I I I

```
TOP-ISN = 152 Highest Index Level = 3
MAX-ISN Expected = 1,145 Padding Factor ASSO = 5%
Records Loaded = 152 Padding Factor DATA = 5%
```

Length of Client NR = 0MIN-ISN 1 **ISNSIZE** Number of Updates = 152 3 6,514 Date Loaded MAX COMP REC LEN = 2010-09-10BLK/ADD DS EXT Time Loaded = 14:53:490 = BLK/ADD UI EXT 0 Date of last update = 2010-09-10BLK/ADD NI EXT 0 Time of last update = 18:02:47 ADAM File No Ciphered File No ISN Reusage Yes Space Reusage Yes Coupled Files None Expanded File No **USERISN** No NOACEXTENSION No MIXDSDEV Yes **PGMREFRESH** No Multi Client File No Privileged usage No Online INVERT None Index Compressed No Spanned Rec Supp No Two Byte MU/PE No LOB file No Contain LOB fields No RPLUPDATEONLY No

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

List	I Dev	Block I	Space	Alloc.	I	From	To	Ι	Unused	Space
I										
Type	I Type	Lngth I	Blocks	Cyl	I	RABN	RABN	Ι	Blocks	Cyl
Ι	_	_			_			_		
_	Ι	I			1			1		
1	т	т			т					
	_	I			-1			_		
-	I	Ī			I			Ι		
I										
AC	I 8390	3440 I		1	0I	1662	1662	2I		
I										
NΙ	I 8390	3440 I	42	20	2I	7845	8264	4I	391	_

1I							
UI	I 8390	3440 I	210	1I	1382	1591I	204
0I							
FDT	I 8390	3440 I	4	0I	1210	1213I	
I							
DSST	I 8390	3440 I	1	0 I	1353	1353I	
I							
	I	I		I		I	
I							
DS	I 8390	6518 I	600	5I	52154	52753I	571
4I							
. –	I	T		I		I	
Т	_	_		_		_	
-							

--

т		Ι		Ι		Ι		I	Ι	
I L I	evel	Ι	Name	I Lei	ngth	I Fo	rmat	I Options	Ι	Parent of
I		Ι		I		Ι		I	Ι	
-				-I				-I	-	
		I		I		I		I	Ι	
Ι	1	Ι	AA	I	8	I	U	I DE	Ι	
Ι	1	Ι	AB	I	9	I	U	I	Ι	
I	1	Ι	AC	I	1	I	U	I	I	
I	1	Ι	AD	I	8	I	U	I	Ι	
I	1	Ι	ΑE	I	7	I	U	I	Ι	
I	1	Ι	AF	I	4	I	U	I	Ι	
I -	1	Ι	AG	I	4	I	U	I	Ι	
I	1	Ι	АН	I	3	I	U	I	Ι	

I	1	Ι	ΑI	I	3	I	U	I	I
	1	Ι	AJ	I	32	I	Α	I DE	I
I	1	Ι	AK	I	3	I	U	I	I
I	1	Ι	AL	I	3	I	U	I	I
I	1	Ι	АМ	Ι	3	I	U	I	I
I	1	Ι	AN	I	8	I	Α	I DE	I
I	1	Ι	AO	I	8	I	U	I	I
I	1	Ι	AP	Ι	2	I	U	I NU	I
I	1	Ι	AQ	Ι	9	I	U	I NU	I
I	1	Ι	AR	I		I		I PE	I
I	2	Ι	AS	I	8	I	U	I NU	I
I	2	Ι	ΑT	I	8	I	U	I NU	I
I	2	Ι	AU	I	1	I	U	I NU	I
I	2	Ι	AV	I	25	I	Α	I NU	I
I	2	Ι	AW	I	25	I	Α	I NU	I
I	2	Ι	AX	I	8	I	Α	I NU	I
I	2	Ι	AY	I	3	I	U	I NU	I
I	2	I	ΑZ	I	32	I	Α	I DE,NU	I
I	2	Ι	ВА	I	32	I	Α	I NU	I
I	1	Ι	ВВ	I	1	I	U	I	I
	1	Ι	ВС	I	1	I	U	I	I
I	1	Ι	BD	I	1	I	U	I	I
I	1	Ι	BE	I	1	I	U	I	I
T	1	Ι	BF	I	1	I	U	I	I

I									
	1	Ι	BG	Ι	1	Ι	U	I	Ι
Ι	1	т	ВН	т	1	I	U	I	I
Ι	_	1	DII	1	1	1	U	1	_
_	1	Ι	BI	Ι	1	Ι	U	I	Ι
Ι	1	Ι	ВJ	I	1	I	U	I	Ι
Ι	_	_		_	_	_		_	_
	1	Ι	BK	Ι	1	Ι	U	I	I
Ι	1	т	BL	т	1	I	U	I	Ι
Ι	_	_	DL	_			U	1	_
	1	Ι	ВМ	Ι	1	Ι	U	I	Ι
Ι	4	_	D.1.	_	22	_		T DE	_
I	1	1	BN	Ι	32	Ι	Α	I DE	Ι
_	1	Ι	ВО	Ι	32	Ι	Α	I	Ι
Ι									
т		Ι		Ι		Ι		I	Ι
Ι									

--

Special Descriptor Table is empty

```
* File 233 (Y132-ANTRAG
                                                 2011-05-19
10:44:58
**********
TOP-ISN
                          528
                                 Highest Index Level = 3
MAX-ISN Expected =
                        1,145
                                 Padding Factor ASSO = 5%
                                 Padding Factor DATA = 5%
Records Loaded
                          528
                                 Length of Client NR = 0
MIN-ISN
                          1
                          528
                                 ISNSIZE
Number of Updates =
MAX COMP REC LEN =
                        6,514
                                 Date Loaded = 2010-07-30
```

BLK/ADD DS EXT BLK/ADD UI EXT BLK/ADD NI EXT	= = =	0 0 0	Time Loaded = 13:5 Date of last update = 2010 Time of last update = 13:5	-07-30
ADAM File Ciphered File ISN Reusage Space Reusage Coupled Files Expanded File USERISN NOACEXTENSION MIXDSDEV PGMREFRESH Multi Client File Privileged usage Online INVERT Index Compressed Spanned Rec Supp Two Byte MU/PE LOB file Contain LOB fields RPLUPDATEONLY	No No Yes Yes None No			

ADABAS version needed for this file: V71 or later

Free space available for file extents: At least 190 extents

List	I Dev	Block	I Sp	ace All	Loc.	I	From	То	Ι	Unused	Space
I											
Туре	I Typ	e Lngth	I Blo	cks	Cyl	I	RABN	RABN	I	Blocks	Cyl
I											
	I		I			I			Ι		
I											
	-I		I			-I			-		
I			I								
	I		I			Ι			Ι		
I											
AC	I 839	0 3440	I	1		0I	1672	167	2I		
I											
NI	I 839	0 3440	I	420		2I	6527	694	6I	256	5
1I											
UI	I 839	0 3440	I	228		1I	7577	780	4I	219	9
1I											
FDT	I 839	0 3440	I	4		0I	1214	121	.7I		

I DSST	I 8390	3440 I	2	ØI	1352	1353I		
Ι	I	I		I		I		
	I 8390	6518 I	600	51	51554	52153I	361	
3I	I	I		I		I		
Ι								

I		Ι		Ι		Ι		Ι		I
	evel	Ι	Name	I	Length	ΙI	Format	Ι	Options	I Parent of
		Ι		Ι		Ι		Ι		I
								-I-		_
_		I		Ι		I		Ι		I
I	1	Ι	AA	Ι	8	Ι	U	Ι	DE	I SUPERDE
	1	Ι	AB	Ι	7	Ι	U	Ι		I SUPERDE
I	1	Ι	AC	Ι	1	Ι	U	Ι		I SUPERDE
I	1	Ι	AD	I	8	Ι	U	Ι		I
I _	1	Ι	ΑE	Ι	7	Ι	U	Ι		I
I	1	Ι	AF	Ι	4	Ι	U	Ι		I
I	1	Ι	AG	I	4	Ι	U	Ι		I
Ι	1	Ι	АН	Ι	3	Ι	U	Ι		I
I	1	Ι	ΑI	I	3	Ι	U	Ι		I
I I	1	Ι	AJ	Ι	32	Ι	Α	Ι		I SUPERDE

т	1	Ι	AK	Ι	3	I	U	I	I SUPERDE
I	1	Ι	AL	Ι	3	I	U	I	I
I	1	Ι	ΑМ	Ι	3	Ι	U	I	I
I	1	Ι	AN	Ι	8	Ι	Α	I DE	I SUPERDE
I	1	Ι	A0	Ι	8	I	U	I	I SUPERDE
I	1	Ι	AP	Ι	2	I	U	I NU	I
I	1	Ι	AQ	Ι	9	I	U	I NU	I
I	1	Ι	AR	Ι		Ι		I PE	I
I	2	Ι	AS	Ι	8	Ι	U	I NU	I
I	2	Ι	AT	Ι	8	Ι	U	I NU	I
I	2	Ι	AU	Ι	1	Ι	U	I NU	I
I	2	Ι	AV	Ι	25	Ι	Α	I NU	I
I	2	Ι	AW	Ι	25	Ι	Α	I NU	I
I	2	Ι	AX	Ι	8	Ι	Α	I NU	I
I	2	Ι	AY	Ι	3	Ι	U	I NU	I
I	2	Ι	ΑZ	Ι	32	Ι	Α	I DE,NU	I
I	2	Ι	ВА	Ι	32	Ι	Α	I NU	I
I	1	Ι	ВВ	Ι	1	Ι	U	I	I
I	1	Ι	ВС	Ι	1	Ι	U	I	I
I	1	Ι	BD	Ι	1	Ι	U	I	I
I	1	Ι	BE	Ι	1	Ι	U	I	I
I	1	Ι	BF	Ι	1	Ι	U	I	I
I	1	Ι	BG	Ι	1	Ι	U	I	I
	1	Ι	ВН	Ι	1	I	U	I	I

Ι										
I	1	Ι	BI	Ι	1	Ι	U	I		Ι
	1	Ι	ВЈ	Ι	1	Ι	U	I		Ι
I	1	Ι	ВК	Ι	1	Ι	U	I		Ι
Ι	1	I	BL	Ι	1	I	U	I		Ι
Ι	1	I	ВМ	I	1	I	U	I		I
Ι	1	I	BN	I	32	I	Α	I DE		I
Ι	1	I	ВО	I	32	I	Α	I		I
Ι		I		I		I		I		I
Ι		_		_		1		•		1

Special Descriptor Table

Туре	Ι	I I I -T-	Length	Ι		Ι	·	I I I	Structure	I I I
SUPER SUPER SUPER	I I I	Ī		I I I I I I I I I	A B A	I I I I I	DE DE,UQ DE	I I I I I I	AN (1 - 8) AO (1 - 8) AC (1 - 1) AA (1 - 8) AB (1 - 7) AJ (1 - 32) AK (1 - 3)	I I I I