COVENTRY







Coventry Cables & Lace Cowls with Fingerless Mitts©





by Donna Brooks



Cowls and Fingerless Mitts:
(click on a version below or photo to view)

- *Short cowl with bold braided cable pattern*
- *Short cowl with elongated braided cable pattern*
- *Long cowl/infinity scarf with bold braided cable pattern*
- *Cascading Diamond lace fingerless mitts*

All photos on this cover page ©D&M DesignWorks - 2014

Coventry Cables & Lace Cowl©

by Donna Brooks

The Coventry Cables & Lace Cowl, like the scarf, is designed with two sets of braided cable patterns — a wide, bold cable (12”w x 7”h) and a softer, elongated cable (10.25”w x 7.5”h). Each version of the cowl can be knitted in various sizes for different looks. Size small is featured along with a longer infinity scarf (18”w x 7.5”h).



Wide, bold braided cable



***Madelinetosh Tosh Merino DK** shown in **top photos**:*
100% merino wool, 225 yards per skein - Color: Aura
***Berroco Ultra Alpaca** shown in **bottom left photo**:*
50% wool, 50% alpaca; 215 yards per skein - Color: Cream



Wide, bold braided cable
Infinity scarf with mitts



Softer, elongated braided cable

***Manos del Uruguay Maxima** shown in **bottom right photo**:*
100% extra fine merino wool, 219 yards per skein -
Color: Sand (all photos above ©D&M DesignWorks - 2014)

Materials:

Needles: 24-32” circular needles, US 7 to 8 (depending upon yarn/width), cable needle, and crochet hook

Yarn: DK or worsted weight, 100g (minimum 200 yards)

Stitch Markers and row counter *(strongly suggested)*

Gauge and Measurement:

Gauge: US 7/4.5 mm, 4”/10cm – 22 stitches (DK)
US 8/5 mm, 4”/10cm – 18-20 stitches (worsted)

Finished size: See above (all sizes after blocking and lying flat)

Stitch Key:

- Knit
- Purl
- Yarn Over
- SSK (slip, slip, knit) left slanting decrease
- K2tog (knit 2 together) right slanting decrease
- SK2P (slip 1, knit 2 together, pass the slipped stitch over) left slanting double decrease

Abbreviations:

K = Knit

P = Purl

PM = Place marker

All pieces are knit in the round



C6F (6-stitch left cable: slip and hold first 3 stitches in front, K3, then K3 from cable needle)



C6B (6-stitch right cable: slip and hold first 3 stitches in back, K3, then K3 from cable needle)



C4F (4-stitch left cable: slip and hold 2 stitches in front, K2, then knit 2 from cable needle)



C4B (4-stitch right cable: slip and hold 2 stitches hold in back, K2, then knit 2 from cable needle)

Cast On for:	Stitch Multiples	Cowl with **4** Repeats	Cowl with **6** Repeats	Cowl with **8** Repeats
Bold Braided Cable	29	116	174	232
Elongated Braided Cable	28	112	168	224

Use 32” circular needles for cowls with more than 4 repeats.

©D&M DesignWorks - 2014

dmdesignworks@outlook.com

Chart and written instructions for cowl with elongated, soft braided cables *(See page 2 for the wide cable version.)*

Setup Rounds:

Round 1: Place marker to designate beginning of round, join and knit

Round 2: Purl

Rounds 3 and 4: repeat Rounds 1 and 2

Round 5: Knit

Rounds 6 and 7: *P3, K6, P3, K16*, repeat from * to * placing markers on Round 6 at the start of each repeat (make sure they are different or another color to distinguish them from the beginning marker)

Begin Pattern Body:

Follow the **Chart on the next page** or written instructions below:

Round 1: *P3, K6, P3, K5, YO, SSK, K2, YO, SSK, K5*, repeat from * to * until end of round

Round 2 (and all even rounds): Knit the knit stitches and purl the purl stitches

**Round 3: ***P3, K6, P3, K3, K2tog, YO, K1, YO, SSK, K2, YO, SSK, K4*, repeat from * to * until end of round

Round 5: *P3, K2, C4B, P3, K2, K2tog, YO, K3, YO, SSK, K2, YO, SSK, K3*, repeat from * to * until end of round

Round 7: *P3, C4F, K2, P3, K1, K2tog, YO, K2, K2tog, YO, K1, YO, SSK, K2, YO, SSK, K2*, repeat from * to * until end of round

Round 9: *P3, K2, C4B, P3, K2tog, YO, K2, K2tog, YO, K3, YO, SSK, K2, YO, SSK, K1*, repeat from * to * until end of round

Round 11: *P3, C4F, K2, P3, K2, YO, SSK, K2, YO, SSK, YO, K2tog, YO, K2, K2tog, YO, K2tog*, repeat from * to * until end of round

Round 13: *P3, K6, P3, K3, YO, SSK, K2, YO, SK2P, YO, K2, K2tog, YO, K2*, repeat from * to * until end of round

Round 15: *P3, K6, P3, K4, YO, SSK, K2, YO, SSK, K1, K2tog, YO, K3*, repeat from * to * until end of round

Repeat Rounds 1-16 until desired height, ending with Row 16



Finishing:

Round 1: Knit the knit stitches and purl the purl stitches

Round 2: Purl

Round 3: Knit


Round 4: Purl

Bind off: Bind off using traditional bind-off (K2, *slip the first/bottom stitch over the second on the right needle, K1, repeat from * until end). Top bind-off should match the bottom crocheted cast-on. Bind-off should be loose (tip: go up one needle size if you are a tight knitter). Shape and block.

©D&M DesignWorks - 2014 dmdesignworks@outlook.com

Work the chart below *(place marker at the beginning of each repeat)* and repeat Rounds 1-16 until desired height ending with Round 16. (See *Reminders* below and bottom of page 4 for finishing.)

Chart





Manos del Uruguay Maxima Worsted 80% of 1 skein used on US 8 circular needles

REMINDERS: *Work stitches as they present themselves on all even rounds. Pay attention to stitches before and after cables, as well as the alternating directions of each cable.*

©D&M DesignWorks - 2014

dmdesignworks@outlook.com