Travel Time

Traveling cables framed by moss stitch edges make a beautiful blend of texture and movement.

DESIGNED BY FAINA GOBERSTEIN

Knitted Measurements

Circumference approx 35"/89cm
Length 9"/23cm

Materials

- 2 3½oz/100g hanks (each approx 164yd/150m) of Cascade Yarns *Cloud* (merino wool/baby alpaca) in #2135 turquoise
- One pair size 9 (5.5mm) needles *or size to obtain gauge*
- Cable needle (cn)

Stitch Glossary

4-st LC Sl 2 to cn and hold to *front*, k2, k2 from cn.

Traveling Cable Pattern

(multiple of 6 sts plus 4)
Row 1 (RS) K2, *k2, p2, k2; rep from * to last 2 sts, k2.
Row 2 P2, *p2, k2, p2; rep from * to last 2 sts, p2.



Row 3 Rep row 1.
Row 4 Rep row 2.
Row 5 *4-st LC, p2; rep from * to last 4 sts, 4-st LC.
Row 6 Rep row 2.
Row 7 Rep row 1.
Row 8 Rep row 2.
Row 9 K1, p1, *p1, k4, p1; rep from * to last 2 sts, p1, k1.
Row 10 P1, k1, *k1, p4, k1; rep from * to last 2 sts, k1, p1.
Row 11 Rep row 9.
Row 12 Rep row 10.
Row 13 K1, p1, *p1, 4-st LC, p1; rep from * to last 2 sts, p1, k1.
Row 14 Rep row 10.
Row 15 Rep row 9.
Row 16 Rep row 10.
Rep rows 1–16 for traveling cable pat.

Note

Traveling cable pat can be worked from text *or* chart.

Cowl

Cast on 50 sts.
Rows 1 and 3 (RS) Sl 1, *k1, p1; rep from * to last st, k1.
Row 2 Sl 1, *p1, k1; rep from * to last st, p1.

BEGIN TRAVELING CABLE PAT
Row 1 (RS) Sl 1, [k1, p1] twice, work row 1 of traveling cable pat over 40 sts, [k1, p1] twice, k1.

Gauge

23 sts and 28 rows to 4"/10cm over traveling cable pat using size 9 (5.5mm) needles.
Take time to check gauge.



24 Travel Time




Cont to work pat in this manner, keeping first and last 5 sts in seed st and center 40 sts in traveling cable pat as established, until piece measures approx 34"/86.5cm from beg, end with a cable pat row 7.
Work 3 rows in seed st over all sts for border.
Bind off in pat.

Finishing

Sew bound-off and cast-on edges tog to form cowl.■

TRAVELING RIB CHART



STITCH KEY

- k on RS, p on WS
- p on RS, k on WS
- 4-st LC