

<i>Git</i>	<i>Fecha:</i>
<i>ALUMNO:</i>	<i>SERVIDOR:</i>
<i>Nota:</i>	<i>GRUPO:</i>

	Servicio/configuración	Imagen demostrativa (copiar una imagen o un bloque de texto por cada punto)
1.	Git	<ul style="list-style-type: none"> Configuración de git (nombre y correo). 1
2.	GitHub	<ul style="list-style-type: none"> Captura de repositorio recién creado. 2 Clonado de repositorio 3 Estado de repositorio local. 4 Añadido del fichero hola.py al área de ensayo 5 Commit de la primera versión. 6 Subida de cambios al repositorio . 7
3.	Bitbucket	<ul style="list-style-type: none"> Captura de repositorio recién creado. 8 Inicialización del repositorio local. 9 Añadido de archivos 10 Commit 11 Añadido de URL12 Subida al repositorio remoto 13

1.


```
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web
● $ git config --global user.name "Gabriel"

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web
● $ git config --global user.mail "gabriel.hdezcorrea@gmail.com"

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web
○ $
```

GITHUB

2. Captura de repositorio recién creado



3. Clonado de repositorio

```
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ git clone https://github.com/gabiihrndzzz/DIWEB.git
Cloning into 'DIWEB'...
remote: Enumerating objects: 149, done.
remote: Counting objects: 100% (149/149), done.
remote: Compressing objects: 100% (126/126), done.
remote: Total 149 (delta 15), reused 149 (delta 15), pack-reused 0 (from 0)
Receiving objects: 100% (149/149), 28.55 MiB | 1.85 MiB/s, done.
Resolving deltas: 100% (15/15), done.
Updating files: 100% (124/124), done.
```

4. Estado de repositorio local

```
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DIWEB/

nothing added to commit but untracked files present (use "git add" to track)
```

5. Añadido del fichero hola.py al área de ensayo

```
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
⊗ $ git add hola.py
fatal: pathspec 'hola.py' did not match any files

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ pwd
/e/2 DAW/Diseño Interfaces Web

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ ls
'1 Evaluacion'/  DIWEB/  README.md

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
$ touch hola.py

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ git add hola.py

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
● $ ls
'1 Evaluacion'/  DIWEB/  hola.py  README.md

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
○ $
```

6. Commit de la primera versión

```
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
• $ git commit -m "Commit de la primera versión de hola.py"
[main 812ee81] Commit de la primera versión de hola.py
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hola.py

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
• $ git log
commit 812ee81b4742acf221836139623aaaf1e2a4fe7b (HEAD -> main)
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 20:10:35 2024 +0200

    Commit de la primera versión de hola.py

commit 0334e82b374b61ec5e914ce4b72aa977db1fff35 (origin/main)
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 18:58:44 2024 +0200

    first commit

commit 9d977210bd7d0d1d9cbcf5aa51024c3c4aca85d6d
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 12:33:40 2024 +0200

    first commit

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
$ git add hola.py # Añadir el archivo al área de staging
•
Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
$ git commit -m "Commit de la primera versión de hola.py" # Hacer el commit
⊗ On branch main
Your branch is ahead of 'origin/main' by 1 commit.
    (use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DIWEB/
•
nothing added to commit but untracked files present (use "git add" to track)

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
$ git add hola.py # Añadir el archivo al área de staging
•
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 20:10:35 2024 +0200

    Commit de la primera versión de hola.py
```

7. Subida de cambios al repositorio

```
first commit

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
• $ git log
commit 812ee81b4742acf221836139623aaaf1e2a4fe7b (HEAD -> main)
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 20:10:35 2024 +0200

    Commit de la primera versión de hola.py

commit 0334e82b374b61ec5e914ce4b72aa977db1fff35 (origin/main)
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 18:58:44 2024 +0200

    first commit

commit 9d977210bd7d0d1d9cbcf5aa51024c3c4aca85d6d
Author: Gabriel <gabriel.hdezcorrea@gmail.com>
Date: Mon Sep 23 12:33:40 2024 +0200


    first commit

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
• $ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 342 bytes | 342.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/gabiihrndzzz/DIWEB.git
    0334e82..812ee81  main -> main

Pc@DESKTOP-E2UTFTO MINGW64 /e/2 DAW/Diseño Interfaces Web (main)
○ $
```

BITBUCKET

8. Captura de repositorio recién creado.



9. Inicialización del repositorio local.

```
gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2
$ git init
Initialized empty Git repository in E:/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2/.git/

gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2
$ git init
```

10. Añadido de archivos

```
gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2
$ git config --global --add safe.directory E:/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2

gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
$ git add *
```

11. Commit

```
gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
$ git commit -m "Ahora"
[master (root-commit) b3a07d5] Ahora
1 file changed, 1 insertion(+)
create mode 100644 holamundo.py
```

12. Añadido de URL

```
gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
$ git remote add Gabriell1 https://gabrielhdezcorrea@bitbucket.org/cliente_gabriel/repositorio_cliente_2.git

gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
```

13. Subida al repositorio remoto

```
gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
$ git remote add Gabriell1 https://gabrielhdezcorrea@bitbucket.org/cliente_gabriel/repositorio_cliente_2.git

gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
$ git push Gabriell1 master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 248 bytes | 124.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/cliente_gabriel/repositorio_cliente_2.git
 * [new branch]      master -> master

gabrielhc@A210P16 MINGW64 /e/2DAW/Cliente/1Evaluacion/Tema1/1Cliente/BitBucket2 (master)
```