```
REPORT yreporte alv ej1.
*& Report YREPORTE ALV EJ1
-* Reporte básico ALV del tipo GRID y LIST
* &
TYPE-POOLS: slis.
*DATA DECLARATIONS
DATA: gt ekpo TYPE TABLE OF ekpo,
     gs ekpo TYPE ekpo.
*ALV DECLARATIONS
DATA: gt fieldcat TYPE slis t fieldcat alv,
     gs fieldcat TYPE slis fieldcat alv,
     gt sortcat TYPE slis t sortinfo alv.
DATA: gt events TYPE slis t event,
     gs events LIKE LINE OF gt events.
DATA: gt heading TYPE slis t listheader,
     gs heading LIKE LINE OF gt heading.
DATA: v pos TYPE i.
START-OF-SELECTION.
 PERFORM f get data.
 PERFORM f create_fcat.
 PERFORM f get events.
 PERFORM f field sort.
 PERFORM f display data.
END-OF-SELECTION.
*&-----
      Form GET DATA
*&-----
  text
FORM f get data.
 SELECT * FROM ekpo INTO TABLE gt ekpo
    UP TO 15 ROWS.
                          " GET DATA
ENDFORM.
    Form DISPLAY_DATA
   text
FORM f display data.
```

```
DATA: ls layout TYPE slis layout alv.
  ls layout-colwidth optimize = 'X'.
  ls layout-zebra
  CALL FUNCTION 'REUSE ALV GRID DISPLAY'
   EXPORTING
      i_callback_program = sy-repid
     is_layout = ls_layout
it_fieldcat = gt_fieldcat
it_sort = gt_sortcat
it_events = gt_events
     it events
   TABLES
     t outtab
                        = gt ekpo.
 IF sy-subrc <> 0.
* Implement suitable error handling here
 ENDIF.
ENDFORM.
                            " DISPLAY DATA
    Form CREATE FCAT
*&-----
       text
FORM f create fcat.
 v pos = 1.
 gs_fieldcat-fieldname = 'EBELN'.
  gs fieldcat-ref tabname = 'EKPO'.
 APPEND gs fieldcat TO gt fieldcat.
 CLEAR gs fieldcat.
 v pos = v pos + 1.
  gs fieldcat-fieldname = 'EBELP'.
  gs fieldcat-ref tabname = 'EKPO'.
  APPEND gs fieldcat TO gt fieldcat.
  CLEAR gs fieldcat.
  v pos = v pos + 1.
  qs fieldcat-fieldname = 'AEDAT'.
  gs fieldcat-ref tabname = 'EKPO'.
  APPEND gs fieldcat TO gt fieldcat.
  CLEAR gs fieldcat.
  v pos = v pos + 1.
  gs fieldcat-fieldname = 'TXZ01'.
  gs fieldcat-ref tabname = 'EKPO'.
  APPEND gs_fieldcat TO gt_fieldcat.
  CLEAR gs fieldcat.
  v pos = v pos + 1.
  gs_fieldcat-fieldname = 'WERKS'.
  gs fieldcat-ref tabname = 'EKPO'.
  APPEND gs_fieldcat TO gt fieldcat.
  CLEAR gs fieldcat.
```

```
v pos = v pos + 1.
 gs fieldcat-fieldname = 'LGORT'.
 gs fieldcat-ref tabname = 'EKPO'.
 APPEND gs fieldcat TO gt fieldcat.
 CLEAR gs fieldcat.
 v pos = v pos + 1.
 gs fieldcat-fieldname = 'MENGE'.
 gs fieldcat-ref tabname = 'EKPO'.
* gs_fieldcat-do sum = 'X'.
 APPEND gs fieldcat TO gt fieldcat.
 CLEAR gs fieldcat.
* v pos = v pos + 1.
* gs fieldcat-fieldname = 'MEINS'.
  gs_fieldcat-ref_tabname = 'EKPO'.
  APPEND gs fieldcat TO gt fieldcat.
* CLEAR gs fieldcat.
ENDFORM.
                        " CREATE FCAT
*&-----
* &
      Form GET EVENTS
*£______
      text
FORM f get events.
 CALL FUNCTION 'REUSE ALV EVENTS GET'
* EXPORTING
                  = 0
* I LIST TYPE
   IMPORTING
     et events = gt events.
 READ TABLE gt events INTO gs events WITH KEY name = 'TOP OF PAGE'.
 IF sy-subrc IS INITIAL.
   gs events-form = 'FORM TOP OF PAGE'.
   MODIFY gt events FROM gs events INDEX sy-tabix .
 ENDIF.
*********END OF LIST
 READ TABLE gt events INTO gs events WITH KEY name = 'END OF LIST'.
 IF sy-subrc IS INITIAL.
   gs events-form = 'FORM END_OF_LIST' .
   MODIFY gt events FROM gs events INDEX sy-tabix.
 ENDIF.
ENDFORM.
                         " GET EVENTS
        ______
  Form FORM_TOP_OF_PAGE
    text
FORM form top of page.
```

```
REFRESH gt heading.
 CLEAR gs heading.
 gs_heading-typ = 'H'.
* gs heading-KEY = 'H' .
 gs heading-info = 'Purchasing Document REPORT'.
 APPEND gs heading TO gt heading.
 gs_heading-typ = 'S'.
gs_heading-key = 'USERNAME'.
 gs heading-info = sy-uname.
 APPEND gs heading TO gt heading.
 gs_heading-typ = 'S'.
gs_heading-key = 'DATE'.
gs_heading-info = sy-datum.
 APPEND gs heading TO gt heading.
 CALL FUNCTION 'REUSE ALV COMMENTARY WRITE'
    EXPORTING
     it list commentary = gt heading
     i logo
                        = 'ENJOYSAP LOGO'.
ENDFORM.
                           "FORM TOP OF PAGE
     Form FORM END OF LIST
*c-----
      text
*_____
FORM form end of list.
 REFRESH gt heading.
 CLEAR gs heading.
 gs heading-typ = 'S' .
 gs heading-info = 'Totales'.
 APPEND gs_heading TO gt_heading .
 CALL FUNCTION 'REUSE ALV COMMENTARY WRITE'
    EXPORTING
      it list commentary = gt heading
      i end of list grid = 'X'.
ENDFORM .
                            "FORM END OF LIST
FORM f field sort.
 DATA: ls sort TYPE slis_sortinfo_alv.
 ls sort-fieldname = 'EBELN'.
 ls_sort-spos = 1.
ls_sort-up = 'X'
                 = 'X'.
 ls_sort-up
ls_sort-subtot = 'X'.

* ls_sort-expa = 'X'. " Sirve para que salgan los subtotales pl
 APPEND ls sort TO gt sortcat.
ENDFORM.
```