

Splunk Failed Login Investigation

Beginner SPL Cheat Sheet - Portfolio Lab

Memory rule: Question -> Evidence -> Fields -> SPL -> Result -> Meaning

Goal	SPL
Count all events	index="main" source="splunk_failed_login_lab.csv" stats count
Failed vs successful	index="main" source="splunk_failed_login_lab.csv" stats count by action
Failed logins by user	index="main" source="splunk_failed_login_lab.csv" action="failed" stats count by user sort - count
Failed logins by source IP	index="main" source="splunk_failed_login_lab.csv" action="failed" stats count by src_ip sort - count
Targeted endpoints	index="main" host="socagent" action="failed" stats count by extracted_host sort - count
View failed-login timeline	index="main" host="socagent" action="failed" table timestamp user src_ip extracted_host status
Privileged account failures	index="main" sourcetype="csv" action="failed" (user="admin" OR user="administrator") stats count by user
Failure reasons	index="main" source="splunk_failed_login_lab.csv" event_id=4625 stats count by user status
Failed -> successful sequence	index="main" source="splunk_failed_login_lab.csv" (event_id="4624" OR event_id="4625") table user timestamp status
Investigate one user	index="main" source="splunk_failed_login_lab.csv" user="john" (event_id="4624" OR event_id="4625") table timestamp user src_ip status

Quick memory tips

stats count by X = How many for each X? **table** = Show selected details clearly. **sort - count** = Highest count first. **search** = Filter results.