

Joomla

1 Actualizar sistema y dependencias

```
gabriel@gabriel-VirtualBox: ~  
reading /usr/share/mecab/dic/ipadic/Conjunction.csv ... 171  
emitting double-array: 100% |#####|  
reading /usr/share/mecab/dic/ipadic/matrix.def ... 1316x1316  
emitting matrix : 100% |#####|  
  
done!  
update-alternatives: utilizando /var/lib/mecab/dic/ipadic-utf8 para proveer /var/lib/mecab/dic/debian (mecab-dictionary) en modo automático  
Configurando php-zip (2:8.1+92ubuntu1) ...  
Configurando apache2-utils (2.4.52-1ubuntu4.16) ...  
Configurando mysql-server-8.0 (8.0.43-0ubuntu0.22.04.2) ...  
update-alternatives: utilizando /etc/mysql/mysql.cnf para proveer /etc/mysql/my.cnf (my.cnf) en modo automático  
Renaming removed key_buffer and myisam-recover options (if present)  
mysqld will log errors to /var/log/mysql/error.log  
mysqld is running as pid 50306  
Created symlink /etc/systemd/system/multi-user.target.wants/mysql.service → /lib/systemd/system/mysql.service.  
Configurando php-json (2:8.1+92ubuntu1) ...  
Configurando apache2-bin (2.4.52-1ubuntu4.16) ...  
Configurando libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...  
Package apache2 is not configured yet. Will defer actions by package libapache2-mod-php8.1.  
  
Creating config file /etc/php/8.1/apache2/php.ini with new version  
No module matches  
Configurando mysql-server (8.0.43-0ubuntu0.22.04.2) ...  
Configurando apache2 (2.4.52-1ubuntu4.16) ...  
Enabling module mpm_event.  
Enabling module authz_core.  
Enabling module authz_host.  
Enabling module authn_core.  
Enabling module auth_basic.  
Enabling module access_compat.  
Enabling module authn_file.  
Enabling module authz_user.  
Enabling module alias.  
Enabling module dir.  
Enabling module autoindex.  
Enabling module env.  
Enabling module mime.  
Enabling module negotiation.  
Enabling module setenvif.  
Enabling module filter.  
Enabling module deflate.  
Enabling module status.  
Enabling module reqtimeout.  
Enabling conf charset.  
Enabling conf localized-error-pages.  
Enabling conf other-vhosts-access-log.  
Enabling conf security.  
Enabling conf serve-cgi-bin.  
Enabling site 000-default.  
info: Switch to mpm prefork for package libapache2-mod-php8.1  
Module mpm_event disabled.  
Enabling module mpm_prefork.  
info: Executing deferred 'a2enmod php8.1' for package libapache2-mod-php8.1  
Enabling module php8.1.  
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service → /lib/systemd/system/apache2.service.  
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /lib/systemd/system/apache-htcacheclean.service.  
Configurando php8.1 (8.1.2-1ubuntu2.22) ...  
Configurando libapache2-mod-php (2:8.1+92ubuntu1) ...  
Configurando php (2:8.1+92ubuntu1) ...  
Procesando disparadores para ufw (0.36.1-4ubuntu0.1) ...  
Procesando disparadores para man-db (2.10.2-1) ...  
Procesando disparadores para libc-bin (2.35-0ubuntu3.11) ...  
Procesando disparadores para php8.1-cli (8.1.2-1ubuntu2.22) ...  
Procesando disparadores para libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...  
gabriel@gabriel-VirtualBox:~$ sudo systemctl enable --now apache2 mysql  
Synchronizing state of apache2.service with SysV service script with /lib/systemd/systemd-sysv-install.  
Executing: /lib/systemd/systemd-sysv-install enable apache2  
Synchronizing state of mysql.service with SysV service script with /lib/systemd/systemd-sysv-install.  
Executing: /lib/systemd/systemd-sysv-install enable mysql  
gabriel@gabriel-VirtualBox:~$
```

2 Crear base de datos y usuario Joomla

```
gabriel@gabriel-VirtualBox:~$ sudo mysql -u root
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.43-0ubuntu0.22.04.2 (Ubuntu)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE joomla;
ER 'joomla'@'localhost' IDENTIFIED BY 'joomla';
GRANT ALL PRIVILEGES ON joomla.* TO 'joomla'@'localhost';
FLUSH PRIVILEGEQuery OK, 1 row affected (0,01 sec)

mysql> CREATE USER 'joomla'@'localhost' IDENTIFIED BY 'joomla';
LEGEQuery OK, 0 rows affected (0,01 sec)

mysql> GRANT ALL PRIVILEGES ON joomla.* TO 'joomla'@'localhost';
Query OK, 0 rows affected (0,00 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0,00 sec)

mysql> EXIT;
Bye
gabriel@gabriel-VirtualBox:~$
```

3 Descargar Joomla

```
gabriel@gabriel-VirtualBox:/var/www/html$ sudo wget https://downloads.joomla.org/cms/joomla5/5-1-0/Joomla_5-1-0-Stable-Full_Package.zip
--2025-11-13 22:05:44-- https://downloads.joomla.org/cms/joomla5/5-1-0/Joomla_5-1-0-Stable-Full_Package.zip
Resolviendo downloads.joomla.org (downloads.joomla.org)... 104.26.14.15, 104.26.15.15, 172.67.74.86, ...
Conectando con downloads.joomla.org (downloads.joomla.org)[104.26.14.15]:443... conectado.
Petición HTTP enviada, esperando respuesta... 303 See Other
Ubicación: https://s3-us-west-2.amazonaws.com/joomla-official-downloads/joomladownloads/joomla5/Joomla_5.1.0-Stable-Full_Package.zip?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIA6LXDJLNUIX2AVMH%2F20251113%2Fus-west-2%2Fs3%2Faws4_request&X-Amz-Date=20251113T210545Z&X-Amz-Expires=60&X-Amz-SignedHeaders=host&X-Amz-Signature=d92a7b37e7a4ae97cb086cdf3d030173b145685e6a0f74ee9c29355ddaf805a9 [siguiente]
--2025-11-13 22:05:45-- https://s3-us-west-2.amazonaws.com/joomla-official-downloads/joomladownloads/joomla5/Joomla_5.1.0-Stable-Full_Package.zip?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIA6LXDJLNUIX2AVMH%2F20251113%2Fus-west-2%2Fs3%2Faws4_request&X-Amz-Date=20251113T210545Z&X-Amz-Expires=60&X-Amz-SignedHeaders=host&X-Amz-Signature=d92a7b37e7a4ae97cb086cdf3d030173b145685e6a0f74ee9c29355ddaf805a9
Resolviendo s3-us-west-2.amazonaws.com (s3-us-west-2.amazonaws.com)... 52.92.136.56, 3.5.79.28, 3.5.79.65, ...
Conectando con s3-us-west-2.amazonaws.com (s3-us-west-2.amazonaws.com)[52.92.136.56]:443... conectado.
Petición HTTP enviada, esperando respuesta... 200 OK
Longitud: 30346687 (29M) [application/zip]
Guardando como: 'Joomla_5-1-0-Stable-Full_Package.zip.1'

Joomla_5-1-0-Stable-Full_Package.zi 100%[=====>] 28,94M 1,23MB/s en 29s
2025-11-13 22:06:14 (1,00 MB/s) - 'Joomla_5-1-0-Stable-Full_Package.zip.1' guardado [30346687/30346687]
```

```
gabriel@gabriel-VirtualBox:/var/www/html$ sudo chown -R www-data:www-data /var/www/html/joomla
gabriel@gabriel-VirtualBox:/var/www/html$ sudo chmod -R 755 /var/www/html/joomla
```

4 Crear VirtualHost

gabriel@gabriel-VirtualBox: /var/www/html

```
GNU nano 6.2 /etc/apache2/sites-available/joomla.conf *
<VirtualHost *:80>
    ServerAdmin webmaster@localhost
    ServerName joomla.local
    DocumentRoot /var/www/html/joomla

    <Directory /var/www/html/joomla>
        AllowOverride All
        Require all granted
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/joomla_error.log
    CustomLog ${APACHE_LOG_DIR}/joomla_access.log combined
</VirtualHost>
```

5 Activar el sitio y rewrite

```
Selecccionar gabriel@gabriel-VirtualBox: /var/www/html

gabriel@gabriel-VirtualBox:/var/www/html$ sudo a2ensite joomla.conf
Enabling site joomla.
To activate the new configuration, you need to run:
    systemctl reload apache2
gabriel@gabriel-VirtualBox:/var/www/html$ systemctl reload apache2
==== AUTHENTICATING FOR org.freedesktop.systemd1.manage-units ====
Necesita autenticarse para recargar «apache2.service».
Authenticating as: gabriel,,, (gabriel)
Password:
==== AUTHENTICATION COMPLETE ====
gabriel@gabriel-VirtualBox:/var/www/html$ sudo a2ensite joomla.conf
Site joomla already enabled
gabriel@gabriel-VirtualBox:/var/www/html$ sudo a2enmod rewrite
Enabling module rewrite.
To activate the new configuration, you need to run:
    systemctl restart apache2
gabriel@gabriel-VirtualBox:/var/www/html$ systemctl restart apache2
==== AUTHENTICATING FOR org.freedesktop.systemd1.manage-units ====
Necesita autenticarse para reiniciar «apache2.service».
Authenticating as: gabriel,,, (gabriel)
Password:
==== AUTHENTICATION COMPLETE ====
gabriel@gabriel-VirtualBox:/var/www/html$ sudo systemctl reload apache2
gabriel@gabriel-VirtualBox:/var/www/html$
```

6 Editar el archivo hosts

gabriel@gabriel-VirtualBox: /var/www/html

```
GNU nano 6.2 /etc/hosts
127.0.0.1    localhost
127.0.1.1    gabriel-VirtualBox
127.0.0.1    joomla.local
# The following lines are desirable for IPv6 capable hosts
::1          ip6-localhost ip6-loopback
fe00::0      ip6-localnet
ff00::0      ip6-mcastprefix
ff02::1      ip6-allnodes
ff02::2      ip6-allrouters
```

7 Instalar Joomla desde el navegador

Joomla2 [Corriendo] - Oracle VM VirtualBox

Actividades Navegador web Firefox 13 de nov 22:20

Instalador de Joomla

joomla.local/installation/index.php?view=remove&layout=default

Joomla! Instalador de Joomla Joomla! 5.1.0

¡Felicidades!

¡Felicidades! Ahora Joomla ya está instalado.

Instalar idiomas adicionales >

Esta es la configuración recomendada de PHP para asegurar una compatibilidad completa con Joomla.

Directiva	Recomendado	Actual
Área de intercambio ("buffer") de salida	Desactivado	Activado
GD Disponible	Activado	Desactivado
intl Disponible	Activado	Desactivado

Abrir el sitio

Abrir la administración

Joomla! is Free Software released under the GNU General Public License.

8 Entrar al panel de administración

Joomla2 [Corriendo] - Oracle VM VirtualBox

Actividades 13 de nov 22:28

Navegador web Firefox

Home x Home Dashboard - Gabriel x +

joomla.local/administrator/index.php

Joomla!

Home Dashboard

Take a Tour 5.1.0 2 Post Installation Messages Gabriel User Menu

Toggle Menu

Home Dashboard

Content

Menus

Components

Users

System

Help

Mostrar aplicaciones

We have detected that your server is using PHP 8.1.2 which is obsolete and no longer receives official security updates by its developers. The Joomla! Project recommends upgrading your site to PHP 8.2 or later which will receive security updates at least until 2025-12-08.

Please ask your host to make PHP 8.2 or a later version the default version for your site. If your host is already PHP 8.2 ready please enable PHP 8.2 on your site's root and 'administrator' directories – typically you can do this yourself through a tool in your hosting control panel, but it's best to ask your host if you are unsure.

We want to increase the compatibility of our Joomla! software with our user's server settings. Therefore we need anonymous data from your site to better understand the install base and end user environments. All data is anonymised and only sent to a Joomla! controlled central server. You can change these settings later from Plugins → System - Joomla! Statistics.

[No identifying data is captured at any point. Select here to review.](#)

Enable Joomla Statistics?

No Yes, I'll help Joomla!

Help us make Joomla! better!

Site System