


Configuración de HTTPS en Ngix



1 **1** Captura del navegador



2 Salida del comando Certbot

```
user@gabriel-ubuntuDesktop:~$ sudo certbot certificates
Saving debug log to /var/log/letsencrypt/letsencrypt.log

- - - - -
Found the following certs:
Certificate Name: gaboletto2.duckdns.org
Serial Number: 62dde78ee8ec02ee3f3efb87f70cf113745
Key Type: ECDSA
Domains: gaboletto2.duckdns.org
Expiry Date: 2026-02-07 20:00:19+00:00 (VALID: 89 days)
Certificate Path: /etc/letsencrypt/live/gaboletto2.duckdns.org/fullchain.pem
Private Key Path: /etc/letsencrypt/live/gaboletto2.duckdns.org/privkey.pem
- - - - -
```



3 Copia del archivo SSL de Nginx

```
user@gabriel-ubuntuDesktop:~$ sudo cat /etc/nginx/sites-enabled/gaboleto2-ssl.conf
server {
    listen 80;
    server_name gaboleto2.duckdns.org;

    # Redirección automática de HTTP a HTTPS
    return 301 https://$host$request_uri;
}

server {
    listen 443 ssl;
    server_name gaboleto2.duckdns.org;

    root /var/www/html;
    index index.html index.htm;

    ssl_certificate /etc/letsencrypt/live/gaboleto2.duckdns.org/fullchain.pem;
    ssl_certificate_key /etc/letsencrypt/live/gaboleto2.duckdns.org/privkey.pem;

    ssl_protocols TLSv1.2 TLSv1.3;
    ssl_ciphers HIGH:!aNULL:!MD5;

    location / {
        try_files $uri $uri/ =404;
    }
}
user@gabriel-ubuntuDesktop:~$ sudo certbot certificates
```

EL TEMA DEL CURL NO SE PUEDE POR EL FIREWALL

✓ 4 (Opcional pero recomendado)

```
user@gabriel-ubuntuDesktop:~$ sudo nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
user@gabriel-ubuntuDesktop:~$
```

5 Explicación del desafío DNS-01

El desafío DNS-01 sirve para comprobar que el dominio es mío.

Cuando ejecuto Certbot, me da un código que tengo que poner como registro TXT en la página de DuckDNS.

Let's Encrypt comprueba ese registro directamente desde los servidores DNS y, si lo encuentra, confirma que soy el dueño del dominio.

Como todo se hace por DNS, no hace falta tener los puertos abiertos ni que el servidor web esté en marcha.

Cuando la verificación termina, se genera el certificado SSL y ya puedo usar HTTPS en Nginx o Apache.