



User: Eder Herrera
Project: Neuroepidemiología DC

Warning: Variable has embedded and trailing blanks.
name: <unnamed>
log: D:\OneDrive - Universidad Peruana de Ciencias\Proyectos\Neuroepidemiología del deterior
> o cognitivo\1. Ejecución\Etapa 2\Base de datos (Monica) (Actualizado).smcl
log type: smcl
opened on: 15 Aug 2024, 13:53:25

1 . codebook

var001

var001

Type: String (str32)

Unique values: 44

Missing "": 0/1,099

Examples: "Completo real"
"Completo real"
"Incompleto C1"
"Incompleto V1"

Warning: Variable has embedded and trailing blanks.

var002

var002

Type: String (str7)

Unique values: 1,099

Missing "": 0/1,099

Examples: "NF-1013"
"NF-273"
"NF-521"
"NF-762"

var003

var003

Type: String (str19)

Unique values: 1,096

Missing "": 0/1,099

Examples: "14/07/2022 17:24:55"
"17/07/2022 14:33:33"
"19/07/2022 16:31:34"
"22/07/2022 16:37:58"

Warning: Variable has embedded blanks.

D

(unlabeled)

Type: String (str20)

Unique values: 39

Missing "": 0/1,099

Examples: "Ayleen Sahara"
"Fabiola Raquel"
"Joselyne Nelly"
"Rafaela"

Warning: Variable has embedded blanks.

E	(unlabeled)
---	-------------

Type: String (**str18**)

Unique values: **49**

Missing "": **0/1,099**

Examples: "De la Puente"
"Huaripoma"
"Palomino"
"VALDIVIA"

Warning: Variable has embedded blanks.

F	(unlabeled)
---	-------------

Type: String (**str19**), but longest is str13

Unique values: **51**

Missing "": **0/1,099**

Examples: "Encarnacion"
"Medrano"
"Reyes"
"VERASTEGUI"

Warning: Variable has embedded blanks.

G	(unlabeled)
---	-------------

Type: String (**str9**)

Unique values: 58

Missing "": 0/1,099

Examples: "71327243"
"72873599"
"73174711"
"74925718"

var008

-Distrito

Type: String (str13)

Unique values: 1

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,099	"Puente Piedra"

Warning: Variable has embedded blanks.

var009

-Sector

Type: String (str8)

Unique values: 5

Missing "": 0/1,099

Tabulation:	Freq.	Value
	203	"Sector 1"
	188	"Sector 2"
	237	"Sector 3"
	205	"Sector 4"
	266	"Sector 5"

Warning: Variable has embedded blanks.

var010

-Conglomerado

Type: Numeric (**int**)

Range: [**1,1239**]

Units: **1**

Unique values: **696**

Missing .: **0/1,099**

Mean: **524.726**

Std. dev.: **315.478**

Percentiles:	10%	25%	50%	75%	90%
	106	255	506	768	948

K

(unlabeled)

Type: String (**str28**)

Unique values: **960**

Missing "": **1/1,099**

Examples: "Sector 2 - Conglomerado 157"
 "Sector 3 - Conglomerado 1234"
 "Sector 4 - Conglomerado 233"
 "Sector 5 - Conglomerado 1161"

Warning: Variable has embedded blanks.

L

(unlabeled)

Type: String (**str3**)

Unique values: 2

Missing "": 8/1,099

Tabulation:	Freq.	Value
	8	" "
	206	"No"
	885	"Sí"

M

(unlabeled)

Type: String (**str411**)

Unique values: 417

Missing "": 682/1,099

Examples: " "
" "
" "

"https://www.jotform.com/uploads/eherrerap/221953700937661/5340578394412879935/47848262-B39B-49AB-8D38-1AEAC68E1476.png
https://www.jotform.com/uploads/eherrerap/221953700937661/5340578394412879935/7D487D2A-382E-4682-8597-394F810F3097.jpeg"

varn001

-Número de viviendas totales

Type: Numeric (**int**)

Range: [0,214]

Units: 1

Unique values: 62

Missing .: 53/1,099

Mean: **17.5688**
 Std. dev.: **12.9658**

Percentiles:	10%	25%	50%	75%	90%
	6	10	15	23	32

varn002

-Número de vivienda elegida

Type: Numeric (**int**)

Range: [0,175]	Units: 1
Unique values: 38	Missing .: 43/1,099

Mean: **7.95549**
 Std. dev.: **7.7177**

Percentiles:	10%	25%	50%	75%	90%
	2	5	7	10	15

var016

var016

Type: String (**str20**)

Unique values: 917	Missing "": 1/1,099
---------------------------	----------------------------

Examples: **"Edilberto"**
"Jannet"
"Margot"
"Roberta Adria"

Warning: Variable has embedded blanks.

var017

var017

Type: String (**str19**), but longest is str17

Unique values: **693**

Missing "": **1/1,099**

Examples: **"Cerna"**
"Hernández"
"Oropeza"
"Saavedra"

Warning: Variable has embedded blanks.

var017b

var017b

Type: String (**str24**)

Unique values: **722**

Missing "": **1/1,099**

Examples: **"Chelo"**
"Guzmán"
"Natera"
"Salazar"

Warning: Variable has embedded blanks.

var019

Número de DNI

Type: String (**str42**)

Unique values: 1,097

Missing "": 1/1,099

Examples: "25570040"
"42278510"
"46584319"
"7981167"

Warning: Variable has embedded blanks.

var021

Número de teléfono celular

Type: String (str52)

Unique values: 971

Missing "": 45/1,099

Examples: "922755599"
"940675990"
"960774497"
"985022058"

Warning: Variable has embedded blanks.

var020

Número de teléfono fijo

Type: String (str12)

Unique values: 36

Missing "": 1,039/1,099

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

var022

Correo electrónico

Type: String (str39)

Unique values: **79**

Missing "": **1,001/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

var023

var023

Type: String (str202)

Unique values: **1,066**

Missing "": **1/1,099**

Examples: "Calle Mariano Melgar
Manzana T lote 5A"

"Manzana C Lote 7 Señor de muruhuay"
"Mz C Lt 22 Los eucaliptos"
"Mz Z Lote 76"

Warning: Variable has embedded blanks.

var024

var024

Type: String (str105)

Unique values: **946**

Missing "": **37/1,099**

Examples: "Altura de segunda torre"
"Colegio Maria Arguedas"
"Km 27.5 panamericana norte"
"Parque Palermo"

Warning: Variable has embedded blanks.

Y

(unlabeled)

Type: String (str172)

Unique values: **711**

Missing "": **87/1,099**

Examples: "Bodega misma"
"Color gris de 4 pisos"
"Ladrillo"
"Tartajeadó ,tienda"

Warning: Variable has embedded blanks.

varn011

varn011

Type: String (str35)

Unique values: 8

Missing "": 3/1,099

Tabulation:	Freq.	Value
	3	" "
	5	"Adobe o tapia sin tarrajear"
	2	"Adobe o tapia tarrajeos"
	737	"Ladrillo o bloque de cemento"
	4	"Otro"
	21	"Pierdra o sillar de cal con cemento"
	319	"Tablones/Madera"
	6	"Tripley"
	2	"Yes"

Warning: Variable has embedded blanks.

varn012

varn012

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	67	"No"
	1,032	"Sí"

varn013

varn013

Type: String (str3)

Unique values: 2

Missing "": 2/1,099

Tabulation:	Freq.	Value
	2	" "
	320	"No"
	777	"Sí"

varn014

varn014

Type: String (str3)

Unique values: 2

Missing "": 2/1,099

Tabulation:	Freq.	Value
	2	" "
	319	"No"
	778	"Sí"

varn015

varn015

Type: String (str3)

Unique values: 2

Missing "": 2/1,099

Tabulation:	Freq.	Value
	2	" "
	551	"No"
	546	"Sí"

varn016

varn016

Type: String (str13)

Unique values: 4

Missing "": 1,095/1,099

Tabulation:	Freq.	Value
	1,095	" "
	1	"Drywall"
	1	"Machihembrado"
	1	"OSB"
	1	"OSB3"

varn017

varn017

Type: String (str3)

Unique values: 2

Missing "": 34/1,099

Tabulation:	Freq.	Value
	34	" "
	634	"No"
	431	"Sí"

varn018

varn018

Type: String (str3)

Unique values: 2

Missing "": 34/1,099

Tabulation:	Freq.	Value
	34	""
	581	"No"
	484	"Sí"

varn019

varn019

Type: String (str3)

Unique values: 2

Missing "": 35/1,099

Tabulation:	Freq.	Value
	35	""
	753	"No"
	311	"Sí"

varn020

varn020

Type: String (str3)

Unique values: 2

Missing "": 34/1,099

Tabulation:	Freq.	Value
	34	""
	199	"No"
	866	"Sí"

varn021

varn021

Type: String (**str3**)

Unique values: 2

Missing "": 35/1,099

Tabulation:	Freq.	Value
	35	" "
	984	"No"
	80	"Sí"

varn022

varn022

Type: String (**str3**)

Unique values: 2

Missing "": 36/1,099

Tabulation:	Freq.	Value
	36	" "
	1,039	"No"
	24	"Sí"

var038

-Número de personas

Type: Numeric (**byte**)

Range: [0,14]

Units: 1

Unique values: 15

Missing .: 36/1,099

Mean: **4.54092**

Std. dev.: **1.97964**

Percentiles:	10%	25%	50%	75%	90%
	2	3	4	5	7

var039

-Número de habitaciones

Type: Numeric (byte)

Range: [0,12]

Units: 1

Unique values: 13

Missing .: 1/1,099

Mean: 2.82149

Std. dev.: 1.41325

Percentiles:	10%	25%	50%	75%	90%
	1	2	3	3	4

varn003

varn003

Type: String (str63)

Unique values: 3

Missing "": 2/1,099

Tabulation: Freq. Value

2	"
811	"Cocinamos en casa, en un ambiente SEPARADO POR PARED ("cocina")"
268	"Cocinamos en casa, pero NO en un ambiente SEPARADO POR PARED"
18	"No cocinamos en casa >> PASAR A DATOS SOCIODEMOGRÁFICOS"

Warning: Variable has embedded blanks.

var041

var041

Type: String (str9)

Unique values: 3

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	" "
	353	"No"
	18	"No aplica"
	727	"Sí"

Warning: Variable has embedded blanks.

var042

Combustible más usado para cocinar: Tipo

Type: String (str12)

Unique values: 4

Missing "": 18/1,099

Tabulation:	Freq.	Value
	18	" "
	8	"Carbón"
	2	"Electricidad"
	1,026	"Gas"
	45	"Leña"

var043

Combustible más usado para cocinar: Frecuencia

Type: String (str28)

Unique values: 4

Missing "": 19/1,099

Tabulation: Freq.	Value
19	"
119	"Frecuentemente (≈75%)"
901	"Muy frecuentemente (≈100%)"
52	"Ocasionalmente (≈50%)"
8	"Raramente (≈25%)"

Warning: Variable has embedded blanks.

var044

Combustible más usado para cocinar: Años de uso

Type: String (str11)

Unique values: 8

Missing "": 20/1,099

Tabulation: Freq.	Value
20	"
391	"0-10 años"
252	"11-20 años"
206	"21-30 años"
134	"31-40 años"
46	"41-50 años"
31	"51-60 años"
17	"61-70 años"
2	"71-80 años"

Warning: Variable has embedded blanks.

var042b

2do combustible más usado para cocinar: Tipo

Type: String (str8)

Unique values: 4

Missing "": 963/1,099

Tabulation:	Freq.	Value
	963	"
	12	"Carbón"
	22	"Gas"
	4	"Kerosene"
	98	"Leña"

var043b

2do combustible más usado para cocinar: Frecuencia

Type: String (str28)

Unique values: 4

Missing "": 963/1,099

Tabulation:	Freq.	Value
	963	"
	11	"Frecuentemente (≈75%)"
	7	"Muy frecuentemente (≈100%)"
	45	"Ocasionalmente (≈50%)"
	73	"Raramente (≈25%)"

Warning: Variable has embedded blanks.

var044b

2do combustible más usado para cocinar: Años de uso

Type: String (str11)

Unique values: 8

Missing "": 965/1,099

Tabulation: Freq.	Value
965	" "
47	"0-10 años"
25	"11-20 años"
19	"21-30 años"
18	"31-40 años"
12	"41-50 años"
10	"51-60 años"
2	"61-70 años"
1	"71-80 años"

Warning: Variable has embedded blanks.

var048

Ventilación al cocinar

Type: String (str57)

Unique values: 5

Missing "": 1/1,099

```

Tabulation: Freq. Value
              1 ""
            123 "No"
              17 "No aplica"
              24 "Sí, ventilación híbrida o mixta
                  (ambos)"
              9  "Sí, ventilación mecánica (encender
                  extractor de humos)"
            925 "Sí, ventilación natural (abrir
                  ventanas o chimenea)"
    
```

Warning: Variable has embedded blanks.

var049

-Edad

Type: Numeric (byte)

Range: [30,95]

Units: 1

Unique values: 62

Missing .: 0/1,099

Mean: 50.5796

Std. dev.: 14.375

Percentiles:	10%	25%	50%	75%	90%
	33	38	49	62	72

var050

-Tiempo de residencia

Type: Numeric (byte)

Range: [0,74] Units: 1
 Unique values: 72 Missing .: 0/1,099

Mean: 20.5732
 Std. dev.: 15.0488

Percentiles:	10%	25%	50%	75%	90%
	3	9	18	30	41

var051

var051

Type: String (str9)

Unique values: 2 Missing "": 0/1,099

Tabulation:	Freq.	Value
	776	"Femenino"
	323	"Masculino"

var052

-Región de procedencia

Type: String (str13)

Unique values: 25 Missing "": 0/1,099

Examples: "Ancash"
 "Huancavelica"
 "Lima"
 "Lima"

Warning: Variable has embedded blanks.

var053

Lengua materna

Type: String (str18), but longest is str10

Unique values: 3

Missing "": 0/1,099

Tabulation: Freq.	Value
1	"Aimara"
865	"Castellano"
233	"Quechua"

var054

-Nivel educativo

Type: String (str25)

Unique values: 7

Missing "": 0/1,099

Tabulation: Freq.	Value
11	"Inicial o preescolar"
50	"Ninguno/ Sin educación"
1	"Postgrado"
308	"Primaria"
524	"Secundaria"
151	"Superior no universitaria"
54	"Superior universitaria"

Warning: Variable has embedded blanks.

var055

-Años de educación completados

Type: Numeric (**double**)

Range: [0,23]
Unique values: 23

Units: .1
Missing .: 0/1,099

Mean: 9.08963
Std. dev.: 4.3178

Percentiles:	10%	25%	50%	75%	90%
	3	6	11	11	14

var056

var056

Type: String (**str13**)

Unique values: 6

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	327	"Casado(a)"
	369	"Conviviente"
	20	"Divorciado(a)"
	78	"Separado(a)"
	224	"Soltero(a)"
	80	"Viudo(a)"

varn031

Trabajo y pago

Type: String (**str43**)

Unique values: 5

Missing "": 28/1,099

```

Tabulation: Freq. Value
            28 ""
            424 "A. Sí, pagado"
            75  "B. Sí, sin pago"
            7   "C. Sí, los dos, pagado y sin pago"
            85  "D. No trabajo actualmente porque me
                jubilé"
            480 "E. No trabajo actualmente por otro
                motivo"

```

Warning: Variable has embedded blanks.

varn032

varn032

Type: String (str110)

Unique values: 353

Missing "": 605/1,099

Examples: ""
 ""

"Ambulante vende comida"
 "Mercado"

Warning: Variable has embedded blanks.

var059

var059

Type: String (str17)

Unique values: 7

Missing "": 1/1,099

```

Tabulation: Freq. Value
              1 ""
            375 "Amo(a) de casa"
            256 "Auto-empleado(a)"
            170 "Empleado(a)"
              2 "Estudiante"
             50 "Freelance"
             64 "Jubilado(a)"
            181 "Sin empleo actual"
  
```

Warning: Variable has embedded blanks.

varn033

varn033

Type: String (str3)

Unique values: 2

Missing "": 32/1,099

```

Tabulation: Freq. Value
              32 ""
            982 "No"
             85 "Sí"
  
```

var061

var061

Type: String (str30)

Unique values: 7

Missing "": 0/1,099

```

Tabulation: Freq. Value
      8 "Entidad prestadora de salud"
    229 "Essalud (antes IPSS)"
     25 "Fuerzas armadas o policiales"
    159 "No está afiliado"
     30 "No sabe"
    631 "Seguro integral de salud (SIS)"
     17 "Seguro privado de salud"
  
```

Warning: Variable has embedded blanks.

var062

PAS Der.

Type: Numeric (**int**)

Range: [**69,208**]
 Unique values: **105**

Units: **1**
 Missing .: **4/1,099**

Mean: **124.105**
 Std. dev.: **19.5557**

Percentiles:	10%	25%	50%	75%	90%
	103	111	121	133	150

var063

PAD Der.

Type: Numeric (**int**)

Range: [**40,138**]
 Unique values: **73**

Units: **1**
 Missing .: **4/1,099**

Mean: **78.3836**
 Std. dev.: **11.1827**

Percentiles:	10%	25%	50%	75%	90%
	65	71	77	84	92

var064

PAS Izq.

Type: Numeric (**int**)

Range: [**66,211**]
 Unique values: **107**

Units: **1**
 Missing .: **2/1,099**

Mean: **122.82**
 Std. dev.: **18.9849**

Percentiles:	10%	25%	50%	75%	90%
	102	110	120	133	146

var065

PAD Izq.

Type: Numeric (**int**)

Range: [**17,129**]
 Unique values: **69**

Units: **1**
 Missing .: **2/1,099**

Mean: **78.0912**
 Std. dev.: **10.9029**

Percentiles:	10%	25%	50%	75%	90%
	65	71	77	84	91

var066

var066

Type: String (**str34**)

Unique values: 2

Missing "": 15/1,099

Tabulation:	Freq.	Value
	15	" "
	663	"No (PAS < 130 o PAD < 80)"
	421	"Sí (PAS ≥ 130 o PAD ≥ 80)"

Warning: Variable has embedded blanks.

var067

PAM Der.

Type: Numeric (**double**)

Range: [0,153.33]

Units: .01

Unique values: 179

Missing .: 0/1,099

Mean: 93.2852

Std. dev.: 13.8687

Percentiles:	10%	25%	50%	75%	90%
	79.67	84.67	92	100.33	110.33

var068

PAM Izq.

Type: Numeric (**double**)

Range: [0,153] Units: .01
 Unique values: 179 Missing .: 0/1,099

Mean: 92.7913
 Std. dev.: 13.0681

Percentiles:	10%	25%	50%	75%	90%
	79	85	91.67	99.33	108.67

var069	Peso (Kg)
--------	-----------

Type: String (str6)

Unique values: 633 Missing "": 2/1,099

Examples: "56.80"
 "64"
 "70.5"
 "77.75"

var069_n	-Peso (Kg)
----------	------------

Type: Numeric (double)

Range: [35.45,132.6] Units: .001
 Unique values: 552 Missing .: 4/1,099

Mean: 69.4261
 Std. dev.: 13.6575

Percentiles:	10%	25%	50%	75%	90%
	53.9	60	68	76.85	86.2

var070	Talla (m)
---------------	------------------

Type: String (**str5**)

Unique values: **61**

Missing "": **2/1,099**

Examples: **"1.48"**
"1.52"
"1.56"
"1.62"

var070_n	Talla (m)
-----------------	------------------

Type: Numeric (**double**)

Range: [**1,1.83**]

Units: **.001**

Unique values: **53**

Missing .: **5/1,099**

Mean: **1.55121**

Std. dev.: **.083825**

Percentiles:	10%	25%	50%	75%	90%
	1.45	1.49	1.54	1.6	1.67

var071	-IMC (kg/m2)
---------------	---------------------

Type: Numeric (**double**)

Range: [1,222.78]
Unique values: 784

Units: .01
Missing .: 3/1,099

Mean: 28.9096
Std. dev.: 7.74068

Percentiles:	10%	25%	50%	75%	90%
	23.23	25.445	28.205	31.28	34.9

var072

var072

Type: String (**str18**)

Unique values: 2

Missing "": 30/1,099

Tabulation:	Freq.	Value
	30	" "
	707	"No (IMC < 30)"
	362	"Sí (IMC ≥ 30)"

Warning: Variable has embedded blanks.

varn041

-Glucometría

Type: Numeric (**double**)

Range: [0,503]
Unique values: 185

Units: .01
Missing .: 30/1,099

Mean: **130.291**
 Std. dev.: **61.6288**

Percentiles:	10%	25%	50%	75%	90%
	93	100	114	135	169

varn042

varn042

Type: String (**str19**)

Unique values: 2

Missing "": 43/1,099

Tabulation:	Freq.	Value
	43	" "
	969	"No (< 200 mg/dl)"
	87	"Sí (≥ 200 mg/dl)"

Warning: Variable has embedded blanks.

varn051

-Uso de dispositivo de apoyo para desplazarse

Type: String (**str15**)

Unique values: 5

Missing "": 55/1,099

```

Tabulation: Freq. Value
              55 ""
               2 "Andador"
              18 "Bastón"
               6 "Muleta"
               3 "Silla de ruedas"
            1,015 "Sin dispositivo"
    
```

Warning: Variable has embedded blanks.

varn052

varn052

Type: String (**str19**)

Unique values: **460**

Missing "": **42/1,099**

Examples: "3.56"
 "4.35"
 "5.13"
 "6.12"

Warning: Variable has embedded blanks.

varn052_n

varn052

Type: Numeric (**double**)

Range: [**0,40.5**]

Units: **.01**

Unique values: **458**

Missing .: **44/1,099**

Mean: **5.57578**
 Std. dev.: **2.71818**

Percentiles:	10%	25%	50%	75%	90%
	3.48	4.12	5.04	6.2	8.02

varn053

varn053

Type: Numeric (**double**)

Range: [**0,1.61**]
 Unique values: **123**

Units: **.01**
 Missing .: **45/1,099**

Mean: **.803975**
 Std. dev.: **.249088**

Percentiles:	10%	25%	50%	75%	90%
	.49	.64	.79	.97	1.14

var078

var078

Type: String (**str3**)

Unique values: **2**

Missing "": **0/1,099**

Tabulation:	Freq.	Value
	689	"No"
	410	"Sí"

var079_a

Enfermedades previamente diagnosticadas (priorizadas)

Type: String (str187)

Unique values: 78

Missing "": 590/1,099

Examples: ""
""

"Catarata
Hiperplasia de la próstata"
"Gastritis y duodenitis
HIPERTENSIÓN
ARTERIAL
DIABETES MELLITUS"

Warning: Variable has embedded blanks.

var079

Enfermedades previamente diagnosticadas

Type: String (str1783)

Unique values: 505

Missing "": 579/1,099

Examples: ""
""

"Nombre de la enfermedad crónica: Catarata, Años desde diagnóstico (poner 0 si aún no pasó un año completo): 3, ¿En los últimos 12 meses ha seguido el tratamiento tal como le indicó el MÉDICO?: Nunca (≈0%)

Nombre de la enfermedad crónica: Osteoporosis, Años desde diagnóstico (poner 0 si aún no pasó un año completo): 12, ¿En los últimos 12 meses ha seguido el tratamiento tal como le indicó el MÉDICO?: Muy frecuentemente (≈100%)"

"Nombre de la enfermedad crónica: Gastritis, Años desde diagnóstico (poner 0 si aún no pasó un año completo): 4, ¿En los últimos 12 meses ha seguido el tratamiento tal como le indicó el MÉDICO?: Nunca (≈0%)"

Warning: Variable has embedded blanks.

var081

+Medicación habitual

Type: String (str3)

Unique values: 2

Missing "": 4/1,099

Tabulation:	Freq.	Value
	4	""
	765	"No"
	330	"Sí"

varn061

+Medicación habitual (detalle) I

Type: String (**str233**), but longest is str170

Unique values: **10**

Missing "": **1,011/1,099**

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

varn062

+Medicación para DM

Type: String (**str3**)

Unique values: **2**

Missing "": **13/1,099**

Tabulation:	Freq.	Value
	13	""
	1,006	"No"
	80	"Sí"

varn063

+Medicación para HTA

Type: String (**str3**)

Unique values: **2**

Missing "": **12/1,099**

```

Tabulation: Freq. Value
             12  ""
            987  "No"
            100  "Sí"

```

var082

+Medicación habitual (detalle) II

Type: String (strL)

Unique values: 355

Missing "": 734/1,099

Examples: ""

""

""

"Nobre genérico y/o marca: Ibuprofeno, Años desde
consumo (poner 0 si aún no pasó un año completo):
31, ¿En los últimos 12 meses ha tomado la medicina
tal como le indicó el MÉDICO?: Raramente (~25%)"

Warning: Variable has embedded blanks.

var080

+Factores de riesgo

Type: String (str1189)

Unique values: 115

Missing "": 350/1,099

Examples: ""

"DISLIPIDEMIA: Dx médico de niveles altos de colesterol total, LDL-C, triglicéridos; o niveles bajos de HDL-C. También considerar si toma habitual de alguna estatina"

"DISLIPIDEMIA: Dx médico de niveles altos de colesterol total, LDL-C, triglicéridos; o niveles bajos de HDL-C. También considerar si toma habitual de alguna estatina"

LESIÓN CEREBRAL TRAUMÁTICA:

Seleccionar si tuvo un traumatismo cerebral con pérdida del conocimiento, amnesia(pérdida de memoria) postraumática, desorientación o confusión"

"INACTIVIDAD FÍSICA: Seleccionar Seleccionar si < de 150 min/sem de actividad moderada (p.ej. bailar, caminar) o < de 75 min/sem de actividad física vigorosa (p.ej. jugar fútbol, correr) o combinación equivalente"

Warning: Variable has embedded blanks.

varn064

+Consumo de tabaco

Type: String (str15)

Unique values: 3

Missing "": 4/1,099

Tabulation:	Freq.	Value
	4	""
	58	"Actual fumador"
	180	"Ex fumador"
	857	"Nunca ha fumado"

Warning: Variable has embedded blanks.

varn065

+Consumo de alcohol

Type: String (str37)

Unique values: 3

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	530	"Algunas veces"
	2	"Diariamente"
	566	"Nunca o dejó de beber el año pasado"

Warning: Variable has embedded blanks.

varn066

varn066

Type: String (str9)

Unique values: 5

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	438	"Bueno"
	207	"Excelente"
	18	"Muy pobre"
	75	"Pobre"
	360	"Regular"

Warning: Variable has embedded blanks.

varn067

varn067

Type: String (str9)

Unique values: 5

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	385	"Bueno"
	168	"Excelente"
	22	"Muy pobre"
	172	"Pobre"
	351	"Regular"

Warning: Variable has embedded blanks.

varn068

varn068

Type: String (str9)

Unique values: 5

Missing "": 0/1,099

Tabulation:	Freq.	Value
	398	"Bueno"
	198	"Excelente"
	30	"Muy pobre"
	143	"Pobre"
	330	"Regular"

Warning: Variable has embedded blanks.

varn069

varn069

Type: String (str9)

Unique values: 5

Missing "": 0/1,099

Tabulation:	Freq.	Value
	368	"Bueno"
	167	"Excelente"
	37	"Muy pobre"
	133	"Pobre"
	394	"Regular"

Warning: Variable has embedded blanks.

varn070

varn070

Type: String (str28)

Unique values: 4

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	23	"3 o más veces por semana"
	12	"Entre 1 y 2 veces por semana"
	27	"Menos de una vez por semana"
	1,036	"No"

Warning: Variable has embedded blanks.

varn071

varn071

Type: String (**str99**)

Unique values: 35

Missing "": 143/1,099

Examples: "Oportunidad de educación
Oportunidad de trabajo"

"Oportunidad de trabajo"

"Pobreza en mi lugar"

Oportunidad de

educación

Oportunidad de trabajo"

"Razones familiares"

Warning: Variable has embedded blanks.

varn072

varn072

Type: String (**str171**)

Unique values: 150

Missing "": 933/1,099

Examples: ""

""

""

""

Warning: Variable has embedded blanks.

varn073

varn073

Type: String (strL)

Unique values: 1,037

Missing "": 45/1,099

Examples: "Departamento: Ancash, Nombre del distrito (o pueblo, comunidad, etc.): Sigwas, Años cumplidos que tenía cuando empezó a vivir allí: 0, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 11

Departamento: Lima

, Nombre del distrito (o pueblo, comunidad, etc.): Comas , Años cumplidos que tenía cuando empezó a vivir allí: 11, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 20

Departamento: Cajamarca

, Nombre del distrito (o pueblo, comunidad, etc.): Selene in , Años cumplidos que tenía cuando empezó a vivir allí: 20, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 32

Departamento: Lima , Nombre del distrito (o

pueblo, comunidad, etc.): Puente piedra , Años cumplidos que tenía cuando empezó a vivir allí: 32, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar):" "Departamento: Huánuco , Nombre del distrito (o pueblo, comunidad, etc.): Huacarachuco, Años cumplidos que tenía cuando empezó a vivir allí: 0, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 20

Departamento: Huanuco, Nombre del distrito (o pueblo, comunidad, etc.): Huampo, Años cumplidos que tenía cuando empezó a vivir allí: 20, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 55

Departamento: Lima, Nombre del distrito (o pueblo, comunidad, etc.): Puente piedra, Años cumplidos que tenía cuando empezó a vivir allí: 55, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 60"
"Departamento: Lima, Nombre del distrito (o pueblo, comunidad, etc.): Comas , Años cumplidos que tenía cuando empezó a vivir allí: 22, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 24

Departamento: Loreto, Nombre del distrito (o pueblo, comunidad, etc.): Santa Clotilde, Años cumplidos que tenía cuando empezó a vivir allí: 0, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 22"
"Departamento: Lima, Nombre del distrito (o pueblo, comunidad, etc.): Puente piedra, Años cumplidos que tenía cuando empezó a vivir allí: 37, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 52

Departamento: Cusco, Nombre del distrito (o pueblo, comunidad, etc.): San sebastian, Años cumplidos que tenía cuando empezó a vivir allí: 10, Años cumplidos que tenía cuando dejó de vivir allí(edad actual en caso de ser el último lugar): 37

Departamento: Ancash, Nombre del distrito (o pueblo, comunidad, etc.): Chimbote, Años cumplidos que tenía cuando empezó a

**vivir allí: 0, Años cumplidos que tenía cuando dejó
de vivir allí(edad actual en caso de ser el último
lugar): 10"**

Warning: Variable has embedded blanks.

varn074

varn074

Type: String (str3)

Unique values: 2

Missing "": 997/1,099

Tabulation:	Freq.	Value
	997	" "
	19	"No"
	83	"Sí"

varn075

varn075

Type: Numeric (byte)

Range: [-22,17]

Units: 1

Unique values: 14

Missing .: 1,018/1,099

Mean: **12.1358**

Std. dev.: **4.84962**

Percentiles:	10%	25%	50%	75%	90%
	8	11	13	15	16

varn076

varn076

Type: String (**str152**)

Unique values: **15**

Missing "": **1,017/1,099**

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

varn077

varn077

Type: String (**str23**)

Unique values: **2**

Missing "": **1,097/1,099**

Tabulation:	Freq.	Value
	1,097	""
	1	"Para mantener a su hijo"
	1	"Para poder estudiar"

Warning: Variable has embedded blanks.

varn078

varn078

Type: String (**str790**)

Unique values: 502

Missing "": 5/1,099

Examples: "Idioma: Castellano , ¿Lo sabe escuchar?: Sí, ¿Lo sabe hablar?: Sí, ¿Lo sabe leer y escribir?: Sí, Número de años dedicado a aprenderlo (acumulativo): 53"

"Idioma: Castellano, ¿Lo sabe escuchar?: Sí, ¿Lo sabe hablar?: Sí, ¿Lo sabe leer y escribir?: Sí, Número de años dedicado a aprenderlo (acumulativo): 118"

"Idioma: Castellano, ¿Lo sabe escuchar?: Sí, ¿Lo sabe hablar?: Sí, ¿Lo sabe leer y escribir?: Sí, Número de años dedicado a aprenderlo (acumulativo): 44"

Idioma: Inglés, ¿Lo sabe escuchar?: Sí, ¿Lo sabe hablar?: Sí, ¿Lo sabe leer y escribir?: Sí, Número de años dedicado a aprenderlo (acumulativo): 4"
"Idioma: Castellano, ¿Lo sabe escuchar?: Sí, ¿Lo sabe hablar?: Sí, ¿Lo sabe leer y escribir?: Sí, Número de años dedicado a aprenderlo (acumulativo): 72"

Warning: Variable has embedded and trailing blanks.

varn079

varn079

Type: String (str66)

Unique values: 8

Missing "": 37/1,099

```

Tabulation: Freq. Value
              37 ""
               1 "Aimara"
              48 "Blanco"
             690 "Mestizo"
              20 "Nativo o indígena de la amazonía"
              34 "Nefro, moreno, zambo, mulato/pueblo
                 afroperuano o afrodescendiente"
              47 "Otro"
              13 "Perteneiente o parte de otro pueblo u
                 originario"
             209 "Quechua"
    
```

Warning: Variable has embedded blanks.

varn080

varn080

Type: String (str33)

Unique values: 23

Missing "": 1,067/1,099

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

varn081

varn081

Type: String (str98)

Unique values: 5

Missing "": 7/1,099

Tabulation:	Freq.	Value
	7	"
	7	"Asexual (personas que no sienten ningún tipode atracción sexual)"
	1	"Bisexual (personas que sienten atracción sexual por personas de su mismo sexo y del sexo opuesto)"
	1,078	"Heterosexual (personas que sienten atracción sexual por personas del sexo opuesto)"
	1	"Lesbiana (mujeres que sienten atracción sexual por las mujeres)"
	5	"Prefiero no contestar"

Warning: Variable has embedded blanks.

varn082

varn082

Type: String (str83), but longest is str0

Unique values: 0

Missing "": 1,099/1,099

Tabulation:	Freq.	Value
	1,099	"

varn091

varn091

Type: String (str2)

Unique values: 12

Missing "": 1,031/1,099

Examples: ""

""

""

""

varn092

varn092

Type: String (str2)

Unique values: 10

Missing "": 1,042/1,099

Examples: ""

""

""

""

varn093

varn093

Type: String (str2)

Unique values: 7

Missing "": 1,037/1,099

```

Tabulation: Freq. Value
            1,037 ""
              23 "0"
              18 "1"
              11 "2"
               1 "22"
               5 "3"
               1 "5"
               3 "6"
    
```

varn094

varn094

Type: String (str2)

Unique values: 9

Missing "": 1,035/1,099

```

Tabulation: Freq. Value
            1,035 ""
               1 "-2"
               2 "0"
              11 "1"
              36 "2"
               6 "3"
               4 "4"
               2 "5"
               1 "6"
               1 "7"
    
```

varn095

varn095

Type: String (str2)

Unique values: 8

Missing "": 1,053/1,099

Tabulation:	Freq.	Value
	1,053	"
	1	"-2"
	1	"-5"
	25	"0"
	13	"1"
	3	"2"
	1	"3"
	1	"4"
	1	"7"

varn096

varn096

Type: String (str25)

Unique values: 9

Missing "": 39/1,099

Tabulation:	Freq.	Value
	39	"
	14	"Crecí sin figura materna"
	83	"Inicial o preescolar"
	437	"Ninguno / Sin educación"
	71	"No sé"
	3	"Postgrado"
	309	"Primaria"
	104	"Secundaria"
	21	"Superior no universitaria"
	18	"Superior universitaria"

Warning: Variable has embedded blanks.

varn097

varn097

Type: String (str25)

Unique values: 9

Missing "": 39/1,099

Tabulation: Freq.	Value
39	"
24	"Crecí sin figura paterna"
78	"Inicial o preescolar"
227	"Ninguno / Sin educación"
126	"No sé"
1	"Postgrado"
372	"Primaria"
164	"Secundaria"
35	"Superior no universitaria"
33	"Superior universitaria"

Warning: Variable has embedded blanks.

varn098

Estado de finanzas familiares

Type: String (str55)

Unique values: 3

Missing "": 39/1,099


```

Tabulation: Freq. Value
              39 ""
            447 "Contaba con suficiente para cubrir lo
                necesario"
            558 "No contaban con lo suficiente para
                cubrir lo necesario"
             55 "Sobraba dinero para ahorrar"
  
```

Warning: Variable has embedded blanks.

varn099

Capacidad adquisitiva insuficiente para salud

Type: String (str13)

Unique values: 3

Missing "": 41/1,099

```

Tabulation: Freq. Value
              41 ""
            371 "Algo difícil"
            445 "Muy difícil"
            242 "Nada difícil"
  
```

Warning: Variable has embedded blanks.

varn100

varn100

Type: String (str3)

Unique values: 2

Missing "": 42/1,099

```

Tabulation: Freq. Value
              42 ""
              551 "No"
              506 "Sí"
    
```

varn101

-Escalón socioeconómico

Type: String (str7)

Unique values: 9

Missing "": 1,022/1,099

```

Tabulation: Freq. Value
              1,022 ""
                 2 "01 Bajo"
                10 "02"
                10 "03"
                17 "04"
                22 "05"
                 8 "06"
                 4 "07"
                 3 "08"
                 1 "10 Alto"
    
```

Warning: Variable has embedded blanks.

varn111

No acceso a la salud

Type: String (str3)

Unique values: 2

Missing "": 11/1,099

```

Tabulation: Freq. Value
              11 ""
             486 "No"
             602 "Sí"
    
```

varn112

+No acceso a la salud: Motivo

Type: String (str232)

Unique values: 55

Missing "": 465/1,099

Examples: ""
""

"Motivos económicos (costo de transporte, costo de la consulta, etc.)"

"Motivos económicos (costo de transporte, costo de la consulta, etc.)"

No había citas médicas

disponibles

Por motivos relacionados a la pandemia COVID-19"

Warning: Variable has embedded blanks.

varn113

+No acceso a la salud: Motivo otros

Type: String (str92)

Unique values: 52

Missing "": 1,039/1,099

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

varn121

varn121

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

Tabulation:	Freq.	Value
	995	""
	35	"Algunas veces"
	54	"Frecuentemente"
	15	"Nunca"

Warning: Variable has embedded blanks.

varn122

varn122

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
          995 ""
           44 "Algunas veces"
           41 "Frecuentemente"
           19 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn123

varn123

Type: String (str14)

Unique values: 3

Missing "": 996/1,099

```

Tabulation: Freq. Value
          996 ""
           44 "Algunas veces"
           22 "Frecuentemente"
           37 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn124

varn124

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
          995 ""
           32 "Algunas veces"
            7 "Frecuentemente"
           65 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn125

varn125

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
          995 ""
           35 "Algunas veces"
            9 "Frecuentemente"
           60 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn126

varn126

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
          995 ""
           44 "Algunas veces"
            8 "Frecuentemente"
           52 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn127

varn127

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
          995 ""
            9 "Algunas veces"
           19 "Frecuentemente"
           76 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn128

varn128

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
            995 ""
              28 "Algunas veces"
              48 "Frecuentemente"
              28 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn129

varn129

Type: String (str14)

Unique values: 3

Missing "": 995/1,099

```

Tabulation: Freq. Value
            995 ""
              29 "Algunas veces"
              32 "Frecuentemente"
              43 "Nunca"
    
```

Warning: Variable has embedded blanks.

varn083

varn083

Type: String (str6)

Unique values: 3

Missing "": 12/1,099


```

Tabulation: Freq. Value
              12 ""
             976 "No"
               6 "No sé"
             105 "Sí"
    
```

Warning: Variable has embedded blanks.

varn084

varn084

Type: String (str65)

Unique values: 8

Missing "": 995/1,099

```

Tabulation: Freq. Value
              995 ""
               20 "0 a 10 años de edad"
               5  "0 a 10 años de edad
11 a 24 años de
                  edad"
               52 "11 a 24 años de edad"
               1  "11 a 24 años de edad
25 a 34 años de
                  edad"
               12 "25 a 34 años de edad"
               2  "25 a 34 años de edad
35 a 45 años de
                  edad"
               8  "35 a 45 años de edad"
               4  "46 a 65 años de edad"
    
```

Warning: Variable has embedded blanks.

varn085

varn085

Type: String (**str55**)

Unique values: **10**

Missing "": **996/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

varn086

varn086

Type: String (**str63**), but longest is str35

Unique values: **38**

Missing "": **1,037/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

varn131

varn131

Type: String (**str6**)

Unique values: 3

Missing "": 7/1,099

Tabulation:	Freq.	Value
	7	" "
	805	"No"
	12	"No sé"
	275	"Sí"

Warning: Variable has embedded blanks.

varn132

varn132

Type: String (str28)

Unique values: 5

Missing "": 840/1,099

Tabulation:	Freq.	Value
	840	" "
	23	"Al menos una vez a la semana"
	101	"Algunas veces al año"
	77	"Algunas veces al mes"
	18	"Casi todos los días"
	40	"Menos de una vez al año"

Warning: Variable has embedded blanks.

varn133

varn133

Type: String (str88)

Unique values: 11

Missing "": 831/1,099

Examples: ""
 ""
 ""
 "Edad"

Warning: Variable has embedded blanks.

varn134

varn134

Type: String (str122)

Unique values: 87

Missing "": 1,004/1,099

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

varn135

varn135

Type: String (str6)

Unique values: 3

Missing "": 7/1,099

Tabulation:	Freq.	Value
	7	""
	1,002	"No"
	1	"No sé"
	89	"Sí"

Warning: Variable has embedded blanks.

varn136

varn136

Type: String (str360)

Unique values: **181**

Missing "": **893/1,099**

Examples: ""

""

""

""

Warning: Variable has embedded blanks.

varn137

varn137

Type: String (str110)

Unique values: **5**

Missing "": **1,094/1,099**

```

Tabulation: Freq. Value
1,094 ""
1 "Se realizo dentro del conglomerado
seleccionado."
1 "Se realizó en el conglomerado que esta
a lado sin dificultad."
1 "https://www.jotform.com/widget-uploads
/voiceRecorder/221953700937661/62d4d9ea
d742c_165811658662d4d9eadd620.wav"
1 "https://www.jotform.com/widget-uploads
/voiceRecorder/221953700937661/62d5c5b6
18fcd_165817695062d5c5b61e191.wav"
1 "https://www.jotform.com/widget-uploads
/voiceRecorder/221953700937661/6313f851
629e2_16622531376313f8516852d.wav"

```

Warning: Variable has embedded blanks.

varn138

varn138

Type: String (str28)

Unique values: 5

Missing "": 977/1,099

```

Tabulation: Freq. Value
977 ""
13 "Al menos una vez a la semana"
40 "Algunas veces al año"
31 "Algunas veces al mes"
13 "Casi todos los días"
25 "Menos de una vez al año"

```

Warning: Variable has embedded blanks.

varn139

varn139

Type: String (**str561**)

Unique values: **187**

Missing "": **907/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

varn140

varn140

Type: String (**str110**)

Unique values: **12**

Missing "": **1,087/1,099**

Examples: ""
""
""
""

EM

(unlabeled)

Type: String (**str484**)

Unique values: **41**

Missing "": **1,058/1,099**

Examples: ""
""
""
""

varn141

varn141

Type: String (**str88**)

Unique values: **11**

Missing "": **981/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

varn142

varn142

Type: String (**str102**)

Unique values: **48**

Missing "": **1,047/1,099**

Examples: ""
""
""
""

Warning: Variable has embedded and trailing blanks.

varn151

+Confusión o pérdida de memoria

Type: String (str48)

Unique values: 4

Missing "": 32/1,099

Tabulation:	Freq.	Value
	32	" "
	797	"No"
	13	"No sabe/No está seguro (no leerle esta opción)"
	1	"Se negó a contestar (no leerle esta opción)"
	256	"Sí"

Warning: Variable has embedded blanks.

varn152

+Afectación de AVD

Type: String (str48)

Unique values: 6

Missing "": 831/1,099

```

Tabulation: Freq. Value
            831 ""
              95 "Algunas veces"
              44 "Casi nunca"
              27 "Casi siempre"
               9 "No sabe/No está seguro (no leerle esta
                opción)"
              81 "Nunca"
              12 "Siempre"
    
```

Warning: Variable has embedded blanks.

varn153

+Ayuda necesitada para AVD

Type: String (str48)

Unique values: 6

Missing "": 831/1,099

```

Tabulation: Freq. Value
            831 ""
              81 "Algunas veces"
              49 "Casi nunca"
              27 "Casi siempre"
               2 "No sabe/No está seguro (no leerle esta
                opción)"
              99 "Nunca"
              10 "Siempre"
    
```

Warning: Variable has embedded blanks.

varn154

+Ayuda recibida para AVD

Type: String (str48)

Unique values: 6

Missing "": 982/1,099

Tabulation:	Freq.	Value
	982	"
	39	"Algunas veces"
	18	"Casi nunca"
	26	"Casi siempre"
	1	"No sabe/No está seguro (no leerle esta opción)"
	9	"Nunca"
	24	"Siempre"

Warning: Variable has embedded blanks.

varn155

+Afectación de trabajo o actividades sociales

Type: String (str48)

Unique values: 6

Missing "": 832/1,099

Tabulation:	Freq.	Value
	832	"
	73	"Algunas veces"
	42	"Casi nunca"
	19	"Casi siempre"
	4	"No sabe/No está seguro (no leerle esta opción)"
	115	"Nunca"
	14	"Siempre"

Warning: Variable has embedded blanks.

varn156

(unlabeled)

Type: String (**str48**)

Unique values: 3

Missing "": 832/1,099

Tabulation:	Freq.	Value
	832	" "
	241	"No"
	4	"No sabe/No está seguro (no leerle esta opción)"
	22	"Sí"

Warning: Variable has embedded blanks.

var161

var161

Type: String (**str10**)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	725	"Correcto"
	61	"Incorrecto"

EW

(unlabeled)

Type: String (**str10**)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	684	"Correcto"
	102	"Incorrecto"

EX

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	699	"Correcto"
	87	"Incorrecto"

EY

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	758	"Correcto"
	28	"Incorrecto"

EZ

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	767	"Correcto"
	19	"Incorrecto"

FA

(unlabeled)

Type: String (str97)

Unique values: 84

Missing "": 953/1,099

Examples: ""
""
""
""

Warning: Variable has embedded blanks.

FB

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

```

Tabulation: Freq. Value
              313 ""
              761 "Correcto"
              25  "Incorrecto"
    
```

FC (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 314/1,099

```

Tabulation: Freq. Value
              314 ""
              767 "Correcto"
              18  "Incorrecto"
    
```

FD (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

```

Tabulation: Freq. Value
              313 ""
              747 "Correcto"
              39  "Incorrecto"
    
```

FE (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 315/1,099

Tabulation:	Freq.	Value
	315	" "
	670	"Correcto"
	114	"Incorrecto"

FF

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 314/1,099

Tabulation:	Freq.	Value
	314	" "
	747	"Correcto"
	38	"Incorrecto"

FG

(unlabeled)

Type: String (str102)

Unique values: 77

Missing "": 967/1,099

Examples: " "
 " "
 " "
 " "

Warning: Variable has embedded blanks.

var164

var164

Type: Numeric (**byte**)

Range: [**0,10**]

Units: **1**

Unique values: **10**

Missing .: **0/1,099**

Mean: **6.66333**

Std. dev.: **4.32402**

Percentiles:	10%	25%	50%	75%	90%
	0	0	9	10	10

FI

(unlabeled)

Type: String (**str21**)

Unique values: **7**

Missing "": **325/1,099**

	Tabulation:	Freq.	Value
		325	"
		4	"BANDERA"
ÁRBOL"		9	"BANDERA"
		14	"PELOTA"
		20	"PELOTA"
BANDERA"		688	"PELOTA"
BANDERA ÁRBOL"		35	"PELOTA"
ÁRBOL"		4	"ÁRBOL"

var166

var166

Type: Numeric (byte)

Range: [0,3]

Unique values: 4

Units: 1

Missing .: 0/1,099

Tabulation:	Freq.	Value
	321	0
	6	1
	24	2
	748	3

var167

var167

Type: Numeric (byte)

Range: [0,5]
Unique values: 6

Units: 1
Missing .: 316/1,099

Tabulation:	Freq.	Value
	60	0
	37	1
	52	2
	68	3
	116	4
	450	5
	316	.

var168

var168

Type: Numeric (byte)

Range: [0,8]
Unique values: 9

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	315	0
	3	1
	9	2
	52	3
	42	4
	53	5
	67	6
	117	7
	441	8

FM

(unlabeled)

Type: String (str21)

Unique values: 7

Missing "": 348/1,099

Tabulation:		Freq.	Value
ÁRBOL"		348	"
		20	"BANDERA"
		24	"BANDERA
		64	"PELOTA"
BANDERA"		81	"PELOTA
		394	"PELOTA
BANDERA ÁRBOL"			
		153	"PELOTA
ÁRBOL"		15	"ÁRBOL"

var170

var170

Type: Numeric (byte)

Range: [0,3]

Unique values: 4

Units: 1

Missing .: 0/1,099

Tabulation:		Freq.	Value
		352	0
		115	1
		298	2
		334	3

var171

var171

Type: String (**str1**)

Unique values: 3

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	31	"0"
	29	"1"
	726	"2"

var172

var172

Type: String (**str1**)

Unique values: 4

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	18	"0"
	12	"1"
	755	"2"
	1	"3"

var173

var173

Type: String (**str1**)

Unique values: 4

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	7	"0"
	9	"1"
	767	"2"
	3	"3"

var174

var174

Type: String (str1)

Unique values: 4

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	124	"0"
	130	"1"
	340	"2"
	192	"3"

var175

var175

Type: String (str1)

Unique values: 4

Missing "": 313/1,099

Tabulation: Freq. Value
 313 ""
 46 "0"
 66 "1"
 247 "2"
 427 "3"

var176

var176

Type: String (str1)

Unique values: 5

Missing "": 313/1,099

Tabulation: Freq. Value
 313 ""
 22 "0"
 40 "1"
 144 "2"
 579 "3"
 1 "4"

var177

var177

Type: String (str1)

Unique values: 2

Missing "": 313/1,099

Tabulation: Freq. Value
 313 ""
 280 "0"
 506 "1"

var178

var178

Type: String (**str1**)

Unique values: 3

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	184	"0"
	601	"1"
	1	"2"

var179

var179

Type: String (**str1**)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	" "
	103	"0"
	683	"1"

var180

var180

Type: String (**str1**)

Unique values: 2

Missing "": 314/1,099

Tabulation: Freq. Value
 314 ""
 580 "0"
 205 "1"

var181

var181

Type: String (str1)

Unique values: 3

Missing "": 313/1,099

Tabulation: Freq. Value
 313 ""
 356 "0"
 429 "1"
 1 "8"

var182

var182

Type: String (str2)

Unique values: 5

Missing "": 315/1,099

Tabulation: Freq. Value
 315 ""
 1 "-1"
 1 "-2"
 197 "0"
 584 "1"
 1 "2"

var183

var183

Type: Numeric (**byte**)

Range: [0,22]
Unique values: 21

Units: 1
Missing .: 0/1,099

Mean: 11.7116
Std. dev.: 7.98071

Percentiles:	10%	25%	50%	75%	90%
	0	0	15	18	20

var184

var184

Type: Numeric (**byte**)

Range: [0,8]
Unique values: 9

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	397	0
	50	1
	68	2
	87	3
	106	4
	123	5
	109	6
	158	7
	1	8

GC (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	718	"Correcto"
	68	"Incorrecto"

GD (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 313/1,099

Tabulation:	Freq.	Value
	313	"
	52	"Correcto"
	734	"Incorrecto"

GE (unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 314/1,099

```

Tabulation: Freq. Value
             314 ""
             137 "Correcto"
             648 "Incorrecto"
    
```

GF

(unlabeled)

Type: String (str10)

Unique values: 2

Missing "": 314/1,099

```

Tabulation: Freq. Value
             314 ""
              5 "Correcto"
             780 "Incorrecto"
    
```

var189

var189

Type: Numeric (byte)

Range: [0,4]

Unique values: 5

Units: 1

Missing .: 0/1,099

```

Tabulation: Freq. Value
             376 0
             559 1
             140 2
              23 3
               1 4
    
```

var190

var190

Type: Numeric (**byte**)

Range: [0,33]
Unique values: 30

Units: 1
Missing .: 0/1,099

Mean: 17.0591
Std. dev.: 11.7664

Percentiles:	10%	25%	50%	75%	90%
	0	0	22	27	30

var191

var191

Type: String (**str200**), but longest is str178

Unique values: 774

Missing "": 324/1,099

Examples: ""

"Paz pelota piña perro piñata panamito pluma piano
patada pinguino pito pistola pirata pasado pintado"
"Pera

Piña
Plátano
Pelota
Perro
Pincel
Planeta
Piso

Puma

Palta

Piña (perseveración)

Piscina"

"Piso poste pesa puerta perro pollo pavo pato pansa
pobreza PISO PATO"

Warning: Variable has embedded blanks.

var192

var192

Type: String (str41)

Unique values: 28

Missing "": 314/1,099

Examples: ""

"11"

"15"

"5"

Warning: Variable has embedded blanks.

GK

(unlabeled)

Type: String (str5)

Unique values: 7

Missing "": 314/1,099

```

Tabulation: Freq. Value
          314 ""
          186 "11-13"
          166 "14-17"
           51 "4-5"
           95 "6-7"
          187 "8-10"
           27 "< 4"
           73 "> 17"
    
```

Warning: Variable has embedded blanks.

var194

var194

Type: String (str256)

Unique values: 773

Missing "": 324/1,099

Examples: ""

```

"Gallina, pata, pavo, loro, oso, burro, vaca, oveja,
leon, puma, oso, cabra, pescado, ballena, tiburón"
"Perro
    
```

Gato
Loto
Gallina
Pato

conejo
Tigre
Leon
Wlwfante

Jirafa
Camaleon

Papagayo
 Mono
 Cocodrilo
 Seepientw
 R

aton

Lagartija
 Chanco
 Paloma"

"Pájaro cóndor avestruz cocodrilo paloma tucán
 delfín tiburón pez halcón jirafa león tigre pantera
 leopardo perro gato ratón pavo pato pollo oso
 armadillo saltamontes hormigas araña mono"

Warning: Variable has embedded blanks.

var195

var195

Type: Numeric (**byte**)

Range: [1,33]

Units: 1

Unique values: 32

Missing .: 315/1,099

Mean: 17.9235

Std. dev.: 5.36287

Percentiles:	10%	25%	50%	75%	90%
	11	14	18	22	25

GN

(unlabeled)

Type: String (**str5**)

Unique values: 8

Missing "": 315/1,099

Tabulation:	Freq.	Value
	315	"
	107	"11-13"
	152	"14-16"
	266	"17-21"
	15	"7-8"
	42	"9-10"
	6	"< 7"
	195	"> 21"
	1	">21"

Warning: Variable has embedded blanks.

var197

var197

Type: Numeric (**byte**)

Range: [0,7]

Unique values: 8

Units: 1

Missing .: 0/1,099

Tabulation:	Freq.	Value
	316	0
	27	1
	50	2
	95	3
	187	4
	185	5
	166	6
	73	7

var198

var198

Type: Numeric (**byte**)

Range: [**0,7**]

Units: **1**

Unique values: **8**

Missing .: **0/1,099**

Tabulation:	Freq.	Value
	315	0
	6	1
	15	2
	42	3
	107	4
	152	5
	266	6
	196	7

var199

var199

Type: Numeric (**byte**)

Range: [**0,14**]

Units: **1**

Unique values: **14**

Missing .: **0/1,099**

Mean: **7.17925**

Std. dev.: **5.02214**

Percentiles:	10%	25%	50%	75%	90%
	0	0	9	11	13

var200

var200

Type: String (**str16**)

Unique values: **14**

Missing "": **357/1,099**

Examples: ""

"Reloj"

"Reloj"

"Reloj"

Warning: Variable has embedded blanks.

var201

var201

Type: String (**str15**)

Unique values: **20**

Missing "": **358/1,099**

Examples: ""

"Lapiz"

"Lapiz"

"Lápiz"

Warning: Variable has embedded blanks.

var202

var202

Type: Numeric (**byte**)

Range: [1,2] Units: 1
 Unique values: 2 Missing .: 314/1,099

Tabulation: Freq. Value
 20 1
 765 2
 314 .

var203

var203

Type: String (str16)

Unique values: 1 Missing "": 346/1,099

Tabulation: Freq. Value
 346 ""
 753 "ACIERTO [JIRAFa]"

Warning: Variable has embedded blanks.

GV

(unlabeled)

Type: String (str14)

Unique values: 13 Missing "": 1,069/1,099

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

var205

var205

Type: String (str16)

Unique values: 1

Missing "": 340/1,099

Tabulation:	Freq.	Value
	340	"
	759	"ACIERTO [COMETA]"

Warning: Variable has embedded blanks.

GX

(unlabeled)

Type: String (str64)

Unique values: 18

Missing "": 1,078/1,099

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

var207

var207

Type: String (str32)

Unique values: 1

Missing "": 321/1,099

Tabulation: Freq. Value

321 ""

778 "ACIERTO [CERDO, CHANCHO, PUERCO]"

Warning: Variable has embedded blanks.

GZ

(unlabeled)

Type: String (str11)

Unique values: 3

Missing "": 1,096/1,099

Tabulation: Freq. Value

1,096 ""

1 "Perro"

1 "Que come"

1 "Rinoceronte"

Warning: Variable has embedded blanks.

var209

var209

Type: String (str17)

Unique values: 1

Missing "": 414/1,099

```

Tabulation: Freq. Value
            414 ""
            685 "ACIERTO [CANGURO]"
    
```

Warning: Variable has embedded blanks.

HB

(unlabeled)

Type: String (str14)

Unique values: 41

Missing "": 1,009/1,099

```

Examples: ""
          ""
          ""
          ""
    
```

Warning: Variable has embedded blanks.

var211

var211

Type: String (str16)

Unique values: 1

Missing "": 375/1,099

```

Tabulation: Freq. Value
            375 ""
            724 "ACIERTO [CORONA]"
    
```

Warning: Variable has embedded blanks.

HD

(unlabeled)

Type: String (**str13**)

Unique values: **26**

Missing "": **1,051/1,099**

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

var213

var213

Type: String (**str32**)

Unique values: **1**

Missing "": **399/1,099**

Tabulation:	Freq.	Value
	399	""
	700	"ACIERTO [HELICÓPTERO, AUTOGIRO]"

Warning: Variable has embedded blanks.

HF

(unlabeled)

Type: String (**str12**)

Unique values: 18

Missing "": 1,022/1,099

Examples: ""

""

""

""

Warning: Variable has embedded blanks.

var215

var215

Type: String (str16)

Unique values: 1

Missing "": 665/1,099

Tabulation: Freq. Value

665 ""

434 "ACIERTO [MOLINO]"

Warning: Variable has embedded blanks.

HH

(unlabeled)

Type: String (str28)

Unique values: 97

Missing "": 756/1,099

Examples: ""

""

""

"Faro"

Warning: Variable has embedded blanks.

var217

var217

Type: String (str28)

Unique values: 1

Missing "": 434/1,099

Tabulation:	Freq.	Value
	434	" "
	665	"ACIERTO [DROMEDARIO,CAMELLO]"

Warning: Variable has embedded blanks.

HJ

(unlabeled)

Type: String (str14)

Unique values: 38

Missing "": 994/1,099

Examples: " "
 " "
 " "
 " "

Warning: Variable has embedded blanks.

var219

var219

Type: String (**str23**)

Unique values: **1**

Missing "": **469/1,099**

Tabulation:	Freq.	Value
	469	" "
	630	"ACIERTO [BARRIL, TONEL]"

Warning: Variable has embedded blanks.

HL

(unlabeled)

Type: String (**str21**)

Unique values: **52**

Missing "": **944/1,099**

Examples: **" "**
" "
" "
" "

Warning: Variable has embedded blanks.

var221

var221

Type: String (**str14**)

Unique values: **1**

Missing "": **326/1,099**

```

Tabulation: Freq. Value
              326 ""
              773 "ACIERTO [VACA]"
    
```

Warning: Variable has embedded blanks.

HN

(unlabeled)

Type: String (str6), but longest is str5

Unique values: 2

Missing "": 1,096/1,099

```

Tabulation: Freq. Value
              1,096 ""
                1 "Burro"
                2 "Vaca"
    
```

var223

var223

Type: Numeric (byte)

Range: [0,10]

Units: 1

Unique values: 10

Missing .: 5/1,099

Mean: 6.30256

Std. dev.: 4.17272

Percentiles:	10%	25%	50%	75%	90%
	0	0	9	10	10

var224

var224

Type: Numeric (**byte**)

Range: [0,2]

Unique values: 3

Units: 1

Missing .: 315/1,099

Tabulation:	Freq.	Value
	2	0
	11	1
	771	2
	315	.

var225

var225

Type: Numeric (**byte**)

Range: [0,1]

Unique values: 2

Units: 1

Missing .: 314/1,099

Tabulation:	Freq.	Value
	77	0
	708	1
	314	.

var226

var226

Type: Numeric (**byte**)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 313/1,099

Tabulation:	Freq.	Value
	3	0
	6	1
	36	2
	741	3
	313	.

var227

var227

Type: Numeric (byte)

Range: [0,2]
Unique values: 3

Units: 1
Missing .: 313/1,099

Tabulation:	Freq.	Value
	9	0
	245	1
	532	2
	313	.

var228

var228

Type: Numeric (byte)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 314/1,099

Tabulation: Freq. Value
 1 0
 9 1
 13 2
 762 3
 314 .

var229

var229

Type: Numeric (byte)

Range: [0,2]
 Unique values: 3

Units: 1
 Missing .: 314/1,099

Tabulation: Freq. Value
 92 0
 199 1
 494 2
 314 .

var230

var230

Type: Numeric (byte)

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 315/1,099

Tabulation: Freq. Value
 76 0
 708 1
 315 .

var231

var231

Type: Numeric (**double**)

Range: [0,1]

Units: .1

Unique values: 3

Missing .: 313/1,099

Tabulation:	Freq.	Value
	626	0
	1	.1
	159	1
	313	.

var232

var232

Type: String (**str112**)

Unique values: 771

Missing "": 328/1,099

Examples: ""

"https://www.jotform.com/uploads/eherrerap/221527128890660/5337421062027026036/5337421062027026036_base64_458.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5340165185122825528/5340165185122825528_base64_458.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5344134444522467369/5344134444522467369_base64_458.png"

var233

var233

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 319/1,099

Tabulation:	Freq.	Value
	91	0
	689	1
	319	.

var234

var234

Type: String (**str1**)

Unique values: 4

Missing "": 323/1,099

Tabulation:	Freq.	Value
	323	" "
	276	"0"
	166	"1"
	332	"2"
	2	"3"

var235

var235

Type: String (**str1**)

Unique values: 4

Missing "": 318/1,099

Tabulation:	Freq.	Value
	318	" "
	156	"0"
	139	"1"
	190	"2"
	296	"3"

var236

var236

Type: String (str1)

Unique values: 3

Missing "": 318/1,099

Tabulation:	Freq.	Value
	318	" "
	250	"0"
	529	"1"
	2	"2"

var237

var237

Type: String (str2)

Unique values: 3

Missing "": 317/1,099

Tabulation: Freq. Value
 317 ""
 1 "-4"
 295 "0"
 486 "1"

var238

var238

Type: String (**str83**)

Unique values: **121**

Missing "": **953/1,099**

Examples: ""
 ""
 ""
 ""

Warning: Variable has embedded blanks.

var239

var239

Type: Numeric (**double**)

Range: **[0,28]**

Units: **.1**

Unique values: **19**

Missing .: **0/1,099**

Mean: **17.6307**

Std. dev.: **11.3605**

Percentiles:	10%	25%	50%	75%	90%
	0	0	24	26	27

var240

var240

Type: Numeric (**byte**)

Range: [0,1]

Units: 1

Unique values: 2

Missing .: 315/1,099

Tabulation:	Freq.	Value
	139	0
	645	1
	315	.

var241

var241

Type: String (**str112**)

Unique values: 774

Missing "": 325/1,099

Examples: ""

"https://www.jotform.com/uploads/eherrerap/221527128890660/5338195966214600499/5338195966214600499_base64_377.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5340140025484689015/5340140025484689015_base64_377.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5344127525325036465/5344127525325036465_base64_377.png"

var242

var242

Type: Numeric (**byte**)

Range: [0,1]

Units: 1

Unique values: 2

Missing .: 315/1,099

Tabulation:	Freq.	Value
	308	0
	476	1
	315	.

var243

var243

Type: String (**str112**)

Unique values: 775

Missing "": 324/1,099

Examples: ""

"https://www.jotform.com/uploads/eherrerap/221527128890660/5338371378116076233/5338371378116076233_base64_378.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5340150368518605691/5340150368518605691_base64_378.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5344127525325036465/5344127525325036465_base64_378.png"

var244

var244

Type: Numeric (**byte**)

Range: [0,3]

Units: 1

Unique values: 4

Missing .: 317/1,099

Tabulation:	Freq.	Value
	23	0
	187	1
	281	2
	291	3
	317	.

var245

var245

Type: String (**str112**)

Unique values: 773

Missing "": 326/1,099

Examples: ""

"https://www.jotform.com/uploads/eherrerap/221527128890660/5337972613476593821/5337972613476593821_base64_379.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5340134798513711756/5340134798513711756_base64_379.png"

"https://www.jotform.com/uploads/eherrerap/221953700937661/5344134444522467369/5344134444522467369_base64_379.png"

var246

var246

Type: Numeric (**byte**)

Range: [0,5]
Unique values: 6

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	331	0
	65	1
	93	2
	170	3
	231	4
	209	5

var247

var247

Type: Numeric (**double**)

Range: [0,97]
Unique values: 62

Units: .1
Missing .: 248/1,099

Mean: 72.2845
Std. dev.: 23.6805

Percentiles:	10%	25%	50%	75%	90%
	50	69	79	87	90

var248

var248

Type: String (**str269**)

Unique values: **19**

Missing "": **783/1,099**

Examples: ""

""

""

"(1) Enséñeme su pie derecho

(2) Enséñeme su mano

izquierda

(3) Con su mano derecha toque su hombro

izquierdo

(4) Con su mano izquierda toque su oreja

derecha

(5) Señale (indique cuál es) mi rodilla

izquierda"

Warning: Variable has embedded blanks.

var249

var249

Type: Numeric (**byte**)

Range: [**0,5**]

Unique values: **5**

Units: **1**

Missing .: **0/1,099**

Tabulation: Freq. Value

783 0

6 2

5 3

53 4

252 5

var250

var250

Type: String (str227)

Unique values: 3

Missing "": 783/1,099

Tabulation: Freq.	Value
783	"
22	"FALLIDO=0 (incapaz de realizar la tarea; ausencia de persistencia; no lo intenta en absoluto)."
206	"NORMAL=2 (muy pocos errores, en el caso que cometa alguno, ella misma los corrige, lo hace progresivamente mejor; mantiene bien la continuidad del movimiento; sólo muy ligeras pérdidas de sincronización entre las dos manos)."
88	"PARCIALMENTE ADECUADO=1 (errores notables con algún intento de corregirse; intenta mantener la continuidad de la acción; sincronización pobre)."

Warning: Variable has embedded blanks.

var251

var251

Type: Numeric (byte)

Range: [0,2]
Unique values: 3

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	805	0
	88	1
	206	2

var252

var252

Type: String (str138)

Unique values: 3

Missing "": 866/1,099

Tabulation:	Freq.	Value
	866	"
	119	"(1) ¿Ha hecho la persona un dibujo basado en un cuadrado? (4 LÍNEAS)"
	109	"(1) ¿Ha hecho la persona un dibujo basado en un cuadrado? (4 LÍNEAS)"

(2)

	¿Aparecen todas las líneas internas en su dibujo? (6 LÍNEAS)"
5	"(2) ¿Aparecen todas las líneas internas en su dibujo? (6 LÍNEAS)"

Warning: Variable has embedded blanks.

var253

var253

Type: String (str46)

Unique values: 1

Missing "": 953/1,099

Tabulation: Freq. Value

953 ""

146 "(3) ¿Aparecen todas las líneas en su dibujo?"

Warning: Variable has embedded blanks.

var254

var254

Type: Numeric (byte)

Range: [0,3]

Units: 1

Unique values: 4

Missing .: 0/1,099

Tabulation: Freq. Value

855 0

99 1

46 2

99 3

var255

var255

Type: String (str112)

Unique values: 314

Missing "": 785/1,099

Examples: ""
""
""
"https://www.jotform.com/uploads/eherrerap/221953700
937661/5338035714955574301/5338035714955574301_base6
4_858.png"

var256

var256

Type: String (str248)

Unique values: 314

Missing "": 783/1,099

Examples: ""
""
""
"Esperar que pasen los carros. Levanto la mano para
decirles que paren."

Warning: Variable has embedded blanks.

var257

var257

Type: String (str15)

Unique values: 3

Missing "": 783/1,099

```

Tabulation: Freq. Value
              783 ""
              76  "No=0"
              21  "Sí, incitada=1"
              219 "Sí=2"
    
```

Warning: Variable has embedded blanks.

var258

var258

Type: String (str15)

Unique values: 3

Missing "": 783/1,099

```

Tabulation: Freq. Value
              783 ""
              145 "No=0"
              97  "Sí, incitada=1"
              74  "Sí=2"
    
```

Warning: Variable has embedded blanks.

var259

var259

Type: Numeric (byte)

Range: [0,4]

Units: 1

Unique values: 5

Missing .: 0/1,099

Tabulation: Freq. Value
807 0
35 1
140 2
79 3
38 4

var260

var260

Type: String (**str26**)

Unique values: **15**

Missing "": **786/1,099**

Examples: ""

""

""

"Café

Aceite
Huevos"

var261

var261

Type: Numeric (**byte**)

Range: [**0,8**]

Unique values: **5**

Units: **1**

Missing .: **0/1,099**

```

Tabulation: Freq. Value
              786  0
              14  2
              57  4
             129  6
             113  8
    
```

var262

var262

Type: String (**str4**)

Unique values: 6

Missing "": 782/1,099

```

Tabulation: Freq. Value
              782  ""
               2  "3"
               2  "4"
               4  "5"
               5  "6"
               8  "7"
             296  "≥8"
    
```

var263

var263

Type: Numeric (**byte**)

Range: [0,8]

Unique values: 7

Units: 1

Missing .: 0/1,099

Tabulation: Freq. Value

782	0
2	3
2	4
4	5
5	6
8	7
296	8

var264

var264

Type: Numeric (**byte**)

Range: [0,30]
Unique values: 21

Units: 1
Missing .: 660/1,099

Mean: 17.1936
Std. dev.: 11.1808

Percentiles:	10%	25%	50%	75%	90%
	0	0	23	25	27

var265

var265

Type: Numeric (**byte**)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 195/1,099

Tabulation: Freq. Value
829 0
37 1
28 2
10 3
195 .

var266

var266

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 196/1,099

Tabulation: Freq. Value
811 0
42 1
30 2
20 3
196 .

var267

var267

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 195/1,099

Tabulation: Freq. Value
 855 0
 24 1
 11 2
 14 3
 195 .

var268

var268

Type: Numeric (byte)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 196/1,099

Tabulation: Freq. Value
 827 0
 30 1
 22 2
 24 3
 196 .

var269

var269

Type: Numeric (byte)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 195/1,099

Tabulation: Freq. Value
 816 0
 57 1
 19 2
 12 3
 195 .

var270

var270

Type: Numeric (byte)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 195/1,099

Tabulation: Freq. Value
 800 0
 73 1
 21 2
 10 3
 195 .

var271

var271

Type: Numeric (byte)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 195/1,099

Tabulation: Freq. Value
674 0
143 1
75 2
12 3
195 .

var272

var272

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 197/1,099

Tabulation: Freq. Value
722 0
100 1
67 2
13 3
197 .

var273

var273

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 195/1,099

Tabulation: Freq. Value
870 **0**
13 **1**
16 **2**
5 **3**
195 **.**

var274

var274

Type: Numeric (**byte**)

Range: [**0**,**3**]
 Unique values: **4**

Units: **1**
 Missing .: **195/1,099**

Tabulation: Freq. Value
878 **0**
18 **1**
5 **2**
3 **3**
195 **.**

var275

var275

Type: Numeric (**byte**)

Range: [**0**,**3**]
 Unique values: **4**

Units: **1**
 Missing .: **196/1,099**

Tabulation: Freq. Value
856 0
21 1
12 2
14 3
196 .

var276

var276

Type: Numeric (byte)

Range: [0,33]
 Unique values: 28

Units: 1
 Missing .: 0/1,099

Mean: 1.43858
 Std. dev.: 3.40639

Percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

var277

var277

Type: String (str13)

Unique values: 4

Missing "": 0/1,099

Tabulation: Freq. Value
190 "MÁS O MENOS"
568 "NO"
5 "SIN RESPUESTA"
336 "SÍ"

Warning: Variable has embedded blanks.

var278

var278

Type: String (str13)

Unique values: 4

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	"
	165	"MÁS O MENOS"
	242	"NO"
	2	"SIN RESPUESTA"
	689	"SÍ"

Warning: Variable has embedded blanks.

var279

var279

Type: String (str13)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	229	"MÁS O MENOS"
	467	"NO"
	2	"SIN RESPUESTA"
	401	"SÍ"

Warning: Variable has embedded blanks.

var280

var280

Type: String (str13)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	215	"MÁS O MENOS"
	347	"NO"
	3	"SIN RESPUESTA"
	534	"SÍ"

Warning: Variable has embedded blanks.

var282a

var282a

Type: String (str13)

Unique values: 4

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	" "
	153	"MÁS O MENOS"
	458	"NO"
	3	"SIN RESPUESTA"
	484	"SÍ"

Warning: Variable has embedded blanks.

var282

var282

Type: String (**str13**)

Unique values: **4**

Missing "": **2/1,099**

Tabulation:	Freq.	Value
	2	" "
	137	"MÁS O MENOS"
	747	"NO"
	3	"SIN RESPUESTA"
	210	"SÍ"

Warning: Variable has embedded blanks.

XXX

XXX

Type: String (**str3**)

Unique values: **2**

Missing "": **103/1,099**

Tabulation:	Freq.	Value
	103	" "
	77	"No"
	919	"Sí"

var284

var284

Type: Numeric (**byte**)

Range: [0,6]
Unique values: 7

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	83	0
	166	1
	220	2
	259	3
	150	4
	136	5
	85	6

var285

var285

Type: String (str29)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	84	"Casi todos los días"
	72	"Más de la mitad de los días"
	658	"Para nada"
	285	"Varios días"

Warning: Variable has embedded blanks.

var286

var286

Type: String (str29)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq. Value
             86 "Casi todos los días"
             78 "Más de la mitad de los días"
            577 "Para nada"
            358 "Varios días"
    
```

Warning: Variable has embedded blanks.

var287

var287

Type: String (str29)

Unique values: 4

Missing "": 1/1,099

```

Tabulation: Freq. Value
             1 ""
            129 "Casi todos los días"
             75 "Más de la mitad de los días"
            653 "Para nada"
            241 "Varios días"
    
```

Warning: Variable has embedded blanks.

var288

var288

Type: String (str29)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq. Value
            116 "Casi todos los días"
              99 "Más de la mitad de los días"
             463 "Para nada"
             421 "Varios días"
    
```

Warning: Variable has embedded blanks.

var289

var289

Type: String (str29)

Unique values: 4

Missing "": 2/1,099

```

Tabulation: Freq. Value
              2 ""
            101 "Casi todos los días"
              63 "Más de la mitad de los días"
             702 "Para nada"
             231 "Varios días"
    
```

Warning: Variable has embedded blanks.

var290

var290

Type: String (str29)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq. Value
              65 "Casi todos los días"
              55 "Más de la mitad de los días"
             722 "Para nada"
             257 "Varios días"
    
```

Warning: Variable has embedded blanks.

var291

var291

Type: String (str29)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq. Value
              63 "Casi todos los días"
              43 "Más de la mitad de los días"
             754 "Para nada"
             239 "Varios días"
    
```

Warning: Variable has embedded blanks.

var292

var292

Type: String (str29)

Unique values: 4

Missing "": 1/1,099

```

Tabulation: Freq. Value
              1 ""
              32 "Casi todos los días"
              31 "Más de la mitad de los días"
             879 "Para nada"
             156 "Varios días"
    
```

Warning: Variable has embedded blanks.

var293

var293

Type: String (**str29**)

Unique values: 4

Missing "": 3/1,099

```

Tabulation: Freq. Value
              3 ""
             30 "Casi todos los días"
             21 "Más de la mitad de los días"
            925 "Para nada"
            120 "Varios días"
    
```

Warning: Variable has embedded blanks.

KH

(unlabeled)

Type: Numeric (**byte**)

Range: [1,5]

Unique values: 5

Units: 1

Missing .: 103/1,099

```

Tabulation: Freq. Value
          10  1
          24  2
          91  3
         190  4
         681  5
         103  .
    
```

var295

var295

Type: String (str23)

Unique values: 4

Missing "": 90/1,099

```

Tabulation: Freq. Value
          90  ""
         341  "Algo difícil"
          22  "Extremadamente difícil"
         105  "Muy difícil"
         541  "No ha sido difícil"
    
```

Warning: Variable has embedded blanks.

var296

var296

Type: Numeric (byte)

Range: [0,27]

Unique values: 27

Units: 1

Missing .: 0/1,099

Mean: **5.00364**
Std. dev.: **4.87942**

Percentiles:	10%	25%	50%	75%	90%
	0	1	4	7	12

KK

(unlabeled)

Type: Numeric (**double**)

Range: [25,100]	Units: 1.000e-06
Unique values: 75	Missing .: 0/1,099

Mean: **78.7875**
Std. dev.: **11.4522**

Percentiles:	10%	25%	50%	75%	90%
	63.3333	73	80	87	91

KL

(unlabeled)

Type: String (**str23**)

Unique values: 3	Missing "": 0/1,099
-------------------------	----------------------------

Tabulation:	Freq.	Value
	675	"Con deterioro cognitivo"
	6	"Faltan datos"
	418	"Sin deterioro cognitivo"

Warning: Variable has embedded blanks.

KM

(unlabeled)

Type: String (str33)

Unique values: 6

Missing "": 0/1,099

Tabulation:	Freq.	Value
	2	"Faltan datos"
	18	"No aplica"
	16	"Predominantemente contaminante"
	116	"Predominantemente no contaminante"
	32	"Solo contaminante"
	915	"Solo no contaminante"

Warning: Variable has embedded blanks.

KN

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	732	"No"
	367	"Sí"

KO

(unlabeled)

Type: Numeric (double)

Range: [.09876543,1.8957346] Units: 1.000e-10
 Unique values: 457 Missing .: 48/1,099

Mean: .80751
 Std. dev.: .246528

Percentiles:	10%	25%	50%	75%	90%
	.498753	.645161	.793651	.970874	1.1396

KP (unlabeled)

Type: String (str34)

Unique values: 3 Missing "": 0/1,099

Tabulation:	Freq.	Value
	972	"No"
	70	"Sí, diagnosticado con tratamiento"
	57	"Sí, tamizaje"

Warning: Variable has embedded blanks.

KQ (unlabeled)

Type: String (str34)

Unique values: 3 Missing "": 0/1,099

```

Tabulation: Freq. Value
             638 "No"
              88 "Sí, diagnosticado con tratamiento"
             373 "Sí, tamizaje"
    
```

Warning: Variable has embedded blanks.

KR	(unlabeled)
----	-------------

Type: String (str3)

Unique values: 2 Missing "": 0/1,099

```

Tabulation: Freq. Value
             774 "No"
             325 "Sí"
    
```

KS	(unlabeled)
----	-------------

Type: String (str3)

Unique values: 2 Missing "": 0/1,099

```

Tabulation: Freq. Value
            1,072 "No"
               27 "Sí"
    
```

KT	(unlabeled)
----	-------------

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,080	"No"
	19	"Sí"

KU

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,077	"No"
	22	"Sí"

KV

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,089	"No"
	10	"Sí"

KW

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	671	"No"
	428	"Sí"

KX

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	900	"No"
	199	"Sí"

KY

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,040	"No"
	59	"Sí"

KZ

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	942	"No"
	157	"Sí"

LA

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,049	"No"
	50	"Sí"

LB

(unlabeled)

Type: String (str3)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,095	"No"
	4	"Sí"

LC

(unlabeled)

Type: String (**str3**)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,044	"No"
	55	"Sí"

LD

(unlabeled)

Type: String (**str3**)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1,011	"No"
	88	"Sí"

LE

(unlabeled)

Type: Numeric (**byte**)

Range: [0,6]

Unique values: 7

Units: 1

Missing .: 0/1,099

Tabulation: Freq. Value

83	0
165	1
221	2
258	3
151	4
136	5
85	6

LF

(unlabeled)

Type: Numeric (byte)

Range: [0,27]
Unique values: 27

Units: 1
Missing .: 0/1,099

Mean: 5.00455
Std. dev.: 4.87895

Percentiles:	10%	25%	50%	75%	90%
	0	1	4	7	12

LG

(unlabeled)

Type: String (str4)

Unique values: 16

Missing "": 0/1,099

Examples: "0"
 "0"
 "0"
 "0"

LH	(unlabeled)
----	-------------

Type: Numeric (**double**)

Range: [1,222.77778]	Units: 1.000e-09
Unique values: 1,041	Missing .: 3/1,099

Mean: 28.9095
 Std. dev.: 7.74067

Percentiles:	10%	25%	50%	75%	90%
	23.2335	25.4434	28.2061	31.2766	34.9011

LI	(unlabeled)
----	-------------

Type: String (**str3**)

Unique values: 2	Missing "": 0/1,099
------------------	---------------------

Tabulation:	Freq.	Value
	933	"No"
	166	"Sí"

LJ	(unlabeled)
----	-------------

Type: Numeric (**double**)

Range: [0,80]
Unique values: 19

Units: .1
Missing .: 0/1,099

Mean: 22.384
Std. dev.: 14.8195

Percentiles:	10%	25%	50%	75%	90%
	10	10	20	30	40

LK

(unlabeled)

Type: Numeric (**double**)

Range: [0,40]
Unique values: 13

Units: .1
Missing .: 0/1,099

Mean: 1.32848
Std. dev.: 4.56664

Percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	5

LL

(unlabeled)

Type: Numeric (**double**)

Range: [0,1]
Unique values: 5

Units: .01
Missing .: 0/1,099

```

Tabulation: Freq. Value
              19  0
                8 .25
               52 .5
              119 .75
             901 1
    
```

LM

(unlabeled)

Type: Numeric (byte)

Range: [0,80]
 Unique values: 9

Units: 10
 Missing .: 0/1,099

```

Tabulation: Freq. Value
              20  0
             391 10
             252 20
             206 30
             134 40
              46 50
              31 60
              17 70
               2 80
    
```

LN

(unlabeled)

Type: Numeric (double)

Range: [0,1]
 Unique values: 5

Units: .01
 Missing .: 0/1,099

Tabulation: Freq. Value
 962 0
 73 .25
 45 .5
 11 .75
 8 1

L0

(unlabeled)

Type: Numeric (byte)

Range: [0,80]

Unique values: 9

Units: 10

Missing .: 0/1,099

Tabulation: Freq. Value
 964 0
 48 10
 25 20
 19 30
 18 40
 12 50
 10 60
 2 70
 1 80

LP

(unlabeled)

Type: String (str4)

Unique values: 5

Missing "": 0/1,099

```

Tabulation: Freq. Value
            19 "0"
              8 "0.25"
             52 "0.5"
            119 "0.75"
            901 "1"
    
```

LQ

(unlabeled)

Type: String (str2)

Unique values: 9

Missing "": 0/1,099

```

Tabulation: Freq. Value
            20 "0"
           391 "10"
           252 "20"
           206 "30"
           134 "40"
            46 "50"
            31 "60"
            17 "70"
             2 "80"
    
```

LR

(unlabeled)

Type: String (str4)

Unique values: 5

Missing "": 0/1,099

```

Tabulation: Freq. Value
          963 "0"
           73 "0.25"
           45 "0.5"
           11 "0.75"
            7 "1"
    
```

LS

(unlabeled)

Type: String (str2)

Unique values: 9

Missing "": 0/1,099

```

Tabulation: Freq. Value
          965 "0"
           47 "10"
           25 "20"
           19 "30"
           18 "40"
           12 "50"
           10 "60"
            2 "70"
            1 "80"
    
```

LT

(unlabeled)

Type: Numeric (byte)

Range: [0,3]

Unique values: 4

Units: 1

Missing .: 0/1,099

Tabulation: Freq. Value
 658 0
 285 1
 72 2
 84 3

LU

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
 577 0
 358 1
 78 2
 86 3

LV

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
 654 0
 241 1
 75 2
 129 3

LW

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]

Unique values: 4

Units: 1

Missing .: 0/1,099

Tabulation:	Freq.	Value
	463	0
	421	1
	99	2
	116	3

LX

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]

Unique values: 4

Units: 1

Missing .: 0/1,099

Tabulation:	Freq.	Value
	704	0
	231	1
	63	2
	101	3

LY

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	722	0
	257	1
	55	2
	65	3

LZ

(unlabeled)

Type: Numeric (byte)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	754	0
	239	1
	43	2
	63	3

MA

(unlabeled)

Type: Numeric (byte)

Range: [0,3]
Unique values: 4

Units: 1
Missing .: 0/1,099

Tabulation: Freq. Value
880 **0**
156 **1**
31 **2**
32 **3**

MB

(unlabeled)

Type: Numeric (**byte**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
928 **0**
120 **1**
21 **2**
30 **3**

MC

(unlabeled)

Type: String (**str1**)

Unique values: 4

Missing "": 0/1,099

Tabulation: Freq. Value
658 **"0"**
285 **"1"**
72 **"2"**
84 **"3"**

MD

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	577	"0"
	358	"1"
	78	"2"
	86	"3"

ME

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	654	"0"
	241	"1"
	75	"2"
	129	"3"

MF

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq.  Value
            463  "0"
            421  "1"
             99  "2"
            116  "3"

```

MG

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq.  Value
            704  "0"
            231  "1"
             63  "2"
            101  "3"

```

MH

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

```

Tabulation: Freq.  Value
            722  "0"
            257  "1"
             55  "2"
             65  "3"

```

MI

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	754	"0"
	239	"1"
	43	"2"
	63	"3"

MJ

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	880	"0"
	156	"1"
	31	"2"
	32	"3"

MK

(unlabeled)

Type: String (str1)

Unique values: 4

Missing "": 0/1,099

Tabulation: Freq. Value
928 "0"
120 "1"
21 "2"
30 "3"

ML (unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
573 0
526 1

MM (unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
692 0
407 1

MN (unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	403	0
	696	1

MO

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	537	0
	562	1

MP

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	462	0
	637	1

MQ **(unlabeled)**

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	752	0
	347	1

MR **(unlabeled)**

Type: String (**str1**)

Unique values: 2

Missing "": 0/1,099

Tabulation:	Freq.	Value
	573	"0"
	526	"1"

MS **(unlabeled)**

Type: String (**str1**)

Unique values: 2

Missing "": 0/1,099

Tabulation: Freq. Value
 692 "0"
 407 "1"

MT (unlabeled)

Type: String (str1)

Unique values: 2

Missing "": 0/1,099

Tabulation: Freq. Value
 403 "0"
 696 "1"

MU (unlabeled)

Type: String (str1)

Unique values: 2

Missing "": 0/1,099

Tabulation: Freq. Value
 537 "0"
 562 "1"

MV (unlabeled)

Type: String (str1)

Unique values: 2

Missing "": 0/1,099

Tabulation: Freq. Value
 462 "0"
 637 "1"

MW (unlabeled)

Type: String (str1)

Unique values: 2 Missing "": 0/1,099

Tabulation: Freq. Value
 752 "0"
 347 "1"

MX (unlabeled)

Type: Numeric (byte)

Range: [0,52] Units: 1
 Unique values: 22 Missing .: 1/1,099

Mean: 8.64299
 Std. dev.: 2.93907

Percentiles:	10%	25%	50%	75%	90%
	9	9	9	9	9

MY (unlabeled)

Type: String (str63)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	2	"0"
	811	"Cocinamos en casa, en un ambiente SEPARADO POR PARED ("cocina")"
	268	"Cocinamos en casa, pero NO en un ambiente SEPARADO POR PARED"
	18	"No cocinamos en casa >> PASAR A DATOS SOCIODEMOGRÁFICOS"

Warning: Variable has embedded blanks.

MZ

(unlabeled)

Type: String (str12)

Unique values: 5

Missing "": 1/1,099

Tabulation:	Freq.	Value
	1	" "
	17	"0"
	8	"Carbón"
	2	"Electricidad"
	1,029	"Gas"
	42	"Leña"

NA

(unlabeled)

Type: String (str15)

Unique values: 3

Missing "": 0/1,099

Tabulation:	Freq.	Value
	50	"Contaminante"
	18	"Faltan datos"
	1,031	"No contaminante"

Warning: Variable has embedded blanks.

NB

(unlabeled)

Type: String (str8)

Unique values: 5

Missing "": 174/1,099

Tabulation:	Freq.	Value
	174	" "
	789	"0"
	12	"Carbón"
	19	"Gas"
	4	"Kerosene"
	101	"Leña"

NC

(unlabeled)

Type: String (str15)

Unique values: 3

Missing "": 0/1,099

```

Tabulation: Freq. Value
             117 "Contaminante"
             963 "No aplica"
              19 "No contaminante"
    
```

Warning: Variable has embedded blanks.

ND	(unlabeled)
----	-------------

Type: Numeric (byte)

Range: [30,95]	Units: 1
Unique values: 62	Missing .: 0/1,099

Mean: 50.5796
Std. dev.: 14.375

Percentiles:	10%	25%	50%	75%	90%
	33	38	49	62	72

NE	(unlabeled)
----	-------------

Type: Numeric (double)

Range: [0,97]	Units: .1
Unique values: 62	Missing .: 0/1,099

Mean: 55.9728
Std. dev.: 36.7145

Percentiles:	10%	25%	50%	75%	90%
	0	0	74	84	90

NF

(unlabeled)

Type: Numeric (**byte**)

Range: [0,30]	Units: 1
Unique values: 21	Missing .: 0/1,099

Mean: **6.86806**
Std. dev.: **10.9931**

Percentiles:	10%	25%	50%	75%	90%
	0	0	0	21	25

NG

(unlabeled)

Type: Numeric (**double**)

Range: [0,23]	Units: .1
Unique values: 23	Missing .: 0/1,099

Mean: **9.08963**
Std. dev.: **4.3178**

Percentiles:	10%	25%	50%	75%	90%
	3	6	11	11	14

NH

(unlabeled)

Type: Numeric (byte)

Range: [66,77]

Units: 1

Unique values: 7

Missing .: 5/1,099

Tabulation:	Freq.	Value
	57	66
	3	72
	91	73
	54	74
	3	75
	656	76
	230	77
	5	.

NI

(unlabeled)

Type: String (str5)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	1	", "
	5	"Error"
	90	"No"
	1,003	"Sí"

Warning: Variable has trailing blanks.

NJ **(unlabeled)**

Type: Numeric (**byte**)

Range: [22,23] Units: 1
 Unique values: 2 Missing .: 0/1,099

Tabulation:	Freq.	Value
	31	22
	1,068	23

NK **(unlabeled)**

Type: Numeric (**byte**)

Range: [1,1] Units: 1
 Unique values: 1 Missing .: 0/1,099

Tabulation:	Freq.	Value
	1,099	1

NL **(unlabeled)**

Type: Numeric (**byte**)

Range: [1,1] Units: 1
 Unique values: 1 Missing .: 0/1,099

Tabulation: Freq. Value
1,099 1

NM

(unlabeled)

Type: Numeric (**byte**)

Range: [**0,1**]
 Unique values: **2**

Units: **1**
 Missing .: **0/1,099**

Tabulation: Freq. Value
 1 0
 1,098 1

NN

(unlabeled)

Type: Numeric (**byte**)

Range: [**1,1**]
 Unique values: **1**

Units: **1**
 Missing .: **0/1,099**

Tabulation: Freq. Value
 1,099 1

NO

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	5	0
	1,094	1

NP

(unlabeled)

Type: Numeric (byte)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	6	0
	1,093	1

NQ

(unlabeled)

Type: String (str10)

Unique values: 3

Missing "": 0/1,099

Tabulation:	Freq.	Value
	633	"Completo"
	343	"Incompleto"
	123	"Subsanado"

NR

(unlabeled)

Type: String (**str33**), but longest is str32

Unique values: **30**

Missing "": **0/1,099**

Examples: ""

""

""

"Presencial (2p)"

Warning: Variable has leading, embedded, and trailing blanks.

rudas

rudas

Type: Numeric (**byte**)

Range: [**0,30**]

Units: **1**

Unique values: **21**

Missing .: **0/1,099**

Mean: **7.40855**

Std. dev.: **11.2224**

Percentiles:	10%	25%	50%	75%	90%
	0	0	0	22	26

educacion

educacion

Type: Numeric (**double**)

Range: [0,23] Units: .1
 Unique values: 24 Missing .: 0/1,099

Mean: 8.94586
 Std. dev.: 4.44722

Percentiles:	10%	25%	50%	75%	90%
	2	6	11	11	14

NU	(unlabeled)
----	-------------

Type: Numeric (byte)

Range: [66,77] Units: 1
 Unique values: 8 Missing .: 3/1,099

Tabulation:	Freq.	Value
	52	66
	1	69
	3	72
	102	73
	58	74
	4	75
	650	76
	226	77
	3	.

NV	(unlabeled)
----	-------------

Type: String (str5)

Unique values: 4

Missing "": 0/1,099

Tabulation:	Freq.	Value
	2	", "
	3	"Error"
	100	"No"
	994	"Sí"

Warning: Variable has trailing blanks.

NW

(unlabeled)

Type: Numeric (byte)

Range: [22,23]

Units: 1

Unique values: 2

Missing .: 0/1,099

Tabulation:	Freq.	Value
	36	22
	1,063	23

NX

(unlabeled)

Type: Numeric (byte)

Range: [0,1]

Units: 1

Unique values: 2

Missing .: 0/1,099

Tabulation:	Freq.	Value
	1	0
	1,098	1

NY **(unlabeled)**

Type: Numeric (**byte**)

Range: [0,1] Units: 1
 Unique values: 2 Missing .: 0/1,099

Tabulation:	Freq.	Value
	2	0
	1,097	1

NZ **(unlabeled)**

Type: Numeric (**byte**)

Range: [0,1] Units: 1
 Unique values: 2 Missing .: 0/1,099

Tabulation:	Freq.	Value
	1	0
	1,098	1

OA **(unlabeled)**

Type: Numeric (**byte**)

Range: [1,1] Units: 1
 Unique values: 1 Missing .: 0/1,099

Tabulation: Freq. Value
1,099 1

OB

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
 3 0
 1,096 1

OC

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
 7 0
 1,092 1

observacion

observacion

Type: String (**str10**)

Unique values: 3

Missing "": 0/1,099

Tabulation:	Freq.	Value
	652	"Completo"
	322	"Incompleto"
	125	"Subsanado"

observacion_detalle

observacion_detalle

Type: String (str33), but longest is str23

Unique values: 24

Missing "": 0/1,099

Examples: ""
 ""
 ""
 "Presencial (2p)"

Warning: Variable has leading, embedded, and trailing blanks.

var999

Evaluación cognitiva incompleta

Type: Numeric (float)

Range: [0,0]

Units: 1

Unique values: 1

Missing .: 0/1,099

Tabulation:	Freq.	Value
	1,099	0

varn011_n

-Material predominante en la vivienda

Type: Numeric (**float**)

Range: [**1,3**]

Unique values: **3**

Units: **1**

Missing .: **3/1,099**

Tabulation:	Freq.	Value
	9	1
	329	2
	758	3
	3	.

varn012_n

-Servicio de electricidad en la vivienda

Type: Numeric (**float**)

Range: [**0,1**]

Unique values: **2**

Units: **1**

Missing .: **0/1,099**

Tabulation:	Freq.	Value
	67	0
	1,032	1

varn013_n

-Servicio de agua corriente en la vivienda

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 2/1,099

Tabulation:	Freq.	Value
	320	0
	777	1
	2	.

varn014_n

-Servicio de desagüe

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 2/1,099

Tabulation:	Freq.	Value
	319	0
	778	1
	2	.

varn015_n

-Servicio de internet con cable

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 2/1,099

Tabulation:	Freq.	Value
	551	0
	546	1
	2	.

varn017_n

-Tenencia de computadora, laptop, o tablet

Type: Numeric (**float**)

Range: [**0,1**]

Units: **1**

Unique values: **2**

Missing .: **34/1,099**

Tabulation:	Freq.	Value
	634	0
	431	1
	34	.

varn018_n

-Tenencia de lavadora

Type: Numeric (**float**)

Range: [**0,1**]

Units: **1**

Unique values: **2**

Missing .: **34/1,099**

Tabulation:	Freq.	Value
	581	0
	484	1
	34	.

varn019_n

-Tenencia de horno

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 35/1,099

Tabulation:	Freq.	Value
	753	0
	311	1
	35	.

varn020_n

-Tenencia de refrigeradora o congeladora

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 34/1,099

Tabulation:	Freq.	Value
	199	0
	866	1
	34	.

varn021_n

-Tenencia de auto o camioneta

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 35/1,099

Tabulation:	Freq.	Value
	984	0
	80	1
	35	.

varn022_n

-Servicio doméstico

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 36/1,099

Tabulation:	Freq.	Value
	1,039	0
	24	1
	36	.

varn100_n

-Capacidad adquisitiva insuficiente para comer

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 42/1,099

Tabulation:	Freq.	Value
	551	0
	506	1
	42	.

varn100_n_inv

-Capacidad adquisitiva insuficiente para comer (Inv)

Type: Numeric (**float**)
Label: **sino**

Range: [0,1]
 Unique values: 2

Units: 1
 Missing .: 42/1,099

Tabulation:	Freq.	Numeric	Label
	506	0	Sí
	551	1	No
	42	.	

etnia (unlabeled)

Type: Numeric (float)
 Label: **etnia**

Range: [1,6]
 Unique values: 6

Units: 1
 Missing .: 0/1,099

Tabulation:	Freq.	Numeric	Label
	48	1	Blanco
	690	2	Mestizo
	209	3	Quechua
	34	4	Afrodescendiente
	34	5	Indígena
	84	6	Otro

etnia_inv (unlabeled)

Type: Numeric (float)
 Label: **etnia_inv**

Range: [1,5]
 Unique values: 5

Units: 1
 Missing .: 84/1,099

Tabulation: Freq.	Numeric	Label
690	1	Mestizo
209	2	Quechua
48	3	Blanco
34	4	Indígena
34	5	Afrodescendiente
84	.	

lengua_mat

Lengua materna

```
Type: Numeric (float)
Label: lingua_mat
```

```
Range: [1,2]
Unique values: 2
```

```
Units: 1
Missing .: 0/1,099
```

```

Tabulation: Freq.   Numeric  Label
           865       1  Castellano
           234       2  Quechua o aimara

```

lengua_mat_inv

Lengua materna (inv)

Type: Numeric (float)
Label: **lengua_mat_inv**

```
Range: [1,2]
Unique values: 2
```

```
Units: 1
Missing .: 0/1,099
```

Tabulation: Freq.	Numeric	Label
234	1	Quechua o aimara
865	2	Castellano

nse_cat

-Nivel socioeconómico

Type: Numeric (**float**)

Label: **nse_cat**

Range: [1,5]

Unique values: 5

Units: 1

Missing .: 9/1,099

Tabulation:	Freq.	Numeric	Label
	80	1	NSE A
	497	2	NSE B
	352	3	NSE C
	95	4	NSE D
	66	5	NSE E
	9	.	

nse_cat_inv

(unlabeled)

Type: Numeric (**float**)

Label: **nse_cat_inv**

Range: [1,5]

Unique values: 5

Units: 1

Missing .: 9/1,099

Tabulation:	Freq.	Numeric	Label
	66	1	Q1
	95	2	Q2
	352	3	Q3
	497	4	Q4
	80	5	Q5
	9	.	

nse_n (unlabeled)

Type: Numeric (**float**)

Range: [2,13] Units: 1
 Unique values: 12 Missing .: 45/1,099

Mean: 7.58918
 Std. dev.: 2.50339

Percentiles:	10%	25%	50%	75%	90%
	4	6	8	10	11

nse_n_cat -Quintil socioeconómico (score aritmético)

Type: Numeric (**byte**)

Label: **quintiles**

Range: [1,5] Units: 1
 Unique values: 5 Missing .: 45/1,099

Tabulation:	Freq.	Numeric	Label
	238	1	1er quintil
	242	2	2do quintil
	158	3	3er quintil
	283	4	4to quintil
	133	5	5to quintil
	45	.	

nse_n_cat_inv

-Quintil socioeconómico (invertido)

Type: Numeric (**float**)

Label: **nse_n_cat_inv**

Range: [1,5]

Unique values: 5

Units: 1

Missing .: 45/1,099

Tabulation:	Freq.	Numeric	Label
	133	1	Q5
	283	2	Q4
	158	3	Q3
	242	4	Q2
	238	5	Q1
	45	.	

varn098_n

-Estado de finanzas familiares

Type: Numeric (**float**)

Label: **varn098_n**

Range: [1,3]

Unique values: 3

Units: 1

Missing .: 39/1,099

Tabulation:	Freq.	Numeric	Label
	558	1	No contaban con lo suficiente para cubrir lo necesario
	447	2	Contaba con suficiente para cubrir lo necesario
	55	3	Sobraba dinero para ahorrar
	39	.	

varn098_n_dic

-Capacidad financiera insuficiente

Type: Numeric (**float**)

Range: [**0,1**]
Unique values: 2

Units: 1
Missing .: 39/1,099

Tabulation:	Freq.	Value
	502	0
	558	1
	39	.

varn098_n_dic2

-Capacidad financiera alta

Type: Numeric (**float**)

Range: [**0,1**]
Unique values: 2

Units: 1
Missing .: 39/1,099

Tabulation:	Freq.	Value
	1,005	0
	55	1
	39	.

varn099_n

-Capacidad adquisitiva insuficiente para salud

Type: Numeric (**float**)
Label: **varn099_n**

Range: [1,3] Units: 1
 Unique values: 3 Missing .: 41/1,099

Tabulation:	Freq.	Numeric	Label
	445	1	Muy difícil
	371	2	Algo difícil
	242	3	Nada difícil
	41	.	

varn111_n **-No acceso a la salud**

Type: Numeric (**float**)
 Label: **sino**

Range: [0,1] Units: 1
 Unique values: 2 Missing .: 11/1,099

Tabulation:	Freq.	Numeric	Label
	486	0	Sí
	602	1	No
	11	.	

rph **-Ratio persona/habitación**

Type: Numeric (**float**)

Range: [0,10] Units: **1.000e-08**
 Unique values: **47** Missing .: **43/1,099**

Mean: **1.83206**
 Std. dev.: **.977967**

Percentiles:	10%	25%	50%	75%	90%
	1	1.25	1.6	2	3

hacinamiento

-Hacinamiento

Type: Numeric (**float**)

Range: [**0,1**]

Units: **1**

Unique values: **2**

Missing .: **43/1,099**

Tabulation:	Freq.	Value
	920	0
	136	1
	43	.

varn003_n

-Hábito de cocina

Type: Numeric (**float**)

Range: [**1,3**]

Units: **1**

Unique values: **3**

Missing .: **2/1,099**

Tabulation:	Freq.	Value
	268	1
	811	2
	18	3
	2	.

grupo_etareo

-Grupo etareo

Type: Numeric (**float**)
 Label: **grupo_etareo**

Range: [0,13]
 Unique values: 14

Units: 1
 Missing .: 0/1,099

Examples: 1 [35-39 y]
 2 [40-44 y]
 4 [50-54 y]
 7 [65-69 y]

grupo_edad

-Grupo de edad

Type: Numeric (**float**)

Range: [1,2]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation: Freq. Value
 765 1
 334 2

var051_cat

-Sexo

Type: Numeric (**float**)
 Label: **var051_cat**

Range: [1,2]
 Unique values: 2

Units: 1
 Missing .: 0/1,099

Tabulation:	Freq.	Numeric	Label
	323	1	Masculino
	776	2	Femenino

var052_n	(unlabeled)
-----------------	--------------------

Type: Numeric (**float**)

Range: [1,25]	Units: 1
Unique values: 22	Missing .: 38/1,099

Mean: **10.1499**
Std. dev.: **6.02989**

Percentiles:	10%	25%	50%	75%	90%
	2	5	11	14	19

region	Región
---------------	---------------

Type: Numeric (**float**)
Label: **region**

Range: [1,3]	Units: 1
Unique values: 3	Missing .: 38/1,099

Tabulation:	Freq.	Numeric	Label
	453	1	Costa
	551	2	Sierra
	57	3	Selva
	38	.	

region_4

(unlabeled)

Type: Numeric (**float**)

Range: [**1,4**]

Unique values: **4**

Units: **1**

Missing .: **38/1,099**

Tabulation:	Freq.	Value
	551	1
	57	2
	143	3
	310	4
	38	.

var053_cat

-Lengua materna

Type: Numeric (**float**)

Range: [**1,2**]

Unique values: **2**

Units: **1**

Missing .: **0/1,099**

Tabulation:	Freq.	Value
	865	1
	234	2

var054_cat

(unlabeled)

Type: Numeric (**float**)

Label: **var054_cat**

Range: [0,6]
Unique values: 7

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Numeric	Label
	50	0	Sin educación
	11	1	Prescolar
	308	2	Primaria
	524	3	Secundaria
	151	4	Superior no universitaria
	54	5	Superior universitaria
	1	6	Postgrado

var055_cor

-Años de educación completados (Corregido)

Type: Numeric (float)

Range: [0,23]
Unique values: 23

Units: .1
Missing .: 71/1,099

Mean: 8.86625
Std. dev.: 4.35083

Percentiles:	10%	25%	50%	75%	90%
	3	6	10	11	14

var054_cat_cor

-Nivel educativo (corregido)

Type: Numeric (float)
Label: var054_cat_cor

Range: [0,6]
Unique values: 7

Units: 1
Missing .: 70/1,099

Tabulation:	Freq.	Numeric	Label
	61	0	Sin educación
	148	1	Sin primaria completa
	160	2	Con primaria completa
	147	3	Sin secundaria completa
	311	4	Con secundaria completa
	148	5	Con superior no universitaria
	54	6	Con superior universitaria
	70	.	

var056_cat

-Estado civil

Type: Numeric (float)
Label: var056_cat

Range: [1,5]
Unique values: 5

Units: 1
Missing .: 1/1,099

Tabulation:	Freq.	Numeric	Label
	327	1	Casado(a)
	369	2	Conviviente
	224	3	Soltero(a)
	98	4	Separado(a) o divorciado(a)
	80	5	Viudo(a)
	1	.	

varn031_x

-Ingresos laborales

Type: Numeric (**float**)

Label: **varn031_x**

Range: [**0,1**]

Unique values: **2**

Units: **1**

Missing .: **28/1,099**

Tabulation:	Freq.	Numeric	Label
	640	0	Sin ingresos
	431	1	Con ingresos
	28	.	

var059_cat

-Ocupación

Type: Numeric (**float**)

Label: **var059_cat**

Range: [**1,7**]

Unique values: **7**

Units: **1**

Missing .: **1/1,099**

Tabulation:	Freq.	Numeric	Label
	375	1	Ama de casa
	170	2	Auto-empleado
	256	3	Empleado
	50	4	Freelance
	64	5	Jubilado
	2	6	Estudiante
	181	7	Sin empleo actual
	1	.	

varn033_cat

-Recepción de beneficios de algún programa social (inc. seguridad social)

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 32/1,099

Tabulation:	Freq.	Value
	982	0
	85	1
	32	.

var061_cat

-Seguro de salud

Type: Numeric (**float**)
Label: **var061_cat**

Range: [0,8]
Unique values: 7

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Numeric	Label
	159	0	No está afiliado
	631	1	Seguro integral de salud (SIS)
	229	2	Essalud
	25	3	Fuerzas armadas o policiales
	17	4	Seguro privado de salud
	8	5	Entidad prestadora de salud
	30	8	No sabe

hta

-HTA (Hearts)

Type: Numeric (**float**)
Label: **hta**

Range: [0,3] Units: 1
 Unique values: 4 Missing .: 1/1,099

Tabulation:	Freq.	Numeric	Label
	821	0	Sin hipertensión
	59	1	HTA diastólica
	89	2	HTA sistólica
	129	3	HTA sistodiastólica
	1	.	

hta_dic

Presencia de HTA

Type: Numeric (float)
 Label: sino

Range: [0,1] Units: 1
 Unique values: 2 Missing .: 1/1,099

Tabulation:	Freq.	Numeric	Label
	821	0	Sí
	277	1	No
	1	.	

imc

-IMC (kg/m2)

Type: Numeric (float)

Range: [15.81987,51.852493] Units: 1.000e-06
 Unique values: 1,038 Missing .: 6/1,099

Mean: **28.7814**
 Std. dev.: **4.93122**

Percentiles:	10%	25%	50%	75%	90%
	23.2885	25.4524	28.2179	31.2677	34.898

estado_nutricional

-Estado nutricional

Type: Numeric (**float**)
 Label: **estado_nutricional**

Range: [1,6]	Units: 1
Unique values: 6	Missing .: 6/1,099

Tabulation:	Freq.	Numeric	Label
	4	1	Bajo peso
	234	2	Normal
	489	3	Sobrepeso
	260	4	Obesidad clase 1
	75	5	Obesidad clase 2
	31	6	Obesidad clase 3
	6	.	

desnut

-Desnutrición

Type: Numeric (**float**)

Range: [0,1]	Units: 1
Unique values: 2	Missing .: 0/1,099

Tabulation: Freq. Value
1,095 0
4 1

sobobe

-Sobrepeso-obesidad

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation: Freq. Value
244 0
855 1

dm

-Diabetes

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 30/1,099

Tabulation: Freq. Value
992 0
77 1
30 .

velocidad_marcha

-Velocidad de marcha (m/s)

Type: Numeric (**float**)

Range: [**.09876543,1.8957346**] Units: **1.000e-08**
 Unique values: **457** Missing .: **48/1,099**

Mean: **.80751**
 Std. dev.: **.246528**

Percentiles:	10%	25%	50%	75%	90%
	.498753	.645161	.793651	.970874	1.1396

var078_cat	-Enfermedad crónica
-------------------	----------------------------

Type: Numeric (**float**)
 Label: **nosi**

Range: [**0,1**] Units: **1**
 Unique values: **2** Missing .: **0/1,099**

Tabulation:	Freq.	Numeric	Label
	689	0	No
	410	1	Sí

var079_a_01	-Diabetes Mellitus (antecedente)
--------------------	---

Type: Numeric (**float**)

Range: [**0,1**] Units: **1**
 Unique values: **2** Missing .: **0/1,099**

Tabulation: Freq. Value
1,006 0
93 1

var079_a_02

-Hipertensión arterial (antecedente)

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation: Freq. Value
980 0
119 1

var079_a_03

-Obesidad y otros tipos de hiperalimentación (antecedente)

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation: Freq. Value
1,023 0
76 1

var079_a_04

-Gastritis y duodenitis (antecedente)

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	870	0
	229	1

var079_a_05

-Lumbago y otras dorsalgias (antecedente)

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	1,022	0
	77	1

var079_a_06

-Artrosis (osteoartritis) (antecedente)

Type: Numeric (float)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	994	0
	105	1

var079_a_07

-Hiperplasia de la próstata (antecedente)

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	1,074	0
	25	1

var079_a_08

-Catarata (antecedente)

Type: Numeric (**float**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation:	Freq.	Value
	1,016	0
	83	1

varn152_n

-Afectación de AVD

Type: Numeric (**float**)

Range: [0,1]
Unique values: 5

Units: .01
Missing .: 840/1,099

Tabulation: Freq. Value
 81 0
 44 .25
 95 .5
 27 .75
 12 1
 840 .

varn153_n

-Ayuda necesitada para AVD

Type: Numeric (float)

Range: [0,1]
 Unique values: 5

Units: .01
 Missing .: 833/1,099

Tabulation: Freq. Value
 99 0
 49 .25
 81 .5
 27 .75
 10 1
 833 .

varn154_n

-Ayuda recibida para AVD

Type: Numeric (float)

Range: [0,1]
 Unique values: 5

Units: .01
 Missing .: 983/1,099

Tabulation: Freq. Value
 9 0
 18 .25
 39 .5
 26 .75
 24 1
 983 .

varn155_n

-Afectación de trabajo o actividades sociales

Type: Numeric (float)

Range: [0,1]
 Unique values: 5

Units: .01
 Missing .: 836/1,099

Tabulation: Freq. Value
 115 0
 42 .25
 73 .5
 19 .75
 14 1
 836 .

ace_cal

-ACE

Type: Numeric (float)

Range: [25,97]
 Unique values: 61

Units: .1
 Missing .: 313/1,099

Mean: **78.1503**
 Std. dev.: **11.7933**

Percentiles:	10%	25%	50%	75%	90%
	63	72	80	87	91

var248_n

var248

Type: Numeric (**long**)
 Label: **var248_n**

Range: [1,20]	Units: 1
Unique values: 19	Missing .: 783/1,099

Examples: **4** (1) Enséñeme su pie derecho
 (2) Enséñeme su mano izquierda
 (3) Con su mano derecha toque su hombro izquierdo
 (4) Con su mano izquierda toque su oreja derecha
 (5) Señale (indique cuál es) mi rodilla izquierda
 .
 .
 .

var250_n

var250

Type: Numeric (**long**)
 Label: **var250_n**

Range: [1,3]	Units: 1
Unique values: 3	Missing .: 783/1,099

Tabulation: Freq.	Numeric	Label
22	1	FALLIDO=0 (incapaz de realizar la tarea; ausencia de persistencia; no lo intenta en absoluto).
206	2	NORMAL=2 (muy pocos errores, en el caso que cometa alguno, ella misma los corrige, lo hace progresivamente mejor; mantiene bien la continuidad del movimiento; sólo muy ligeras pérdidas de sincronización entre las dos manos).
88	3	PARCIALMENTE ADECUADO=1 (errores notables con algún intento de corregirse; intenta mantener la continuidad de la acción; sincronización pobre).
783	.	

var255_n

var255

Type: Numeric (**long**)
Label: **var255_n**

Range: [**1,319**]
Unique values: **314**

Units: **1**
Missing .: **785/1,099**

Examples: **224** https://www.jotform.com/uploads/eherrerap/221953700937661/5343181784613115528/5343181784613115528_base64_858.png
> **3115528/5343181784613115528_base64_858.png**
.
.
.

var256_n

var256

Type: Numeric (**long**)

Label: **var256_n**

Range: [**1,325**]

Unique values: **314**

Units: **1**

Missing .: **783/1,099**

Examples: **227** No pasa porque no quier arriesgar su vida
PONER SU MANO Y DECIR QUE PAREN

.
.
.

var257_n

var257

Type: Numeric (**long**)

Label: **var257_n**

Range: [**1,3**]

Unique values: **3**

Units: **1**

Missing .: **783/1,099**

Tabulation: Freq.	Numeric	Label
76	1	No=0
21	2	Sí, incitada=1
219	3	Sí=2
783	.	

var258_n

var258

Type: Numeric (**long**)
 Label: **var258_n**

Range: [1,3] Units: **1**
 Unique values: **3** Missing .: **783/1,099**

Tabulation:	Freq.	Numeric	Label
	145	1	No=0
	97	2	Sí, incitada=1
	74	3	Sí=2
	783	.	

rudas_cal

-rudas_cal

Type: Numeric (**float**)

Range: [11,30] Units: **1**
 Unique values: **20** Missing .: **786/1,099**

Mean: **24.0319**
 Std. dev.: **3.14586**

Percentiles:	10%	25%	50%	75%	90%
	20	23	24	26	28

pfaq

-PFAQ

Type: Numeric (**float**)

Range: [0,33] Units: **1**
 Unique values: **28** Missing .: **200/1,099**

Mean: **1.74972**
Std. dev.: **3.68931**

Percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	5

demencia_aj	-Presencia de DC (adulto joven)
-------------	---------------------------------

Type: Numeric (float)
Label: **demencia_aj**

```

      Range: [0,1]
Unique values: 2
      Units: 1
Missing .: 313/1,099

```

Tabulation:	Freq.	Numeric	Label
	214	0	Sin demencia
	572	1	Con demencia
	313	.	

casos_01 (unlabeled)

Type: Numeric (**float**)

```

      Range: [.12722646, .12722646]      Units: 1
Unique values: 1                        Missing .: 313/1,099

```

```

Tabulation: Freq.  Value
          786    .12722646
          313    .

```

var000 (unlabeled)

Type: Numeric (**float**)

Range: [1,1] Units: 1
 Unique values: 1 Missing .: 0/1,099

Tabulation: Freq. Value
 1,099 1

demencia_aj_alt -Presencia de DC (adulto joven) (alt)

Type: Numeric (**float**)
 Label: **demencia_aj**

Range: [0,1] Units: 1
 Unique values: 2 Missing .: 313/1,099

Tabulation: Freq. Numeric Label
 612 0 Sin demencia
 174 1 Con demencia
 313 .

casos_01b (unlabeled)

Type: Numeric (**float**)

Range: [.12722646, .12722646] Units: 1
 Unique values: 1 Missing .: 313/1,099

Tabulation: Freq. Value
786 **.12722646**
313 .

demencia_am

-Presencia de DC (adulto mayor)

Type: Numeric (**float**)
 Label: **demencia_am**

Range: [**0,2**]
 Unique values: **3**

Units: **1**
 Missing .: **786/1,099**

Tabulation: Freq.	Numeric	Label
198	0	Ausencia de DC
100	1	DCL
15	2	Demencia
786	.	

casos_02

(unlabeled)

Type: Numeric (**float**)

Range: [**.31645569,.31645569**]
 Unique values: **1**

Units: **1**
 Missing .: **786/1,099**

Tabulation: Freq. Value
313 **.31645569**
786 .

compromiso_fun

-Compromiso funcional (PFAQ)

Type: Numeric (**float**)

Label: **compromiso_fun**

Range: [0,1]

Unique values: 2

Units: 1

Missing .: 200/1,099

Tabulation:	Freq.	Numeric	Label
	828	0	Sin compromiso funcional
	71	1	Con compromiso funcional
	200	.	

dco_dem

-Deterioro cognitivo objetivo severo (demencia)

Type: Numeric (**float**)

Label: **nosi**

Range: [0,1]

Unique values: 2

Units: 1

Missing .: 0/1,099

Tabulation:	Freq.	Numeric	Label
	910	0	No
	189	1	Sí

demencia

-Demencia

Type: Numeric (**float**)

Label: **demencia**

Range: [0,2] Units: 1
 Unique values: 3 Missing .: 29/1,099

Tabulation:	Freq.	Numeric	Label
	910	0	Sin DC severo
	135	1	DC severo sin compromiso funcional
	25	2	DC severo con compromiso funcional
	29	.	

casos (unlabeled)

Type: Numeric (float)

Range: [.09345794, .09345794] Units: 1
 Unique values: 1 Missing .: 29/1,099

Tabulation:	Freq.	Value
	1,070	.09345794
	29	.

var285_n (unlabeled)

Type: Numeric (float)

Range: [0,3] Units: 1
 Unique values: 4 Missing .: 0/1,099

```

Tabulation: Freq. Value
             658  0
             285  1
              72  2
              84  3
    
```

var286_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 0/1,099

```

Tabulation: Freq. Value
             577  0
             358  1
              78  2
              86  3
    
```

var287_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 1/1,099

```

Tabulation: Freq. Value
             653  0
             241  1
              75  2
             129  3
               1  .
    
```

var288_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 0/1,099

```

Tabulation: Freq. Value
             463  0
             421  1
              99  2
             116  3
    
```

var289_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 77/1,099

Tabulation: Freq. Value
672 0
211 1
55 2
84 3
77 .

var290_n

(unlabeled)

Type: Numeric (**float**)

Range: [**0,3**]

Unique values: **4**

Units: **1**

Missing .: **0/1,099**

Tabulation: Freq. Value
722 0
257 1
55 2
65 3

var291_n

(unlabeled)

Type: Numeric (**float**)

Range: [**0,3**]

Unique values: **4**

Units: **1**

Missing .: **0/1,099**

```

Tabulation: Freq.  Value
             754    0
             239    1
              43    2
              63    3
    
```

var292_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 1/1,099

```

Tabulation: Freq.  Value
             879    0
             156    1
              31    2
              32    3
               1    .
    
```

var293_n

(unlabeled)

Type: Numeric (**float**)

Range: [0,3]
 Unique values: 4

Units: 1
 Missing .: 3/1,099

Tabulation: Freq. Value
925 0
120 1
21 2
30 3
3 .

phq_9

- PHQ-9

Type: Numeric (**float**)

Range: [**0,27**]

Units: **1**

Unique values: **27**

Missing .: **82/1,099**

Mean: **4.79941**

Std. dev.: **4.9401**

Percentiles:	10%	25%	50%	75%	90%
	0	1	3	7	12

depression

-Depresión

Type: Numeric (**float**)

Label: **depression**

Range: [**0,4**]

Units: **1**

Unique values: **5**

Missing .: **82/1,099**

Tabulation:	Freq.	Numeric	Label
	613	0	Sin sintomatología depresiva
	239	1	Sintomatología depresiva leve
	104	2	Sintomatología depresiva moderada
	43	3	Sintomatología depresiva moderada-severa
	18	4	Sintomatología depresiva severa
	82	.	

depression_dic

-Presencia de depresión

Type: Numeric (**float**)
Label: **depression_dic**

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 82/1,099

Tabulation:	Freq.	Numeric	Label
	613	0	Sin depresión
	404	1	Con depresión
	82	.	

dup

(unlabeled)

Type: Numeric (**byte**)

Range: [0,1]
Unique values: 2

Units: 1
Missing .: 0/1,099

Tabulation: Freq.		Value
823		0
276		1

2 .