

OSKAR COURT SPECIFICATIONS



Property Overview

- **Address:** 3 Oskar Court, Pakenham VIC 3810
- **Lot:** 31
- **Land Size:** Approximately 703 m²
- **Property Value:** \$741,000

Structural Specifications

- **Foundation:** Suspended waffle raft slab designed for a Class P (Modified Class M) site classification. The slab incorporates screw-in piles driven to specified safe working loads, addressing potential soil movement and ensuring structural stability.
- **Drainage:** Comprehensive drainage measures include surface drainage control from site preparation through construction completion. The design ensures water does not pond near footings, with ground grading to direct water away from the structure. Perimeter paving is sloped appropriately, and agricultural drains are installed to channel water to legal discharge points.
- **Retaining Walls:** The property features sleeper retaining walls designed to specific heights, utilizing galvanized steel posts founded into natural stiff clay. These walls are engineered to withstand surcharges up to 5.0 kPa, with detailed construction sequences to ensure stability and compliance with safety standards. property.com.au

Site Preparation

- **Excavation:** Removal of topsoil containing organic materials to prepare the building platform. The site is leveled through cut and fill methods as per architectural requirements.
- **Fill Material:** Any fill used is compacted in layers, adhering to Australian Standard AS2870-2011 guidelines. The fill extends at least 1 meter beyond the building line to facilitate proper drainage and prevent water accumulation near the foundation.

Additional Considerations

- **Articulation Joints:** Incorporation of articulation joints in brickwork to accommodate potential soil movement, reducing the risk of cracking. These joints are positioned following industry standards to maintain structural integrity. property.com.au

- **Overhang Rectifications:** Standard details address any overhangs in the waffle slab, ensuring they do not compromise structural performance. Specific reinforcement and rectification methods are outlined to manage overhangs up to 30mm.
- **Tree Influence:** The design considers the impact of existing or proposed trees on reactive clay soils. Guidelines are provided to manage tree planting distances from the foundation, mitigating potential soil drying effects that could affect structural stability. [property.com.au](https://www.property.com.au)

This specifications document synthesizes the structural and site preparation details for Lot 31, 3 Oskar Court, Pakenham, ensuring compliance with relevant Australian standards and addressing site-specific conditions to achieve a durable and stable construction.

1. GENERAL PROPERTY DETAILS

- **Location:** Lot 31, 3 Oskar Court, Pakenham, VIC 3810
 - **Land Area:** 704 m²
 - **Building Type:** Single-storey residential dwelling
 - **Builder:** Simonds Homes East Melbourne
 - **Site Classification:** Class P (Modified M)
 - **Foundation System:** Suspended Waffle Raft Slab
-

2. STRUCTURAL SPECIFICATIONS

2.1. Foundation & Footings

- **Slab Type:** Suspended Waffle Raft Slab with **screw-in piles** for additional support.
- **Pile Loads:**
 - **Blue Screw-in Piles:** Safe working load of **70kN**.
 - **Red Screw-in Piles:** Safe working load of **80kN**.
 - **Green Screw-in Piles:** Safe working load of **100kN**.
- **Concrete Strength:** Minimum **20 MPa grade** with **20mm aggregate size** and **100mm slump**.
- **Reinforcement:**
 - **SL82 mesh** for slab surface.
 - **N12 bars** in primary ribs.
 - **L11TM trench mesh** in footings.

2.2. Drainage & Site Works

- **Drainage System:**
 - Surface drainage graded **50mm away from footings over 1m**.
 - **Agricultural drain** installed at perimeter paving edge.
 - **Dish drains** provided at the top of batters.
 - **Sewer & Stormwater:** Ø 150mm pipes with connection to legal discharge point.

- **Site Preparation:**

- Removal of all **organic material** before slab placement.
- **Cut & fill excavation** performed to level the site.

2.3. Retaining Walls

- **Concrete Retaining Walls:** Minimum **1.8m height** along **side and rear boundaries**.
- **Sleeper Retaining Walls:**
 - Galvanised steel posts embedded **1800mm** into natural clay.
 - Walls designed to **5.0 kPa surcharge** pressure.
- **Timber Retaining Walls:** Constructed with **hardwood sleepers, moisture barriers**, and **AG drains**.

2.4. Articulation & Crack Prevention

- **Brickwork Articulation Joints:**
 - Located **every 5m** in straight walls.
 - Positioned **beside doors and windows** to prevent cracking.
- **Movement Accommodation:**
 - **Mastic sealant & foam joint filler** used in joints.

3. INTERIOR SPECIFICATIONS

3.1. Flooring

- **Living Areas:** Hybrid timber laminate flooring (8mm-12mm thick)
- **Bedrooms:** Carpeted (polypropylene or wool blend)
- **Bathrooms & Laundry:** Ceramic tiles (600x600mm, slip-resistant)

3.2. Walls & Ceilings

- **Internal Walls:** Plasterboard (10mm thick)
- **Wet Area Walls:** Moisture-resistant plasterboard
- **Ceilings:** Standard 2.7m height with **square set cornices**.
- **Paint:** Low VOC acrylic paint, **semi-gloss finish** in living and bedroom areas.

3.3. Joinery & Doors

- **Internal Doors:** Hume or Corinthian hollow-core doors (2340mm height)
- **Main Entrance Door:** Timber veneer with vertical glass panel
- **Wardrobe Doors:** Sliding mirrored doors in bedrooms
- **Kitchen Joinery:**
 - **Laminated cabinetry** with **soft-close drawers**.
 - **40mm stone benchtops**.
 - **Matte black tapware**.
 - **Glass splashback** (optional upgrade to tiled feature wall).

3.4. Fixtures & Fittings

- **Kitchen:**
 - **Appliances:** 900mm **stainless steel gas cooktop**, **electric oven**, **rangehood**, and **dishwasher**.
 - **Sink:** **Stainless steel double bowl (undermount)**.
- **Bathrooms:**
 - **Floating vanity unit** with **20mm stone benchtop**.
 - **Full-height wall tiles** in **shower areas**.
 - **Frameless glass shower screens**.
 - **Wall-mounted matte black tapware**.

4. EXTERNAL SPECIFICATIONS

4.1. Façade & Finishes

- **Front Façade:**
 - **Combination of render & exposed brickwork**.
 - **Timber panel feature at entry** (optional upgrade to stone cladding).
- **Windows:**
 - **Aluminium framed windows** (black powder-coated).
 - **Double-glazed** for energy efficiency.
- **Garage Door:**

- **Panel lift sectional garage door (Colorbond finish, remote control).**
- **Roof:**
 - **Colorbond metal roofing or concrete roof tiles (charcoal grey).**
 - **Gutter & Downpipes: Colorbond (match roof colour).**

4.2. Outdoor Areas

- **Driveway:**
 - **Exposed aggregate concrete (black/grey mix).**
- **Alfresco Area:**
 - **Timber-look composite decking (optional tile upgrade).**
 - **Ceiling fan & downlights installed.**
- **Fencing:**
 - **1.8m timber paling fence to rear and sides.**
 - **Front fence optional – 1.2m steel or rendered wall.**
- **Landscaping:**
 - **Drought-tolerant plants & turf.**
 - **Automatic irrigation system.**
 - **Garden beds with river pebbles or mulch.**

4.3. Sustainability Features

- **Insulation:**
 - **R5.0 ceiling insulation.**
 - **R2.5 wall insulation.**
- **Water Conservation:**
 - **3,000L rainwater tank (connected to toilets & garden taps).**
- **Energy Efficiency:**
 - **6-Star Energy Rating.**
 - **Solar hot water system with gas booster.**
 - **LED downlights throughout.**

5. ELECTRICAL & TECHNOLOGY

5.1. Electrical

- **Lighting:**
 - LED downlights in all rooms.
 - Pendant lights over kitchen island (optional upgrade).
- **Power Points:**
 - Double GPO outlets in all bedrooms.
 - USB charging ports in kitchen and living areas.
- **Ceiling Fans: Bedrooms & Alfresco area.**
- **Air Conditioning: Split system cooling & ducted heating.**

5.2. Smart Home Features

- **NBN Ready: Fibre optic connection to premises.**
- **Security System: Pre-wired for CCTV & alarm system.**
- **Smart Garage Door: App-controlled remote garage access.**

6. COMPLIANCE & WARRANTIES

- **Building Code Compliance: Meets National Construction Code (NCC) & AS2870.**
- **Termite Protection: Physical termite barrier installed.**
- **Warranties:**
 - **Structural Warranty: 10 years.**
 - **Appliance Warranty: Manufacturer's standard warranty applies.**
 - **Workmanship Warranty: 3 years.**

7. OPTIONAL UPGRADES

- **Stone Cladding to Façade.**
- **Timber-Look Tiles in Living Areas.**
- **Butler's Pantry with Sink & Additional Storage.**

- **Solar Battery Storage System.**
- **Outdoor Kitchen in Alfresco Area.**
- **Extended Decking or Concrete Paving.**

6. FLOOR COVERINGS

6.1 Living Areas (Kitchen, Dining, Hallways):

- **Hybrid timber laminate flooring, 8mm-12mm thickness, scratch-resistant.**
- Colour options available (oak, walnut, charcoal).
- **Bedrooms & Study:**
 - **Carpet (polypropylene or wool blend), high-density foam underlay for comfort.**
 - Neutral colour palette options.
- **Bathrooms, Ensuite, Laundry & WC:**
 - **600x600mm porcelain tiles, slip-resistant, matte finish.**
 - Skirting tiles to match floor tiles for a seamless look.
- **Alfresco & Porch:**
 - **Timber-look composite decking (optional tile upgrade).**
- **Garage Floor:**
 - **Exposed aggregate concrete** (optional epoxy coating for durability).

6.2. INTERNAL HEIGHTS & CEILINGS

- **Standard Ceiling Height: 2.7m (2700mm) throughout.**
 - **Garage Ceiling Height: 2.4m (2400mm).**
 - **Cornices:**
 - **Square set in main living areas.**
 - **Standard coved cornice (90mm) in bedrooms & other areas.**
-

6.3. SMOKE ALARMS & SAFETY FEATURES

- **Smoke Alarms:**
 - **Compliant with Australian Standard AS3786.**
 - **Hardwired with battery backup.**
 - **Located in hallways, living areas, and outside bedrooms.**
 - **Carbon Monoxide Alarm:** Installed near gas appliances.
 - **Fire Safety:** Fire-rated doors between garage & internal living areas.
 - **Security:**
 - Pre-wired for **CCTV and security system installation.**
 - **Deadlocks on all external doors.**
 - Window locks installed on all operable windows.
-

7. KITCHEN & CABINETRY

7.1. Kitchen Layout & Features

- **Benchtops:** 40mm stone benchtops (Caesarstone or Quantum Quartz).
- **Splashback:** Glass splashback (upgrade option to tiled feature wall).
- **Kitchen Island:**
 - **900mm wide with waterfall edges (optional upgrade).**
 - **Breakfast bar seating area.**
- **Sink:**
 - **Stainless steel double bowl (undermount) with matte black tapware.**
- **Tapware:**
 - **Pull-out spray mixer tap in matte black or chrome.**

2.2. Cabinetry & Storage

- **Cabinets:**
 - **Laminated cabinetry with soft-close hinges.**
 - Colour choices in **matt, woodgrain, or gloss finishes.**
- **Handles:**

- **Matte black, brushed nickel, or chrome options.**
 - **Handle-less push-to-open cabinetry available as an upgrade.**
 - **Pantry:**
 - **Walk-in pantry with melamine shelving.**
 - **Optional upgrade to **Butler's Pantry with sink & additional storage.****
-

8. GARAGE

- **Size: Double Garage – 6m x 6m.**
 - **Door Type: Panel Lift Sectional Garage Door (Colorbond finish, remote control).**
 - **Internal Access: Door from garage to house for convenience & security.**
 - **Lighting: LED downlights with motion sensor option.**
 - **Storage: Optional built-in shelving & tool storage area.**
-

8.1. APPLIANCES (STANDARD & UPGRADE OPTIONS)

8.1. Standard Appliances (Included)

- **Oven: 900mm Stainless Steel Electric Oven (Westinghouse or Bosch).**
- **Cooktop: 900mm Stainless Steel Gas Cooktop (Westinghouse or Bosch).**
- **Rangehood: 900mm Canopy Rangehood (ducted to external).**
- **Dishwasher: 600mm Stainless Steel Fully Integrated Dishwasher.**

8.2. Optional Upgrades

- **Induction Cooktop** instead of gas.
- **Built-in Microwave Oven.**
- **Plumbed Water Point for Fridge.**
- **Wine Fridge in Butler's Pantry.**

9. LAUNDRY SPECIFICATIONS

The laundry is designed for **efficiency, durability, and storage**, incorporating **high-quality finishes** that complement the home's overall design.

9.1. Layout & Design

- **Location:** Internal laundry with external access to side yard.
- **Flooring:** 600x600mm porcelain tiles (slip-resistant, matte finish).
- **Walls:** Plasterboard with tiled splashback behind sink.
- **Ceiling Height:** 2.7m (2700mm).

9.2. Cabinetry & Storage

- **Benchtop:** 20mm stone benchtop (Caesarstone or Quantum Quartz).
- **Cabinetry:** Soft-close laminated cabinetry with matt, woodgrain, or gloss finish.
- **Overhead Storage:** Optional overhead cupboards above benchtop for additional storage.
- **Laundry Trough Unit:** 45L stainless steel sink with under-bench cabinetry.
- **Taps:**
 - Matte black or chrome mixer tap.
 - Optional pull-out spray mixer for convenience.

9.3. Appliance Space

- **Dedicated space for:**
 - Front-loading or top-loading washing machine.
 - Clothes dryer (optional wall-mounted bracket available).
 - Optional integrated laundry hamper.

9.4. Functional Features

- **Splashback:**
 - Tiled splashback behind sink (subway tiles or mosaic options available).
- **Power Points:**
 - Double power points for washing machine and dryer.

- **USB outlet for charging small devices.**
 - **Ventilation:**
 - **External window or exhaust fan to prevent moisture buildup.**
 - **Lighting:**
 - **LED downlights for bright, energy-efficient lighting.**
-

9.5. Optional Upgrades

- **Stone benchtop upgrade to 40mm thickness.**
- **Built-in linen cupboard with shelving.**
- **Additional hanging rail for clothes drying.**
- **Broom or utility cupboard for extra storage.**

9. EXTERNAL BUILDING SPECIFICATIONS

The exterior of Lot 31, 3 Oskar Court, Pakenham is designed to be **aesthetically appealing, durable, and low maintenance** while ensuring **compliance with building regulations** and **climatic suitability**.

9.1. Façade & External Finishes

- **Front Façade:**
 - Combination of **render and face brickwork** for a modern finish.
 - Feature **timber-look cladding or stone cladding** at the entry (optional upgrade).
- **Side & Rear Walls:**
 - **Face brickwork** (low-maintenance, weather-resistant).
 - Optional **render finish** upgrade available.
- **Roof:**
 - **Colorbond® steel roofing or concrete roof tiles** (charcoal, basalt, or shale grey).
 - **Roof pitch:** Standard **22.5-degree pitch**.

- **Gutters & Downpipes:**
 - **Colorbond® gutters & downpipes**, colour-matched to the roof.
 - **Windows:**
 - **Aluminium framed, black powder-coated.**
 - **Double-glazed for thermal and acoustic insulation.**
 - **Feature corner windows or highlight windows in living areas (optional upgrade).**
 - **Entry Door:**
 - **1200mm wide timber veneer door with glass panel.**
 - **Optional upgrade to pivot door or frosted glass feature panel.**
-

9.2. Garage & Driveway

- **Garage Type:**
 - **Double garage – 6m x 6m.**
 - **Garage Door:**
 - **Panel lift sectional door (Colorbond® finish, remote controlled).**
 - **Colour options: Monument, Woodland Grey, Surfmist.**
 - **Driveway:**
 - **Exposed aggregate concrete driveway** (charcoal, natural stone, or tan finish).
 - **Optional upgrade to coloured concrete or pavers.**
 - **Pathways & Side Access:**
 - **Concrete or paved pathways around the house.**
-

9.3. Outdoor Living & Landscaping

- **Alfresco Area:**
 - **Timber-look composite decking or tiled flooring.**
 - **Ceiling: Lined with VJ panelling & LED downlights.**
 - **Optional outdoor kitchen with stone benchtop & BBQ provisions.**

- **Fencing:**
 - **1.8m timber paling fence (side & rear boundaries).**
 - **Optional rendered or steel front fence (1.2m high).**
 - **Front Yard Landscaping:**
 - Drought-resistant **native plants & lawn.**
 - **Mulched garden beds with river pebbles.**
 - **Irrigation system with programmable timer.**
 - **Rear Yard:**
 - **Lawn & garden beds with optional vegetable garden space.**
 - **Optional fire pit or water feature.**
-

9.4. Sustainability & Energy Efficiency

- **Insulation:**
 - **R5.0 ceiling insulation** for energy efficiency.
 - **R2.5 wall insulation** in external walls.
 - **Rainwater Management:**
 - **3,000L rainwater tank** connected to toilets & garden taps.
 - **Solar Power:**
 - **6.6kW solar panel system** (optional upgrade to battery storage).
 - **Lighting:**
 - **Motion sensor LED lighting** at entry & driveway.
 - **Security & Technology:**
 - **Smart doorbell with intercom.**
 - **Pre-wired for CCTV & security alarm.**
-

9.5. Optional Upgrades

- **Timber battens or stone feature wall at entrance.**
- **Extended alfresco area with outdoor heating.**

- **Automated garden irrigation system.**
- **Feature lighting for landscaping.**