


Relatório 7 - Prática: Mergulho nas IDEs Online para Aprendizado de Máquina (I)

Gabriel Oliveira Santos

1. Introdução

Nesta atividade foram estudadas as plataformas Jupyter Notebook, Google Colab e Kaggle, muito utilizadas em Ciência de Dados e Machine Learning. O objetivo foi conhecer as ferramentas, não desenvolver nelas.


2. Desenvolvimento




Em um primeiro momento do vídeo, foi apresentada a ferramenta Jupyter Notebook, que eu já vinha utilizando para alguns cards, mas com uma pequena diferença, aprendi mais sobre o Jupyter Lab, além de ter instalado corretamente no meu computador.



O Jupyter funciona localmente, isso quer dizer que é o processamento do próprio computador que faz os processos. Possui ampla conectividade com outras bibliotecas do Python, sendo uma das mais famosas. O ponto principal, é que independente de ter ou não acesso a internet, ela funciona, já que roda local, diferentemente das próximas.



Colab é uma ferramenta, que assim como o Jupyter, interpreta o Python, mas com diferenças expressivas da IDE anterior. É gratuita, assim como todas apresentadas. O colab necessariamente precisa de conexão de internet, o que pode dificultar o uso, mas possui integração direta com o Google Drive, sendo perfeito para organizar os projetos na nuvem. Sua principal vantagem é de longe o uso dos servidores Google, com um modelo base de 24gb RAM, que aguenta softwares “simples” e IA’s não muito avançadas.



O Kaggle foi a que mais me surpreendeu. O fato de possuir uma biblioteca pública com acesso a amplos projetos e modelos torna a usabilidade de funções e parâmetros de outros desenvolvedores algo simples, bastando importar. Ela é mundialmente conhecida por Cientistas de Dados, mas depende, assim como o Colab, do acesso a internet, além de limitações para personalização e recursos computacionais.

No geral:

- Jupyter Notebook: ideal para desenvolvimento local e aprendizado.
- Google Colab: ideal para execução rápida e colaboração online.
- Kaggle: ideal para Ciência de Dados, competições e acesso a datasets públicos.

Prints do processo seguem abaixo:

```

C:\Users\ganog>
vents>0.11.0->jupyter-server<3,>=2.19.0->notebook) (1.1.0)
Requirement already satisfied: uri-template in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.19.0->notebook) (1.3.0)
Requirement already satisfied: nbcolor>=24.6.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from jsonschema[format-nongpl]>=4.18.0->jupyter-event>=0.11.0->jupyter-server<3,>=2.19.0->notebook) (25.10.0)
Requirement already satisfied: beautifulsoup4 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (4.15.0)
Requirement already satisfied: bleach!=5.0.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (6.4.0)
Requirement already satisfied: defusedxml in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (0.7.1)
Requirement already satisfied: jupyterlab-pygments in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (0.3.0)
Requirement already satisfied: mistune<4,>=2.0.3 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (3.3.4)
Requirement already satisfied: nbclient>=0.5.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (0.9.11.0)
Requirement already satisfied: pandocfilters!=1.4.1 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (1.5.1)
Requirement already satisfied: webencodings in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach!=5.0.0->bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (0.6.1)
Requirement already satisfied: tinycss2!=1.1.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach[css]!=5.0.0->nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (3.1.1)
Requirement already satisfied: fastjsonschema>=2.15 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbformat>=5.3.0->jupyter-server<3,>=2.19.0->notebook) (2.22.2)
Requirement already satisfied: six!=1.5 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from python-dateutil>=2.8.2->jupyter-client>=7.4.4->jupyter-server<3,>=2.19.0->notebook) (1.17.0)
Requirement already satisfied: charset-normalizer<4,>=2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>=2.2.0->notebook) (3.5.1)
Requirement already satisfied: urllib3<3,>=1.26 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>=2.2.0->notebook) (2.8.0)
Requirement already satisfied: lark!=1.2.2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from rfc3987-syntax>=1.1.0->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.19.0->notebook) (1.3.1)
Requirement already satisfied: executing>1.2.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=5.0->jupyterlab4.7,>=6.4->notebook) (2.2.1)
Requirement already satisfied: atk0tkens>=2.1.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=5.0->jupyterlab4.7,>=6.4->notebook) (3.0.2)
Requirement already satisfied: pure-eval in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=5.0->jupyterlab4.7,>=6.4->notebook) (0.2.4)
Requirement already satisfied: cffi>=2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>=2.19.0->notebook) (2.1.1)
Requirement already satisfied: pycparser in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from cffi>=2->argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>=2.19.0->notebook) (2.0)
Requirement already satisfied: soupsieve>=1.6.1 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from beautifulsoup4->nbconvert>=6.4.4->jupyter-server<3,>=2.19.0->notebook) (2.10)
Requirement already satisfied: arrow=0.15.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from isoduration->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.19.0->notebook) (1.4.0)
Requirement already satisfied: tzdata in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from arrow=0.15.0->isoduration->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>=2.19.0->notebook) (2026.4)

[notice] A new release of pip is available: 25.2 -> 26.2.1
[notice] To update, run: C:\Users\ganog\AppData\Local\Programs\Python\Python314\python.exe -m pip install --upgrade pip

C:\Users\ganog>

```

```

Prompt de Comando
vents>0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (1.1.0)
Requirement already satisfied: uri-template in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (1.3.0)
Requirement already satisfied: webcolors>=24.6.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from jsonschema[format-nongpl]>=4.18.0->jupyter-event>=0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (25.10.0)
Requirement already satisfied: beautifulsoup4 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (4.15.0)
Requirement already satisfied: bleach=5.0.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach[css]==5.0.0->nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (6.4.0)
Requirement already satisfied: defusedxml in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (0.7.1)
Requirement already satisfied: jupyterlab-pygments in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (6.3.0)
Requirement already satisfied: mistune<4,>=2.0.3 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (3.3.4)
Requirement already satisfied: nbclient>=5.0.2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (0.11.0)
Requirement already satisfied: pandocfilters>=1.4.1 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (1.5.1)
Requirement already satisfied: webencodings in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach=5.0.0->bleach[css]==5.0.0->nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (0.6.1)
Requirement already satisfied: tinycss2>=1.1.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from bleach[css]==5.0.0->nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (1.5.1)
Requirement already satisfied: fastjsonschema>=2.15 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from nbformat>=5.3.0->jupyter-server<3,>2.19.0->jupyterlab) (2.22.2)
Requirement already satisfied: six>=1.5 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from python-dateutil>=2.8.2->jupyter-client>7.4.4->jupyter-server<3,>2.19.0->jupyterlab) (1.17.0)
Requirement already satisfied: charset-normalizer<4,>=2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>2.2.8.0->jupyterlab) (3.5.1)
Requirement already satisfied: urllib3<3,>=1.26 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from requests>=2.31->jupyterlab-server<3,>2.2.8.0->jupyterlab) (2.0.9)
Requirement already satisfied: lark>=0.1.2.2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from rfc3987-syntax>=1.1.0->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (1.3.1)
Requirement already satisfied: executing>=1.2.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=6.5.0->jupyterlab) (2.2.1)
Requirement already satisfied: asttokens>=2.1.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=6.5.0->jupyterlab) (3.0.2)
Requirement already satisfied: pure-eval in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from stack_data>=0.6.0->ipython>=7.23.1->ipykernel!=6.30.0,>=6.5.0->jupyterlab) (0.2.4)
Requirement already satisfied: cffi>=2 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>2.19.0->jupyterlab) (2.1.1)
Requirement already satisfied: pycparser in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from cffi>=2->argon2-cffi-bindings->argon2-cffi>=21.1->jupyter-server<3,>2.19.0->jupyterlab) (2.0)
Requirement already satisfied: snowflake>=1.6.1 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from beautifulsoup4->nbconvert>=6.4.4->jupyter-server<3,>2.19.0->jupyterlab) (2.10)
Requirement already satisfied: arrow>=0.15.0 in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from isoduration->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (1.4.0)
Requirement already satisfied: tzdata in c:\users\ganog\appdata\local\programs\python\python314\lib\site-packages (from arrow>=0.15.0->isoduration->jsonschema[format-nongpl]>=4.18.0->jupyter-events>=0.11.0->jupyter-server<3,>2.19.0->jupyterlab) (2026.4)


[notice] A new release of pip is available: 25.2 -> 26.2.1
[notice] To update, run: C:\Users\ganog\AppData\Local\Programs\Python\Python314\python.exe -m pip install --upgrade pip

C:\Users\ganog>


```

```
C:\Users\ganog>py --version
Python 3.14.0
```

```
C:\Users\ganog>
```



Jupyter



Colab

example notebooks

+

https://www.kaggle.com/code/bybiel/example-notebooks

Search

GABRIEL OLIVEIRA SANTOS · 2D AGO · 3 VIEWS · PRIVATE

0 Share Edit Download

example notebooks

Notebook Input Output Logs Comments (0) Settings

Example Kaggle Notebook

This is great

In [1]:
print('test test 123')

test test 123

In [2]:
import pandas as pd

In [3]:
df = pd.read_csv(
 '/kaggle/input/notebooks/robikscube/erbeast-youtube-stats-daily-pull/MrBeast_youtube_stats.csv')

/tmp/ipykernel_16/1671472127.py:1: DtypeWarning: Columns (21,22,23) have mixed types. Specify dtype option on import or set low_memory=False.
 df = pd.read_csv(

In [4]:
df.head()

Out[4]:

Version 1 of 1

Runtime
37s

Input
NOTEBOOKS
MrBeast - Youtube Stats Daily Pull

Tags
Add Tags

Language
Python

Table of Contents
Example Kaggle Notebook

Kaggle uses cookies from Google to deliver and enhance the quality of its services and to analyze traffic.

Learn more OK, Got it

```
In [4]: df.head()
```

Out[4]:


	id	title	description	publishTime	kind_stats	duration_seconds	viewCount	likeCount	commentCount
0	T_SMf9j50uc	Can We Build an Entire Village?	NaN	2026-09-18 16:00:01+00:00	youtube#video	40	20193229.0	740932.0	15085.0
1	CEJXqm2eiJ0	What's Inside My Briefcase?	NaN	2026-09-27 16:00:14+00:00	youtube#video	40	3260100.0	133911.0	5351.0
2	v9QtM6qnG50	I Built A City To Save Kids From Illegal Labor	Huge thanks to the 1 Billion Followers Summit...	2026-09-19 16:00:01+00:00	youtube#video	1143	76575091.0	1943491.0	89096.0
3	sfv1QaRzJg8	I Ordered Pizza And Tipped The House	I Was In Youtube Rewind 2019 New Merch - https...	2019-12-05 21:00:02+00:00	youtube#video	770	168225245.0	4451413.0	105551.0
4	T_SMf9j50uc	Can We Build an Entire Village?	NaN	2026-09-18 16:00:01+00:00	youtube#video	40	19698126.0	725479.0	14432.0

5 rows x 26 columns

```
In [5]: #Acima retorna um aviso pois não consegui achar especificadamente o imput do video, mas esse tem a mesma base. É apenas um aleta do pandas dizendo que contem texto também, algo que nao seria esperad o
```

```
In [6]: df.plot(x='viewCount', y='likeCount', kind='scatter', title ='Mr. Beast Videos')
```

```
Out[6]: <Axes: title={'center': 'Mr. Beast Videos'}, xlabel='viewCount', ylabel='likeCount'>
```



Kaggle

3. Conclusão

A principal conclusão é que a escolha entre Jupyter Notebook, Google Colab e Kaggle depende das necessidades de quem vai utilizar. O Jupyter oferece maior personalização e controle do ambiente local, sendo ideal para quem precisa configurar bibliotecas e recursos específicos. O Colab se destaca pela

praticidade, integração com o Google Drive e facilidade de compartilhamento. Já o Kaggle oferece acesso a datasets e uma grande comunidade. Assim, cada ferramenta possui vantagens próprias e deve ser utilizada de acordo com o objetivo do projeto.