

Nama : Gabriel Hagabean Silitonga
Nim : 255314159

MODUL

BAHASA QUERY



Dosen Pengampu :

Kartono Pinaryanto, S.Kom., M.T

PROGRAM STUDI TEKNIK INFORMATIKA
JURUSAN TEKNIK INFORMATIKA
UNIVERSITAS SANATA DHARMA
YOGYAKARTA
2023

1. Tampilkan employee_id, first_name, job_id, salary dari tabel employees.

Query:

```
select EMPLOYEE_ID,FIRST_NAME,JOB_ID,SALARY  
from EMPLOYEES;
```

Output:



The screenshot shows a SQL query result window titled 'Query Result x'. It displays 12 rows of data from the EMPLOYEES table. The columns are EMPLOYEE_ID, FIRST_NAME, JOB_ID, and SALARY. The data is as follows:

	EMPLOYEE_ID	FIRST_NAME	JOB_ID	SALARY
1	100	Steven	AD_PRES	24000
2	101	Neena	AD_VP	17000
3	102	Lex	AD_VP	17000
4	103	Alexander	IT_PROG	9000
5	104	Bruce	IT_PROG	6000
6	105	David	IT_PROG	4800
7	106	Valli	IT_PROG	4800
8	107	Diana	IT_PROG	4200
9	108	Nancy	FI_MGR	12008
10	109	Daniel	FI_ACCOUNT	9000
11	110	John	FI_ACCOUNT	8200
12	111	Ismael	FI_ACCOUNT	7700

Ket : Untuk menampilkan Tabel Berisi atribut
EMPLOYEE_ID,FIRST_NAME,JOB_ID, dan SALARY.

2. Tampilkan tanpa duplikasi job_id apa saja yang ada di tabel employees.

Query:

```
select DISTINCT JOB_ID  
from EMPLOYEES;
```

Output:

Query Result x

SQL | All Rows Fetched: 19 in 0.005 seconds

	JOB_ID
1	AC_ACCOUNT
2	AC_MGR
3	AD_ASST
4	AD_PRES
5	AD_VP
6	FI_ACCOUNT
7	FI_MGR
8	HR_REP
9	IT_PROG
10	MK_MAN
11	MK_REP
12	PR_REP
13	PU_CLERK
14	PU_MAN
15	SA_MAN
16	SA_REP
17	SH_CLERK
18	ST_CLERK
19	ST_MAN

Ket : Untuk menampilkan Tabel Berisi atribut JOB_ID dengan menghilangkan duplikat.

3. Tampilkan employee_id, first_name, last_name, hire_date dengan tampilan first_name dan Last_name digabungkan menjadi satu kolom dengan header kolom menjadi 'Full Name'.

Query:

```
select FIRST_NAME || LAST_NAME AS "Full Name", EMPLOYEE_ID, HIRE_DATE
from EMPLOYEES;
```

Output:

Query Result x		
SQL Fetched 50 rows in 0.006 seconds		
	Full Name	EMPLOYEE_ID HIRE_DATE
1	StevenKing	100 17-JUN-03
2	NeenaKochhar	101 21-SEP-05
3	LexDe Haan	102 13-JAN-01
4	AlexanderHunold	103 03-JAN-06
5	BruceErnst	104 21-MAY-07
6	DavidAustin	105 25-JUN-05
7	ValliPataballa	106 05-FEB-06
8	DianaLorentz	107 07-FEB-07
9	NancyGreenberg	108 17-AUG-02
10	DanielFaviet	109 16-AUG-02
11	JohnChen	110 28-SEP-05
12	IsmaelSciarra	111 30-SEP-05
13	Jose ManuelUrman	112 07-MAR-06
14	LuisPopp	113 07-DEC-07
15	DenRaphaely	114 07-DEC-02
16	AlexanderKhoo	115 18-MAY-03
17	ShelliBaida	116 24-DEC-05
18	SigalTobias	117 24-JUL-05
19	GuyHimuro	118 15-NOV-06
20	KarenColmenares	119 10-AUG-07

Ket : Untuk menampilkan Tabel Berisi atribut employee_id, first_name, last_name, hire_date tapi first_name dan last_name digabung lalu atributnya memakai AS menjadi tulisan Full Name.

4. Terdapat 4 kesalahan pada query di bawah ini :
- ```
SELECT employee_id, last_name Sal x 12 ANNUAL
SALARY FROM employees;
```

Query:

```
SELECT EMPLOYEE_ID, LAST_NAME, salary*12
FROM EMPLOYEES
```

Output:

|    | EMPLOYEE_ID | LAST_NAME  | SALARY*12 |
|----|-------------|------------|-----------|
| 1  | 100         | King       | 288000    |
| 2  | 101         | Kochhar    | 204000    |
| 3  | 102         | De Haan    | 204000    |
| 4  | 103         | Hunold     | 108000    |
| 5  | 104         | Ernst      | 72000     |
| 6  | 105         | Austin     | 57600     |
| 7  | 106         | Pataballa  | 57600     |
| 8  | 107         | Lorentz    | 50400     |
| 9  | 108         | Greenberg  | 144096    |
| 10 | 109         | Faviet     | 108000    |
| 11 | 110         | Chen       | 98400     |
| 12 | 111         | Sciarra    | 92400     |
| 13 | 112         | Urman      | 93600     |
| 14 | 113         | Popp       | 82800     |
| 15 | 114         | Raphaely   | 132000    |
| 16 | 115         | Khoo       | 37200     |
| 17 | 116         | Baida      | 34800     |
| 18 | 117         | Tobias     | 33600     |
| 19 | 118         | Himuro     | 31200     |
| 20 | 119         | Colmenares | 30000     |

Ket : Kesalahannya yaitu last\_name gak ada koma, sal harusnya salary, kali harusnya bintang , terakhir tidak ada ANNUAL SALARY.

5. Tampilkan last\_name dan salary dari tabel employees dengan output tampilan sebagai berikut  
: Gaji Perbulan King : 1 bulan gaji = 24000 Kochhar : 1 bulan gaji = 17000 De Haan : 1 bulan gaji = 17000

Query:

```
SELECT LAST_NAME || ': 1 Bulan Gaji =' || SALARY
AS "Gaji Perbulan"
FROM EMPLOYEES
```

Output:

|    | Gaji Perbulan                  |
|----|--------------------------------|
| 1  | King: 1 Bulan Gaji =24000      |
| 2  | Kochhar: 1 Bulan Gaji =17000   |
| 3  | De Haan: 1 Bulan Gaji =17000   |
| 4  | Hunold: 1 Bulan Gaji =9000     |
| 5  | Ernst: 1 Bulan Gaji =6000      |
| 6  | Austin: 1 Bulan Gaji =4800     |
| 7  | Pataballa: 1 Bulan Gaji =4800  |
| 8  | Lorentz: 1 Bulan Gaji =4200    |
| 9  | Greenberg: 1 Bulan Gaji =12008 |
| 10 | Faviet: 1 Bulan Gaji =9000     |
| 11 | Chen: 1 Bulan Gaji =8200       |
| 12 | Sciarra: 1 Bulan Gaji =7700    |
| 13 | Urman: 1 Bulan Gaji =7800      |
| 14 | Popp: 1 Bulan Gaji =6900       |
| 15 | Raphaely: 1 Bulan Gaji =11000  |
| 16 | Khoo: 1 Bulan Gaji =3100       |
| 17 | Baida: 1 Bulan Gaji =2900      |
| 18 | Tobias: 1 Bulan Gaji =2800     |
| 19 | Himuro: 1 Bulan Gaji =2600     |
| 20 | Colmenares: 1 Bulan Gaji =2500 |

Ket : Menampilkan last\_name dan salary yang menggunakan || " || di tengahnya yang di TULIS : 1 Bulan Gaji = Dan atribut nya memakai AS lalu di tulis Gaji Perbulan.

## 6. Tampilkan struktur tabel Departments.

Query:

```
SELECT *
FROM DEPARTMENTS
```

Output:

|    | DEPARTMENT_ID | DEPARTMENT_NAME      | MANAGER_ID | LOCATION_ID |
|----|---------------|----------------------|------------|-------------|
| 1  | 10            | Administration       | 200        | 1700        |
| 2  | 20            | Marketing            | 201        | 1800        |
| 3  | 30            | Purchasing           | 114        | 1700        |
| 4  | 40            | Human Resources      | 203        | 2400        |
| 5  | 50            | Shipping             | 121        | 1500        |
| 6  | 60            | IT                   | 103        | 1400        |
| 7  | 70            | Public Relations     | 204        | 2700        |
| 8  | 80            | Sales                | 145        | 2500        |
| 9  | 90            | Executive            | 100        | 1700        |
| 10 | 100           | Finance              | 108        | 1700        |
| 11 | 110           | Accounting           | 205        | 1700        |
| 12 | 120           | Treasury             | (null)     | 1700        |
| 13 | 130           | Corporate Tax        | (null)     | 1700        |
| 14 | 140           | Control And Credit   | (null)     | 1700        |
| 15 | 150           | Shareholder Services | (null)     | 1700        |
| 16 | 160           | Benefits             | (null)     | 1700        |
| 17 | 170           | Manufacturing        | (null)     | 1700        |
| 18 | 180           | Construction         | (null)     | 1700        |
| 19 | 190           | Contracting          | (null)     | 1700        |
| 20 | 200           | Operations           | (null)     | 1700        |

Ket : untuk Menampilkan Tabel department.

7. Buatlah query dengan output sebagai berikut :
- DEPARTMENT\_ID, DEPARTMENT\_NAME,  
DEPARTMENT\_ID, MANAGER\_ID, LOCATION\_ID

Query:

```
SELECT DEPARTMENT_ID, DEPARTMENT_NAME,
DEPARTMENT_ID, MANAGER_ID, LOCATION_ID
FROM DEPARTMENTS
```

Output:

|    | DEPARTMENT_ID | DEPARTMENT_NAME      | MANAGER_ID | LOCATION_ID |
|----|---------------|----------------------|------------|-------------|
| 1  | 10            | Administration       | 200        | 1700        |
| 2  | 20            | Marketing            | 201        | 1800        |
| 3  | 30            | Purchasing           | 114        | 1700        |
| 4  | 40            | Human Resources      | 203        | 2400        |
| 5  | 50            | Shipping             | 121        | 1500        |
| 6  | 60            | IT                   | 103        | 1400        |
| 7  | 70            | Public Relations     | 204        | 2700        |
| 8  | 80            | Sales                | 145        | 2500        |
| 9  | 90            | Executive            | 100        | 1700        |
| 10 | 100           | Finance              | 108        | 1700        |
| 11 | 110           | Accounting           | 205        | 1700        |
| 12 | 120           | Treasury             | (null)     | 1700        |
| 13 | 130           | Corporate Tax        | (null)     | 1700        |
| 14 | 140           | Control And Credit   | (null)     | 1700        |
| 15 | 150           | Shareholder Services | (null)     | 1700        |
| 16 | 160           | Benefits             | (null)     | 1700        |
| 17 | 170           | Manufacturing        | (null)     | 1700        |
| 18 | 180           | Construction         | (null)     | 1700        |
| 19 | 190           | Contracting          | (null)     | 1700        |
| 20 | 200           | Operations           | (null)     | 1700        |

**Ket : untuk menampilkan tabel department berisi atribut  
DEPARTMENT\_ID, DEPARTMENT\_NAME, DEPARTMENT\_ID,  
MANAGER\_ID, LOCATION\_ID.**

- Buatlah query untuk menampilkan employee\_id,  
last\_name, job\_id, hire\_date dengan output header  
kolom sebagai berikut :**

**Query:**

**SELECT EMPLOYEE\_ID AS "Emp #",LAST\_NAME AS**

**"Employee",JOB\_ID AS "Job",HIRE\_DATE AS "Hire Date"  
FROM EMPLOYEES**

|    | Emp # | Employee   | Job        | Hire Date |
|----|-------|------------|------------|-----------|
| 1  | 100   | King       | AD_PRES    | 17-JUN-03 |
| 2  | 101   | Kochhar    | AD_VP      | 21-SEP-05 |
| 3  | 102   | De Haan    | AD_VP      | 13-JAN-01 |
| 4  | 103   | Hunold     | IT_PROG    | 03-JAN-06 |
| 5  | 104   | Ernst      | IT_PROG    | 21-MAY-07 |
| 6  | 105   | Austin     | IT_PROG    | 25-JUN-05 |
| 7  | 106   | Pataballa  | IT_PROG    | 05-FEB-06 |
| 8  | 107   | Lorentz    | IT_PROG    | 07-FEB-07 |
| 9  | 108   | Greenberg  | FI_MGR     | 17-AUG-02 |
| 10 | 109   | Faviet     | FI_ACCOUNT | 16-AUG-02 |
| 11 | 110   | Chen       | FI_ACCOUNT | 28-SEP-05 |
| 12 | 111   | Sciarra    | FI_ACCOUNT | 30-SEP-05 |
| 13 | 112   | Urman      | FI_ACCOUNT | 07-MAR-06 |
| 14 | 113   | Popp       | FI_ACCOUNT | 07-DEC-07 |
| 15 | 114   | Raphaely   | PU_MAN     | 07-DEC-02 |
| 16 | 115   | Khoo       | PU_CLERK   | 18-MAY-03 |
| 17 | 116   | Baida      | PU_CLERK   | 24-DEC-05 |
| 18 | 117   | Tobias     | PU_CLERK   | 24-JUL-05 |
| 19 | 118   | Himuro     | PU_CLERK   | 15-NOV-06 |
| 20 | 119   | Colmenares | PU_CLERK   | 10-AUG-07 |

**Output:**

Ket : untuk menampilkan tabel department berisi atribut employee\_id, last\_name, job\_id, hire\_date lalu atributnya memakai as lalu ditulis Emp #, Employee, Job, Hire Date.

9. Buatlah query untuk menampilkan output sebagai berikut :

**Query:**

```
SELECT EMPLOYEE_ID || ',' || FIRST_NAME || ',' ||
LAST_NAME || ',' || EMAIL || ',' ||
PHONE_NUMBER || ',' || HIRE_DATE || ',' ||
JOB_ID || ',' || SALARY || ',' || COMMISSION_PCT
|| ',' || MANAGER_ID || ',' || DEPARTMENT_ID AS
"THE_OUTPUT"
FROM EMPLOYEES
```

## Output:

|    | THE_OUTPUT                                                                    |
|----|-------------------------------------------------------------------------------|
| 1  | 100,Steven,King,SKING,515.123.4567,17-JUN-03,AD_PRES,24000,,90                |
| 2  | 101,Neena,Kochhar,NKOCHHAR,515.123.4568,21-SEP-05,AD_VP,17000,,100,90         |
| 3  | 102,Lex,De Haan,LDEHAAN,515.123.4569,13-JAN-01,AD_VP,17000,,100,90            |
| 4  | 103,Alexander,Hunold,AHUNOLD,590.423.4567,03-JAN-06,IT_PROG,9000,,102,60      |
| 5  | 104,Bruce,Ernst,BERNST,590.423.4568,21-MAY-07,IT_PROG,6000,,103,60            |
| 6  | 105,David,Austin,DAUSTIN,590.423.4569,25-JUN-05,IT_PROG,4800,,103,60          |
| 7  | 106,Valli,Pataballa,VPATABAL,590.423.4560,05-FEB-06,IT_PROG,4800,,103,60      |
| 8  | 107,Diana,Lorentz,DLORENTZ,590.423.5567,07-FEB-07,IT_PROG,4200,,103,60        |
| 9  | 108,Nancy,Greenberg,NGREENBE,515.124.4569,17-AUG-02,FI_MGR,12008,,101,100     |
| 10 | 109,Daniel,Faviet,DFAVIET,515.124.4169,16-AUG-02,FI_ACCOUNT,9000,,108,100     |
| 11 | 110,John,Chen,JCHEN,515.124.4269,28-SEP-05,FI_ACCOUNT,8200,,108,100           |
| 12 | 111,Ismael,Sciarra,ISCIARRA,515.124.4369,30-SEP-05,FI_ACCOUNT,7700,,108,100   |
| 13 | 112,Jose Manuel,Urman,JMURMAN,515.124.4469,07-MAR-06,FI_ACCOUNT,7800,,108,100 |
| 14 | 113,Luis,Popp,LPOPP,515.124.4567,07-DEC-07,FI_ACCOUNT,6900,,108,100           |
| 15 | 114,Den,Raphaely,DRAPHEAL,515.127.4561,07-DEC-02,PU_MAN,11000,,100,30         |
| 16 | 115,Alexander,Khoo,AKHOO,515.127.4562,18-MAY-03,PU_CLERK,3100,,114,30         |
| 17 | 116,Shelli,Baida,SBAIDA,515.127.4563,24-DEC-05,PU_CLERK,2900,,114,30          |
| 18 | 117,Sigal,Tobias,STOBIAS,515.127.4564,24-JUL-05,PU_CLERK,2800,,114,30         |
| 19 | 118,Guy,Himuro,GHIMURO,515.127.4565,15-NOV-06,PU_CLERK,2600,,114,30           |
| 20 | 119,Karen,Colmenares,KCOLMENA,515.127.4566,10-AUG-07,PU_CLERK,2500,,114,30    |

Ket : Untuk menggabungkan semua atribut menjadi satu lalu di tambahkan koma seperti ini || ' ' || lalu atributnya memakai AS yang di tulis THE\_OUTPUT.